

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

12/16/2021



| Incident Number                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                | Address                         | Platoon | CAD Narrative   |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|---|
| <b>CAD Officer in Charge: (None)</b> |                     |        |               |         |       |                          |                                 |         |   |
| CF21-38975                           | 11/23/2021 11:05:26 | PUBLIC | Initiated     | No      | 86    | BLU28                    | 31 CONCOURSE A SL[OBA A25]      |         |   |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South             | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING   |
| CF21-30961                           | 09/18/2021 21:35:36 | TRUCK  | Initiated     | No      | 84    | BC41, E41, MA41          | 200 West 180E WB Freeway        |         |   |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle       |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5  |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152                    | 8037 South ROYAL Lane           |         | FD152   |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 95    | M3                       | 1237 East BRICKYARD Road        | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..  |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2                      | 307 East 600 South              |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...  |
| CF21-29580                           | 09/09/2021 13:39:54 | UNCON  | Initiated     | No      | 82    | MA72                     | 2000 South 3200 West            |         | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD   |
| CF21-29985                           | 09/12/2021 00:56:00 | UNCON  | Initiated     | No      | 83    | MA73                     | 1571 South I215W NB Freeway     |         | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR...BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH   |
| CF21-31373                           | 09/22/2021 08:01:32 | PUBLIC | Initiated     | No      | 87    | BLUE                     | 765 North 2200 W[BUILDING 302 ] |         | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME   |
| CF21-35807                           | 10/28/2021 06:29:40 | ASSAM  | Initiated     | No      | 80    | E41, ME101, MA41         | 2757 South 300 East             |         | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584                           | 11/03/2021 16:20:52 | MISCF  | Initiated     | No      | 85    | BC31                     | 442 South HOLD Avenue           |         | ***TEST***  |
| CF21-37094                           | 11/07/2021 21:52:52 | PDASST | Initiated     | No      | 88    | M2                       | 50 South 500 West               | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750   |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street     | B       | FALSE ALARM PER CHURCH SECURITY   |
| CF21-24834                           | 08/04/2021 01:03:00 | ELEC   | Initiated     | No      | 95    | M3                       | 2225 South HIGHLAND Drive       | B       | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP   |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road      |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE  |
| <b>Count: 16</b>                     |                     |        |               |         |       |                          |                                 |         |   |

| Incident Number                                 | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                                  | Address                        | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|--|--------------------------------|---------|--|
| <b>CAD Officer in Charge: Allen, Aaron</b>      |                     |        |               |         |       |  |                                |         |  |
| CF21-41598                                      | 12/15/2021 14:14:09 | PUBLIC | Initiated     | No      | 88    | M11  | 1950 West NORTH TEMPLE Street  | C       | M IN WHEEL CHAIR IN TRAFFIC..EB LANE TO THE W OF ... SEE RELATED CP#: SL21-230010                  |
| <b>Count: 1</b>                                 |                     |        |               |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Archuleta, Adam</b>   |                     |        |               |         |       |  |                                |         |  |
| CF21-41611                                      | 12/15/2021 15:31:25 | ALARMF | Initiated     | No      | 87    | BC1, LT8, M1, M3, M8, M6                   | 999 South MAIN Street          | C       | FIRE ALARM... ZONE 1 GENERAL... REF#A16553   |
| CF21-41646                                      | 12/15/2021 18:36:32 | TRUCK  | Initiated     | No      | 87    | H10, M8                                    | 2200 South 115 NB Freeway      | C       | SEMI ON FIRE, REAL AXEL ON THE OFF RAMP...   |
| CF21-41650                                      | 12/15/2021 18:52:41 | MISCF  | Initiated     | No      | 87    | M5, M8                                     | South MAJOR ST / E WOOD Avenue | C       | AT THE ASIAN ASSOCIATON... RIGHT NEXT TO THE BLDG ON THE NE SIDE.. PS JUST A WARMING FIRE          |
| <b>Count: 3</b>                                 |                     |        |               |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Atwood, Michael</b>   |                     |        |               |         |       |  |                                |         |  |
| CF21-9552                                       | 04/02/2021 21:59:22 | ALARMF | Initiated     | No      | 88    | M2, LT2                                    | 147 West 300 South             | A       | FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068                                 |
| CF21-10299                                      | 04/09/2021 09:17:32 | PUBLIC | Initiated     | No      | 88    | LT2  | 235 West 600 North             | A       | COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED  |
| <b>Count: 2</b>                                 |                     |        |               |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Baum, Darren</b>      |                     |        |               |         |       |  |                                |         |  |
| CF21-40812                                      | 12/09/2021 17:27:04 | LOCKP  | Initiated     | No      | 90    | EQ9  | 6338 West 700 North            | C       | AMAZON WEARHOUSE...CHILD LOCKED IN THE VEH ON THE NE SIDE OF BLDG ... SEE RELATED CP#: SL21-226170 |
| <b>Count: 1</b>                                 |                     |        |               |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Bills, Jared</b>      |                     |        |               |         |       |  |                                |         |  |
| CF21-41622                                      | 12/15/2021 16:42:12 | LGASLE | Initiated     | No      | 88    | BC2, H10, H14, LT2, M2, M6, M8, BC1, GC587 | 550 West 700 South             | C       | CAN HEAR HISSING AND A STRONG ODOR OF GAS ....VALLEY BEHAVIORAL HEALTH AND THE APTS ABOVE....      |
| CF21-41600                                      | 12/15/2021 14:16:36 | VEH    | Initiated     | No      | 88    | M2, M6                                     | 400 West 700 South             | C       | VEH SMOKING UNDER HOOD... MIDLE OF THE ROAD... BLK HONDA ACCORD                                    |
| <b>Count: 2</b>                                 |                     |        |               |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Burk, Christopher</b> |                     |        |               |         |       |  |                                |         |  |
| CF21-40642                                      | 12/08/2021 08:23:55 | ALARMF | Initiated     | No      | 87    | E4   | 402 East 6TH Avenue            | B       | ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683                      |
| CF21-40470                                      | 12/06/2021 16:00:20 | ALARMF | Initiated     | No      | 87    | EQ14                                       | 4870 West 2100 South           | B       | FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290                                      |
| CF21-40494                                      | 12/06/2021 18:27:12 | ALARMF | Initiated     | No      | 87    | EQ14                                       | 1755 South FREMONT Drive       | B       | FIRE ALARM, SMOKE ALARM ZONE 2,  |
| CF21-40591                                      | 12/07/2021 16:13:42 | ALARMW | Initiated     | No      | 100   | E4, LT2                                    | 205 East 2ND Avenue            | B       | REF # DFS6548 ALARM.. POINT 204 WATERFLOW FIRE ALARM.. RP # 385-645-4723                           |
| <b>Count: 4</b>                                 |                     |        |               |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Bush, Joseph</b>      |                     |        |               |         |       |  |                                |         |  |
| CF21-40103                                      | 12/03/2021 14:37:15 | ALARMF | Initiated     | No      | 88    | E10  | 151 South CONNOR Road          | C       | FIRE ALARM... UNIV PD ENR...   |
| CF21-34231                                      | 10/15/2021 14:49:38 | FUEL   | Initiated     | No      | 87    | H10  | 2700 South 700 East            |         |  |
| <b>Count: 2</b>                                 |                     |        |               |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Carter, Gary</b>      |                     |        |               |         |       |  |                                |         |  |
| CF21-41185                                      | 12/12/2021 11:23:06 | ACC    | Initiated     | No      | 88    | BC1, LT8                                   | South MAIN ST / E CLEVELAND    | B       |  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus      | Address                                     | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|----------------|---|---------|--|
|  |                     |        |               |         |       |                | Avenue                                      |         |  |
| CF20-14622                                     | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156          | 475 South 300 East                          |         |  |
| <b>Count: 2</b>                                |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Clark, Jeffrey</b>   |                     |        |               |         |       |                |   |         |  |
| CF21-39733                                     | 11/30/2021 10:17:45 | ODOR   | Initiated     | No      | 85    | M11, RD2       | AOA[CAPM 0 019 CTR TUNNEL NEAR PROSPECT OFC | B       | SMELL OF DIESEL FUEL AND EXHAUST IN THE NEW CTR TUNNEL BY THE PROSPECT OFFICE  |
| <b>Count: 1</b>                                |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>      |                     |        |               |         |       |                |   |         |  |
| CF20-29532                                     | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092 | 10914 West 180W EB Freeway                  |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |
| <b>Count: 1</b>                                |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Comer, Peter</b>     |                     |        |               |         |       |                |   |         |  |
| CF21-22812                                     | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12            | 1174 West 600 North                         | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD   |
| <b>Count: 1</b>                                |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Crandall, Steve</b>  |                     |        |               |         |       |                |   |         |  |
| CF21-40367                                     | 12/05/2021 18:40:09 | ODOR   | Initiated     | No      | 88    | M5             | 760 South 900 East                          | A       | SMELLING A STRANGE ODOR FROM IN HER APT.. FROM THE BATHROOM..  |
| <b>Count: 1</b>                                |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Dahle, Chad</b>      |                     |        |               |         |       |                |   |         |  |
| CF21-41526                                     | 12/15/2021 03:36:10 | LINE   | Initiated     | No      | 88    | M1             | 155 South DOOLEY Court                      | C       | LINES IN BACKYARD LAYING ACROSS THE STR SPARKING.....HEARD A LOUD BANG AND THEN THE POWER WENT OUT....REQING IT BE CHECKED OUT                   |
| CF21-41532                                     | 12/15/2021 04:44:04 | LINE   | Initiated     | No      | 88    | M1             | 307 East 600 South                          | C       | LINE DOWN ON TOP OF CAR... NOT SPARKING OR ARCHING, NO FLAMES OR SMOKE....   |
| <b>Count: 2</b>                                |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Doyle, Chad</b>      |                     |        |               |         |       |                |   |         |  |
| CF21-39861                                     | 12/01/2021 14:11:25 | PUBLIC | Initiated     | No      | 87    | E10            | 2496 East ST MARYS Drive                    | B       | STUDENT STUCK FINGER THROUGH RING THING ON BACKPACK, FINGER TURNING COLOR, CURRENTLY IN THE FRONT OFFICE.... THE RING IS STUCK ABOVE THE KNUCKLE |
| CF21-39865                                     | 12/01/2021 14:30:23 | ALARMF | Initiated     | No      | 88    | E10            | 1206 East YALE Avenue                       | B       | FIRE ALARM // RES TOM AND SARA CURESS // 801-573-6351 // POINT 8 MAIN FLR AND 3RD FLR SMOKE // REF# 420375                                       |
| <b>Count: 2</b>                                |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |               |         |       |                |   |         |  |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated     | No      | 88    | SQ2            | 48 West 300 South                           |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU                                       |
| <b>Count: 1</b>                                |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Gillies, Matthew</b> |                     |        |               |         |       |                |   |         |  |
| CF21-39857                                     | 12/01/2021 12:54:40 | ALARMF | Initiated     | No      | 100   | M8             | 1030 South GALE Street                      | B       | ZONE 2 FACP PULL STATION...URBAN EDGE...801 355 4312   |
| <b>Count: 1</b>                                |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |               |         |       |                |   |         |  |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated     | No      | 87    | H14            | 2125 North REDWOOD Road                     |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS                         |
| CF21-  | 06/27/2021          | SMOKE  | Initiated     | No      | 86    | M7             | 300 North                                   | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus | Address                         | Platoon | CAD Narrative  |
|--|---------------------|--------|------------------|---------|-------|-----------|---------------------------------|---------|--|
| 19889  | 13:50:03            |        |                  |         |       |           | 700 West                        |         | SOME KIND, PER CT PS A CAR FIRE...CALLER DIDNT GIVE INFORMATION AND WAS JUST YELLING...  |
| CF21-19904                                       | 06/27/2021 17:57:23 | ALARMF | Initiated        | No      | 88    | M7        | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE  |
| CF21-19914                                       | 06/27/2021 19:28:56 | VEH    | Initiated        | No      | 86    | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA   |
| <b>Count:</b><br>4                               |                     |        |                  |         |       |           |                                 |         |  |
| <b>CAD Officer in Charge: Harp, Michael</b>      |                     |        |                  |         |       |           |                                 |         |  |
| CF21-41597                                       | 12/15/2021 14:07:22 | REFUEL | Initiated        | No      | 100   | RD2, RD3  | 60 East PERIMETER               | C       | US MARSHALLS 737 N738A ON SPOT 26 AT TAC AIR RAMP  |
| <b>Count:</b><br>1                               |                     |        |                  |         |       |           |                                 |         |  |
| <b>CAD Officer in Charge: Harwood, Blake</b>     |                     |        |                  |         |       |           |                                 |         |  |
| CF21-40262                                       | 12/04/2021 20:29:05 | ALARMF | Initiated        | No      | 88    | EQ9       | 683 South 4150 West             | A       | GEN FIRE ALARM AT TELEPERFORMANCE ZONE 0-20...REF# FP500564..RP ELI 801-7552007  |
| CF21-40269                                       | 12/04/2021 22:03:11 | ALARMF | Initiated        | No      | 87    | EQ9       | 683 South 4150 West             | A       | TELEPERFORMANCE...ZONE 0-20..GEN ALARM..ELI 801-257-6054   |
| <b>Count:</b><br>2                               |                     |        |                  |         |       |           |                                 |         |  |
| <b>CAD Officer in Charge: Healey, Bruce</b>      |                     |        |                  |         |       |           |                                 |         |  |
| CF21-41664                                       | 12/15/2021 22:43:35 | SGASLE | Initiated        | No      | 88    | H10, M3   | 2271 South 700 East             | C       | COMP CAN SMELL NATRUAL GAS COMING FROM HIS METER..   |
| CF21-41566                                       | 12/15/2021 10:41:02 | LINE   | Officer reviewed | No      | 100   | M3        | 1853 South 600 East             | C       | WIRES DOWN IN THE BACKYARD   |
| <b>Count:</b><br>2                               |                     |        |                  |         |       |           |                                 |         |  |
| <b>CAD Officer in Charge: Higgins, Jimmie</b>    |                     |        |                  |         |       |           |                                 |         |  |
| CF21-39926                                       | 12/01/2021 23:16:05 | ALARMF | Initiated        | No      | 87    | M1        | 350 South 200 East              | B       | COMMERICAL FIRE ALARM  |
| CF21-40626                                       | 12/07/2021 22:49:56 | ALARMF | Initiated        | No      | 86    | E13       | 1985 South 2100 East            | B       | PS CO ISSUE  |
| CF21-39855                                       | 12/01/2021 12:44:22 | ALARMF | Initiated        | No      | 87    | M1        | 300 North STATE Street          | B       | EAST OFFICE BLDG FIRE ALARM...FIRST FLOOR KITCHEN...STATE TROOPER WILL MEET TO DIRECT  |
| CF21-39875                                       | 12/01/2021 15:43:56 | VEH    | Initiated        | No      | 88    | M1        | 100 South 300 East              | B       | BLK AUDI ON FIRE SMOKE...INFRONT OF THE 711 TO THE SOUTH..NO ONE IN THE VEH  |
| <b>Count:</b><br>4                               |                     |        |                  |         |       |           |                                 |         |  |
| <b>CAD Officer in Charge: Hill, John</b>         |                     |        |                  |         |       |           |                                 |         |  |
| CF21-41568                                       | 12/15/2021 10:55:05 | PIPE   | Initiated        | No      | 88    | E13       | 2194 East WILSON Avenue         | C       | 2194 E WILSON, SEMI TRUCK FISHTAILED INTO SOMEONES YARD, POSS HIT AN UNDERGROUND LINE  |
| CF21-41655                                       | 12/15/2021 20:44:22 | PUBLIC | Initiated        | No      | 88    | E13       | 2127 South 1900 East            | C       | CALLBK=(911)901-9038 ..... FALLEN AND CANNOT GET UP  |
| <b>Count:</b><br>2                               |                     |        |                  |         |       |           |                                 |         |  |
| <b>CAD Officer in Charge: Hovermale, Matthew</b> |                     |        |                  |         |       |           |                                 |         |  |
| CF21-41668                                       | 12/15/2021 23:37:48 | ALARMF | Initiated        | No      | 87    | E4        | 86 South 1100 East              | C       | SMOKE ALARM ZONE E117 AND ZONE 72.... COURTNEY HYUAS 385-418-2182....  |
| <b>Count:</b><br>1                               |                     |        |                  |         |       |           |                                 |         |  |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>    |                     |        |                  |         |       |           |                                 |         |  |
| CF21-41148                                       | 12/12/2021 01:56:27 | ALARMF | Initiated        | No      | 88    | M1        | 210 East 400 South              | A       | GENERAL FIRE ALARM... INSIDE NUMBER 801 584 0200   |
| CF21-41151                                       | 12/12/2021 02:46:54 | ALARMF | Initiated        | No      | 88    | M1        | 660 South 300 East              | A       | ZONE 31 APARTMENT 213 RESIDENT IS 8013630253 JOAN STOCKHOLM ...REF 423161  |
| CF21-41154                                       | 12/12/2021 03:18:05 | ODOR   | Initiated        | No      | 88    | M1        | 115 South 300 East              | A       | BURNT TOAST SMELL IN THE HALLS.. THINKS SOMEONE IS COOKING HEROINE .. COMP LIVES IN 309 ON THE 3RD FLOOR.. STARTED ABOUT 20 MINS AGO.. NO FLAMES NO SMOKE.. NEG ALARMS GOING OFF |

| Incident Number                                   | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus           | Address                      | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|---------------------|------------------------------|---------|--|
| CF21-41161  | 12/12/2021 05:37:13 | PUBLIC | Initiated        | No      | 88    | M1                  | 400 East 200 South           | A       | COMP FOUND AN INDUSTRIAL SIZE FIRE EXTINGUISHER...COMP IS HOMELESS AND WOULD LIKE THE EXTINGUISHER PICKED UP WILL BE OUTSIDE OF THE 7 11 WEARING CAMOFLAUGE      |
| <b>Count:</b><br>4                                |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Mackintosh, William</b> |                     |        |                  |         |       |                     |                              |         |  |
| CF21-39947  | 12/02/2021 07:41:29 | ALARMF | Initiated        | No      | 87    | E4                  | 1390 East PRESIDENTS Circle  | B       | FIRE ALARM // GENERAL FIRE ALARM   |
| CF21-39915  | 12/01/2021 21:28:55 | ALARMF | Initiated        | No      | 87    | E4                  | 694 East 17TH Avenue         | B       | SMOKE DETECT ZONE 3...801 597 7712   |
| <b>Count:</b><br>2                                |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Maddux, John</b>        |                     |        |                  |         |       |                     |                              |         |  |
| CF21-41191  | 12/12/2021 12:45:30 | ALARMF | Initiated        | No      | 88    | M5                  | 660 South 300 East           | B       | FIRE ALARM APT 808... EMILIO 801-531-0202  |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b>   |                     |        |                  |         |       |                     |                              |         |  |
| CF20-28530  | 09/07/2020 03:45:47 | 65B02A | Initiated        | No      | 88    | FD154               | 1246 East BONNER Way         |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546  | 09/07/2020 09:39:27 | 65B02A | Initiated        | No      | 83    | FD154               | 1330 East IRA HODGES         |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| CF20-16587  | 05/29/2020 01:10:39 | ARS IN | Initiated        | No      | 85    | FD154               | 120 South STATE Street       |         |  |
| <b>Count:</b><br>3                                |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Myers, Eric</b>         |                     |        |                  |         |       |                     |                              |         |  |
| CF20-34126  | 10/17/2020 07:00:00 | WILD   | Officer reviewed | No      | 92    | E4                  | 655 East 950 North           | B       | SEE UF22703  |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>       |                     |        |                  |         |       |                     |                              |         |  |
| CF21-13024  | 05/03/2021 12:24:54 | PUBLIC | Initiated        | No      | 86    | SQ1                 | 131 East 700 South           |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b>      |                     |        |                  |         |       |                     |                              |         |  |
| CF20-23950  | 07/29/2020 14:30:19 | 65A03  | Initiated        | No      | 88    | E13                 | 6650 East I80E WB Freeway    | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| CF21-10548  | 04/11/2021 09:48:49 | PASST  | Initiated        | No      | 88    | LT8                 | 1460 South STATE Street      | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF   |
| CF21-11158  | 04/16/2021 12:43:25 | PASST  | Initiated        | No      | 84    | GC589               | 1364 West GLENROSE Drive     |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824           |
| CF20-30271  | 09/18/2020 17:47:16 | 65A03  | Initiated        | No      | 86    | EW6141, EW6142, M14 | 1560 West 3900 South         | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF21-39893  | 12/01/2021 17:44:20 | PUBLIC | Initiated        | No      | 88    | LT2                 | 229 North 800 West           | B       | UNK IF BACK DOOR UNLOCKED, RESD FELL AGAIN, UNDER GAS GRILL CONTROL KNOBS  |
| CF21-40631  | 12/08/2021 03:01:34 | ALARMF | Initiated        | No      | 88    | M2                  | 630 West SOUTH TEMPLE Street | B       | SK HART MANAGEMENT...ZONE 39 KEYPAD FIRE ALARM..4 ALARMS SINCE 301..RP NOT CONTACTED YET...R/P MAJID 801-560-8974  |
| CF21-39911  | 12/01/2021 20:21:54 | ALARMF | Initiated        | No      | 87    | M2                  | 239 West 600 North           | B       | FIRST FLR NEAR ROOM 108...REF DFS0030...801 363 4109   |
| CF21-41252  | 12/12/2021 22:40:26 | ARESCU | Initiated        | No      | 88    | LT2                 | 285 West 300 South           | B       | DOG LOCKED IN VEH WITH WINDOWS CRAKED....GRY PU TRUCK @X458CJ/...COMP CONCERNED DOG WILL FREEZE...DOG APPEARS TO BE IN DISTRESS ... SEE RELATED CP#: SL21-228216 |
| <b>Count:</b>                                     |                     |        |                  |         |       |                     |                              |         |  |

| Incident Number                                   | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                    | Platoon | CAD Narrative   |
|---|---------------------|--------|---------------|---------|-------|-----------|----------------------------|---------|---|
| <b>8</b>  |                     |        |               |         |       |           |                            |         |   |
| <b>CAD Officer in Charge: Rock, Nathan</b>        |                     |        |               |         |       |           |                            |         |   |
| CF21-41536  | 12/15/2021 05:57:12 | LINE   | Initiated     | No      | 88    | M1        | 50 West 400 South          | C       | LARGE TREE DOWN... BLOCKING #1 LANE.. DOWN POWER LINE .. W/B 400 S ... SEE RELATED CP#: SL21-229701   |
| CF21-41546  | 12/15/2021 08:10:12 | LINE   | Initiated     | No      | 88    | M1        | 400 South 600 East         | C       | N SIDE... NEG ARCING, SPARKING, NEG FLAMES... WAS TOLD OF LINES DOWN... NOT IN THE AREA TO CONFIRM.. NFD  |
| CF21-41553  | 12/15/2021 09:15:26 | ODOR   | Initiated     | No      | 88    | M1        | 650 South 300 East         | C       | CHEMICAL POSS ISSUE, ODOR, STICKYNESS ON BATHROOM FLOOR AND CARPET, MUSTY SMELL   |
| CF21-41401  | 12/14/2021 09:40:47 | ALARMF | Initiated     | No      | 88    | M1        | 136 South 300 East         | C       | BUSN/ DOWNING... DT 0939...ZONE 1 NO DESCRIPTION...IN PHONE 530-718-8199  |
| CF21-41468  | 12/14/2021 20:06:45 | MISCF  | Initiated     | No      | 88    | M1        | 300 East 200 South         | C       | WARMING FIRE, CALLER IS CONCERNED DUE TO ITS PROXIMITY TO A CONSTRUCTION SITE, WILL BE JUST N OF 200 S, CALLER IS A PASSERBY  |
| CF21-41471  | 12/14/2021 20:21:26 | DUMP   | Initiated     | No      | 88    | M1        | 200 South 300 East         | C       | COMP CAN SEE A TRASH CAN WITH A FIRE IN IT.. ON THE NE CORNER.. SMALL TRASH CAN   |
| CF21-41516  | 12/15/2021 01:44:14 | PUBLIC | Initiated     | No      | 88    | M1        | 155 South DOOLEY Court     | C       | LINE ARCING..LOOKED LIKE FIREWORK SHOW... NEG SMOKE OR FLAMES... LINE IS ON ROAD BEHIND DISP ADDR OFF WINDSOR ... NO LONGER ARCING... INFO PASSED TO RMP .. REQ CREW CHECK OUT              |
| CF21-41521  | 12/15/2021 03:15:10 | LINE   | Initiated     | No      | 88    | M1        | 420 East 600 South         | C       | IN THE BACKYARD....TREE FELL ONTO LINES, LINES ARE DOWN AND TREE IS HANGING....   |
| CF21-41683  | 12/16/2021 04:56:53 | ALARMF | Initiated     | No      | 88    | M1        | 660 South 300 East         | C       | FIRE ALARM.....ZONE 31 APT 213.....JONES 801-363-0253 REF#939371  |
| <b>Count: 9</b>                                   |                     |        |               |         |       |           |                            |         |   |
| <b>CAD Officer in Charge: Sorensen, Derek</b>     |                     |        |               |         |       |           |                            |         |   |
| CF21-40641  | 12/08/2021 08:20:08 | SMOKE  | Initiated     | No      | 87    | M5, M8    | 1609 South MAJOR Street    | B       | HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,   |
| CF21-40639  | 12/08/2021 08:14:49 | MISCF  | Initiated     | No      | 87    | M8        | 150 West 1400 South        | B       | MISCF WEST OF DISP ADDRESS  |
| <b>Count: 2</b>                                   |                     |        |               |         |       |           |                            |         |   |
| <b>CAD Officer in Charge: Staheli, Brian</b>      |                     |        |               |         |       |           |                            |         |   |
| CF21-40209  | 12/04/2021 09:43:25 | VEH    | Initiated     | No      | 92    | EQ14      | 3200W West 180W EB Freeway | A       | VEH FIRE... RIGHT SHOULDER.... BLK TRUCK...UHP ENROUTE  |
| CF21-38166  | 11/17/2021 14:15:10 | PASST  | Initiated     | No      | 87    | H14       | 1500 West 1700 South       |         | UPD DETECTIVE HAS DIVERS IN CANAL.... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| <b>Count: 2</b>                                   |                     |        |               |         |       |           |                            |         |   |
| <b>CAD Officer in Charge: Stevens, John</b>       |                     |        |               |         |       |           |                            |         |   |
| CF21-26655  | 08/17/2021 18:28:37 | PUBLIC | Initiated     | No      | 88    | SQ1       | 439 South DENVER Street    |         | RING CUTOFF REQUEST... NEG FLU-LIKE... CAN MEET OUT FRONT... CENTRAL CITY APTS...   |
| <b>Count: 1</b>                                   |                     |        |               |         |       |           |                            |         |   |
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |               |         |       |           |                            |         |   |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated     | No      | 87    | M5, M8    | 10758 South REDWOOD Road   | A       | GOING TO STATION 61   |
| <b>Count: 1</b>                                   |                     |        |               |         |       |           |                            |         |   |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |               |         |       |           |                            |         |   |
| CF21-39905  | 12/01/2021 19:31:30 | MISCF  | Initiated     | No      | 88    | M2        | 423 West 300 South         | B       | WALKING DOWN ST WB, M PUSHING SHOPPING CART W/BURNING WOOD INSIDE IT  |
| CF21-41200  | 12/12/2021 14:03:11 | ALARMF | Initiated     | No      | 87    | M2        | 57 South 500 West          | B       | POINT 0 FIRE ALARM, GATEWAY BLOCK C2, 801-456-0040  |
| CF21-   | 12/02/2021          | ALARMF | Initiated     | No      | 87    | M2        | 75 South                   | B       | GROUP ONE EFT 3 FIRE ALARM...801 531 0800   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                   | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-----------|---------------------------|---------|--|
| 39933  | 01:35:47            |        |               |         |       |           | WEST TEMPLE Street        |         |  |
| CF21-41299                                       | 12/13/2021 09:52:44 | ALARMF | Initiated     | No      | 87    | M2        | 323 North 900 West        | B       | HALLWAY SMOKE...FEAOMOENGALU RESIDENTS...801 205 2684                                    |
| CF21-41327                                       | 12/13/2021 16:00:24 | ALARMF | Initiated     | No      | 93    | M2, LT2   | 465 North H Street        | B       | CO ALARM GOING OFF...NO ONE INSIDE THE HOUSE...NO ONE SICK                               |
| <b>Count:</b><br>5                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Vaughn, Jeffrey</b>    |                     |        |               |         |       |           |                           |         |  |
| CF21-41674                                       | 12/16/2021 01:52:13 | ALARMF | Initiated     | No      | 88    | M2        | 115 South 300 East        | C       | COMMERCIAL FIRE ALARM .... ZONE 2 FIRE SMOKE.. 801-590-4430..                            |
| CF21-41666                                       | 12/15/2021 23:24:58 | ALARMW | Initiated     | No      | 87    | LT2, M2   | 1206 North BECK Street    | C       | BUSN A1 DISPOSAL... WATER FLOW ZONE 303.... 801-509-5901..... RP DORIAN 804-836-7856.... |
| CF21-41628                                       | 12/15/2021 17:05:42 | LINE   | Initiated     | No      | 88    | M2        | 341 West REED Avenue      | C       | THERE ARE POWER LINES THAT ARE SO FAR DOWN THEY ARE BLOCKING THE DRIVEWAY..              |
| <b>Count:</b><br>3                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Visser, Otto</b>       |                     |        |               |         |       |           |                           |         |  |
| CF20-25507                                       | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164     | 475 South 300 East        |         | OTTO VISSOR VS LANDSCAPE VEH   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |           |                           |         |  |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159     | 7673 South HIGHLAND Drive |         | STRUCTURE FIRE UFA   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |  |
| <b>Count:</b><br>104                             |                     |        |               |         |       |           |                           |         |  |

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.