

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

12/18/2021



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West 180E WB Freeway		
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42034	12/18/2021 15:54:56	ALARMF	Initiated	No	87	M8	110 West 600 South	B	GENERAL AND SMOKE DETECTOR ZONE 1ST FLOOR..DOUBLETREE HOTEL....801-359-7800

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 17									
<b>CAD Officer in Charge: Atwood, Michael</b>									
CF21-9552	04/02/2021 21:59:22	ALARMF	Initiated	No	88	M2, LT2	147 West 300 South	A	FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068
CF21-10299	04/09/2021 09:17:32	PUBLIC	Initiated	No	88	LT2	235 West 600 North	A	COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED
<b>Count:</b> 2									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF21-40812	12/09/2021 17:27:04	LOCKP	Initiated	No	90	EQ9	6338 West 700 North	C	AMAZON WEARHOUSE...CHILD LOCKED IN THE VEH ON THE NE SIDE OF BLDG ... SEE RELATED CP#: SL21-226170
<b>Count:</b> 1									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF21-41600	12/15/2021 14:16:36	VEH	Initiated	No	88	M2, M6	400 West 700 South	C	VEH SMOKING UNDER HOOD... MIDLE OF THE ROAD... BLK HONDA ACCORD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Burk, Christopher</b>									
CF21-40470	12/06/2021 16:00:20	ALARMF	Initiated	No	87	EQ14	4870 West 2100 South	B	FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290
CF21-40494	12/06/2021 18:27:12	ALARMF	Initiated	No	87	EQ14	1755 South FREMONT Drive	B	FIRE ALARM, SMOKE ALARM ZONE 2,
CF21-40591	12/07/2021 16:13:42	ALARMW	Initiated	No	100	E4, LT2	205 East 2ND Avenue	B	REF # DFS6548 ALARM.. POINT 204 WATERFLOW FIRE ALARM.. RP # 385-645-4723
CF21-40642	12/08/2021 08:23:55	ALARMF	Initiated	No	87	E4	402 East 6TH Avenue	B	ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683
<b>Count:</b> 4									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF21-40103	12/03/2021 14:37:15	ALARMF	Initiated	No	88	E10	151 South CONNOR Road	C	FIRE ALARM... UNIV PD ENR...
CF21-34231	10/15/2021 14:49:38	FUEL	Initiated	No	87	H10	2700 South 700 East		
<b>Count:</b> 2									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF21-41185	12/12/2021 11:23:06	ACC	Initiated	No	88	BC1, LT8	South MAIN ST / E CLEVELAND Avenue	B	
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 2									
<b>CAD Officer in Charge: Clark, Jeffrey</b>									
CF21-39733	11/30/2021 10:17:45	ODOR	Initiated	No	85	M11, RD2	AOA[CAPM 0 019 CTR TUNNEL NEAR PROSPECT OFC	B	SMELL OF DIESEL FUEL AND EXHAUST IN THE NEW CTR TUNNEL BY THE PROSPECT OFFICE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF21-41993	12/18/2021 09:37:43	PUBLIC	Initiated	No	88	M6	575 West 800 South	B	LIQUID OXYGEN IS LEAKING AND THEY WANTED IT CHECKED OUT... NOTHING ON FIRE.... TONY ARCHULETA MANGER ON DUTY AND WILL LET CREW IN.... COME IN OFF OF 800 S....
CF21-42012	12/18/2021 12:11:30	ALARMF	Initiated	No	87	M6	1634 South CLAYTON Street	B	SMOKE DETECTOR..HALLWAY..RESIDENCE...ANNA CORTEZ..801-654-1682
<b>Count:</b> 2									
<b>CAD Officer in Charge: Doyle, Chad</b>									
CF21-39861	12/01/2021 14:11:25	PUBLIC	Initiated	No	87	E10	2496 East ST MARYS Drive	B	STUDENT STUCK FINGER THROUGH RING THING ON BACKPACK, FINGER TURNING COLOR, CURRENTLY IN THE FRONT OFFICE.... THE RING IS STUCK ABOVE THE KNUCKLE
CF21-39865	12/01/2021 14:30:23	ALARMF	Initiated	No	88	E10	1206 East YALE Avenue	B	FIRE ALARM // RES TOM AND SARA CURESS // 801-573-6351 // POINT 8 MAIN FLR AND 3RD FLR SMOKE // REF# 420375
<b>Count:</b> 2									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Gillies, Matthew</b>									
CF21-39857	12/01/2021 12:54:40	ALARMF	Initiated	No	100	M8	1030 South GALE Street	B	ZONE 2 FACP PULL STATION...URBAN EDGE...801 355 4312
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-41838	12/17/2021 09:05:56	HOUSE	Initiated	No	88	BC2, FD155, M6, EQ14, BC1, M11, UT10, M7, LT2	819 West EMERIL Avenue	A	LONG SIL-GRY 4D CADILLAC... HAS BEEN IN THE AREA SEVERAL DAYS...REAR PASS WINDOW BROKEN OUT... THEN TRUNK WAS OPEN. E SIDE OF 800 W BETWEEN N TEMPLE AND S TEMPLE. UNK PLATE. COULDNT TELL IF OCCUPIED. LOOKED LIKE SOMEONE HAD TRIED TO PUT PLASTIC OVER THE HOLE IN THE WINDOW. NO FOLLOW UP NEEDED. ... SEE RELATED CP#: SL21-231143
CF21-41902	12/17/2021 17:03:06	MISCF	Initiated	No	80	M2, M7, E41, EQ14	421 South 700 West	A	HART TONGUE UNDER 400 S...TRANSIENTS WITH FIRE...1 M IS ETOH..THREW SOMETHING ON THE FIRE AND IT EXPLODED...
CF21-41740	12/16/2021 14:07:27	ALARMF	Initiated	No	87	M7	1659 West NORTH TEMPLE Street	A	ZONE .9 FIRE ALARM... RAMADA INN... PREMISE # 801 819 5959
<b>Count:</b> 7									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Harp, Michael</b>									
CF21-41597	12/15/2021 14:07:22	REFUEL	Initiated	No	100	RD2, RD3	60 East PERIMETER	C	US MARSHALLS 737 N738A ON SPOT 26 AT TAC AIR RAMP
<b>Count: 1</b>									
<b>CAD Officer in Charge: Higgins, Jimmie</b>									
CF21-39855	12/01/2021 12:44:22	ALARMF	Initiated	No	87	M1	300 North STATE Street	B	EAST OFFICE BLDG FIRE ALARM...FIRST FLOOR KITCHEN...STATE TROOPER WILL MEET TO DIRECT
CF21-40626	12/07/2021 22:49:56	ALARMF	Initiated	No	86	E13	1985 South 2100 East	B	PS CO ISSUE
CF21-39875	12/01/2021 15:43:56	VEH	Initiated	No	88	M1	100 South 300 East	B	BLK AUDI ON FIRE SMOKE...INFRONT OF THE 711 TO THE SOUTH..NO ONE IN THE VEH
CF21-39926	12/01/2021 23:16:05	ALARMF	Initiated	No	87	M1	350 South 200 East	B	COMMERICAL FIRE ALARM
<b>Count: 4</b>									
<b>CAD Officer in Charge: Hill, John</b>									
CF21-41655	12/15/2021 20:44:22	PUBLIC	Initiated	No	100	E13	2127 South 1900 East	C	CALLBK=(911)901-9038 ..... FALLEN AND CANNOT GET UP
<b>Count: 1</b>									
<b>CAD Officer in Charge: Jorgensen, Brandon</b>									
CF21-42007	12/18/2021 11:47:27	ALARMF	Initiated	No	88	M11, LT2	5850 West AMELIA EARHART Drive	B	BUSN .. GREEN CORP USA .. WATERFLOW .. #3 .. PREMISE 801-537-7711
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF21-41148	12/12/2021 01:56:27	ALARMF	Initiated	No	88	M1	210 East 400 South	A	GENERAL FIRE ALARM... INSIDE NUMBER 801 584 0200
CF21-41151	12/12/2021 02:46:54	ALARMF	Initiated	No	88	M1	660 South 300 East	A	ZONE 31 APARTMENT 213 RESIDENT IS 8013630253 JOAN STOCKHOLM ...REF 423161
CF21-41154	12/12/2021 03:18:05	ODOR	Initiated	No	88	M1	115 South 300 East	A	BURNT TOAST SMELL IN THE HALLS.. THINKS SOMEONE IS COOKING HEROINE .. COMP LIVES IN 309 ON THE 3RD FLOOR.. STARTED ABOUT 20 MINS AGO.. NO FLAMES NO SMOKE.. NEG ALARMS GOING OFF
CF21-41161	12/12/2021 05:37:13	PUBLIC	Initiated	No	88	M1	400 East 200 South	A	COMP FOUND AN INDUSTRIAL SIZE FIRE EXTIGUISHER...COMP IS HOMELESS AND WOULD LIKE THE EXTIGUISHER PICKED UP WILL BE OUTSIDE OF THE 7 11 WEARING CAMOFLAUGE
<b>Count: 4</b>									
<b>CAD Officer in Charge: Mackintosh, William</b>									
CF21-39915	12/01/2021 21:28:55	ALARMF	Initiated	No	87	E4	694 East 17TH Avenue	B	SMOKE DETECT ZONE 3...801 597 7712
CF21-39947	12/02/2021 07:41:29	ALARMF	Initiated	No	87	E4	1390 East PRESIDENTS Circle	B	FIRE ALARM // GENERAL FIRE ALARM
<b>Count: 2</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF21-41191	12/12/2021 12:45:30	ALARMF	Initiated	No	88	M5	660 South 300 East	B	FIRE ALARM APT 808... EMILIO 801-531-0202
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 3									
<b>CAD Officer in Charge: Mumedy, Robert</b>									
CF21-41755	12/16/2021 16:34:31	ODOR	Initiated	No	88	M7	1100 West 180W EB Freeway	A	COMP COULD SMELL NATURAL GAS IN THE AREA JUST PRIOR TOEXIT 120
<b>Count:</b> 1									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF20-34126	10/17/2020 07:00:00	WILD	Officer reviewed	No	92	E4	655 East 950 North	B	SEE UF22703
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East 180E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-39911	12/01/2021 20:21:54	ALARMF	Initiated	No	87	M2	239 West 600 North	B	FIRST FLR NEAR ROOM 108...REF DFS0030...801 363 4109
CF21-39893	12/01/2021 17:44:20	PUBLIC	Initiated	No	88	LT2	229 North 800 West	B	UNK IF BACK DOOR UNLOCKED, RESD FELL AGAIN, UNDER GAS GRILL CONTROL KNOBS
CF21-40631	12/08/2021 03:01:34	ALARMF	Initiated	No	88	M2	630 West SOUTH TEMPLE Street	B	SK HART MANAGEMENT...ZONE 39 KEYPAD FIRE ALARM..4 ALARMS SINCE 301..RP NOT CONTACTED YET...R/P MAJID 801-560-8974
CF21-41252	12/12/2021 22:40:26	ARESCU	Initiated	No	88	LT2	285 West 300 South	B	DOG LOCKED IN VEH WITH WINDOWS CRAKED....GRY PU TRUCK @X458CJ/...COMP CONCERNED DOG WILL FREEZE...DOG APPEARS TO BE IN DISTRESS ... SEE RELATED CP#: SL21-228216
<b>Count:</b> 8									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF21-41943	12/18/2021 00:24:16	MISCF	Initiated	No	88	M1	131 East 700 South	A	RIGHT ACROSS FROM GERALDINE.. CAN SEE FLAMES.. PEOPLE STARTING FIRES WITH CARDBOARD .. NOT THREATNING ANYTHING AT THIS TIME
<b>Count:</b> 1									
<b>CAD Officer in Charge: Sharp, Dallas</b>									
CF21-42010	12/18/2021 12:08:15	APT	Initiated	No	88	M3, M8, E10, BC1, LT8, LT5, M1	330 East 700 South	B	BLDG L 2ND FLOOR ...SEES SMOKE AND SMELLS LIKE SOMETHING BURNED FIRE ALARM GOING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Sorensen, Derek</b>									
CF21-40641	12/08/2021 08:20:08	SMOKE	Initiated	No	87	M5, M8	1609 South MAJOR Street	B	HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,
CF21-	12/08/2021	MISCF	Initiated	No	87	M8	150 West	B	MISCF WEST OF DISP ADDRESS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
40639	08:14:49						1400 South		
<b>Count:</b>									
2									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Steadman, Karl</b>									
CF21-41978	12/18/2021 07:36:37	COMM	Initiated	No	86	E4, M8, UT10, BC2, FD155, FD194, LT8, M6, LT5, M1, BC1, M5, M2	418 East 300 South	A	SMOKE BREAK HOOKAH OUTLET ..SECURITY GUARD ON SITE...CAN HEAR MOVEMENT INSIDE...STILL GETTING ALARM DROPS ... SEE RELATED CP#: SL21-231843
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Stevens, John</b>									
CF21-26655	08/17/2021 18:28:37	PUBLIC	Initiated	No	88	SQ1	439 South DENVER Street		RING CUTOFF REQUEST... NEG FLU-LIKE... CAN MEET OUT FRONT... CENTRAL CITY APTS...
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF21-41955	12/18/2021 02:16:59	ALARMW	Initiated	No	87	M8, LT8, LT5	1818 South 300 West	A	FIRE ALARM... WATER FLOW ZONE 2.. PREMIS NUMBER 801-485-9715
<b>Count:</b>									
2									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF21-41299	12/13/2021 09:52:44	ALARMF	Initiated	No	87	M2	323 North 900 West	B	HALLWAY SMOKE...FEAOMOENGALU RESIDENTS...801 205 2684
CF21-41327	12/13/2021 16:00:24	ALARMF	Initiated	No	93	M2, LT2	465 North H Street	B	CO ALARM GOING OFF...NO ONE INSIDE THE HOUSE...NO ONE SICK
CF21-39905	12/01/2021 19:31:30	MISCF	Initiated	No	88	M2	423 West 300 South	B	WALKING DOWN ST WB, M PUSHING SHOPPING CART W/BURNING WOOD INSIDE IT
CF21-39933	12/02/2021 01:35:47	ALARMF	Initiated	No	87	M2	75 South WEST TEMPLE Street	B	GROUP ONE EFT 3 FIRE ALARM...801 531 0800
CF21-41200	12/12/2021 14:03:11	ALARMF	Initiated	No	87	M2	57 South 500 West	B	POINT 0 FIRE ALARM, GATEWAY BLOCK C2, 801-456-0040
<b>Count:</b>									
5									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF21-41977	12/18/2021 07:21:12	ALARMF	Initiated	No	88	M1	209 East 500 South	A	PREMISE 801-531-9800 ZONE 1 SMOKE DETECTOR
<b>Count:</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
1									
Count: 90									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)