

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

12/20/2021



| Incident Number                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                | Address                         | Platoon | CAD Narrative   |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|---|
| <b>CAD Officer in Charge: (None)</b> |                     |        |               |         |       |                          |                                 |         |   |
| CF21-38975                           | 11/23/2021 11:05:26 | PUBLIC | Initiated     | No      | 86    | BLU28                    | 31 CONCOURSE A SL[OBA A25]      |         |   |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South             | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING   |
| CF21-30961                           | 09/18/2021 21:35:36 | TRUCK  | Initiated     | No      | 84    | BC41, E41, MA41          | 200 West 180E WB Freeway        |         |   |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle       |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5  |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152                    | 8037 South ROYAL Lane           |         | FD152   |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 95    | M3                       | 1237 East BRICKYARD Road        | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..  |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2                      | 307 East 600 South              |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...  |
| CF21-29580                           | 09/09/2021 13:39:54 | UNCON  | Initiated     | No      | 82    | MA72                     | 2000 South 3200 West            |         | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD   |
| CF21-29985                           | 09/12/2021 00:56:00 | UNCON  | Initiated     | No      | 83    | MA73                     | 1571 South I215W NB Freeway     |         | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH  |
| CF21-31373                           | 09/22/2021 08:01:32 | PUBLIC | Initiated     | No      | 87    | BLUE                     | 765 North 2200 W[BUILDING 302 ] |         | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME   |
| CF21-35807                           | 10/28/2021 06:29:40 | ASSAM  | Initiated     | No      | 80    | E41, ME101, MA41         | 2757 South 300 East             |         | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584                           | 11/03/2021 16:20:52 | MISCF  | Initiated     | No      | 85    | BC31                     | 442 South HOLD Avenue           |         | ***TEST***  |
| CF21-37094                           | 11/07/2021 21:52:52 | PDASST | Initiated     | No      | 88    | M2                       | 50 South 500 West               | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ..... SEE RELATED CP#: SL21-205750   |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street     | B       | FALSE ALARM PER CHURCH SECURITY   |
| CF21-24834                           | 08/04/2021 01:03:00 | ELEC   | Initiated     | No      | 95    | M3                       | 2225 South HIGHLAND Drive       | B       | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP   |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road      |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE  |
| CF21-42221                           | 12/20/2021 07:45:55 | ODOR   | Initiated     | No      | 87    | M12, RD1, M11            | 40 TERMINAL SL[LEVEL 2]         | B       | STRONG SMELL OF NATURAL GAS   |

Count:

| Incident Number                                 | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                                     | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|-----------|---|---------|--|
| <b>17</b>                                       |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Allen, Aaron</b>      |                     |        |               |         |       |           |   |         |  |
| CF21-42120                                      | 12/19/2021 09:13:28 | ALARMF | Initiated     | No      | 88    | M2        | 511 West 400 North                          | B       | FIRE ALARM ZONE 208..... PROJECT OPEN PH 2.... RP ANDY 801-518-0906...   |
| <b>Count: 1</b>                                 |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Arnesen, Aaron</b>    |                     |        |               |         |       |           |   |         |  |
| CF21-42157                                      | 12/19/2021 17:18:18 | MISCF  | Initiated     | No      | 88    | M8        | 967 South WASHINGTON Street                 | B       | #HOMELESS...MWA/LATE 50S....WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE |
| <b>Count: 1</b>                                 |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Atwood, Michael</b>   |                     |        |               |         |       |           |   |         |  |
| CF21-9552                                       | 04/02/2021 21:59:22 | ALARMF | Initiated     | No      | 88    | M2, LT2   | 147 West 300 South                          | A       | FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068   |
| CF21-10299                                      | 04/09/2021 09:17:32 | PUBLIC | Initiated     | No      | 88    | LT2       | 235 West 600 North                          | A       | COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED  |
| <b>Count: 2</b>                                 |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Buhler, Jason</b>     |                     |        |               |         |       |           |   |         |  |
| CF21-42134                                      | 12/19/2021 11:59:57 | WATER  | Initiated     | No      | 88    | M5        | 1300 South 1100 East                        | B       | COMP WITH SLC WATER...WATER MAIN BREAK UNDERMINING THE INTERSECTION...TRYING TO GET HELP WITH TRAFFIC CONTROL...   |
| <b>Count: 1</b>                                 |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Burk, Christopher</b> |                     |        |               |         |       |           |   |         |  |
| CF21-40642                                      | 12/08/2021 08:23:55 | ALARMF | Initiated     | No      | 87    | E4        | 402 East 6TH Avenue                         | B       | ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683  |
| CF21-40470                                      | 12/06/2021 16:00:20 | ALARMF | Initiated     | No      | 87    | EQ14      | 4870 West 2100 South                        | B       | FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290  |
| CF21-40494                                      | 12/06/2021 18:27:12 | ALARMF | Initiated     | No      | 87    | EQ14      | 1755 South FREMONT Drive                    | B       | FIRE ALARM, SMOKE ALARM ZONE 2,  |
| CF21-40591                                      | 12/07/2021 16:13:42 | ALARMW | Initiated     | No      | 100   | E4, LT2   | 205 East 2ND Avenue                         | B       | REF # DFS6548 ALARM.. POINT 204 WATERFLOW FIRE ALARM.. RP # 385-645-4723   |
| <b>Count: 4</b>                                 |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Bush, Joseph</b>      |                     |        |               |         |       |           |   |         |  |
| CF21-40103                                      | 12/03/2021 14:37:15 | ALARMF | Initiated     | No      | 88    | E10       | 151 South CONNOR Road                       | C       | FIRE ALARM... UNIV PD ENR...   |
| CF21-34231                                      | 10/15/2021 14:49:38 | FUEL   | Initiated     | No      | 87    | H10       | 2700 South 700 East                         |         |  |
| <b>Count: 2</b>                                 |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Carter, Gary</b>      |                     |        |               |         |       |           |   |         |  |
| CF21-41185                                      | 12/12/2021 11:23:06 | ACC    | Initiated     | No      | 88    | BC1, LT8  | South MAIN ST / E CLEVELAND Avenue          | B       |  |
| CF20-14622                                      | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156     | 475 South 300 East                          |         |  |
| <b>Count: 2</b>                                 |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Clark, Jeffrey</b>    |                     |        |               |         |       |           |   |         |  |
| CF21-39733                                      | 11/30/2021 10:17:45 | ODOR   | Initiated     | No      | 85    | M11, RD2  | AOA[CAPM 0 019 CTR TUNNEL NEAR PROSPECT OFC | B       | SMELL OF DIESEL FUEL AND EXHAUST IN THE NEW CTR TUNNEL BY THE PROSPECT OFFICE  |
| <b>Count:</b>                                   |                     |        |               |         |       |           |   |         |  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                                     | Address                         | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|---|---------------------------------|---------|--|
| <b>1</b>                                       |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>      |                     |        |               |         |       |   |                                 |         |  |
| CF20-29532                                     | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092                                | 10914 West 180W EB Freeway      |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |
| <b>Count: 1</b>                                |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Comer, Peter</b>     |                     |        |               |         |       |   |                                 |         |  |
| CF21-22812                                     | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12   | 1174 West 600 North             | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD   |
| <b>Count: 1</b>                                |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Davies, Adam</b>     |                     |        |               |         |       |   |                                 |         |  |
| CF21-42225                                     | 12/20/2021 08:14:51 | ALARMF | Initiated     | No      | 88    | EQ14  | 1745 West 1700 South            | B       | SMOKE ROUTING COORDINATOR DETECT... PUPIL TRANSPORTATION... REFUSED TO PROVIDE RP  |
| <b>Count: 1</b>                                |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |               |         |       |   |                                 |         |  |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated     | No      | 88    | SQ2   | 48 West 300 South               |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU   |
| <b>Count: 1</b>                                |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Gillies, Matthew</b> |                     |        |               |         |       |   |                                 |         |  |
| CF21-39857                                     | 12/01/2021 12:54:40 | ALARMF | Initiated     | No      | 100   | M8  | 1030 South GALE Street          | B       | ZONE 2 FACP PULL STATION...URBAN EDGE...801 355 4312   |
| <b>Count: 1</b>                                |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |               |         |       |   |                                 |         |  |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated     | No      | 87    | H14   | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS   |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated     | No      | 86    | M7  | 300 North 700 West              | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...  |
| CF21-19904                                     | 06/27/2021 17:57:23 | ALARMF | Initiated     | No      | 88    | M7  | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE  |
| CF21-19914                                     | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155                                     | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA   |
| CF21-41740                                     | 12/16/2021 14:07:27 | ALARMF | Initiated     | No      | 87    | M7  | 1659 West NORTH TEMPLE Street   | A       | ZONE .9 FIRE ALARM... RAMADA INN... PREMISE # 801 819 5959   |
| CF21-41838                                     | 12/17/2021 09:05:56 | HOUSE  | Initiated     | No      | 88    | BC2, FD155, M6, EQ14, BC1, M11, UT10, M7, LT2 | 819 West EMERIL Avenue          | A       | LONG SIL-GRY 4D CADILLAC... HAS BEEN IN THE AREA SEVERAL DAYS...REAR PASS WINDOW BROKEN OUT... THEN TRUNK WAS OPEN. E SIDE OF 800 W BETWEEN N TEMPLE AND S TEMPLE. UNK PLATE. COULDN'T TELL IF OCCUPIED. LOOKED LIKE SOMEONE HAD TRIED TO PUT PLASTIC OVER THE HOLE IN THE WINDOW. NO FOLLOW UP NEEDED. ... SEE RELATED CP#: SL21-231143 |
| CF21-41902                                     | 12/17/2021 17:03:06 | MISCF  | Initiated     | No      | 80    | M2, M7, E41, EQ14                             | 421 South 700 West              | A       | HART TONGUE UNDER 400 S...TRANSIENTS WITH FIRE...1 M IS ETOH..THREW SOMETHING ON THE FIRE AND IT EXPLODED...   |
| <b>Count: 7</b>                                |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Harp, Michael</b>    |                     |        |               |         |       |   |                                 |         |  |
| CF21-42247                                     | 12/20/2021 11:11:02 | FUEL   | Initiated     | No      | 88    | RD3, RD2                                      | 303 North 2370 West             | C       | 1 GALLON/NOTHING IN DRAINS/STILL LEAKING/CURRENTLY BEING CONTAINED ... SEE RELATED CP#: AP21-52708   |
| CF21-41597                                     | 12/15/2021 14:07:22 | REFUEL | Initiated     | No      | 100   | RD2, RD3                                      | 60 East PERIMETER               | C       | US MARSHALLS 737 N738A ON SPOT 26 AT TAC AIR RAMP  |

| Incident Number                                   | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus            | Address                       | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|----------------------|-------------------------------|---------|--|
| <b>Count:</b><br>2                                |                     |        |               |         |       |                      |                               |         |  |
| <b>CAD Officer in Charge: Higgins, Jimmie</b>     |                     |        |               |         |       |                      |                               |         |  |
| CF21-39855  | 12/01/2021 12:44:22 | ALARMF | Initiated     | No      | 87    | M1                   | 300 North STATE Street        | B       | EAST OFFICE BLDG FIRE ALARM...FIRST FLOOR KITCHEN...STATE TROOPER WILL MEET TO DIRECT  |
| CF21-39926  | 12/01/2021 23:16:05 | ALARMF | Initiated     | No      | 87    | M1                   | 350 South 200 East            | B       | COMMERICAL FIRE ALARM  |
| CF21-39875  | 12/01/2021 15:43:56 | VEH    | Initiated     | No      | 88    | M1                   | 100 South 300 East            | B       | BLK AUDI ON FIRE SMOKE...INFRONT OF THE 711 TO THE SOUTH..NO ONE IN THE VEH  |
| CF21-40626  | 12/07/2021 22:49:56 | ALARMF | Initiated     | No      | 86    | E13                  | 1985 South 2100 East          | B       | PS CO ISSUE  |
| <b>Count:</b><br>4                                |                     |        |               |         |       |                      |                               |         |  |
| <b>CAD Officer in Charge: Hill, John</b>          |                     |        |               |         |       |                      |                               |         |  |
| CF21-41655  | 12/15/2021 20:44:22 | PUBLIC | Initiated     | No      | 100   | E13                  | 2127 South 1900 East          | C       | CALLBK=(911)901-9038 ..... FALLEN AND CANNOT GET UP  |
| <b>Count:</b><br>1                                |                     |        |               |         |       |                      |                               |         |  |
| <b>CAD Officer in Charge: Hovermale, Matthew</b>  |                     |        |               |         |       |                      |                               |         |  |
| CF21-42267  | 12/20/2021 14:28:11 | ALARMF | Initiated     | No      | 87    | E4                   | 50 South CENTRAL CAMPUS Drive | C       | GENERAL FIRE ALARM...U OF U PD ENR   |
| <b>Count:</b><br>1                                |                     |        |               |         |       |                      |                               |         |  |
| <b>CAD Officer in Charge: Jepperson, Chad</b>     |                     |        |               |         |       |                      |                               |         |  |
| CF21-42139  | 12/19/2021 13:07:30 | HOUSE  | Initiated     | No      | 84    | BC1, M5, E4, LT5, M1 | 775 North NORTHVIEW Drive     | B       | SMELLS SMOKE IN THE BASEMENT... NO FLAMES SEEN... 3 PEOPLE INSIDE... ADV TO LEAVE THE HOUSE  |
| <b>Count:</b><br>1                                |                     |        |               |         |       |                      |                               |         |  |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>     |                     |        |               |         |       |                      |                               |         |  |
| CF21-41148  | 12/12/2021 01:56:27 | ALARMF | Initiated     | No      | 88    | M1                   | 210 East 400 South            | A       | GENERAL FIRE ALARM... INSIDE NUMBER 801 584 0200   |
| CF21-41151  | 12/12/2021 02:46:54 | ALARMF | Initiated     | No      | 88    | M1                   | 660 South 300 East            | A       | ZONE 31 APARTMENT 213 RESIDENT IS 8013630253 JOAN STOCKHOLM ...REF 423161  |
| CF21-41154  | 12/12/2021 03:18:05 | ODOR   | Initiated     | No      | 88    | M1                   | 115 South 300 East            | A       | BURNT TOAST SMELL IN THE HALLS.. THINKS SOMEONE IS COOKING HEROINE .. COMP LIVES IN 309 ON THE 3RD FLOOR.. STARTED ABOUT 20 MINS AGO.. NO FLAMES NO SMOKE.. NEG ALARMS GOING OFF |
| CF21-41161  | 12/12/2021 05:37:13 | PUBLIC | Initiated     | No      | 88    | M1                   | 400 East 200 South            | A       | COMP FOUND AN INDUSTRIAL SIZE FIRE EXTIGUISHER...COMP IS HOMELESS AND WOULD LIKE THE EXTIGUISHER PICKED UP WILL BE OUTSIDE OF THE 7 11 WEARING CAMOFLAUGE                        |
| <b>Count:</b><br>4                                |                     |        |               |         |       |                      |                               |         |  |
| <b>CAD Officer in Charge: Mackintosh, William</b> |                     |        |               |         |       |                      |                               |         |  |
| CF21-39915  | 12/01/2021 21:28:55 | ALARMF | Initiated     | No      | 87    | E4                   | 694 East 17TH Avenue          | B       | SMOKE DETECT ZONE 3...801 597 7712   |
| CF21-39947  | 12/02/2021 07:41:29 | ALARMF | Initiated     | No      | 87    | E4                   | 1390 East PRESIDENTS Circle   | B       | FIRE ALARM // GENERAL FIRE ALARM   |
| <b>Count:</b><br>2                                |                     |        |               |         |       |                      |                               |         |  |
| <b>CAD Officer in Charge: Maddux, John</b>        |                     |        |               |         |       |                      |                               |         |  |
| CF21-41191  | 12/12/2021 12:45:30 | ALARMF | Initiated     | No      | 88    | M5                   | 660 South 300 East            | B       | FIRE ALARM APT 808... EMILIO 801-531-0202  |
| <b>Count:</b><br>1                                |                     |        |               |         |       |                      |                               |         |  |
| <b>CAD Officer in Charge: Marston, Kyle</b>       |                     |        |               |         |       |                      |                               |         |  |
| CF21-42074  | 12/18/2021 22:06:27 | ARESCU | Initiated     | No      | 88    | M2                   | 165 South 400 West            | B       | SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE                                  |

| Incident Number                                 | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus           | Address                      | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|---------------------|------------------------------|---------|--|
| RELATED CP#: SL21-232299                        |                     |        |                  |         |       |                     |                              |         |  |
| <b>Count:</b><br>1                              |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |                  |         |       |                     |                              |         |  |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated        | No      | 88    | FD154               | 1246 East BONNER Way         |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated        | No      | 83    | FD154               | 1330 East IRA HODGES         |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated        | No      | 85    | FD154               | 120 South STATE Street       |         |  |
| <b>Count:</b><br>3                              |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Mumedey, Robert</b>   |                     |        |                  |         |       |                     |                              |         |  |
| CF21-41755                                      | 12/16/2021 16:34:31 | ODOR   | Initiated        | No      | 88    | M7                  | 1100 West I80W EB Freeway    | A       | COMP COULD SMELL NATURAL GAS IN THE AREA JUST PRIOR TOEXIT 120   |
| <b>Count:</b><br>1                              |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Myers, Eric</b>       |                     |        |                  |         |       |                     |                              |         |  |
| CF20-34126                                      | 10/17/2020 07:00:00 | WILD   | Officer reviewed | No      | 92    | E4                  | 655 East 950 North           | B       | SEE UF22703  |
| <b>Count:</b><br>1                              |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>     |                     |        |                  |         |       |                     |                              |         |  |
| CF21-13024                                      | 05/03/2021 12:24:54 | PUBLIC | Initiated        | No      | 86    | SQ1                 | 131 East 700 South           |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count:</b><br>1                              |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b>    |                     |        |                  |         |       |                     |                              |         |  |
| CF20-23950                                      | 07/29/2020 14:30:19 | 65A03  | Initiated        | No      | 88    | E13                 | 6650 East I80E WB Freeway    | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| CF21-10548                                      | 04/11/2021 09:48:49 | PASST  | Initiated        | No      | 88    | LT8                 | 1460 South STATE Street      | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF   |
| CF21-11158                                      | 04/16/2021 12:43:25 | PASST  | Initiated        | No      | 84    | GC589               | 1364 West GLENROSE Drive     |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824           |
| CF20-30271                                      | 09/18/2020 17:47:16 | 65A03  | Initiated        | No      | 86    | EW6141, EW6142, M14 | 1560 West 3900 South         | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF21-41252                                      | 12/12/2021 22:40:26 | ARESCU | Initiated        | No      | 88    | LT2                 | 285 West 300 South           | B       | DOG LOCKED IN VEH WITH WINDOWS CRAKED....GRY PU TRUCK @X458CJ/...COMP CONCERNED DOG WILL FREEZE...DOG APPEARS TO BE IN DISTRESS ... SEE RELATED CP#: SL21-228216 |
| CF21-39911                                      | 12/01/2021 20:21:54 | ALARMF | Initiated        | No      | 87    | M2                  | 239 West 600 North           | B       | FIRST FLR NEAR ROOM 108...REF DFS0030...801 363 4109   |
| CF21-40631                                      | 12/08/2021 03:01:34 | ALARMF | Initiated        | No      | 88    | M2                  | 630 West SOUTH TEMPLE Street | B       | SK HART MANAGEMENT...ZONE 39 KEYPAD FIRE ALARM..4 ALARMS SINCE 301..RP NOT CONTACTED YET...R/P MAJID 801-560-8974  |
| CF21-39893                                      | 12/01/2021 17:44:20 | PUBLIC | Initiated        | No      | 88    | LT2                 | 229 North 800 West           | B       | UNK IF BACK DOOR UNLOCKED, RESD FELL AGAIN, UNDER GAS GRILL CONTROL KNOBS  |
| <b>Count:</b><br>8                              |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Rock, Nathan</b>      |                     |        |                  |         |       |                     |                              |         |  |
| CF21-41943                                      | 12/18/2021 00:24:16 | MISCF  | Initiated        | No      | 88    | M1                  | 131 East 700 South           | A       | RIGHT ACROSS FROM GERALDINE.. CAN SEE FLAMES.. PEOPLE STARTING FIRES WITH CARDBOARD .. NOT THREATNING ANYTHING AT THIS TIME                                      |
| <b>Count:</b><br>1                              |                     |        |                  |         |       |                     |                              |         |  |
| <b>CAD Officer in Charge: Sharp, Dennis</b>     |                     |        |                  |         |       |                     |                              |         |  |

| Incident Number                                   | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                                    | Address                                    | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|--|--|---------|--|
| CF21-42145  | 12/19/2021 15:02:27 | MISCF  | Initiated     | No      | 88    | M8   | 1212 South STATE Street                    | B       | FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG   |
| <b>Count: 1</b>                                   |                     |        |               |         |       |  |  |         |  |
| <b>CAD Officer in Charge: Sorensen, Derek</b>     |                     |        |               |         |       |  |  |         |  |
| CF21-40641  | 12/08/2021 08:20:08 | SMOKE  | Initiated     | No      | 87    | M5, M8                                       | 1609 South MAJOR Street                    | B       | HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,  |
| CF21-40639  | 12/08/2021 08:14:49 | MISCF  | Initiated     | No      | 87    | M8   | 150 West 1400 South                        | B       | MISCF WEST OF DISP ADDRESS   |
| <b>Count: 2</b>                                   |                     |        |               |         |       |  |  |         |  |
| <b>CAD Officer in Charge: Staheli, Brian</b>      |                     |        |               |         |       |  |  |         |  |
| CF21-38166  | 11/17/2021 14:15:10 | PDASST | Initiated     | No      | 87    | H14  | 1500 West 1700 South                       |         | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| <b>Count: 1</b>                                   |                     |        |               |         |       |  |  |         |  |
| <b>CAD Officer in Charge: Stevens, John</b>       |                     |        |               |         |       |  |  |         |  |
| CF21-26655  | 08/17/2021 18:28:37 | PUBLIC | Initiated     | No      | 88    | SQ1  | 439 South DENVER Street                    |         | RING CUTOFF REQUEST... NEG FLU-LIKE... CAN MEET OUT FRONT... CENTRAL CITY APTS...  |
| <b>Count: 1</b>                                   |                     |        |               |         |       |  |  |         |  |
| <b>CAD Officer in Charge: Stevens, Michael</b>    |                     |        |               |         |       |  |  |         |  |
| CF21-42231  | 12/20/2021 09:14:26 | ALERT  | Initiated     | No      | 86    | RD3, BLUE, RD6, RD5, RD4, RD2, BC2, M12, RD1 | 502 RUNWAY 16R34L                          | C       | 8 MIN OUT / B767 / ENGINE ISSUES   |
| CF21-42234  | 12/20/2021 09:41:48 | APFA   | Initiated     | No      | 88    | RD1, M12                                     | 193 CONCOURSE A SL[TERMINAL PANEL 3 NODE 6 | C       | NOTIFIER ALARM   |
| <b>Count: 2</b>                                   |                     |        |               |         |       |  |  |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |               |         |       |  |  |         |  |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated     | No      | 87    | M5, M8                                       | 10758 South REDWOOD Road                   | A       | GOING TO STATION 61  |
| <b>Count: 1</b>                                   |                     |        |               |         |       |  |  |         |  |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |               |         |       |  |  |         |  |
| CF21-39905  | 12/01/2021 19:31:30 | MISCF  | Initiated     | No      | 88    | M2   | 423 West 300 South                         | B       | WALKING DOWN ST WB, M PUSHING SHOPPING CART W/BURNING WOOD INSIDE IT   |
| CF21-39933  | 12/02/2021 01:35:47 | ALARMF | Initiated     | No      | 87    | M2   | 75 South WEST TEMPLE Street                | B       | GROUP ONE EFT 3 FIRE ALARM...801 531 0800  |
| CF21-41299  | 12/13/2021 09:52:44 | ALARMF | Initiated     | No      | 87    | M2   | 323 North 900 West                         | B       | HALLWAY SMOKE...FEAOMOENGALU RESIDENTS...801 205 2684  |
| CF21-41327  | 12/13/2021 16:00:24 | ALARMF | Initiated     | No      | 93    | M2, LT2                                      | 465 North H Street                         | B       | CO ALARM GOING OFF...NO ONE INSIDE THE HOUSE...NO ONE SICK   |
| CF21-41200  | 12/12/2021 14:03:11 | ALARMF | Initiated     | No      | 87    | M2   | 57 South 500 West                          | B       | POINT 0 FIRE ALARM, GATEWAY BLOCK C2, 801-456-0040   |
| CF21-42200  | 12/20/2021 01:07:34 | ALARMF | Initiated     | No      | 88    | M2   | 220 South STATE Street                     | B       | GEN ALARM - INSIDE #801-961-8700   |
| CF21-42201  | 12/20/2021 01:32:47 | ALARMF | Initiated     | No      | 88    | M2   | 204 West 200 North                         | B       | SMOKE DECTOR POINT 7.... RP DON P 801-509-6281.....  |
| CF21-42132  | 12/19/2021 11:48:29 | ALARMF | Initiated     | No      | 88    | M2   | 204 West 200 North                         | B       | ZONE 90 SMOKE ALARM....RP DON P 801 509 6281   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                   | Platoon | CAD Narrative                              |
|--|---------------------|--------|---------------|---------|-------|-----------|---------------------------|---------|--|
| <b>Count:</b><br>8                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Visser, Otto</b>       |                     |        |               |         |       |           |                           |         |  |
| CF20-25507                                       | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164     | 475 South 300 East        |         | OTTO VISSOR VS LANDSCAPE VEH               |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |           |                           |         |  |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159     | 7673 South HIGHLAND Drive |         | STRUCTURE FIRE UFA                         |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Zwahlen, Jon</b>       |                     |        |               |         |       |           |                           |         |  |
| CF21-41977                                       | 12/18/2021 07:21:12 | ALARMF | Initiated     | No      | 88    | M1        | 209 East 500 South        | A       | PREMISE 801-531-9800 ZONE 1 SMOKE DETECTOR |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |  |
| <b>Count:</b><br>94                              |                     |        |               |         |       |           |                           |         |  |

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.