

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

12/21/2021



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West 180E WB Freeway		
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIOS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42221	12/20/2021 07:45:55	ODOR	Initiated	No	87	M12, RD1, M11	40 TERMINAL SL[LEVEL 2]	B	STRONG SMELL OF NATURAL GAS

Count:

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>17</b>									
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF21-42334	12/21/2021 02:58:49	ALARMF	Initiated	No	88	M11	1759 North STALLION Lane	C	CARBON MONOXIDE ALARM WENT OFF - TURNED OFF FURNACE - NOONE FEELING SICK - NO FLAMES OR SMOKE
CF21-42347	12/21/2021 06:45:13	APT	Initiated	No	87	M7, M11, BC2, LT2, M2, LT8, EQ14	1266 North FORBES PARK Way	C	CONDOS - NO FLAMES OR SMOKE - ODOR OF ELECTRICAL BURNING COMING FROM UPSTAIRS - NOONE FEELING ILL
CF21-42302	12/20/2021 19:23:50	SMOKE	Initiated	No	88	M11	1500 West SUNSET Drive	C	DEAD END ST..AREA FULL OF SMOKE AND COULD SMELL SOMETHING BURNING..NO FLAMES SEEN
CF21-42120	12/19/2021 09:13:28	ALARMF	Initiated	No	88	M2	511 West 400 North	B	FIRE ALARM ZONE 208..... PROJECT OPEN PH 2.... RP ANDY 801-518-0906...
<b>Count: 4</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF21-42375	12/21/2021 11:12:49	ALARMF	Initiated	No	87	M8	29 East 900 South	C	FIRE ALARM ZONE 207..
CF21-42396	12/21/2021 15:02:12	MISCF	Initiated	No	88	M8	1450 South STATE Street	C	2 TRANSIENTS HAVE A FIRE GOING ON THE BEFOR WASATCH INN.. NEAR THE DUMPSTER APPROX ADDRESS..
CF21-42398	12/21/2021 15:33:06	ALARMF	Initiated	No	88	M8	161 West 600 South	C	THE GRANARY ...GENERAL FIRE ALARM...801 548 3487
CF21-42405	12/21/2021 17:03:28	ALARMF	Initiated	No	88	M8	650 South MAIN Street	C	COMMERCIAL GENERAL NOTIFIER...FOR CRIMSON SERVICES....SAVANNA MILK 720 595 8102 155645
<b>Count: 4</b>									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF21-42419	12/21/2021 19:26:12	ALARMF	Initiated	No	87	M1	230 East 300 South	C	GENERAL FIRE ALARM... NO ZONE INFO.... 801-560-2435....
CF21-42145	12/19/2021 15:02:27	MISCF	Initiated	No	88	M8	1212 South STATE Street	B	FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG
CF21-42157	12/19/2021 17:18:18	MISCF	Initiated	No	88	M8	967 South WASHINGTON Street	B	#HOMELESS...MWA/LATE 50S....WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE
CF21-42311	12/20/2021 20:32:01	ARESCU	Initiated	No	93	M1	251 South 700 East	C	CAT STUCK IN THE AIR DUCT IN THE FLOOR THE SEPERATES COMPS AND THE UNIT BELOW, ANIMAL IS IN DISTRESS...COMP WILL MEET IN THE LOBBY...PER BC1. SEND CREWS
CF21-42323	12/20/2021 23:33:18	ALARMF	Initiated	No	86	M1	283 East SOUTH TEMPLE Street	C	GEN FIRE ALARM - PULL STATION
<b>Count: 5</b>									
<b>CAD Officer in Charge: Atwood, Michael</b>									
CF21-9552	04/02/2021 21:59:22	ALARMF	Initiated	No	88	M2, LT2	147 West 300 South	A	FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068
CF21-10299	04/09/2021 09:17:32	PUBLIC	Initiated	No	88	LT2	235 West 600 North	A	COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED
<b>Count: 2</b>									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF21-42134	12/19/2021 11:59:57	WATER	Initiated	No	88	M5	1300 South 1100 East	B	COMP WITH SLC WATER...WATER MAIN BREAK UNDERMINING THE INTERSECTION...TRYING TO GET HELP WITH TRAFFIC CONTROL...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Burk, Christopher</b>									
CF21-40470	12/06/2021 16:00:20	ALARMF	Initiated	No	87	EQ14	4870 West 2100 South	B	FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-40494	12/06/2021 18:27:12	ALARMF	Initiated	No	87	EQ14	1755 South FREMONT Drive	B	FIRE ALARM, SMOKE ALARM ZONE 2,
CF21-40591	12/07/2021 16:13:42	ALARMW	Initiated	No	100	E4, LT2	205 East 2ND Avenue	B	REF # DFS6548 ALARM.. POINT 204 WATERFLOW FIRE ALARM.. RP # 385-645-4723
CF21-40642	12/08/2021 08:23:55	ALARMF	Initiated	No	87	E4	402 East 6TH Avenue	B	ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683
<b>Count:</b> 4									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF21-41185	12/12/2021 11:23:06	ACC	Initiated	No	88	BC1, LT8	South MAIN ST / E CLEVELAND Avenue	B	
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 2									
<b>CAD Officer in Charge: Clark, Jeffrey</b>									
CF21-39733	11/30/2021 10:17:45	ODOR	Initiated	No	85	M11, RD2	AOA[CAPM 0 019 CTR TUNNEL NEAR PROSPECT OFC	B	SMELL OF DIESEL FUEL AND EXHAUST IN THE NEW CTR TUNNEL BY THE PROSPECT OFFICE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF21-42225	12/20/2021 08:14:51	ALARMF	Initiated	No	88	EQ14	1745 West 1700 South	B	SMOKE ROUTING COORDINATOR DETECT... PUPIL TRANSPORTATION... REFUSED TO PROVIDE RP
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Gillies, Matthew</b>									
CF21-39857	12/01/2021 12:54:40	ALARMF	Initiated	No	100	M8	1030 South GALE Street	B	ZONE 2 FACP PULL STATION...URBAN EDGE...801 355 4312
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-41838	12/17/2021 09:05:56	HOUSE	Initiated	No	88	BC2, FD155, M6, EQ14, BC1, M11, UT10, M7, LT2	819 West EMERIL Avenue	A	LONG SIL-GRY 4D CADILLAC... HAS BEEN IN THE AREA SEVERAL DAYS...REAR PASS WINDOW BROKEN OUT... THEN TRUNK WAS OPEN. E SIDE OF 800 W BETWEEN N TEMPLE AND S TEMPLE. UNK PLATE. COULDN'T TELL IF OCCUPIED. LOOKED LIKE SOMEONE HAD TRIED TO PUT PLASTIC OVER THE HOLE IN THE WINDOW. NO FOLLOW UP NEEDED. ... SEE RELATED CP#: SL21-231143
CF21-	12/17/2021	MISCF	Initiated	No	80	M2, M7,	421 South	A	HART TONGUE UNDER 400 S...TRANSIENTS WITH

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
41902	17:03:06					E41, EQ14	700 West		FIRE...1 M IS ETOH..THREW SOMETHING ON THE FIRE AND IT EXPLODED...
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
<b>Count: 6</b>									
<b>CAD Officer in Charge: Higgins, Jimmie</b>									
CF21-39926	12/01/2021 23:16:05	ALARMF	Initiated	No	87	M1	350 South 200 East	B	COMMERICAL FIRE ALARM
CF21-39875	12/01/2021 15:43:56	VEH	Initiated	No	88	M1	100 South 300 East	B	BLK AUDI ON FIRE SMOKE...INFRONT OF THE 711 TO THE SOUTH..NO ONE IN THE VEH
CF21-39855	12/01/2021 12:44:22	ALARMF	Initiated	No	87	M1	300 North STATE Street	B	EAST OFFICE BLDG FIRE ALARM...FIRST FLOOR KITCHEN...STATE TROOPER WILL MEET TO DIRECT
CF21-40626	12/07/2021 22:49:56	ALARMF	Initiated	No	86	E13	1985 South 2100 East	B	PS CO ISSUE
<b>Count: 4</b>									
<b>CAD Officer in Charge: Hill, John</b>									
CF21-42383	12/21/2021 12:39:01	ALARMF	Initiated	No	87	E13, M5	2363 South FOOTHILL Drive	C	FIRE ALRM.. POINT 246 SMOKE DETECTOR IN STUDIO 224..
<b>Count: 1</b>									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF21-42139	12/19/2021 13:07:30	HOUSE	Initiated	No	84	BC1, M5, E4, LT5, M1	775 North NORTHVIEW Drive	B	SMELLS SMOKE IN THE BASEMENT... NO FLAMES SEEN... 3 PEOPLE INSIDE... ADV TO LEAVE THE HOUSE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF21-41148	12/12/2021 01:56:27	ALARMF	Initiated	No	88	M1	210 East 400 South	A	GENERAL FIRE ALARM... INSIDE NUMBER 801 584 0200
CF21-41151	12/12/2021 02:46:54	ALARMF	Initiated	No	88	M1	660 South 300 East	A	ZONE 31 APARTMENT 213 RESIDENT IS 8013630253 JOAN STOCKHOLM ...REF 423161
CF21-41154	12/12/2021 03:18:05	ODOR	Initiated	No	88	M1	115 South 300 East	A	BURNT TOAST SMELL IN THE HALLS.. THINKS SOMEONE IS COOKING HEROINE .. COMP LIVES IN 309 ON THE 3RD FLOOR.. STARTED ABOUT 20 MINS AGO.. NO FLAMES NO SMOKE.. NEG ALARMS GOING OFF
CF21-41161	12/12/2021 05:37:13	PUBLIC	Initiated	No	88	M1	400 East 200 South	A	COMP FOUND AN INDUSTRIAL SIZE FIRE EXTINGUISHER...COMP IS HOMELESS AND WOULD LIKE THE EXTINGUISHER PICKED UP WILL BE OUTSIDE OF THE 7 11 WEARING CAMOFLAUGE
<b>Count: 4</b>									
<b>CAD Officer in Charge: Mackintosh, William</b>									
CF21-39947	12/02/2021 07:41:29	ALARMF	Initiated	No	87	E4	1390 East PRESIDENTS Circle	B	FIRE ALARM // GENERAL FIRE ALARM
CF21-39915	12/01/2021 21:28:55	ALARMF	Initiated	No	87	E4	694 East 17TH Avenue	B	SMOKE DETECT ZONE 3...801 597 7712
<b>Count: 2</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF21-	12/12/2021	ALARMF	Initiated	No	88	M5	660 South	B	FIRE ALARM APT 808... EMILIO 801-531-0202

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
41191	12:45:30						300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Marston, Kyle</b>									
CF21-42074	12/18/2021 22:06:27	ARESCU	Initiated	No	88	M2	165 South 400 West	B	SOUTH PARKING GARAGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-41252	12/12/2021 22:40:26	ARESCU	Initiated	No	88	LT2	285 West 300 South	B	DOG LOCKED IN VEH WITH WINDOWS CRAKED....GRY PU TRUCK @X458CJ/...COMP CONCERNED DOG WILL FREEZE...DOG APPEARS TO BE IN DISTRESS ... SEE RELATED CP#: SL21-228216
CF21-39911	12/01/2021 20:21:54	ALARMF	Initiated	No	87	M2	239 West 600 North	B	FIRST FLR NEAR ROOM 108...REF DFS0030...801 363 4109
CF21-39893	12/01/2021 17:44:20	PUBLIC	Initiated	No	88	LT2	229 North 800 West	B	UNK IF BACK DOOR UNLOCKED, RESD FELL AGAIN, UNDER GAS GRILL CONTROL KNOBS
CF21-40631	12/08/2021 03:01:34	ALARMF	Initiated	No	88	M2	630 West SOUTH TEMPLE Street	B	SK HART MANAGEMENT...ZONE 39 KEYPAD FIRE ALARM..4 ALARMS SINCE 301..RP NOT CONTACTED YET...R/P MAJID 801-560-8974
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East 180E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
<b>Count:</b> 8									
<b>CAD Officer in Charge: Sorensen, Derek</b>									
CF21-40641	12/08/2021 08:20:08	SMOKE	Initiated	No	87	M5, M8	1609 South MAJOR Street	B	HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,
CF21-40639	12/08/2021 08:14:49	MISCF	Initiated	No	87	M8	150 West 1400 South	B	MISCF WEST OF DISP ADDRESS
<b>Count:</b> 2									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF21-39905	12/01/2021 19:31:30	MISCF	Initiated	No	88	M2	423 West 300 South	B	WALKING DOWN ST WB, M PUSHING SHOPPING CART W/BURNING WOOD INSIDE IT
CF21-41299	12/13/2021 09:52:44	ALARMF	Initiated	No	87	M2	323 North 900 West	B	HALLWAY SMOKE...FEAOMOENGALU RESIDENTS...801 205 2684
CF21-41327	12/13/2021 16:00:24	ALARMF	Initiated	No	93	M2, LT2	465 North H Street	B	CO ALARM GOING OFF...NO ONE INSIDE THE HOUSE...NO ONE SICK
CF21-39933	12/02/2021 01:35:47	ALARMF	Initiated	No	87	M2	75 South WEST TEMPLE Street	B	GROUP ONE EFT 3 FIRE ALARM...801 531 0800
CF21-41200	12/12/2021 14:03:11	ALARMF	Initiated	No	87	M2	57 South 500 West	B	POINT 0 FIRE ALARM, GATEWAY BLOCK C2, 801-456-0040
CF21-42132	12/19/2021 11:48:29	ALARMF	Initiated	No	88	M2	204 West 200 North	B	ZONE 90 SMOKE ALARM....RP DON P 801 509 6281
CF21-42200	12/20/2021 01:07:34	ALARMF	Initiated	No	88	M2	220 South STATE Street	B	GEN ALARM - INSIDE #801-961-8700
CF21-42201	12/20/2021 01:32:47	ALARMF	Initiated	No	88	M2	204 West 200 North	B	SMOKE DETECTOR POINT 7.... RP DON P 801-509-6281.....
<b>Count:</b> 8									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF21-42293	12/20/2021 18:04:21	SGASLE	Initiated	No	88	H10, M2	147 West 300 South	C	PER DOMINION REQ FIRE RESPONSE.. GUESTS SMELLING GAS ODOR AND BURNING EYES.. DOMINION IS RESPONDING AS WELL IN CASE IT IS NATURAL GAS.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF21-41943	12/18/2021 00:24:16	MISCF	Initiated	No	88	M1	131 East 700 South	A	RIGHT ACROSS FROM GERALDINE.. CAN SEE FLAMES.. PEOPLE STARTING FIRES WITH CARDBOARD .. NOT THREATNING ANYTHING AT THIS TIME
CF21-41977	12/18/2021 07:21:12	ALARMF	Initiated	No	88	M1	209 East 500 South	A	PREMISE 801-531-9800 ZONE 1 SMOKE DETECTOR
<b>Count:</b> 2									
<b>Count:</b> 94									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes

Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)