

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

12/25/2021



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|---|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF21-38975 | 11/23/2021 11:05:26 | PUBLIC | Initiated | No | 86 | BLU28 | 31 CONCOURSE A SL[OBA A25] | | |
| CF21-30961 | 09/18/2021 21:35:36 | TRUCK | Initiated | No | 84 | BC41, E41, MA41 | 200 West I80E WB Freeway | | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 95 | M3 | 1237 East BRICKYARD Road | B | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF21-24834 | 08/04/2021 01:03:00 | ELEC | Initiated | No | 95 | M3 | 2225 South HIGHLAND Drive | B | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP |
| CF21-29580 | 09/09/2021 13:39:54 | UNCON | Initiated | No | 82 | MA72 | 2000 South 3200 West | | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD |
| CF21-29985 | 09/12/2021 00:56:00 | UNCON | Initiated | No | 83 | MA73 | 1571 South I215W NB Freeway | | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH |
| CF21-31373 | 09/22/2021 08:01:32 | PUBLIC | Initiated | No | 87 | BLUE | 765 North 2200 W[BUILDING 302] | | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME |
| CF21-35807 | 10/28/2021 06:29:40 | ASSAM | Initiated | No | 80 | E41, ME101, MA41 | 2757 South 300 East | | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584 | 11/03/2021 16:20:52 | MISCF | Initiated | No | 85 | BC31 | 442 South HOLD Avenue | | ***TEST*** |
| CF21-37094 | 11/07/2021 21:52:52 | PDASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE |
| CF21-42221 | 12/20/2021 07:45:55 | ODOR | Initiated | No | 87 | M12, RD1, M11 | 40 TERMINAL SL[LEVEL 2] | B | STRONG SMELL OF NATURAL GAS |
| CF21-42781 | 12/24/2021 21:12:59 | ASSAM | Initiated | No | 84 | MA73 | 2831 South 2540 West | | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746 |
| CF21-42794 | 12/25/2021 00:02:58 | ALARMF | Initiated | No | 88 | M1 | 231 East 100 South | B | FIRE PANEL ALARM...RP TYLER DOHERTY, WONT' GIVE NUMBER...#801-322-3400 ON SITE |
| CF21- | 12/25/2021 | ODOR | Initiated | No | 86 | M2 | 525 South 500 West | B | SAID THERE IS AN ODOR COMING |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|------------------|---------|-------|----------------|---|---------|---|
| 42830 | 11:48:53 | | | | | | | | THROUGH THE WALLS FROM 521 // THEY WERE TREATING THE WALLS WITH CHEMICALS, IS FEELING SICK DUE TO THE CHEMICAL SMELL. ... |
| Count: 20 | | | | | | | | | |
| CAD Officer in Charge: Arnesen, Aaron | | | | | | | | | |
| CF21-42145 | 12/19/2021 15:02:27 | MISCF | Initiated | No | 88 | M8 | 1212 South STATE Street | B | FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG |
| CF21-42157 | 12/19/2021 17:18:18 | MISCF | Initiated | No | 88 | M8 | 967 South WASHINGTON Street | B | #HOMELESS...MWA/LATE 50S...WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Atwood, Michael | | | | | | | | | |
| CF21-9552 | 04/02/2021 21:59:22 | ALARMF | Initiated | No | 88 | M2, LT2 | 147 West 300 South | A | FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068 |
| CF21-10299 | 04/09/2021 09:17:32 | PUBLIC | Initiated | No | 88 | LT2 | 235 West 600 North | A | COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Buhler, Jason | | | | | | | | | |
| CF21-42134 | 12/19/2021 11:59:57 | WATER | Initiated | No | 88 | M5 | 1300 South 1100 East | B | COMP WITH SLC WATER...WATER MAIN BREAK UNDERMINING THE INTERSECTION...TRYING TO GET HELP WITH TRAFFIC CONTROL... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Burk, Christopher | | | | | | | | | |
| CF21-40470 | 12/06/2021 16:00:20 | ALARMF | Officer reviewed | No | 100 | EQ14 | 4870 West 2100 South | B | FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290 |
| CF21-40494 | 12/06/2021 18:27:12 | ALARMF | Officer reviewed | No | 100 | EQ14 | 1755 South FREMONT Drive | B | FIRE ALARM, SMOKE ALARM ZONE 2, |
| CF21-40642 | 12/08/2021 08:23:55 | ALARMF | Initiated | No | 87 | E4 | 402 East 6TH Avenue | B | ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683 |
| CF21-42758 | 12/24/2021 16:21:29 | MISCF | Officer reviewed | No | 100 | M2 | 450 South MAIN Street | B | MISCF IN THE MIDDLE OF THE MAIN ST |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF21-41185 | 12/12/2021 11:23:06 | ACC | Initiated | No | 88 | BC1, LT8 | South MAIN ST / E CLEVELAND Avenue | B | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Clark, Jeffrey | | | | | | | | | |
| CF21-39733 | 11/30/2021 10:17:45 | ODOR | Initiated | No | 85 | M11, RD2 | AOA[CAPM 0 019 CTR TUNNEL NEAR PROSPECT OFC | B | SMELL OF DIESEL FUEL AND EXHAUST IN THE NEW CTR TUNNEL BY THE PROSPECT OFFICE |
| CF21-42762 | 12/24/2021 17:20:13 | REFUEL | Initiated | No | 88 | RD3, RD2 | 60 East PERIMETER | B | JETBLUE A320 ON THE RAMP NEEDING A FUEL STOP |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20-29532 | 09/12/2020 10:22:19 | 65A03 | Initiated | No | 88 | EW6091, EW6092 | 10914 West I80W EB Freeway | | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|-------------|-------------------------------|---------|--|
| 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDASST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Dahle, Chad | | | | | | | | | |
| CF21-42849 | 12/25/2021 15:58:04 | ALARMF | Initiated | No | 88 | M1 | 426 South 500 East | B | COMMERCIAL FIRE ALARM... 426 APARTMENTS... SECOND FLOOR LAUNDRY ROOM SMOKE ALARM... JEFF WEBB 801-270-1341 |
| CF21-42824 | 12/25/2021 09:50:25 | ALARMF | Initiated | No | 87 | M1, M5 | 230 East 300 South | B | FIRE ALARM GENERAL BROADWAY TOWERS... NO RP INFORMATION |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Davies, Adam | | | | | | | | | |
| CF21-42838 | 12/25/2021 13:34:47 | ALARMF | Initiated | No | 88 | EQ14 | 2455 West 1500 South | B | FIRE ALARM // INTERMOUNTAIN SPACE CENTER // ZONE 4, SMOKE // 801-661-6429 // REF S3409560 |
| CF21-42225 | 12/20/2021 08:14:51 | ALARMF | Initiated | No | 88 | EQ14 | 1745 West 1700 South | B | SMOKE ROUTING COORDINATOR DETECT... PUPIL TRANSPORTATION... REFUSED TO PROVIDE RP |
| CF21-42749 | 12/24/2021 14:30:52 | SMOKE | Initiated | No | 87 | EQ14 | 1566 West HIGH Avenue | B | SMELL FROM TRAIN YARD AREA.....SMELL OF SMOKE IN THE AREA... // NOT SEEING SMOKE, JUST SMELLING IT // SMELLS LIKE TIRES OR SOMETHING ODD BURNING |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Davis, Jayde | | | | | | | | | |
| CF21-42437 | 12/21/2021 22:04:33 | SMOKE | Initiated | No | 88 | M6 | 2025 South 900 West | C | CAN SMELL SMOKE OUTSIDE..HAZY..PS ORG GLOW SOUTH OF SR201 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Davy, Matthew | | | | | | | | | |
| CF21-42763 | 12/24/2021 17:19:31 | ALARMF | Initiated | No | 88 | M6 | 1300 South STEWART Street | B | SMOKE DETECTOR ALARM ZONE 14 ...RESIDENCE DALE GONZALES..801-859-7422 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Forbes, Kevin | | | | | | | | | |
| CF21-42552 | 12/22/2021 20:37:31 | LOCKP | Initiated | No | 82 | M7, M11 | 251 North CORNELL Street | A | 2YOM,..LOCKED INSIDE A UHAL... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21-18617 | 06/17/2021 16:52:56 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 South | | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YO OF C/B/A, NEED HELP MOVING PT...NO FLU |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Gillies, Matthew | | | | | | | | | |
| CF21-42722 | 12/24/2021 10:13:21 | MISCF | Initiated | No | 85 | M8 | 1450 South WEST TEMPLE Street | B | HOMELESS FIRE 2ND FLOOR OF J BLDG HAS A WARMING FIRE ON THE LANDING... REFUSING TO LEAVE |
| CF21-39857 | 12/01/2021 12:54:40 | ALARMF | Initiated | No | 100 | M8 | 1030 South GALE Street | B | ZONE 2 FACP PULL STATION...URBAN EDGE...801 355 4312 |
| CF21-42835 | 12/25/2021 13:08:56 | ALARMF | Initiated | No | 88 | M8 | 999 South MAIN Street | B | NEED HELP RESETTING FIRE ALARM |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF21-41838 | 12/17/2021 09:05:56 | HOUSE | Initiated | No | 88 | BC2, FD155, | 819 West EMERIL Avenue | A | LONG SIL-GRY 4D CADILLAC... HAS BEEN IN THE AREA SEVERAL DAYS...REAR PASS |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|---------------|---------|-------|-----------------------------------|---------------------------------|---------|---|
| | | | | | | M6, EQ14, BC1, M11, UT10, M7, LT2 | | | WINDOW BROKEN OUT... THEN TRUNK WAS OPEN. E SIDE OF 800 W BETWEEN N TEMPLE AND S TEMPLE. UNK PLATE. COULDN'T TELL IF OCCUPIED. LOOKED LIKE SOMEONE HAD TRIED TO PUT PLASTIC OVER THE HOLE IN THE WINDOW. NO FOLLOW UP NEEDED. ... SEE RELATED CP#: SL21-231143 |
| CF21-41902 | 12/17/2021 17:03:06 | MISCF | Initiated | No | 80 | M2, M7, E41, EQ14 | 421 South 700 West | A | HART TONGUE UNDER 400 S...TRANSIENTS WITH FIRE...1 M IS ETOH..THREW SOMETHING ON THE FIRE AND IT EXPLODED... |
| CF21-42499 | 12/22/2021 11:52:22 | PUBLIC | Initiated | No | 88 | M7 | 2333 West NORTH TEMPLE Street | A | MALE IN LATE 30S STUCK IN ELEVATOR ON FIRST FLOOR... |
| CF21-42610 | 12/23/2021 10:56:25 | ALARMF | Initiated | No | 88 | M7 | 1025 West MACFARLAND Drive | A | FIRE ALARM // RES JAQUELINE SKINNER -202-510-0082 // ZONE 95 |
| CF21-42657 | 12/23/2021 18:26:47 | ALARMF | Initiated | No | 87 | M7 | 900 West 400 North | A | ALARM GOING OFF IN A GARAGE...SAYS ITS A VEH ALARM... BEHIND A DUPLEX.. COMP CAN GUIDE IF NEEDED... IS A CONSTANT PROBLEM... COMP SAID THAT SUBJ LAURIE LEBIT THAT OWNS PROPERTY IS STANDING OUTSIDE BUT DOESNT TURN IT OFF ... SEE RELATED CP#: SL21-235222 - FD |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS |
| Count: 9 | | | | | | | | | |
| CAD Officer in Charge: Harp, Michael | | | | | | | | | |
| CF21-42438 | 12/21/2021 22:16:30 | REFUEL | Initiated | No | 87 | RD2, RD3, RD4 | 60 East PERIMETER[HANGAR 17 | C | REFUEL FOR JETBLUE |
| CF21-42448 | 12/22/2021 00:22:43 | REFUEL | Initiated | No | 88 | RD2, RD3 | 60 East PERIMETER | C | B6 A320 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Higgins, Jimmie | | | | | | | | | |
| CF21-39926 | 12/01/2021 23:16:05 | ALARMF | Initiated | No | 87 | M1 | 350 South 200 East | B | COMMERICAL FIRE ALARM |
| CF21-39875 | 12/01/2021 15:43:56 | VEH | Initiated | No | 88 | M1 | 100 South 300 East | B | BLK AUDI ON FIRE SMOKE...INFRONT OF THE 711 TO THE SOUTH..NO ONE IN THE VEH |
| CF21-39855 | 12/01/2021 12:44:22 | ALARMF | Initiated | No | 87 | M1 | 300 North STATE Street | B | EAST OFFICE BLDG FIRE ALARM...FIRST FLOOR KITCHEN...STATE TROOPER WILL MEET TO DIRECT |
| CF21-40626 | 12/07/2021 22:49:56 | ALARMF | Initiated | No | 86 | E13 | 1985 South 2100 East | B | PS CO ISSUE |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Hill, John | | | | | | | | | |
| CF21-42383 | 12/21/2021 12:39:01 | ALARMF | Initiated | No | 87 | E13, M5 | 2363 South FOOTHILL Drive | C | FIRE ALRM.. POINT 246 SMOKE DETECTOR IN STUDIO 224.. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Jepperson, Chad | | | | | | | | | |
| CF21-42669 | 12/23/2021 20:52:39 | VEH | Initiated | No | 96 | FD155, FD159, M6 | 1100 North I15 NB Freeway | A | LIMO ON FIRE ...RIGHT SIDE OF MAIN FLOW |
| Count: | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|---------------|---------|-------|-------------------------|---------------------------|---------|--|
| 1 | | | | | | | | | |
| CAD Officer in Charge: Long, Harrison | | | | | | | | | |
| CF21-42789 | 12/24/2021 23:08:06 | ARESCU | Initiated | No | 88 | LT8, M6 | 1229 South STEWART Street | B | KITTEN IN A TREE...30 FEET UP...SAYS IT HAS BEEN IN THE TREE FOR 8 HOURS...TREE IS IN NEIGHBORS YARD 1 HOUSE TO THE NORTH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Maddux, John | | | | | | | | | |
| CF21-41191 | 12/12/2021 12:45:30 | ALARMF | Initiated | No | 88 | M5 | 660 South 300 East | B | FIRE ALARM APT 808... EMILIO 801-531-0202 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Marston, Kyle | | | | | | | | | |
| CF21-42074 | 12/18/2021 22:06:27 | ARESCU | Initiated | No | 88 | M2 | 165 South 400 West | B | SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Mumedy, Shaun | | | | | | | | | |
| CF21-42466 | 12/22/2021 05:43:42 | HOUSE | Initiated | No | 100 | BC1, FD153, M5, M8, LT5 | 1000 East ELM Avenue | C | PORCH ON FIRE..... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF21-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF21-10548 | 04/11/2021 09:48:49 | PDASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PDASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950 | 07/29/2020 14:30:19 | 65A03 | Initiated | No | 88 | E13 | 6650 East I80E WB Freeway | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |
| CF21-41252 | 12/12/2021 22:40:26 | ARESCU | Initiated | No | 88 | LT2 | 285 West 300 South | B | DOG LOCKED IN VEH WITH WINDOWS CRAKED....GRY PU TRUCK @X458CJ/...COMP CONCERNED DOG WILL FREEZE...DOG APPEARS TO BE IN DISTRESS ... SEE RELATED CP#: SL21-228216 |
| CF21-39893 | 12/01/2021 17:44:20 | PUBLIC | Initiated | No | 88 | LT2 | 229 North 800 West | B | UNK IF BACK DOOR UNLOCKED, RESD FELL AGAIN, UNDER GAS GRILL CONTROL KNOBS |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|---|------------------------------|---------|--|
| CF21-40631 | 12/08/2021 03:01:34 | ALARMF | Initiated | No | 88 | M2 | 630 West SOUTH Temple Street | B | SK HART MANAGEMENT...ZONE 39 KEYPAD FIRE ALARM..4 ALARMS SINCE 301..RP NOT CONTACTED YET...R/P MAJID 801-560-8974 |
| Count: 7 | | | | | | | | | |
| CAD Officer in Charge: Shafer, Curtis | | | | | | | | | |
| CF21-42444 | 12/21/2021 23:22:06 | HOUSE | Initiated | No | 91 | M2, LT2, M7, UT10, M11, BC1, BC2, FD153, EQ14 | 1756 North EARNSHAW Lane | C | FIRE IN GARAGE, COMING INTO THE HOME |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Sorensen, Derek | | | | | | | | | |
| CF21-40641 | 12/08/2021 08:20:08 | SMOKE | Initiated | No | 87 | M5, M8 | 1609 South MAJOR Street | B | HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG, |
| CF21-40639 | 12/08/2021 08:14:49 | MISCF | Initiated | No | 87 | M8 | 150 West 1400 South | B | MISCF WEST OF DISP ADDRESS |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Staheli, Brian | | | | | | | | | |
| CF21-38166 | 11/17/2021 14:15:10 | PDASST | Initiated | No | 87 | H14 | 1500 West 1700 South | | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Stringam, Reed | | | | | | | | | |
| CF21-42687 | 12/24/2021 00:35:50 | REFUEL | Initiated | No | 88 | RD2, RD4 | 24 East PERIMETER | A | B6 A320 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Winkler, Scott | | | | | | | | | |
| CF21-42675 | 12/23/2021 21:50:54 | ALARMF | Initiated | No | 87 | E4 | 1381 East PENROSE Drive | A | REF AC21654...GENERAL FIRE ZONE 99 SMOKE...801 532 5232 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Worthington, Jared | | | | | | | | | |
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
| Count: 1 | | | | | | | | | |
| Count: 88 | | | | | | | | | |

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018

| | |
|------------------|------------------------|
| Incident Number: | Begins With CF |
| Code: | Is Not Equal To ARSINV |
| Code: | Is Not Equal To APSN |
| Apparatus: | Is Not Equal To E41 |
| Apparatus: | Is Not Equal To E73 |
| Apparatus: | Is Not Equal To ME117 |

Need help? Call Nicole at 801-799-4103, [or email us.](#)