

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

12/26/2021



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42221	12/20/2021 07:45:55	ODOR	Initiated	No	87	M12, RD1, M11	40 TERMINAL SL[LEVEL 2]	B	STRONG SMELL OF NATURAL GAS
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF21-42794	12/25/2021 00:02:58	ALARMF	Initiated	No	88	M1	231 East 100 South	B	FIRE PANEL ALARM...RP TYLER DOHERTY, WONT' GIVE NUMBER...#801-322-3400 ON SITE
Count:									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
19									
CAD Officer in Charge: Arnesen, Aaron									
CF21-42145	12/19/2021 15:02:27	MISCF	Initiated	No	88	M8	1212 South STATE Street	B	FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG
CF21-42157	12/19/2021 17:18:18	MISCF	Initiated	No	88	M8	967 South WASHINGTON Street	B	#HOMELESS...MWA/LATE 50S....WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE
Count: 2									
CAD Officer in Charge: Atwood, Michael									
CF21-9552	04/02/2021 21:59:22	ALARMF	Initiated	No	88	M2, LT2	147 West 300 South	A	FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068
CF21-10299	04/09/2021 09:17:32	PUBLIC	Initiated	No	88	LT2	235 West 600 North	A	COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED
Count: 2									
CAD Officer in Charge: Burk, Christopher									
CF21-40470	12/06/2021 16:00:20	ALARMF	Officer reviewed	No	100	EQ14	4870 West 2100 South	B	FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290
CF21-40494	12/06/2021 18:27:12	ALARMF	Officer reviewed	No	100	EQ14	1755 South FREMONT Drive	B	FIRE ALARM, SMOKE ALARM ZONE 2,
CF21-40642	12/08/2021 08:23:55	ALARMF	Initiated	No	87	E4	402 East 6TH Avenue	B	ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683
CF21-42758	12/24/2021 16:21:29	MISCF	Officer reviewed	No	100	M2	450 South MAIN Street	B	MISCF IN THE MIDDLE OF THE MAIN ST
Count: 4									
CAD Officer in Charge: Carter, Gary									
CF21-41185	12/12/2021 11:23:06	ACC	Initiated	No	88	BC1, LT8	South MAIN ST / E CLEVELAND Avenue	B	
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 2									
CAD Officer in Charge: Clark, Jeffrey									
CF21-42762	12/24/2021 17:20:13	REFUEL	Initiated	No	88	RD3, RD2	60 East PERIMETER	B	JETBLUE A320 ON THE RAMP NEEDING A FUEL STOP
CF21-39733	11/30/2021 10:17:45	ODOR	Initiated	No	85	M11, RD2	AOA[CAPM 0 019 CTR TUNNEL NEAR PROSPECT OFC	B	SMELL OF DIESEL FUEL AND EXHAUST IN THE NEW CTR TUNNEL BY THE PROSPECT OFFICE
Count: 2									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Dahle, Chad									
CF21-42824	12/25/2021 09:50:25	ALARMF	Initiated	No	87	M1, M5	230 East 300 South	B	FIRE ALARM GENERAL BROADWAY TOWERS... NO RP INFORMATION
CF21-	12/25/2021	ALARMF	Initiated	No	88	M1	426 South 500 East	B	COMMERCIAL FIRE ALARM... 426

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
42849	15:58:04								APARTMENTS... SECOND FLOOR LAUNDRY ROOM SMOKE ALARM... JEFF WEBB 801-270-1341
Count: 2									
CAD Officer in Charge: Davies, Adam									
CF21-42225	12/20/2021 08:14:51	ALARMF	Initiated	No	88	EQ14	1745 West 1700 South	B	SMOKE ROUTING COORDINATOR DETECT... PUPIL TRANSPORTATION... REFUSED TO PROVIDE RP
Count: 1									
CAD Officer in Charge: Davis, Jayde									
CF21-42437	12/21/2021 22:04:33	SMOKE	Initiated	No	88	M6	2025 South 900 West	C	CAN SMELL SMOKE OUTSIDE..HAZY..PS ORG GLOW SOUTH OF SR201
Count: 1									
CAD Officer in Charge: Forbes, Kevin									
CF21-42552	12/22/2021 20:37:31	LOCKP	Initiated	No	82	M7, M11	251 North CORNELL Street	A	2YOM,..LOCKED INSIDE A UHAL...
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: Gillies, Matthew									
CF21-42722	12/24/2021 10:13:21	MISCF	Initiated	No	85	M8	1450 South WEST TEMPLE Street	B	HOMELESS FIRE 2ND FLOOR OF J BLDG HAS A WARMING FIRE ON THE LANDING... REFUSING TO LEAVE
CF21-39857	12/01/2021 12:54:40	ALARMF	Initiated	No	100	M8	1030 South GALE Street	B	ZONE 2 FACP PULL STATION...URBAN EDGE...801 355 4312
CF21-42898	12/26/2021 00:04:33	ELEC	Initiated	No	88	M8	1580 South STATE Street	B	ACROSS FROM ACES BAR ON THE RIGHT HAND SIDE.. APPEARS TO BE JUST BARELY HANGING THERE
CF21-42835	12/25/2021 13:08:56	ALARMF	Initiated	No	88	M8	999 South MAIN Street	B	NEED HELP RESETTING FIRE ALARM
Count: 4									
CAD Officer in Charge: Halvorsen, Davin									
CF21-41838	12/17/2021 09:05:56	HOUSE	Initiated	No	88	BC2, FD155, M6, EQ14, BC1, M11, UT10, M7, LT2	819 West EMERIL Avenue	A	LONG SIL-GRY 4D CADILLAC... HAS BEEN IN THE AREA SEVERAL DAYS...REAR PASS WINDOW BROKEN OUT... THEN TRUNK WAS OPEN. E SIDE OF 800 W BETWEEN N TEMPLE AND S TEMPLE. UNK PLATE. COULDN'T TELL IF OCCUPIED. LOOKED LIKE SOMEONE HAD TRIED TO PUT PLASTIC OVER THE HOLE IN THE WINDOW. NO FOLLOW UP NEEDED. ... SEE RELATED CP#: SL21-231143
CF21-41902	12/17/2021 17:03:06	MISCF	Initiated	No	80	M2, M7, E41, EQ14	421 South 700 West	A	HART TONGUE UNDER 400 S...TRANSIENTS WITH FIRE...1 M IS ETOH..THREW SOMETHING ON THE FIRE AND IT EXPLODED...
CF21-42610	12/23/2021 10:56:25	ALARMF	Initiated	No	88	M7	1025 West MACFARLAND Drive	A	FIRE ALARM // RES JAQUELINE SKINNER -202-510-0082 // ZONE 95
CF21-42657	12/23/2021 18:26:47	ALARMF	Initiated	No	87	M7	900 West 400 North	A	ALARM GOING OFF IN A GARAGE...SAYS ITS A VEH ALARM... BEHIND A DUPLEX.. COMP CAN GUIDE IF NEEDED... IS A CONSTANT PROBLEM... COMP SAID THAT SUBJ LAURIE LEBIT THAT OWNS PROPERTY IS STANDING OUTSIDE BUT DOESNT TURN IT OFF ... SEE RELATED CP#: SL21-235222 - FD
CF21-42499	12/22/2021 11:52:22	PUBLIC	Initiated	No	88	M7	2333 West NORTH TEMPLE Street	A	MALE IN LATE 30S STUCK IN ELEVATOR ON FIRST FLOOR...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
Count: 9									
CAD Officer in Charge: Harp, Michael									
CF21-42448	12/22/2021 00:22:43	REFUEL	Initiated	No	88	RD2, RD3	60 East PERIMETER	C	B6 A320
CF21-42438	12/21/2021 22:16:30	REFUEL	Initiated	No	87	RD2, RD3, RD4	60 East PERIMETER[HANGAR 17	C	REFUEL FOR JETBLUE
Count: 2									
CAD Officer in Charge: Higgins, Jimmie									
CF21-39926	12/01/2021 23:16:05	ALARMF	Initiated	No	87	M1	350 South 200 East	B	COMMERICAL FIRE ALARM
CF21-39875	12/01/2021 15:43:56	VEH	Initiated	No	88	M1	100 South 300 East	B	BLK AUDI ON FIRE SMOKE...INFRONT OF THE 711 TO THE SOUTH..NO ONE IN THE VEH
CF21-39855	12/01/2021 12:44:22	ALARMF	Initiated	No	87	M1	300 North STATE Street	B	EAST OFFICE BLDG FIRE ALARM...FIRST FLOOR KITCHEN...STATE TROOPER WILL MEET TO DIRECT
CF21-40626	12/07/2021 22:49:56	ALARMF	Initiated	No	86	E13	1985 South 2100 East	B	PS CO ISSUE
Count: 4									
CAD Officer in Charge: Hill, John									
CF21-42383	12/21/2021 12:39:01	ALARMF	Initiated	No	87	E13, M5	2363 South FOOTHILL Drive	C	FIRE ALRM.. POINT 246 SMOKE DETECTOR IN STUDIO 224..
Count: 1									
CAD Officer in Charge: Jepperson, Chad									
CF21-42669	12/23/2021 20:52:39	VEH	Initiated	No	96	FD155, FD159, M6	1100 North I15 NB Freeway	A	LIMO ON FIRE ...RIGHT SIDE OF MAIN FLOW
Count: 1									
CAD Officer in Charge: Maddux, John									
CF21-41191	12/12/2021 12:45:30	ALARMF	Initiated	No	88	M5	660 South 300 East	B	FIRE ALARM APT 808... EMILIO 801-531-0202
Count: 1									
CAD Officer in Charge: Marston, Kyle									
CF21-42074	12/18/2021 22:06:27	ARESCU	Initiated	No	88	M2	165 South 400 West	B	SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299
Count: 1									
CAD Officer in Charge: Mortensen, Daniel									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF21-42872	12/25/2021 19:23:07	PIPE	Initiated	No	88	LT8	505 West 100 South	B	FLOODING POSS COMING FROM APT 205 / NO ONE COMING TO THE DOOR
Count: 1									
CAD Officer in Charge: Mumedly, Shaun									
CF21-42466	12/22/2021 05:43:42	HOUSE	Initiated	No	100	BC1, FD153, M5, M8, LT5	1000 East ELM Avenue	C	PORCH ON FIRE.....
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-41252	12/12/2021 22:40:26	ARESCU	Initiated	No	88	LT2	285 West 300 South	B	DOG LOCKED IN VEH WITH WINDOWS CRACKED....GRY PU TRUCK @X458CJ/...COMP CONCERNED DOG WILL FREEZE...DOG APPEARS TO BE IN DISTRESS ... SEE RELATED CP#: SL21-228216
CF21-39893	12/01/2021 17:44:20	PUBLIC	Initiated	No	88	LT2	229 North 800 West	B	UNK IF BACK DOOR UNLOCKED, RESD FELL AGAIN, UNDER GAS GRILL CONTROL KNOBS
CF21-40631	12/08/2021 03:01:34	ALARMF	Initiated	No	88	M2	630 West SOUTH TEMPLE Street	B	SK HART MANAGEMENT...ZONE 39 KEYPAD FIRE ALARM..4 ALARMS SINCE 301..RP NOT CONTACTED YET...R/P MAJID 801-560-8974
Count: 7									
CAD Officer in Charge: Shafer, Curtis									
CF21-42444	12/21/2021 23:22:06	HOUSE	Initiated	No	91	M2, LT2, M7, UT10, M11, BC1, BC2, FD153, EQ14	1756 North EARNSHAW Lane	C	FIRE IN GARAGE, COMING INTO THE HOME
Count: 1									
CAD Officer in Charge: Sorensen, Derek									
CF21-40641	12/08/2021 08:20:08	SMOKE	Initiated	No	87	M5, M8	1609 South MAJOR Street	B	HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,
CF21-40639	12/08/2021 08:14:49	MISCF	Initiated	No	87	M8	150 West 1400 South	B	MISCF WEST OF DISP ADDRESS
Count: 2									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: Staheli, Brian									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF21-42687	12/24/2021 00:35:50	REFUEL	Initiated	No	88	RD2, RD4	24 East PERIMETER	A	B6 A320
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 1									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Winkler, Scott									
CF21-42675	12/23/2021 21:50:54	ALARMF	Initiated	No	87	E4	1381 East PENROSE Drive	A	REF AC21654...GENERAL FIRE ZONE 99 SMOKE...801 532 5232
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
Count: 84									

Report Criteria

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.