

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

12/27/2021



| Incident Number                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                | Address                         | Platoon | CAD Narrative  |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|--|
| <b>CAD Officer in Charge: (None)</b> |                     |        |               |         |       |                          |                                 |         |  |
| CF21-38975                           | 11/23/2021 11:05:26 | PUBLIC | Initiated     | No      | 86    | BLU28                    | 31 CONCOURSE A SL[OBA A25]      |         |  |
| CF21-30961                           | 09/18/2021 21:35:36 | TRUCK  | Initiated     | No      | 84    | BC41, E41, MA41          | 200 West I80E WB Freeway        |         |  |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South             | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING  |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle       |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5   |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152                    | 8037 South ROYAL Lane           |         | FD152  |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 95    | M3                       | 1237 East BRICKYARD Road        | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..   |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2                      | 307 East 600 South              |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...   |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street     | B       | FALSE ALARM PER CHURCH SECURITY  |
| CF21-24834                           | 08/04/2021 01:03:00 | ELEC   | Initiated     | No      | 95    | M3                       | 2225 South HIGHLAND Drive       | B       | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP  |
| CF21-29580                           | 09/09/2021 13:39:54 | UNCON  | Initiated     | No      | 82    | MA72                     | 2000 South 3200 West            |         | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD  |
| CF21-29985                           | 09/12/2021 00:56:00 | UNCON  | Initiated     | No      | 83    | MA73                     | 1571 South I215W NB Freeway     |         | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH   |
| CF21-31373                           | 09/22/2021 08:01:32 | PUBLIC | Initiated     | No      | 87    | BLUE                     | 765 North 2200 W[BUILDING 302 ] |         | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME  |
| CF21-35807                           | 10/28/2021 06:29:40 | ASSAM  | Initiated     | No      | 80    | E41, ME101, MA41         | 2757 South 300 East             |         | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM.. . COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584                           | 11/03/2021 16:20:52 | MISCF  | Initiated     | No      | 85    | BC31                     | 442 South HOLD Avenue           |         | ***TEST***   |
| CF21-37094                           | 11/07/2021 21:52:52 | PASST  | Initiated     | No      | 88    | M2                       | 50 South 500 West               | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750  |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road      |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE   |
| CF21-42221                           | 12/20/2021 07:45:55 | ODOR   | Initiated     | No      | 87    | M12, RD1, M11            | 40 TERMINAL SL[LEVEL 2]         | B       | STRONG SMELL OF NATURAL GAS  |
| CF21-42781                           | 12/24/2021 21:12:59 | ASSAM  | Initiated     | No      | 84    | MA73                     | 2831 South 2540 West            |         | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE   |

| Incident Number                                 | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus             | Address                            | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|-----------------------|------------------------------------|---------|--|
| RELATED CP#: SL21-235746                        |                     |        |                  |         |       |                       |                                    |         |  |
| <b>Count: 18</b>                                |                     |        |                  |         |       |                       |                                    |         |  |
| <b>CAD Officer in Charge: Archuleta, Adam</b>   |                     |        |                  |         |       |                       |                                    |         |  |
| CF21-43025                                      | 12/27/2021 06:11:28 | LINE   | Initiated        | No      | 88    | M8                    | 1700 South 300 West                | C       | POWER LINES ARE TOUCHING THE GROUND, NEAR TO THE CONSTRUCTION AREA   |
| CF21-43060                                      | 12/27/2021 14:20:28 | ALARMF | Initiated        | No      | 88    | M8                    | 161 West 600 South                 | C       | THE GRANARY.. FIRE ALARM SIGNAL.. ZONE 1 704-905-2958  |
| <b>Count: 2</b>                                 |                     |        |                  |         |       |                       |                                    |         |  |
| <b>CAD Officer in Charge: Arnesen, Aaron</b>    |                     |        |                  |         |       |                       |                                    |         |  |
| CF21-42145                                      | 12/19/2021 15:02:27 | MISCF  | Initiated        | No      | 88    | M8                    | 1212 South STATE Street            | B       | FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG   |
| CF21-42157                                      | 12/19/2021 17:18:18 | MISCF  | Initiated        | No      | 88    | M8                    | 967 South WASHINGTON Street        | B       | #HOMELESS...MWA/LATE 50S....WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE |
| <b>Count: 2</b>                                 |                     |        |                  |         |       |                       |                                    |         |  |
| <b>CAD Officer in Charge: Atwood, Michael</b>   |                     |        |                  |         |       |                       |                                    |         |  |
| CF21-9552                                       | 04/02/2021 21:59:22 | ALARMF | Initiated        | No      | 88    | M2, LT2               | 147 West 300 South                 | A       | FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068   |
| CF21-10299                                      | 04/09/2021 09:17:32 | PUBLIC | Initiated        | No      | 88    | LT2                   | 235 West 600 North                 | A       | COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED  |
| <b>Count: 2</b>                                 |                     |        |                  |         |       |                       |                                    |         |  |
| <b>CAD Officer in Charge: Bills, Jared</b>      |                     |        |                  |         |       |                       |                                    |         |  |
| CF21-42949                                      | 12/26/2021 11:48:26 | ARESCU | Initiated        | No      | 87    | M6                    | 400 South 765 West                 | C       | CAT IS STUCK IN THE DASH OF A CAR FROM A TRAFFIC ACCIDENT. IN A BLACK HYUNDAI  |
| <b>Count: 1</b>                                 |                     |        |                  |         |       |                       |                                    |         |  |
| <b>CAD Officer in Charge: Burk, Christopher</b> |                     |        |                  |         |       |                       |                                    |         |  |
| CF21-42758                                      | 12/24/2021 16:21:29 | MISCF  | Officer reviewed | No      | 100   | M2                    | 450 South MAIN Street              | B       | MISCF IN THE MIDDLE OF THE MAIN ST   |
| CF21-40470                                      | 12/06/2021 16:00:20 | ALARMF | Officer reviewed | No      | 100   | EQ14                  | 4870 West 2100 South               | B       | FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290  |
| CF21-40494                                      | 12/06/2021 18:27:12 | ALARMF | Officer reviewed | No      | 100   | EQ14                  | 1755 South FREMONT Drive           | B       | FIRE ALARM, SMOKE ALARM ZONE 2,  |
| CF21-40642                                      | 12/08/2021 08:23:55 | ALARMF | Initiated        | No      | 87    | E4                    | 402 East 6TH Avenue                | B       | ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683  |
| <b>Count: 4</b>                                 |                     |        |                  |         |       |                       |                                    |         |  |
| <b>CAD Officer in Charge: Bush, Joseph</b>      |                     |        |                  |         |       |                       |                                    |         |  |
| CF21-43023                                      | 12/27/2021 04:41:55 | ALARMF | Initiated        | No      | 88    | E10                   | 555 South FOOTHILL Drive           | C       | BLDG ON NE CORNER.....STROBES GOING OFF INSIDE BLDG.....COMP WAS JUST PASSING BY.....NO FLAMES OR SMOKE VISIBLE  |
| CF21-43071                                      | 12/27/2021 15:39:07 | ALARMF | Initiated        | No      | 87    | E10                   | 100 North MARIO CAPECCHI Drive     | C       | FIRE ALARM ZONE 1 INSIDE # 801-662-4444  |
| CF21-43018                                      | 12/27/2021 03:47:50 | HAZMAT | Initiated        | No      | 88    | BC1, H10, M5, E4, H14 | 100 North MARIO CAPECCHI Drive     | C       | AMMONIA SMELL.... NEEDS ASSISTANCE WITH EVAC... MEET AT THE MAIN ENTERANCE... PEOPLE SAYING EYES ARE BURNING...  |
| <b>Count: 3</b>                                 |                     |        |                  |         |       |                       |                                    |         |  |
| <b>CAD Officer in Charge: Carter, Gary</b>      |                     |        |                  |         |       |                       |                                    |         |  |
| CF21-41185                                      | 12/12/2021 11:23:06 | ACC    | Initiated        | No      | 88    | BC1, LT8              | South MAIN ST / E CLEVELAND Avenue | B       |  |
| CF20-   | 05/11/2020          | 65B02A | Initiated        | No      | 85    | FD156                 | 475 South 300                      |         |  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus      | Address                                     | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|----------------|---|---------|---|
| 14622  | 13:16:14            |        |               |         |       |                | East  |         |   |
| <b>Count:</b><br>2                             |                     |        |               |         |       |                |   |         |   |
| <b>CAD Officer in Charge: Clark, Jeffrey</b>   |                     |        |               |         |       |                |   |         |   |
| CF21-39733                                     | 11/30/2021 10:17:45 | ODOR   | Initiated     | No      | 85    | M11, RD2       | AOA[CAPM 0 019 CTR TUNNEL NEAR PROSPECT OFC | B       | SMELL OF DIESEL FUEL AND EXHAUST IN THE NEW CTR TUNNEL BY THE PROSPECT OFFICE   |
| CF21-42762                                     | 12/24/2021 17:20:13 | REFUEL | Initiated     | No      | 88    | RD3, RD2       | 60 East PERIMETER                           | B       | JETBLUE A320 ON THE RAMP NEEDING A FUEL STOP  |
| <b>Count:</b><br>2                             |                     |        |               |         |       |                |   |         |   |
| <b>CAD Officer in Charge: Coles, Clay</b>      |                     |        |               |         |       |                |   |         |   |
| CF20-29532                                     | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092 | 10914 West I80W EB Freeway                  |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |   |         |   |
| <b>CAD Officer in Charge: Comer, Peter</b>     |                     |        |               |         |       |                |   |         |   |
| CF21-22812                                     | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12            | 1174 West 600 North                         | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |   |         |   |
| <b>CAD Officer in Charge: Davis, Jayde</b>     |                     |        |               |         |       |                |   |         |   |
| CF21-42437                                     | 12/21/2021 22:04:33 | SMOKE  | Initiated     | No      | 88    | M6             | 2025 South 900 West                         | C       | CAN SMELL SMOKE OUTSIDE..HAZY..PS ORG GLOW SOUTH OF SR201   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |   |         |   |
| <b>CAD Officer in Charge: DeLeeuw, Brian</b>   |                     |        |               |         |       |                |   |         |   |
| CF21-43016                                     | 12/27/2021 02:59:08 | ARESCU | Initiated     | No      | 88    | LT8            | 258 West 700 South                          | C       | IN FRONT OF 221... 2 DOGS LOCKED INSIDE OF A UHAUL FOR THE PAST HOUR OR SO... ARE BARKING AND WHINING..... SEE RELATED CP#: SL21-236812   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |   |         |   |
| <b>CAD Officer in Charge: Forbes, Kevin</b>    |                     |        |               |         |       |                |   |         |   |
| CF21-42552                                     | 12/22/2021 20:37:31 | LOCKP  | Initiated     | No      | 82    | M7, M11        | 251 North CORNELL Street                    | A       | 2YOM,..LOCKED INSIDE A UHAL...  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |   |         |   |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |               |         |       |                |   |         |   |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated     | No      | 88    | SQ2            | 48 West 300 South                           |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |   |         |   |
| <b>CAD Officer in Charge: Gillies, Matthew</b> |                     |        |               |         |       |                |   |         |   |
| CF21-42927                                     | 12/26/2021 07:37:51 | ELEC   | Initiated     | No      | 88    | M8             | 960 South 400 West                          | B       | COMP HEARD LOUD BOOM ...POWER OFF OUTSIDE...  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |   |         |   |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |               |         |       |                |   |         |   |
| CF21-42610                                     | 12/23/2021 10:56:25 | ALARMF | Initiated     | No      | 88    | M7             | 1025 West MACFARLAND Drive                  | A       | FIRE ALARM // RES JAQUELINE SKINNER -202-510-0082 // ZONE 95  |
| CF21-42657                                     | 12/23/2021 18:26:47 | ALARMF | Initiated     | No      | 87    | M7             | 900 West 400 North                          | A       | ALARM GOING OFF IN A GARAGE...SAYS ITS A VEH ALARM... BEHIND A DUPLEX.. COMP CAN GUIDE IF NEEDED... IS A CONSTANT PROBLEM... COMP SAID THAT SUBJ LAURIE LEBIT THAT OWNS PROPERTY IS STANDING OUTSIDE BUT DOESNT TURN IT OFF ... SEE RELATED CP#: SL21-235222 - FD |
| CF21-  | 12/22/2021          | PUBLIC | Initiated     | No      | 88    | M7             | 2333 West                                   | A       | MALE IN LATE 30S STUCK IN ELEVATOR ON   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                                     | Address                         | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|---|---------------------------------|---------|--|
| 42499  | 11:52:22            |        |               |         |       |   | NORTH TEMPLE Street             |         | FIRST FLOOR...   |
| CF21-41838                                       | 12/17/2021 09:05:56 | HOUSE  | Initiated     | No      | 88    | BC2, FD155, M6, EQ14, BC1, M11, UT10, M7, LT2 | 819 West EMERIL Avenue          | A       | LONG SIL-GRY 4D CADILLAC... HAS BEEN IN THE AREA SEVERAL DAYS...REAR PASS WINDOW BROKEN OUT... THEN TRUNK WAS OPEN. E SIDE OF 800 W BETWEEN N TEMPLE AND S TEMPLE. UNK PLATE. COULDNT TELL IF OCCUPIED. LOOKED LIKE SOMEONE HAD TRIED TO PUT PLASTIC OVER THE HOLE IN THE WINDOW. NO FOLLOW UP NEEDED. .... SEE RELATED CP#: SL21-231143 |
| CF21-41902                                       | 12/17/2021 17:03:06 | MISCF  | Initiated     | No      | 80    | M2, M7, E41, EQ14                             | 421 South 700 West              | A       | HART TONGUE UNDER 400 S...TRANSIENTS WITH FIRE...1 M IS ETOH..THREW SOMETHING ON THE FIRE AND IT EXPLODED...   |
| CF21-19889                                       | 06/27/2021 13:50:03 | SMOKE  | Initiated     | No      | 86    | M7  | 300 North 700 West              | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...  |
| CF21-19904                                       | 06/27/2021 17:57:23 | ALARMF | Initiated     | No      | 88    | M7  | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE  |
| CF21-19914                                       | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155                                     | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA   |
| CF21-34549                                       | 10/18/2021 05:15:22 | HAZMAT | Initiated     | No      | 87    | H14   | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS   |
| <b>Count:</b><br>9                               |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Higgins, Jimmie</b>    |                     |        |               |         |       |   |                                 |         |  |
| CF21-39926                                       | 12/01/2021 23:16:05 | ALARMF | Initiated     | No      | 87    | M1  | 350 South 200 East              | B       | COMMERICAL FIRE ALARM  |
| CF21-39855                                       | 12/01/2021 12:44:22 | ALARMF | Initiated     | No      | 87    | M1  | 300 North STATE Street          | B       | EAST OFFICE BLDG FIRE ALARM...FIRST FLOOR KITCHEN...STATE TROOPER WILL MEET TO DIRECT  |
| CF21-39875                                       | 12/01/2021 15:43:56 | VEH    | Initiated     | No      | 88    | M1  | 100 South 300 East              | B       | BLK AUDI ON FIRE SMOKE...INFRONT OF THE 711 TO THE SOUTH..NO ONE IN THE VEH  |
| CF21-40626                                       | 12/07/2021 22:49:56 | ALARMF | Initiated     | No      | 86    | E13   | 1985 South 2100 East            | B       | PS CO ISSUE  |
| <b>Count:</b><br>4                               |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Hill, John</b>         |                     |        |               |         |       |   |                                 |         |  |
| CF21-43005                                       | 12/26/2021 21:42:02 | ALARMF | Initiated     | No      | 88    | E13   | 2799 East 2100 South            | C       | GARAGE DOOR IS OPEN.....CO ALARM IS GOING OFF.....NO ONE SICK OR INJURED   |
| CF21-43051                                       | 12/27/2021 12:57:32 | ALARMF | Initiated     | No      | 88    | E13   | 1966 East WILSON Avenue         | C       | STILL ALARM...CO ALARM   |
| <b>Count:</b><br>2                               |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Hoover, Todd</b>       |                     |        |               |         |       |   |                                 |         |  |
| CF21-43052                                       | 12/27/2021 13:22:57 | ALARMF | Initiated     | No      | 87    | M5, M1  | 660 South 300 East              | C       | FIRE ALARM APT 603 DAVID HALEY NFD.. INSIDE # 385-495-8580   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Hovermale, Matthew</b> |                     |        |               |         |       |   |                                 |         |  |
| CF21-42972                                       | 12/26/2021 15:05:45 | PIPE   | Initiated     | No      | 88    | LT5, E4                                       | 107 North B Street              | C       | AVENUES.. HALLWAY IN BUILDING FLOODING.. UNABLE TO GET ANYONE FROM MAINTENENCE TO ANSWER.. FLOODING IS ON THE 3RD FLOOR THRU THE CEILIGN..   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Jepperson, Chad</b>    |                     |        |               |         |       |   |                                 |         |  |
| CF21-42669                                       | 12/23/2021 20:52:39 | VEH    | Initiated     | No      | 96    | FD155, FD159, M6                              | 1100 North I15 NB Freeway       | A       | LIMO ON FIRE ...RIGHT SIDE OF MAIN FLOW  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Koetitz, Paul</b>      |                     |        |               |         |       |   |                                 |         |  |

| Incident Number                                 | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus               | Address                        | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|-------------------------|--------------------------------|---------|--|
| CF21-42926                                      | 12/26/2021 07:33:40 | PUBLIC | Initiated     | No      | 88    | EQ9                     | 206 North JIMMY DOOLITTLE Road | B       | 2 OCCUPANTS STUCK IN ELEVATOR 1 ...BETWEEN FLOORS 2 &3   |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                         |                                |         |  |
| <b>CAD Officer in Charge: Maddux, John</b>      |                     |        |               |         |       |                         |                                |         |  |
| CF21-41191                                      | 12/12/2021 12:45:30 | ALARMF | Initiated     | No      | 88    | M5                      | 660 South 300 East             | B       | FIRE ALARM APT 808... EMILIO 801-531-0202  |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                         |                                |         |  |
| <b>CAD Officer in Charge: Marston, Kyle</b>     |                     |        |               |         |       |                         |                                |         |  |
| CF21-42074                                      | 12/18/2021 22:06:27 | ARESCU | Initiated     | No      | 88    | M2                      | 165 South 400 West             | B       | SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299 |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                         |                                |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |               |         |       |                         |                                |         |  |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated     | No      | 88    | FD154                   | 1246 East BONNER Way           |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated     | No      | 83    | FD154                   | 1330 East IRA HODGES           |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated     | No      | 85    | FD154                   | 120 South STATE Street         |         |  |
| <b>Count: 3</b>                                 |                     |        |               |         |       |                         |                                |         |  |
| <b>CAD Officer in Charge: Mumedy, Shaun</b>     |                     |        |               |         |       |                         |                                |         |  |
| CF21-42466                                      | 12/22/2021 05:43:42 | HOUSE  | Initiated     | No      | 100   | BC1, FD153, M5, M8, LT5 | 1000 East ELM Avenue           | C       | PORCH ON FIRE.....   |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                         |                                |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>     |                     |        |               |         |       |                         |                                |         |  |
| CF21-13024                                      | 05/03/2021 12:24:54 | PUBLIC | Initiated     | No      | 86    | SQ1                     | 131 East 700 South             |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                         |                                |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b>    |                     |        |               |         |       |                         |                                |         |  |
| CF20-30271                                      | 09/18/2020 17:47:16 | 65A03  | Initiated     | No      | 86    | EW6141, EW6142, M14     | 1560 West 3900 South           | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF21-10548                                      | 04/11/2021 09:48:49 | PDASST | Initiated     | No      | 88    | LT8                     | 1460 South STATE Street        | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF   |
| CF21-11158                                      | 04/16/2021 12:43:25 | PDASST | Initiated     | No      | 84    | GC589                   | 1364 West GLENROSE Drive       |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824                   |
| CF20-23950                                      | 07/29/2020 14:30:19 | 65A03  | Initiated     | No      | 88    | E13                     | 6650 East I80E WB Freeway      | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| CF21-41252                                      | 12/12/2021 22:40:26 | ARESCU | Initiated     | No      | 88    | LT2                     | 285 West 300 South             | B       | DOG LOCKED IN VEH WITH WINDOWS CRAKED....GRY PU TRUCK @X458CJ/...COMP CONCERNED DOG WILL FREEZE...DOG APPEARS TO BE IN DISTRESS ... SEE RELATED CP#: SL21-228216         |
| CF21-40631                                      | 12/08/2021 03:01:34 | ALARMF | Initiated     | No      | 88    | M2                      | 630 West SOUTH TEMPLE Street   | B       | SK HART MANAGEMENT...ZONE 39 KEYPAD FIRE ALARM..4 ALARMS SINCE 301..RP NOT CONTACTED YET...R/P MAJID 801-560-8974  |
| CF21-39893                                      | 12/01/2021 17:44:20 | PUBLIC | Initiated     | No      | 88    | LT2                     | 229 North 800 West             | B       | UNK IF BACK DOOR UNLOCKED, RESD FELL AGAIN, UNDER GAS GRILL CONTROL KNOBS  |
| <b>Count: 7</b>                                 |                     |        |               |         |       |                         |                                |         |  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                              | Address                               | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|--|---------------------------------------|---------|--|
| <b>CAD Officer in Charge: Rock, Nathan</b>     |                     |        |               |         |       |  |                                       |         |  |
| CF21-42935                                     | 12/26/2021 09:26:35 | ALARMF | Initiated     | No      | 88    | M1                                     | 350 South 600 East                    | C       | SMOKE DETECTOR ALARM..POINT 0 AND POINT 7 ...BUSINESS ESSEX APTS..801-537-7000 RP RAUL BARISSA 385-252-0863 REF # AC20112  |
| CF21-43068                                     | 12/27/2021 15:37:09 | COMM   | Initiated     | No      | 88    | LT5, M1, BC1, LT8, M2, LT2, E4, M7, M8 | 100 East SOUTH TEMPLE Street          | C       | CAN SEE SMOKE IN THE BLDG....ALARMS GOING OFF  |
| CF21-43012                                     | 12/27/2021 00:46:34 | ALARMF | Initiated     | No      | 88    | M1                                     | 555 East 100 South                    | C       | FIRE ALARM.....ZONE 81.....RP FRANKY NENANIC 801-712-7256  |
| CF21-42987                                     | 12/26/2021 17:38:20 | ALARMF | Initiated     | No      | 88    | M1                                     | 120 South 300 East                    | C       | ALARMS SOUNDING AT APT COMPLEX.. NO FLAMES OR SMOKE.. WHOLE BUILDING   |
| <b>Count: 4</b>                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Shafer, Curtis</b>   |                     |        |               |         |       |  |                                       |         |  |
| CF21-43035                                     | 12/27/2021 08:51:05 | EXPLO  | Initiated     | No      | 98    | H14, FD153, BC2, BC1, M11, M7, LT2, M2 | West NORTH TEMPLE ST / N REDWOOD Road | C       | GAS STATION BLEW UP.   |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Sorensen, Derek</b>  |                     |        |               |         |       |  |                                       |         |  |
| CF21-40641                                     | 12/08/2021 08:20:08 | SMOKE  | Initiated     | No      | 87    | M5, M8                                 | 1609 South MAJOR Street               | B       | HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,  |
| CF21-40639                                     | 12/08/2021 08:14:49 | MISCF  | Initiated     | No      | 87    | M8                                     | 150 West 1400 South                   | B       | MISCF WEST OF DISP ADDRESS   |
| <b>Count: 2</b>                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Stafford, Robert</b> |                     |        |               |         |       |  |                                       |         |  |
| CF21-42983                                     | 12/26/2021 17:17:32 | ALARMF | Initiated     | No      | 88    | M2                                     | 204 West 200 North                    | C       | FIRE ALARM... ZONE 7 SMOKE WENDEL APTS NO INSIDE # RP # IS 801-509-6281  |
| CF21-43022                                     | 12/27/2021 04:20:14 | ALARMF | Initiated     | No      | 88    | M2                                     | 204 West 200 North                    | C       | COMMERICAL FIRE ALARM, ZONE 10 SMOKE   |
| CF21-43062                                     | 12/27/2021 14:38:10 | ARESCU | Initiated     | No      | 86    | M2                                     | 1146 North VICTORY Road               | C       | BELOW THE SWITCHBACKS ON THE WEST SIDE.....WEST OF THE WATER DEPT DIRT ROAD...APPROX 1.5 UP THE TRAIL.....DOG STUCK ON CLIFF....   |
| <b>Count: 3</b>                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Staheli, Brian</b>   |                     |        |               |         |       |  |                                       |         |  |
| CF21-38166                                     | 11/17/2021 14:15:10 | PDASST | Initiated     | No      | 87    | H14                                    | 1500 West 1700 South                  |         | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Stringam, Reed</b>   |                     |        |               |         |       |  |                                       |         |  |
| CF21-42687                                     | 12/24/2021 00:35:50 | REFUEL | Initiated     | No      | 88    | RD2, RD4                               | 24 East PERIMETER                     | A       | B6 A320  |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>     |                     |        |               |         |       |  |                                       |         |  |
| CF20-23422                                     | 07/25/2020 14:44:13 | 65A05  | Initiated     | No      | 87    | M5, M8                                 | 10758 South REDWOOD Road              | A       | GOING TO STATION 61  |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Visser, Otto</b>     |                     |        |               |         |       |  |                                       |         |  |
| CF20-25507                                     | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164                                  | 475 South 300 East                    |         | OTTO VISSOR VS LANDSCAPE VEH   |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                       |         |  |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                   | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|-----------|---------------------------|---------|---|
| <b>CAD Officer in Charge: Winkler, Scott</b>     |                     |        |               |         |       |           |                           |         |   |
| CF21-42675                                       | 12/23/2021 21:50:54 | ALARMF | Initiated     | No      | 87    | E4        | 1381 East PENROSE Drive   | A       | REF AC21654...GENERAL FIRE ZONE 99 SMOKE...801 532 5232 |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |   |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |           |                           |         |   |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159     | 7673 South HIGHLAND Drive |         | STRUCTURE FIRE UFA                                      |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |   |
| <b>Count:</b><br>92                              |                     |        |               |         |       |           |                           |         |   |

| Report Criteria     |                                  |
|---------------------|----------------------------------|
| Record Status:      | Is Not Equal To Officer reviewed |
| Locked?:            | Is Not Equal To Yes              |
| Incident Date Time: | Is On or After 1/16/2018         |
| Incident Number:    | Begins With CF                   |
| Code:               | Is Not Equal To ARSINV           |
| Code:               | Is Not Equal To APSN             |
| Apparatus:          | Is Not Equal To E41              |
| Apparatus:          | Is Not Equal To E73              |
| Apparatus:          | Is Not Equal To ME117            |

Need help? Call Nicole at 801-799-4103, or [email us](#).