

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

01/01/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM.. . COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDA SST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT ... ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 17									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF21-42145	12/19/2021 15:02:27	MISCF	Initiated	No	88	M8	1212 South STATE Street	B	FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG
CF21-42157	12/19/2021 17:18:18	MISCF	Initiated	No	88	M8	967 South WASHINGTON Street	B	#HOMELESS...MWA/LATE 50S....WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE
<b>Count:</b> 2									
<b>CAD Officer in Charge: Atwood, Michael</b>									
CF21-9552	04/02/2021 21:59:22	ALARMF	Initiated	No	88	M2, LT2	147 West 300 South	A	FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068
CF21-10299	04/09/2021 09:17:32	PUBLIC	Initiated	No	88	LT2	235 West 600 North	A	COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED
<b>Count:</b> 2									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF21-42949	12/26/2021 11:48:26	ARESCU	Initiated	No	87	M6	400 South 765 West	C	CAT IS STUCK IN THE DASH OF A CAR FROM A TRAFFIC ACCIDENT. IN A BLACK HYUNDAI
CF21-43086	12/27/2021 17:56:06	ALARMF	Initiated	No	88	M6	1450 South WEST TEMPLE Street	C	POINT 40 GENERAL FIRE ALARM.....PARK VIEW APTS.....801-474-2006.....REF#L89025
<b>Count:</b> 2									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-24	01/01/2022 02:09:57	MISCF	Initiated	No	88	M5	500 South 600 East	B	TENT ON FIRE..REPORTED BY A PASSERBY ... 435 840 1595
CF22-32	01/01/2022 03:01:44	ODOR	Initiated	No	100	H10, M1	475 South 300 East	B	STRONG SMELL OF NAT GAS ON P1...
<b>Count:</b> 2									
<b>CAD Officer in Charge: Burk, Christopher</b>									
CF21-42758	12/24/2021 16:21:29	MISCF	Officer reviewed	No	100	M2	450 South MAIN Street	B	MISCF IN THE MIDDLE OF THE MAIN ST
CF21-40470	12/06/2021 16:00:20	ALARMF	Officer reviewed	No	100	EQ14	4870 West 2100 South	B	FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290
CF21-40494	12/06/2021 18:27:12	ALARMF	Officer reviewed	No	100	EQ14	1755 South FREMONT Drive	B	FIRE ALARM, SMOKE ALARM ZONE 2,
CF21-40642	12/08/2021 08:23:55	ALARMF	Initiated	No	87	E4	402 East 6TH Avenue	B	ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683
<b>Count:</b> 4									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF21-41185	12/12/2021 11:23:06	ACC	Initiated	No	88	BC1, LT8	South MAIN ST / E CLEVELAND Avenue	B	
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 2									
<b>CAD Officer in Charge: Clark, Jeffrey</b>									
CF21-42762	12/24/2021 17:20:13	REFUEL	Initiated	No	88	RD3, RD2	60 East PERIMETER	B	JETBLUE A320 ON THE RAMP NEEDING A FUEL STOP

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-39733	11/30/2021 10:17:45	ODOR	Initiated	No	85	M11, RD2	AOA[CAPM 0 019 CTR TUNNEL NEAR PROSPECT OFC	B	SMELL OF DIESEL FUEL AND EXHAUST IN THE NEW CTR TUNNEL BY THE PROSPECT OFFICE
<b>Count: 2</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Dahle, Chad</b>									
CF21-43555	12/31/2021 10:11:28	PUBLIC	Initiated	No	88	M1	210 East 400 South	B	MAIN ELEVATORS SINGLE OCCUPANT.... STUCK ON MAIN FLOOR NOT SICK NO INJ
CF21-43585	12/31/2021 14:31:18	MISCF	Initiated	No	88	M1	300 East 200 South	B	TRANSIENT HAS A CAMPFIRE ON NE CORNER. OLD PD BLDG...COMP WILL STAY.. 30 HMA WEARING BLANKETS AND BEANIE..NAVY BLU PANT...CALLER IS AMBASSADOR BUT IS LEAVING
CF21-43596	12/31/2021 16:24:17	ALARMF	Initiated	No	87	M1	230 East 300 South	B	FIRE ALARM GENERAL NO RP
CF21-43605	12/31/2021 18:25:48	LGASLE	Initiated	No	88	M2, LT2, E4, H10, BC1, H14, M1	42 South 500 East	B	RESIDENTIAL GROUP HOME-SMELL NATURAL GAS IN THE HOME
CF21-43637	12/31/2021 23:26:11	VEH	Initiated	No	90	M1	47 South 300 East	B	OUTSIDE IN THE BACK OF THE BUILDING... SOMEONE LIT SOME CAR DOORS ON FIRE
<b>Count: 5</b>									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF21-43397	12/30/2021 06:59:44	ALARMW	Officer reviewed	No	100	EQ14	1775 West 1500 South	A	COMM FIRE ALARM NPS... WATER FLOW MANY DROPS... 801-886-8285
CF21-43620	12/31/2021 20:14:09	HAZMAT	Initiated	No	86	M8, UT10, H10, BC1, BC2, M5, LT8, H14, M1	999 South MAIN Street	B	SOME KIND OF CHEMICAL IN THE AIR...SAYING NO ONE CAN BREATHE, FIRST FLOOR ON NORTH SIDE, NEG SICK OR INJ....THEY HAVE EVACUATED...THERE IS ALSO FLUID RUNNING DOWN THE STAIRCASE
<b>Count: 2</b>									
<b>CAD Officer in Charge: Davis, Jayde</b>									
CF21-42437	12/21/2021 22:04:33	SMOKE	Initiated	No	88	M6	2025 South 900 West	C	CAN SMELL SMOKE OUTSIDE..HAZY..PS ORG GLOW SOUTH OF SR201
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF21-43623	12/31/2021 20:31:17	LGASLE	Initiated	No	86	M2, LT5, M6, M7, BC2, HM73	401 West 900 South	B	GAS LINE BROKE AT INDUSTRIAL COMPLEX...OUTSIDE...CALLER NOT ONSCENE BUT IS ENROUTE 5 MIN. OUT....NEG SICK/INJ....ALL WELDING SERVICES
<b>Count: 1</b>									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF21-42552	12/22/2021 20:37:31	LOCKP	Initiated	No	82	M7, M11	251 North CORNELL Street	A	2YOM,...LOCKED INSIDE A UHAL...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count: 1</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF21-42610	12/23/2021 10:56:25	ALARMF	Initiated	No	88	M7	1025 West MACFARLAND Drive	A	FIRE ALARM // RES JAQUELINE SKINNER -202-510-0082 // ZONE 95
CF21-42499	12/22/2021 11:52:22	PUBLIC	Initiated	No	88	M7	2333 West NORTH TEMPLE Street	A	MALE IN LATE 30S STUCK IN ELEVATOR ON FIRST FLOOR...
CF21-41902	12/17/2021 17:03:06	MISCF	Initiated	No	80	M2, M7, E41, EQ14	421 South 700 West	A	HART TONGUE UNDER 400 S...TRANSIENTS WITH FIRE...1 M IS ETOH..THREW SOMETHING ON THE FIRE AND IT EXPLODED...
<b>Count: 7</b>									
<b>CAD Officer in Charge: Higgins, Jimmie</b>									
CF21-39855	12/01/2021 12:44:22	ALARMF	Initiated	No	87	M1	300 North STATE Street	B	EAST OFFICE BLDG FIRE ALARM...FIRST FLOOR KITCHEN...STATE TROOPER WILL MEET TO DIRECT
CF21-39875	12/01/2021 15:43:56	VEH	Initiated	No	88	M1	100 South 300 East	B	BLK AUDI ON FIRE SMOKE...INFRONT OF THE 711 TO THE SOUTH..NO ONE IN THE VEH
CF21-39926	12/01/2021 23:16:05	ALARMF	Initiated	No	87	M1	350 South 200 East	B	COMMERICAL FIRE ALARM
<b>Count: 3</b>									
<b>CAD Officer in Charge: Hoover, Todd</b>									
CF21-43129	12/28/2021 01:33:01	HOUSE	Initiated	No	84	BC1, M5, M6, LT5, M1	140 East KELSEY Avenue	C	SMOKE FILLED THE LIVING ROOM....CALLER FOUND A HEATING PAD BURNING A CARDBOARD BOX...NO FIRE...JUST NEEDS IT CHECKED OUT...
CF21-43140	12/28/2021 04:37:52	ALARMF	Initiated	No	88	M5	470 South 1300 East	C	FIRE ALARM.....ZONE 992.....INSIDE 801-582-5651
<b>Count: 2</b>									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF21-42669	12/23/2021 20:52:39	VEH	Initiated	No	96	FD155, FD159, M6	1100 North I15 NB Freeway	A	LIMO ON FIRE ...RIGHT SIDE OF MAIN FLOW
<b>Count: 1</b>									
<b>CAD Officer in Charge: Jorgensen, Brandon</b>									
CF21-43542	12/31/2021 07:37:19	ODOR	Initiated	No	88	M11	700 North I215W SB Freeway	B	GOING SB ON I215 AND SAID SMELL OF NATURAL GAS IN THE AREA OF 700 N AND I215
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kauffmann, Jeffrey</b>									
CF22-31	01/01/2022 03:00:31	ALARMF	Initiated	No	88	M2	204 West 200 North	B	ZONE 7 SMOKE.. RP INFO: DON P 801-509-6281

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF21-43307	12/29/2021 12:36:13	ALARMW	Initiated	No	88	M1, LT8	324 South STATE Street	A	FIRE ALARM.. WATER FLOW 541 FROM THE 6TH FLOOR./...
CF21-43310	12/29/2021 12:52:47	MISCF	Initiated	No	87	M1	700 West 600 South	A	TENT FIRE.. AT HOMELESS ENCAMPMENT COMP DID NOT KNOW THE EXACT ADDRESS NO ONE ON INSIDE
CF21-43384	12/30/2021 01:47:12	MISCF	Initiated	No	88	M1	109 South 300 East	A	STILL ON THE SB.. SECOND TIME OUT.. SAME GROUP SET ANOTHER WARMING FIRE..
<b>Count:</b> 3									
<b>CAD Officer in Charge: Marston, Kyle</b>									
CF21-42074	12/18/2021 22:06:27	ARESCU	Initiated	No	88	M2	165 South 400 West	B	SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
<b>Count:</b> 3									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
<b>Count:</b> 4									
<b>CAD Officer in Charge: Shafer, Curtis</b>									
CF21-43035	12/27/2021 08:51:05	EXPLO	Initiated	No	98	H14, FD153, BC2, BC1, M11, M7, LT2, M2	West NORTH TEMPLE ST / N REDWOOD Road	C	GAS STATION BLEW UP.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Sorensen, Derek</b>									
CF21-40641	12/08/2021 08:20:08	SMOKE	Initiated	No	87	M5, M8	1609 South MAJOR Street	B	HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,
CF21-40639	12/08/2021 08:14:49	MISCF	Initiated	No	87	M8	150 West 1400 South	B	MISCF WEST OF DISP ADDRESS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 2									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stratton, Richard</b>									
CF21-43275	12/29/2021 07:08:24	COMM	Initiated	No	100	M11, FD155, FD182, LT8, M6, EQ14, FD181, FD180, FD151, FD141, FD120, BC2, BC1, UT10, M7, LT2, M2	200 South REDWOOD Road	A	NOT ON I80... SOUTH SIDE OF I80....BUILDING ON FIRE... FLAMES AND SMOKE...POSS BRICK BUILDING... INDUSTRIAL BUILDING...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF21-42687	12/24/2021 00:35:50	REFUEL	Initiated	No	88	RD2, RD4	24 East PERIMETER	A	B6 A320
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF21-43241	12/28/2021 22:59:24	ALARMF	Initiated	No	87	M1, E4	165 South 300 East	A	MAGNOLIA APTS...SEE POLICE CASE 237877, M IN THE LOBBY WAS HAVING A PSYCH EPISODE EARLIER, T/L 4 HOURS...ZONE 64 FIRE ALARM...R/P # DON 801-509-6234, REF # A16552...ALARM CO ORGINALLY GAVE THE ADDRESS 175 S 300 E
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>Count:</b> 83									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41

Apparatus: Is Not Equal To E73

Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)