

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

01/05/2022



| Incident Number                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                | Address                         | Platoon | CAD Narrative  |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|--|
| <b>CAD Officer in Charge: (None)</b> |                     |        |               |         |       |                          |                                 |         |  |
| CF21-38975                           | 11/23/2021 11:05:26 | PUBLIC | Initiated     | No      | 86    | BLU28                    | 31 CONCOURSE A SL[OBA A25]      |         |  |
| CF21-30961                           | 09/18/2021 21:35:36 | TRUCK  | Initiated     | No      | 84    | BC41, E41, MA41          | 200 West I80E WB Freeway        |         |  |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South             | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING  |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle       |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5   |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152                    | 8037 South ROYAL Lane           |         | FD152  |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 95    | M3                       | 1237 East BRICKYARD Road        | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..   |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2                      | 307 East 600 South              |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...   |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street     | B       | FALSE ALARM PER CHURCH SECURITY  |
| CF21-24834                           | 08/04/2021 01:03:00 | ELEC   | Initiated     | No      | 95    | M3                       | 2225 South HIGHLAND Drive       | B       | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP  |
| CF21-29580                           | 09/09/2021 13:39:54 | UNCON  | Initiated     | No      | 82    | MA72                     | 2000 South 3200 West            |         | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD  |
| CF21-29985                           | 09/12/2021 00:56:00 | UNCON  | Initiated     | No      | 83    | MA73                     | 1571 South I215W NB Freeway     |         | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH   |
| CF21-31373                           | 09/22/2021 08:01:32 | PUBLIC | Initiated     | No      | 87    | BLUE                     | 765 North 2200 W[BUILDING 302 ] |         | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME  |
| CF21-35807                           | 10/28/2021 06:29:40 | ASSAM  | Initiated     | No      | 80    | E41, ME101, MA41         | 2757 South 300 East             |         | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM.. . COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584                           | 11/03/2021 16:20:52 | MISCF  | Initiated     | No      | 85    | BC31                     | 442 South HOLD Avenue           |         | ***TEST***   |
| CF21-37094                           | 11/07/2021 21:52:52 | PASST  | Initiated     | No      | 88    | M2                       | 50 South 500 West               | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ..... SEE RELATED CP#: SL21-205750  |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road      |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE   |
| CF21-42781                           | 12/24/2021 21:12:59 | ASSAM  | Initiated     | No      | 84    | MA73                     | 2831 South 2540 West            |         | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746  |
| CF22-283                             | 01/03/2022 00:16:35 | MISCF  | Initiated     | No      | 88    | M8                       | 755 South STATE Street          | C       | COMP IS ON SCENE .. NOTICING A TRANSIENT NEXT TO A GARBAGE CAN WITH A WARMING  |

| Incident Number                                 | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus      | Address                                     | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|----------------|---|---------|--|
|   |                     |        |                  |         |       |                |   |         | FIRE NEXT TO BLDG.. APPROX 2 FEET FROM BLDG AND GARBAGE CAN .. SOUTH SIDE OF THE BUILDING .. NOT THREATENING YET BUT FIRE IS GROWING   |
| CF22-517  | 01/04/2022 15:44:38 | TREE   | Initiated        | No      | 87    | M11, BLUE      | 581 North 2360 West                         | A       | TEST CALL  |
| CF22-564  | 01/04/2022 22:01:49 | ALARMF | Initiated        | No      | 100   | E13            | 1650 East 2700 South                        | A       | CO ALARM UPPER LEVEL.... NEG SICK OR INJ...  |
| <b>Count: 20</b>                                |                     |        |                  |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Arnesen, Aaron</b>    |                     |        |                  |         |       |                |   |         |  |
| CF21-42145                                      | 12/19/2021 15:02:27 | MISCF  | Initiated        | No      | 88    | M8             | 1212 South STATE Street                     | B       | FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG   |
| CF21-42157                                      | 12/19/2021 17:18:18 | MISCF  | Initiated        | No      | 88    | M8             | 967 South WASHINGTON Street                 | B       | #HOMELESS...MWA/LATE 50S....WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE |
| <b>Count: 2</b>                                 |                     |        |                  |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Atwood, Michael</b>   |                     |        |                  |         |       |                |   |         |  |
| CF21-9552                                       | 04/02/2021 21:59:22 | ALARMF | Initiated        | No      | 88    | M2, LT2        | 147 West 300 South                          | A       | FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068   |
| CF21-10299                                      | 04/09/2021 09:17:32 | PUBLIC | Initiated        | No      | 88    | LT2            | 235 West 600 North                          | A       | COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED  |
| <b>Count: 2</b>                                 |                     |        |                  |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Burk, Christopher</b> |                     |        |                  |         |       |                |   |         |  |
| CF21-42758                                      | 12/24/2021 16:21:29 | MISCF  | Officer reviewed | No      | 100   | M2             | 450 South MAIN Street                       | B       | MISCF IN THE MIDDLE OF THE MAIN ST   |
| CF21-40470                                      | 12/06/2021 16:00:20 | ALARMF | Officer reviewed | No      | 100   | EQ14           | 4870 West 2100 South                        | B       | FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290  |
| CF21-40494                                      | 12/06/2021 18:27:12 | ALARMF | Officer reviewed | No      | 100   | EQ14           | 1755 South FREMONT Drive                    | B       | FIRE ALARM, SMOKE ALARM ZONE 2,  |
| CF21-40642                                      | 12/08/2021 08:23:55 | ALARMF | Initiated        | No      | 87    | E4             | 402 East 6TH Avenue                         | B       | ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683  |
| <b>Count: 4</b>                                 |                     |        |                  |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Carter, Gary</b>      |                     |        |                  |         |       |                |   |         |  |
| CF21-41185                                      | 12/12/2021 11:23:06 | ACC    | Initiated        | No      | 88    | BC1, LT8       | South MAIN ST / E CLEVELAND Avenue          | B       |  |
| CF20-14622                                      | 05/11/2020 13:16:14 | 65B02A | Initiated        | No      | 85    | FD156          | 475 South 300 East                          |         |  |
| <b>Count: 2</b>                                 |                     |        |                  |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Clark, Jeffrey</b>    |                     |        |                  |         |       |                |   |         |  |
| CF21-42762                                      | 12/24/2021 17:20:13 | REFUEL | Initiated        | No      | 88    | RD3, RD2       | 60 East PERIMETER                           | B       | JETBLUE A320 ON THE RAMP NEEDING A FUEL STOP   |
| CF21-39733                                      | 11/30/2021 10:17:45 | ODOR   | Initiated        | No      | 85    | M11, RD2       | AOA[CAPM 0 019 CTR TUNNEL NEAR PROSPECT OFC | B       | SMELL OF DIESEL FUEL AND EXHAUST IN THE NEW CTR TUNNEL BY THE PROSPECT OFFICE  |
| <b>Count: 2</b>                                 |                     |        |                  |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>       |                     |        |                  |         |       |                |   |         |  |
| CF20-29532                                      | 09/12/2020 10:22:19 | 65A03  | Initiated        | No      | 88    | EW6091, EW6092 | 10914 West I80W EB Freeway                  |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |
| <b>Count: 1</b>                                 |                     |        |                  |         |       |                |   |         |  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus  | Address                         | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--|---------------------------------|---------|---|
| <b>CAD Officer in Charge: Comer, Peter</b>     |                     |        |               |         |       |  |                                 |         |   |
| CF21-22812                                     | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12  | 1174 West 600 North             | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD                                |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Davy, Matthew</b>    |                     |        |               |         |       |  |                                 |         |   |
| CF21-43623                                     | 12/31/2021 20:31:17 | LGASLE | Initiated     | No      | 86    | M2, LT5, M6, M7, BC2, HM73   | 401 West 900 South              | B       | GAS LINE BROKE AT INDUSTRIAL COMPLEX...OUTSIDE...CALLER NOT ONSCENE BUT IS ENROUTE 5 MIN. OUT....NEG SICK/INJ....ALL WELDING SERVICES |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Elton, Richard</b>   |                     |        |               |         |       |  |                                 |         |   |
| CF22-206                                       | 01/02/2022 12:49:33 | PIPE   | Initiated     | No      | 88    | LT5  | 1148 West DALTON Avenue         | C       | IN BASEMENT, PIPE BROKE   |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Forbes, Kevin</b>    |                     |        |               |         |       |  |                                 |         |   |
| CF21-42552                                     | 12/22/2021 20:37:31 | LOCKP  | Initiated     | No      | 82    | M7, M11  | 251 North CORNELL Street        | A       | 2YOM,..LOCKED INSIDE A UHAL...  |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |               |         |       |  |                                 |         |   |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated     | No      | 88    | SQ2  | 48 West 300 South               |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU                            |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Goodwin, Les</b>     |                     |        |               |         |       |  |                                 |         |   |
| CF22-285                                       | 01/03/2022 00:45:57 | HOUSE  | Initiated     | No      | 92    | LT2, M5, M8, E10, UT10, E13, BC1, BC2, FD155, FD180, E41, LT8, EQ14, LT5 | 321 East 2100 South             | C       | SMOKE COMING OUT OF A HOUSE, LARGE AMOUNTS  |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |               |         |       |  |                                 |         |   |
| CF21-42610                                     | 12/23/2021 10:56:25 | ALARMF | Initiated     | No      | 88    | M7   | 1025 West MACFARLAND Drive      | A       | FIRE ALARM // RES JAQUELINE SKINNER -202-510-0082 // ZONE 95  |
| CF21-42499                                     | 12/22/2021 11:52:22 | PUBLIC | Initiated     | No      | 88    | M7   | 2333 West NORTH TEMPLE Street   | A       | MALE IN LATE 30S STUCK IN ELEVATOR ON FIRST FLOOR...  |
| CF21-41902                                     | 12/17/2021 17:03:06 | MISCF  | Initiated     | No      | 80    | M2, M7, E41, EQ14  | 421 South 700 West              | A       | HART TONGUE UNDER 400 S...TRANSIENTS WITH FIRE...1 M IS ETOH..THREW SOMETHING ON THE FIRE AND IT EXPLODED...                          |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated     | No      | 86    | M7   | 300 North 700 West              | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...     |
| CF21-19904                                     | 06/27/2021 17:57:23 | ALARMF | Initiated     | No      | 88    | M7   | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE   |
| CF21-19914                                     | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155  | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA  |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated     | No      | 87    | H14  | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS              |
| <b>Count: 7</b>                                |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Healey, Bruce</b>    |                     |        |               |         |       |  |                                 |         |   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                   | Address                    | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-----------------------------|----------------------------|---------|--|
| CF22-305   | 01/03/2022 05:20:54 | HOUSE  | Initiated     | No      | 86    | LT5                         | 321 East 2100 South        | C       | COMP IS HERE TO BOARD UP THE STRUCTURE FROM THE EARLIER FIRE... SMOKE STILL COMING FROM THE ROOF.. COMP HAS BEEN HERE FOR 20 MINS AND IT HAS NOT LET UP  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                             |                            |         |  |
| <b>CAD Officer in Charge: Higgins, Jimmie</b>    |                     |        |               |         |       |                             |                            |         |  |
| CF21-39855                                       | 12/01/2021 12:44:22 | ALARMF | Initiated     | No      | 87    | M1                          | 300 North STATE Street     | B       | EAST OFFICE BLDG FIRE ALARM...FIRST FLOOR KITCHEN...STATE TROOPER WILL MEET TO DIRECT  |
| CF21-39875                                       | 12/01/2021 15:43:56 | VEH    | Initiated     | No      | 88    | M1                          | 100 South 300 East         | B       | BLK AUDI ON FIRE SMOKE...INFRONT OF THE 711 TO THE SOUTH..NO ONE IN THE VEH  |
| CF21-39926                                       | 12/01/2021 23:16:05 | ALARMF | Initiated     | No      | 87    | M1                          | 350 South 200 East         | B       | COMMERICAL FIRE ALARM  |
| <b>Count:</b><br>3                               |                     |        |               |         |       |                             |                            |         |  |
| <b>CAD Officer in Charge: Hoover, Todd</b>       |                     |        |               |         |       |                             |                            |         |  |
| CF21-43129                                       | 12/28/2021 01:33:01 | HOUSE  | Initiated     | No      | 84    | BC1, M5, M6, LT5, M1        | 140 East KELSEY Avenue     | C       | SMOKE FILLED THE LIVING ROOM....CALLER FOUND A HEATING PAD BURNING A CARDBOARD BOX...NO FIRE...JUST NEEDS IT CHECKED OUT...  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                             |                            |         |  |
| <b>CAD Officer in Charge: Jepperson, Chad</b>    |                     |        |               |         |       |                             |                            |         |  |
| CF21-42669                                       | 12/23/2021 20:52:39 | VEH    | Initiated     | No      | 96    | FD155, FD159, M6            | 1100 North I15 NB Freeway  | A       | LIMO ON FIRE ...RIGHT SIDE OF MAIN FLOW  |
| CF22-464   | 01/04/2022 09:42:40 | SGASLE | Initiated     | No      | 86    | H10, M6, H14                | 550 West 700 South         | A       | GAS LEAK OUTSIDE, VBH  |
| CF22-475   | 01/04/2022 10:57:59 | VEH    | Initiated     | No      | 88    | FD155, FD159, M6            | 1445 South GUSTIN Road     | A       | FOLLOWING STOLEN VEH GLD FORD F250 @F688HE....LSH WB ON 500 S....STOPPED NOW....OCCD BY 1 MHA PONYTAIL/MUSTACHE/BLK CLOTHING... SEE RELATED CP#: SL22-1843 - ,VEH FIRE   |
| CF22-549   | 01/04/2022 19:54:37 | SMOKE  | Initiated     | No      | 88    | M6                          | 1207 West GILLESPIE Avenue | A       | S OF GIVEN ADDR....SPARKS AND BLACK SMOKE COMING OUT OF NEIGHBORS CHIMNEY  |
| CF22-558   | 01/04/2022 21:37:13 | ODOR   | Initiated     | No      | 85    | M6                          | 1601 West 400 South        | A       | SMOKE COMING INTO APT CONCERNED BECUASE IT SMELL FOUL ,,, THINKS MAYBE DRUGS   |
| CF22-562   | 01/04/2022 22:01:09 | APT    | Initiated     | No      | 86    | EQ14, M6, BC2, M11, M7, LT2 | 1601 West 400 South        | A       | SMOKE COMING INTO APT CONCERNED BECUASE IT SMELL FOUL ,,, THINKS MAYBE DRUGS ...SEE RELATED EMS&FIRE CALL CF22-558 ... SEE RELATED CP#: SL22-2209 - FD   |
| CF22-372   | 01/03/2022 16:40:51 | TRUCK  | Initiated     | No      | 88    | M6, H14                     | 200 South ORANGE Street    | A       | RV MADE OF ALL DIFFERENT MATERIALS HAS A HOLE IN THE ROOF WITH A FIRE GOING INSIDE   |
| CF22-406   | 01/03/2022 21:30:25 | PIPE   | Initiated     | No      | 88    | M6                          | 1118 South 700 West        | A       | NEIGB IS OUT OF TOWN, LARGE AMOUNT OF WATER COMING FROM THE FRONT OF THE HOUSE...PS FROM THE HOSE CONNECTOR TO THE HOUSE...NEIGB HAVE ATTEMPTED TO TURN OF THE HOSE W/ NO LUCK...NO CONTACT INFO FOR NEIGB, NAME IS PS DAVE...IS PS OFF ON MILITARTY LEAVE |
| <b>Count:</b><br>8                               |                     |        |               |         |       |                             |                            |         |  |
| <b>CAD Officer in Charge: Jorgensen, Brandon</b> |                     |        |               |         |       |                             |                            |         |  |
| CF21-43542                                       | 12/31/2021 07:37:19 | ODOR   | Initiated     | No      | 88    | M11                         | 700 North I215W SB Freeway | B       | GOING SB ON I215 AND SAID SMELL OF NATURAL GAS IN THE AREA OF 700 N AND I215   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                             |                            |         |  |
| <b>CAD Officer in Charge: Key, Brett</b>         |                     |        |               |         |       |                             |                            |         |  |
| CF22-425   | 01/04/2022 02:30:06 | APFA   | Initiated     | No      | 88    | RD1, M12                    | 3 PARKING STRUCTURE GL     | A       | NODE 11 W-M6-12  |
| <b>Count:</b>                                    |                     |        |               |         |       |                             |                            |         |  |

| Incident Number                                 | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                         | Address                      | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|-----------------------------------|------------------------------|---------|--|
| <b>1</b>  |                     |        |               |         |       |                                   |                              |         |  |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>   |                     |        |               |         |       |                                   |                              |         |  |
| CF22-380  | 01/03/2022 18:16:44 | ALARMF | Initiated     | No      | 87    | M1                                | 21 North I Street            | A       | HOUSE OF HOPE...GEN FIRE ALARM...RP ROURKE 801 699 3309...REF 95055  |
| CF22-382  | 01/03/2022 18:21:38 | APT    | Initiated     | No      | 88    | M1, M2, LT2, E4, M5, M7, BC1, LT5 | 115 South 300 East           | A       | SMOKE IN HALLWAY   |
| CF22-402  | 01/03/2022 20:34:04 | PUBLIC | Initiated     | No      | 85    | M1                                | 115 South 300 East           | A       | CALLER REPORTING BLOOD COMING THROUGH HER CEILING...PS 10-96 ISSUE....   |
| CF22-566  | 01/04/2022 22:38:52 | ALARMF | Initiated     | No      | 88    | M1                                | 525 East 100 South           | A       | COMMERCIAL BLDG 525 PLAZA .. SHOWING ZONE 1 GENERAL FIRE. DT 1038 ..NO INSIDE  |
| CF22-573  | 01/04/2022 23:50:54 | ODOR   | Initiated     | No      | 88    | M1                                | 700 East SOUTH TEMPLE Street | A       | STRONG SMELL OF NAT GAS IN THE AREA.. INFO FROM BUS DRIVER THAT IS NO LONGER IN THE AREA   |
| CF21-43307                                      | 12/29/2021 12:36:13 | ALARMW | Initiated     | No      | 88    | M1, LT8                           | 324 South STATE Street       | A       | FIRE ALARM.. WATER FLOW 541 FROM THE 6TH FLOOR./...  |
| CF21-43310                                      | 12/29/2021 12:52:47 | MISCF  | Initiated     | No      | 87    | M1                                | 700 West 600 South           | A       | TENT FIRE.. AT HOMELESS ENCAMPMENT COMP DID NOT KNOW THE EXACT ADDRESS NO ONE ON INSIDE  |
| CF21-43384                                      | 12/30/2021 01:47:12 | MISCF  | Initiated     | No      | 88    | M1                                | 109 South 300 East           | A       | STILL ON THE SB.. SECOND TIME OUT.. SAME GROUP SET ANOTHER WARMING FIRE..  |
| CF22-339  | 01/03/2022 12:09:44 | ARESCU | Initiated     | No      | 88    | M1                                | 347 South 400 East           | A       | DOG LOCKED IN A CAR.. RED CHRYSLER 200 ... SEE RELATED CP#: SL22-1329  |
| CF22-351  | 01/03/2022 13:46:02 | ALARMF | Initiated     | No      | 88    | M1                                | 120 South 300 East           | A       | REF AE101950.....ZONE 3 GENERAL FIRE ALARM.....INSIDE # 530-718-8199   |
| CF22-357  | 01/03/2022 14:43:12 | ODOR   | Initiated     | No      | 88    | M1                                | 1137 East BUENO Avenue       | A       | SERVICE PERSON WAS WORKING ON FURNANCE AND THERE IS A TERRIBLE SMELL AND WOULD LIKE FD TO CHECK IT OUT   |
| <b>Count: 11</b>                                |                     |        |               |         |       |                                   |                              |         |  |
| <b>CAD Officer in Charge: Marston, Kyle</b>     |                     |        |               |         |       |                                   |                              |         |  |
| CF21-42074                                      | 12/18/2021 22:06:27 | ARESCU | Initiated     | No      | 88    | M2                                | 165 South 400 West           | B       | SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299 |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                                   |                              |         |  |
| <b>CAD Officer in Charge: Mellor, Ryan</b>      |                     |        |               |         |       |                                   |                              |         |  |
| CF22-289  | 01/03/2022 01:23:02 | HOUSE  | Initiated     | No      | 86    | M1, EQ14, M6, SDM82, BC2          | 1800 South 400 East          | C       | HOUSE FIRE ON SOUTH WEST SIDE... DOESNT SEE ANY FIRE ENGINE.. POSS NOT ASS W/ FIRE AT 300 E 2100 S....   |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                                   |                              |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |               |         |       |                                   |                              |         |  |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated     | No      | 88    | FD154                             | 1246 East BONNER Way         |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated     | No      | 83    | FD154                             | 1330 East IRA HODGES         |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated     | No      | 85    | FD154                             | 120 South STATE Street       |         |  |
| <b>Count: 3</b>                                 |                     |        |               |         |       |                                   |                              |         |  |
| <b>CAD Officer in Charge: Mumedy, Shaun</b>     |                     |        |               |         |       |                                   |                              |         |  |
| CF22-317  | 01/03/2022 08:18:43 | ALARMF | Initiated     | No      | 88    | M8                                | 555 East KENSINGTON Avenue   | C       | CO2 ALARM GOING OFF...CALLER RESET IT BUT WANTS LEVELS CHECKED.....  |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                                   |                              |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>     |                     |        |               |         |       |                                   |                              |         |  |
| CF21-13024                                      | 05/03/2021 12:24:54 | PUBLIC | Initiated     | No      | 86    | SQ1                               | 131 East 700 South           |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                                   |                              |         |  |

| Incident Number                                    | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                              | Address                               | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|--|---------------------------------------|---------|--|
| <b>CAD Officer in Charge: Reilly, Daniel</b>       |                     |        |               |         |       |  |                                       |         |  |
| CF20-30271   | 09/18/2020 17:47:16 | 65A03  | Initiated     | No      | 86    | EW6141, EW6142, M14                    | 1560 West 3900 South                  | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF21-10548   | 04/11/2021 09:48:49 | PDASST | Initiated     | No      | 88    | LT8                                    | 1460 South STATE Street               | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF   |
| CF21-11158   | 04/16/2021 12:43:25 | PDASST | Initiated     | No      | 84    | GC589                                  | 1364 West GLENROSE Drive              |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824                                     |
| CF20-23950   | 07/29/2020 14:30:19 | 65A03  | Initiated     | No      | 88    | E13                                    | 6650 East I80E WB Freeway             | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| <b>Count: 4</b>                                    |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Shafer, Curtis</b>       |                     |        |               |         |       |  |                                       |         |  |
| CF21-43035   | 12/27/2021 08:51:05 | EXPLO  | Initiated     | No      | 98    | H14, FD153, BC2, BC1, M11, M7, LT2, M2 | West NORTH TEMPLE ST / N REDWOOD Road | C       | GAS STATION BLEW UP.   |
| <b>Count: 1</b>                                    |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Silverthorne, Robert</b> |                     |        |               |         |       |  |                                       |         |  |
| CF22-582   | 01/05/2022 03:59:39 | ALARMF | Initiated     | No      | 87    | M3                                     | 2120 South 1300 East                  | A       | FIRE ALARM.....ZONE 1.....CAMPUS PATROL 801-832-2525 OR RP TONY RUSSEL 801-330-0201....REF#AE101128  |
| <b>Count: 1</b>                                    |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Sorensen, Derek</b>      |                     |        |               |         |       |  |                                       |         |  |
| CF21-40641   | 12/08/2021 08:20:08 | SMOKE  | Initiated     | No      | 87    | M5, M8                                 | 1609 South MAJOR Street               | B       | HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,  |
| CF21-40639   | 12/08/2021 08:14:49 | MISCF  | Initiated     | No      | 87    | M8                                     | 150 West 1400 South                   | B       | MISCF WEST OF DISP ADDRESS   |
| <b>Count: 2</b>                                    |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Stafford, Robert</b>     |                     |        |               |         |       |  |                                       |         |  |
| CF22-314   | 01/03/2022 08:00:40 | ALARMF | Initiated     | No      | 88    | M2                                     | 204 West 200 North                    | C       | FIRE ALARM WENDEL APTS.. POINT 7 SMOKE.. RP # 801-509-6281 DON   |
| <b>Count: 1</b>                                    |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Staheli, Brian</b>       |                     |        |               |         |       |  |                                       |         |  |
| CF21-38166   | 11/17/2021 14:15:10 | PDASST | Initiated     | No      | 87    | H14                                    | 1500 West 1700 South                  |         | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| CF22-531   | 01/04/2022 17:42:34 | ALARMF | Initiated     | No      | 88    | EQ14                                   | 3780 West DIRECTORS Row               | A       | GENERAL FIRE ALARM... ZONE 1... 801-886-1444...  |
| CF22-433   | 01/04/2022 04:47:47 | ALARMW | Initiated     | No      | 87    | LT8, EQ14                              | 3405 West 900 South                   | A       | ZONE 208 WATERFLOW.....801-529-6163  |
| CF22-456   | 01/04/2022 08:15:14 | ALARMW | Initiated     | No      | 87    | LT2, EQ14                              | 825 South GLADIOLA Street             | A       | CHIZ FOODS.....WATERFLOW ALARM....NO PREMISE NUMBER...NO LOC ON ALARM  |
| <b>Count: 4</b>                                    |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Stringam, Reed</b>       |                     |        |               |         |       |  |                                       |         |  |
| CF21-42687   | 12/24/2021 00:35:50 | REFUEL | Initiated     | No      | 88    | RD2, RD4                               | 24 East PERIMETER                     | A       | B6 A320  |
| <b>Count: 1</b>                                    |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>         |                     |        |               |         |       |  |                                       |         |  |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                   | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-----------|---------------------------|---------|--|
| CF20-23422                                       | 07/25/2020 14:44:13 | 65A05  | Initiated     | No      | 87    | M5, M8    | 10758 South REDWOOD Road  | A       | GOING TO STATION 61  |
| CF22-559   | 01/04/2022 21:47:03 | PUBLIC | Initiated     | No      | 86    | LT8       | 1700 South 500 West       | A       | COMP IS PASSERBY... SOMEONE IS STUCK UNDER THE OVER PASS.... NEEDS HELP DOWN.. NOT INJURED...  |
| <b>Count:</b><br>2                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Visser, Otto</b>       |                     |        |               |         |       |           |                           |         |  |
| CF20-25507                                       | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164     | 475 South 300 East        |         | OTTO VISSOR VS LANDSCAPE VEH   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Winkler, Scott</b>     |                     |        |               |         |       |           |                           |         |  |
| CF21-43241                                       | 12/28/2021 22:59:24 | ALARMF | Initiated     | No      | 87    | M1, E4    | 165 South 300 East        | A       | MAGNOLIA APTS...SEE POLICE CASE 237877, M IN THE LOBBY WAS HAVING A PSYCH EPISODE EARLIER, T/L 4 HOURS...ZONE 64 FIRE ALARM...R/P # DON 801-509-6234, REF # A16552...ALARM CO ORGINALLY GAVE THE ADDRESS 175 S 300 E |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |           |                           |         |  |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159     | 7673 South HIGHLAND Drive |         | STRUCTURE FIRE UFA   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |  |
| <b>CAD Officer in Charge: Yamane, Chad</b>       |                     |        |               |         |       |           |                           |         |  |
| CF22-574   | 01/05/2022 00:02:03 | WASH   | Initiated     | No      | 88    | M8        | 1435 South STATE Street   | A       | M WAS HIT BY CAR.....NOT MOVING - IN FRONT OF THE WASATCH INN ...SEE RELATED EMS&FIRE CALL CF22-544 ... SEE RELATED CP#: SL22-2155   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |  |
| <b>Count:</b><br>99                              |                     |        |               |         |       |           |                           |         |  |

**Report Criteria**

|                     |                                  |
|---------------------|----------------------------------|
| Record Status:      | Is Not Equal To Officer reviewed |
| Locked?:            | Is Not Equal To Yes              |
| Incident Date Time: | Is On or After 1/16/2018         |
| Incident Number:    | Begins With CF                   |
| Code:               | Is Not Equal To ARSINV           |
| Code:               | Is Not Equal To APSN             |
| Apparatus:          | Is Not Equal To E41              |
| Apparatus:          | Is Not Equal To E73              |
| Apparatus:          | Is Not Equal To ME117            |

Need help? Call Nicole at 801-799-4103, or email us.