

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

01/08/2022



| Incident Number                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                | Address                         | Platoon | CAD Narrative   |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|---|
| <b>CAD Officer in Charge: (None)</b> |                     |        |               |         |       |                          |                                 |         |   |
| CF21-30961                           | 09/18/2021 21:35:36 | TRUCK  | Initiated     | No      | 84    | BC41, E41, MA41          | 200 West I80E WB Freeway        |         |   |
| CF21-38975                           | 11/23/2021 11:05:26 | PUBLIC | Initiated     | No      | 86    | BLU28                    | 31 CONCOURSE A SL[OBA A25]      |         |   |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South             | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING   |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle       |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5  |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152                    | 8037 South ROYAL Lane           |         | FD152   |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2                      | 307 East 600 South              |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...  |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 95    | M3                       | 1237 East BRICKYARD Road        | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..  |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street     | B       | FALSE ALARM PER CHURCH SECURITY   |
| CF21-24834                           | 08/04/2021 01:03:00 | ELEC   | Initiated     | No      | 95    | M3                       | 2225 South HIGHLAND Drive       | B       | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP   |
| CF21-29580                           | 09/09/2021 13:39:54 | UNCON  | Initiated     | No      | 82    | MA72                     | 2000 South 3200 West            |         | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD   |
| CF21-29985                           | 09/12/2021 00:56:00 | UNCON  | Initiated     | No      | 83    | MA73                     | 1571 South I215W NB Freeway     |         | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH  |
| CF21-31373                           | 09/22/2021 08:01:32 | PUBLIC | Initiated     | No      | 87    | BLUE                     | 765 North 2200 W[BUILDING 302 ] |         | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME   |
| CF21-35807                           | 10/28/2021 06:29:40 | ASSAM  | Initiated     | No      | 80    | E41, ME101, MA41         | 2757 South 300 East             |         | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584                           | 11/03/2021 16:20:52 | MISCF  | Initiated     | No      | 85    | BC31                     | 442 South HOLD Avenue           |         | ***TEST***  |
| CF21-37094                           | 11/07/2021 21:52:52 | PDASST | Initiated     | No      | 88    | M2                       | 50 South 500 West               | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750   |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road      |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE  |
| CF21-42781                           | 12/24/2021 21:12:59 | ASSAM  | Initiated     | No      | 84    | MA73                     | 2831 South 2540 West            |         | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746   |
| CF22-517                             | 01/04/2022 15:44:38 | TREE   | Initiated     | No      | 87    | M11, BLUE                | 581 North 2360 West             | A       | TEST CALL   |

| Incident Number                                 | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus      | Address                            | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|----------------|------------------------------------|---------|--|
| <b>Count:</b><br>18                             |                     |        |                  |         |       |                |                                    |         |  |
| <b>CAD Officer in Charge: Arnesen, Aaron</b>    |                     |        |                  |         |       |                |                                    |         |  |
| CF21-42145                                      | 12/19/2021 15:02:27 | MISCF  | Initiated        | No      | 88    | M8             | 1212 South STATE Street            | B       | FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG   |
| CF21-42157                                      | 12/19/2021 17:18:18 | MISCF  | Initiated        | No      | 88    | M8             | 967 South WASHINGTON Street        | B       | #HOMELESS...MWA/LATE 50S....WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE |
| <b>Count:</b><br>2                              |                     |        |                  |         |       |                |                                    |         |  |
| <b>CAD Officer in Charge: Atwood, Michael</b>   |                     |        |                  |         |       |                |                                    |         |  |
| CF21-9552                                       | 04/02/2021 21:59:22 | ALARMF | Initiated        | No      | 88    | M2, LT2        | 147 West 300 South                 | A       | FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068   |
| CF21-10299                                      | 04/09/2021 09:17:32 | PUBLIC | Initiated        | No      | 88    | LT2            | 235 West 600 North                 | A       | COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED  |
| <b>Count:</b><br>2                              |                     |        |                  |         |       |                |                                    |         |  |
| <b>CAD Officer in Charge: Burk, Christopher</b> |                     |        |                  |         |       |                |                                    |         |  |
| CF21-40470                                      | 12/06/2021 16:00:20 | ALARMF | Officer reviewed | No      | 100   | EQ14           | 4870 West 2100 South               | B       | FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290  |
| CF21-40494                                      | 12/06/2021 18:27:12 | ALARMF | Officer reviewed | No      | 100   | EQ14           | 1755 South FREMONT Drive           | B       | FIRE ALARM, SMOKE ALARM ZONE 2,  |
| CF21-40642                                      | 12/08/2021 08:23:55 | ALARMF | Initiated        | No      | 87    | E4             | 402 East 6TH Avenue                | B       | ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683  |
| CF22-724  | 01/06/2022 09:28:06 | ALARMW | Officer reviewed | No      | 100   | M2, LT2        | 255 North 400 West                 | B       | FIRE ALARM // LOFTS AT GATEWAY // ZONE 42 WATERFLOW, AND 101 WATERFLOW // REF #S95247  |
| CF22-860  | 01/06/2022 22:43:31 | ALARMF | Initiated        | No      | 87    | M2             | 155 South 400 West                 | B       | COMMERCIAL FIRE ALARM.. GATEWAY BLOCK A .. ZONE 0 GENERAL FIRE.. RP ANDY CURTIS 801-380-2183   |
| CF22-882  | 01/07/2022 07:43:00 | ALARMF | Initiated        | No      | 87    | M2             | 175 South WEST TEMPLE Street       | B       | POINT 1 GENERAL FIRE.... BRAIN TAYLOR 208-803-1324....   |
| <b>Count:</b><br>6                              |                     |        |                  |         |       |                |                                    |         |  |
| <b>CAD Officer in Charge: Carter, Gary</b>      |                     |        |                  |         |       |                |                                    |         |  |
| CF21-41185                                      | 12/12/2021 11:23:06 | ACC    | Initiated        | No      | 88    | BC1, LT8       | South MAIN ST / E CLEVELAND Avenue | B       |  |
| CF20-14622                                      | 05/11/2020 13:16:14 | 65B02A | Initiated        | No      | 85    | FD156          | 475 South 300 East                 |         |  |
| <b>Count:</b><br>2                              |                     |        |                  |         |       |                |                                    |         |  |
| <b>CAD Officer in Charge: Clark, Jeffrey</b>    |                     |        |                  |         |       |                |                                    |         |  |
| CF22-795  | 01/06/2022 15:40:36 | REFUEL | Initiated        | No      | 87    | RD2, RD3, RD4  | 60 East PERIMETER                  | B       | US MARSHALS B737   |
| <b>Count:</b><br>1                              |                     |        |                  |         |       |                |                                    |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>       |                     |        |                  |         |       |                |                                    |         |  |
| CF20-29532                                      | 09/12/2020 10:22:19 | 65A03  | Initiated        | No      | 88    | EW6091, EW6092 | 10914 West I80W EB Freeway         |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |
| <b>Count:</b><br>1                              |                     |        |                  |         |       |                |                                    |         |  |
| <b>CAD Officer in Charge: Comer, Peter</b>      |                     |        |                  |         |       |                |                                    |         |  |
| CF21-22812                                      | 07/19/2021 12:34:17 | PDASST | Initiated        | No      | 88    | M12            | 1174 West 600 North                | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD   |
| <b>Count:</b>                                   |                     |        |                  |         |       |                |                                    |         |  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus  | Address                       | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--|-------------------------------|---------|---|
| <b>1</b>                                       |                     |        |               |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Davies, Adam</b>     |                     |        |               |         |       |  |                               |         |   |
| CF22-822                                       | 01/06/2022 18:17:11 | ALARMF | Initiated     | No      | 87    | EQ14   | 1755 South FREMONT Drive      | B       | FIRE ALARM // BUSN LAKEVIEW CHEESE // RP RED 940-234-0212 // SMOKE ALARM ZONE 2 //  |
| CF22-841                                       | 01/06/2022 19:50:56 | ALARMW | Initiated     | No      | 85    | EQ14   | 1175 South MERIDIAN PARK Road | B       | BUILDING 3.. GENERAL FIRE AND WATER FLOW ALARM.. BUSN NAME FREEPORT WEST, R/P ON CALL 801-633-8324                                |
| CF22-763                                       | 01/06/2022 12:44:43 | HAZMAT | Initiated     | No      | 85    | M8, H10, BC1, M6, H14  | 717 South 500 West            | B       | OJ INDUSTRIES.....LOCATED A TIN 2 GALLON CONTAINER OF SODIUM CYINIDE.....NOTHING LEAKING NO INJURIES                              |
| <b>Count: 3</b>                                |                     |        |               |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: DeLeeuw, Brian</b>   |                     |        |               |         |       |  |                               |         |   |
| CF22-1048                                      | 01/08/2022 18:35:51 | MISCF  | Initiated     | No      | 88    | M8   | 1450 South WEST TEMPLE Street | C       | COMP CAN SEE FIRE NEAR BLDG E BY THE STAIRWELL... ON WS OF BLDG E...  |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Elton, Richard</b>   |                     |        |               |         |       |  |                               |         |   |
| CF22-906                                       | 01/07/2022 12:26:35 | ALARMF | Initiated     | No      | 87    | M5   | 714 East KENSINGTON Avenue    | C       | FIRE ALARM.. ZONE 15 SMOKE.. ZONE 0 GENERAL.. INSIDE # 801-918-1770 RESIDENTIAL.. JENNIFER ROSE RESIDENCE                         |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Forbes, Kevin</b>    |                     |        |               |         |       |  |                               |         |   |
| CF21-42552                                     | 12/22/2021 20:37:31 | LOCKP  | Initiated     | No      | 82    | M7, M11  | 251 North CORNELL Street      | A       | 2YOM,..LOCKED INSIDE A UHAL...  |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |               |         |       |  |                               |         |   |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated     | No      | 88    | SQ2  | 48 West 300 South             |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU                        |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Goodwin, Les</b>     |                     |        |               |         |       |  |                               |         |   |
| CF22-285                                       | 01/03/2022 00:45:57 | HOUSE  | Initiated     | No      | 92    | LT2, M5, M8, E10, UT10, E13, BC1, BC2, FD155, FD180, E41, LT8, EQ14, LT5 | 321 East 2100 South           | C       | SMOKE COMING OUT OF A HOUSE, LARGE AMOUNTS  |
| <b>Count: 1</b>                                |                     |        |               |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |               |         |       |  |                               |         |   |
| CF21-42610                                     | 12/23/2021 10:56:25 | ALARMF | Initiated     | No      | 88    | M7   | 1025 West MACFARLAND Drive    | A       | FIRE ALARM // RES JAQUELINE SKINNIER -202-510-0082 // ZONE 95   |
| CF21-42499                                     | 12/22/2021 11:52:22 | PUBLIC | Initiated     | No      | 88    | M7   | 2333 West NORTH TEMPLE Street | A       | MALE IN LATE 30S STUCK IN ELEVATOR ON FIRST FLOOR...  |
| CF21-41902                                     | 12/17/2021 17:03:06 | MISCF  | Initiated     | No      | 80    | M2, M7, E41, EQ14  | 421 South 700 West            | A       | HART TONGUE UNDER 400 S...TRANSIENTS WITH FIRE...1 M IS ETOH..THREW SOMETHING ON THE FIRE AND IT EXPLODED...                      |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated     | No      | 86    | M7   | 300 North 700 West            | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904                                     | 06/27/2021 17:57:23 | ALARMF | Initiated     | No      | 88    | M7   | 836 West FIG TREE Place       | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE   |
| CF21-19914                                     | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155  | 625 North AMERICAN            | B       | VEH IS ON FIRE.. HONDA  |

| Incident Number                                 | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus        | Address                        | Platoon | CAD Narrative   |
|---|---------------------|--------|---------------|---------|-------|------------------|--------------------------------|---------|---|
| BEAUTY Drive                                    |                     |        |               |         |       |                  |                                |         |   |
| CF21-34549                                      | 10/18/2021 05:15:22 | HAZMAT | Initiated     | No      | 87    | H14              | 2125 North REDWOOD Road        |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS  |
| <b>Count:</b><br>7                              |                     |        |               |         |       |                  |                                |         |   |
| <b>CAD Officer in Charge: Hoover, Todd</b>      |                     |        |               |         |       |                  |                                |         |   |
| CF22-896  | 01/07/2022 10:29:36 | PUBLIC | Initiated     | No      | 88    | LT5              | 530 South WAKARA Way           | C       | FEMALE STUCK IN ELEVATOR.. ELEVATOR #1 UNK FLOOR SHE IS STUCK ON.. CAMPUS SEC ENROUTE..   |
| <b>Count:</b><br>1                              |                     |        |               |         |       |                  |                                |         |   |
| <b>CAD Officer in Charge: Jepperson, Chad</b>   |                     |        |               |         |       |                  |                                |         |   |
| CF22-372  | 01/03/2022 16:40:51 | TRUCK  | Initiated     | No      | 88    | M6, H14          | 200 South ORANGE Street        | A       | RV MADE OF ALL DIFFERENT MATERIALS HAS A HOLE IN THE ROOF WITH A FIRE GOING INSIDE  |
| CF22-406  | 01/03/2022 21:30:25 | PIPE   | Initiated     | No      | 88    | M6               | 1118 South 700 West            | A       | NEIGB IS OUT OF TOWN, LARGE AMOUNT OF WATER COMING FROM THE FRONT OF THE HOUSE...PS FROM THE HOSE CONNECTOR TO THE HOUSE...NEIGB HAVE ATTEMPTED TO TURN OF THE HOSE W/ NO LUCK...NO CONTACT INFO FOR NEIGB, NAME IS PS DAVE...IS PS OFF ON MILITARY LEAVE |
| CF22-464  | 01/04/2022 09:42:40 | SGASLE | Initiated     | No      | 86    | H10, M6, H14     | 550 West 700 South             | A       | GAS LEAK OUTSIDE, VBH   |
| CF22-475  | 01/04/2022 10:57:59 | VEH    | Initiated     | No      | 88    | FD155, FD159, M6 | 1445 South GUSTIN Road         | A       | FOLLOWING STOLEN VEH GLD FORD F250 @F688HE....LSH WB ON 500 S....STOPPED NOW....OCCD BY 1 MHA PONYTAIL/MUSTACHE/BLK CLOTHING... SEE RELATED CP#: SL22-1843 - ,VEH FIRE  |
| CF21-42669                                      | 12/23/2021 20:52:39 | VEH    | Initiated     | No      | 96    | FD155, FD159, M6 | 1100 North I15 NB Freeway      | A       | LIMO ON FIRE ...RIGHT SIDE OF MAIN FLOW   |
| <b>Count:</b><br>5                              |                     |        |               |         |       |                  |                                |         |   |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>   |                     |        |               |         |       |                  |                                |         |   |
| CF21-43307                                      | 12/29/2021 12:36:13 | ALARMW | Initiated     | No      | 88    | M1, LT8          | 324 South STATE Street         | A       | FIRE ALARM.. WATER FLOW 541 FROM THE 6TH FLOOR./...   |
| <b>Count:</b><br>1                              |                     |        |               |         |       |                  |                                |         |   |
| <b>CAD Officer in Charge: Koetitz, Paul</b>     |                     |        |               |         |       |                  |                                |         |   |
| CF22-599  | 01/05/2022 08:39:39 | FUEL   | Initiated     | No      | 88    | EQ9, H14         | 5645 West AMELIA EARHART Drive | B       | AT THE MAVERICK APPROX 19 GALLONS OF GAS ON THE GROUND... HOLE IN THE GAS TANK OF VAN PARKED ON TOP OF THE SPILL  |
| <b>Count:</b><br>1                              |                     |        |               |         |       |                  |                                |         |   |
| <b>CAD Officer in Charge: Marston, Kyle</b>     |                     |        |               |         |       |                  |                                |         |   |
| CF21-42074                                      | 12/18/2021 22:06:27 | ARESCU | Initiated     | No      | 88    | M2               | 165 South 400 West             | B       | SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299  |
| <b>Count:</b><br>1                              |                     |        |               |         |       |                  |                                |         |   |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |               |         |       |                  |                                |         |   |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated     | No      | 85    | FD154            | 120 South STATE Street         |         |   |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated     | No      | 88    | FD154            | 1246 East BONNER Way           |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD   |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated     | No      | 83    | FD154            | 1330 East IRA HODGES           |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN   |
| <b>Count:</b><br>3                              |                     |        |               |         |       |                  |                                |         |   |
| <b>CAD Officer in Charge: Perkins, Gary</b>     |                     |        |               |         |       |                  |                                |         |   |
| CF21-13024                                      | 05/03/2021 12:24:54 | PUBLIC | Initiated     | No      | 86    | SQ1              | 131 East 700 South             |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                                     | Address                               | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|---|---------------------------------------|---------|--|
| <b>Count:</b><br>1                             |                     |        |               |         |       |   |                                       |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b>   |                     |        |               |         |       |   |                                       |         |  |
| CF21-10548                                     | 04/11/2021 09:48:49 | PDASST | Initiated     | No      | 88    | LT8   | 1460 South STATE Street               | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF   |
| CF21-11158                                     | 04/16/2021 12:43:25 | PDASST | Initiated     | No      | 84    | GC589   | 1364 West GLENROSE Drive              |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824                                     |
| CF20-30271                                     | 09/18/2020 17:47:16 | 65A03  | Initiated     | No      | 86    | EW6141, EW6142, M14                           | 1560 West 3900 South                  | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF20-23950                                     | 07/29/2020 14:30:19 | 65A03  | Initiated     | No      | 88    | E13   | 6650 East 180E WB Freeway             | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| <b>Count:</b><br>4                             |                     |        |               |         |       |   |                                       |         |  |
| <b>CAD Officer in Charge: Rock, Nathan</b>     |                     |        |               |         |       |   |                                       |         |  |
| CF22-922                                       | 01/07/2022 15:05:38 | LOCKP  | Initiated     | No      | 87    | M1  | 325 South 300 East                    | C       | 2 CHILDREN LOCKED IN VEH...2 YO MALE AND INFANT...WHI GMC YUKON...BACK OF PLOT CLOSEST TO BLDG ... SEE RELATED CP#: SL22-3946  |
| CF22-1035                                      | 01/08/2022 16:11:41 | MISCF  | Initiated     | No      | 87    | M1  | 645 South 200 East                    | C       | 3 BLDG SOUTH OF DISP ADDRESS TRANSIENT HAS A FIRE...RED PANTS AND SHOPPING CART....BLDGS SHARE A PLOT...WALKING WB IN THE PLOT...FIRE EXTINGUISHED ... SEE RELATED CP#: SL22-4590 - FD     |
| CF22-989                                       | 01/08/2022 07:31:29 | ALARMF | Initiated     | No      | 88    | M1  | 660 South 300 East                    | C       | ZONE 56...KATA JANJIC 801 531 0202...385 212 0872  |
| <b>Count:</b><br>3                             |                     |        |               |         |       |   |                                       |         |  |
| <b>CAD Officer in Charge: Shafer, Curtis</b>   |                     |        |               |         |       |   |                                       |         |  |
| CF21-43035                                     | 12/27/2021 08:51:05 | EXPLO  | Initiated     | No      | 98    | H14, FD153, BC2, BC1, M11, M7, LT2, M2        | West NORTH TEMPLE ST / N REDWOOD Road | C       | GAS STATION BLEW UP.   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |   |                                       |         |  |
| <b>CAD Officer in Charge: Shepherd, Tyler</b>  |                     |        |               |         |       |   |                                       |         |  |
| CF22-938                                       | 01/07/2022 18:36:50 | ALERT  | Initiated     | No      | 86    | BLU21, M12, BC2, RD1, RD2, RD3, RD4, RD5, RD6 | 120 RUNWAY 16R34L[ETA 34L             | C       |  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |   |                                       |         |  |
| <b>CAD Officer in Charge: Sorensen, Derek</b>  |                     |        |               |         |       |   |                                       |         |  |
| CF21-40641                                     | 12/08/2021 08:20:08 | SMOKE  | Initiated     | No      | 87    | M5, M8  | 1609 South MAJOR Street               | B       | HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,  |
| CF21-40639                                     | 12/08/2021 08:14:49 | MISCF  | Initiated     | No      | 87    | M8  | 150 West 1400 South                   | B       | MISCF WEST OF DISP ADDRESS   |
| <b>Count:</b><br>2                             |                     |        |               |         |       |   |                                       |         |  |
| <b>CAD Officer in Charge: Staheli, Brian</b>   |                     |        |               |         |       |   |                                       |         |  |
| CF21-38166                                     | 11/17/2021 14:15:10 | PDASST | Initiated     | No      | 87    | H14   | 1500 West 1700 South                  |         | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| <b>Count:</b><br>1                             |                     |        |               |         |       |   |                                       |         |  |
| <b>CAD Officer in Charge: Stevens, Michael</b> |                     |        |               |         |       |   |                                       |         |  |
| CF22-  | 01/08/2022          | ODOR   | Initiated     | No      | 88    | RD1, M12                                      | 196                                   | C       | JBT NOEL ADVISED OF A STRONG BURNING   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                                       | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-----------|---|---------|--|
| 1009   | 12:10:23            |        |               |         |       |           | CONCOURSE A SL[MU01 BAG ROOM FOR ALL AIRLINES |         | SMELL UA BAG ROOM  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Stringam, Reed</b>     |                     |        |               |         |       |           |   |         |  |
| CF21-42687                                       | 12/24/2021 00:35:50 | REFUEL | Initiated     | No      | 88    | RD2, RD4  | 24 East PERIMETER                             | A       | B6 A320  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>       |                     |        |               |         |       |           |   |         |  |
| CF22-559   | 01/04/2022 21:47:03 | PUBLIC | Initiated     | No      | 86    | LT8       | 1700 South 500 West                           | A       | COMP IS PASSERBY... SOMEONE IS STUCK UNDER THE OVER PASS.... NEEDS HELP DOWN.. NOT INJURED...  |
| CF20-23422                                       | 07/25/2020 14:44:13 | 65A05  | Initiated     | No      | 87    | M5, M8    | 10758 South REDWOOD Road                      | A       | GOING TO STATION 61  |
| <b>Count:</b><br>2                               |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Vaughn, Jeffrey</b>    |                     |        |               |         |       |           |   |         |  |
| CF22-971   | 01/08/2022 00:36:58 | PUBLIC | Initiated     | No      | 88    | LT2       | 308 West NORTH TEMPLE Street                  | C       | SKY HOUSE APTS, PEOPLE STUCK IN APT... NO ONE SICK OR INJURED..  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Visser, Otto</b>       |                     |        |               |         |       |           |   |         |  |
| CF20-25507                                       | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164     | 475 South 300 East                            |         | OTTO VISSOR VS LANDSCAPE VEH   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Winkler, Scott</b>     |                     |        |               |         |       |           |   |         |  |
| CF21-43241                                       | 12/28/2021 22:59:24 | ALARMF | Initiated     | No      | 87    | M1, E4    | 165 South 300 East                            | A       | MAGNOLIA APTS...SEE POLICE CASE 237877, M IN THE LOBBY WAS HAVING A PSYCH EPISODE EARLIER, T/L 4 HOURS...ZONE 64 FIRE ALARM...R/P # DON 801-509-6234, REF # A16552...ALARM CO ORGINALLY GAVE THE ADDRESS 175 S 300 E |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |           |   |         |  |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159     | 7673 South HIGHLAND Drive                     |         | STRUCTURE FIRE UFA   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |   |         |  |
| <b>CAD Officer in Charge: Yamane, Chad</b>       |                     |        |               |         |       |           |   |         |  |
| CF22-595   | 01/05/2022 08:03:29 | ALARMF | Initiated     | No      | 87    | M8        | 1818 South 300 West                           | A       | GENERAL NOTIF...ROOFTOP UNIT 26...801 485 9715   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |   |         |  |
| <b>Count:</b><br>82                              |                     |        |               |         |       |           |   |         |  |

**Report Criteria**

|                     |                                  |
|---------------------|----------------------------------|
| Record Status:      | Is Not Equal To Officer reviewed |
| Locked?:            | Is Not Equal To Yes              |
| Incident Date Time: | Is On or After 1/16/2018         |
| Incident Number:    | Begins With CF                   |
| Code:               | Is Not Equal To ARSINV           |
| Code:               | Is Not Equal To APSN             |
| Apparatus:          | Is Not Equal To E41              |

Apparatus: Is Not Equal To E73

Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)