

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

01/10/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM.. COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
Count: 17									
CAD Officer in Charge: Arnesen, Aaron									
CF21-42145	12/19/2021 15:02:27	MISCF	Initiated	No	88	M8	1212 South STATE Street	B	FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG
CF21-42157	12/19/2021 17:18:18	MISCF	Initiated	No	88	M8	967 South WASHINGTON Street	B	#HOMELESS...MWA/LATE 50S...WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE
Count: 2									
CAD Officer in Charge: Atwood, Michael									
CF21-9552	04/02/2021 21:59:22	ALARMF	Initiated	No	88	M2, LT2	147 West 300 South	A	FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068
CF21-10299	04/09/2021 09:17:32	PUBLIC	Initiated	No	88	LT2	235 West 600 North	A	COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED
Count: 2									
CAD Officer in Charge: Burk, Christopher									
CF21-40470	12/06/2021 16:00:20	ALARMF	Officer reviewed	No	100	EQ14	4870 West 2100 South	B	FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290
CF21-40494	12/06/2021 18:27:12	ALARMF	Officer reviewed	No	100	EQ14	1755 South FREMONT Drive	B	FIRE ALARM, SMOKE ALARM ZONE 2,
CF21-40642	12/08/2021 08:23:55	ALARMF	Initiated	No	87	E4	402 East 6TH Avenue	B	ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683
CF22-724	01/06/2022 09:28:06	ALARMW	Officer reviewed	No	100	M2, LT2	255 North 400 West	B	FIRE ALARM // LOFTS AT GATEWAY // ZONE 42 WATERFLOW, AND 101 WATERFLOW // REF #S95247
CF22-860	01/06/2022 22:43:31	ALARMF	Initiated	No	87	M2	155 South 400 West	B	COMMERCIAL FIRE ALARM.. GATEWAY BLOCK A .. ZONE 0 GENERAL FIRE.. RP ANDY CURTIS 801-380-2183
CF22-882	01/07/2022 07:43:00	ALARMF	Initiated	No	87	M2	175 South WEST TEMPLE Street	B	POINT 1 GENERAL FIRE.... BRAIN TAYLOR 208-803-1324....
Count: 6									
CAD Officer in Charge: Bush, Joseph									
CF22-1124	01/09/2022 12:12:17	ALARMF	Initiated	No	87	M1, M8	350 South 200 East	A	GENERAL FIRE ALARM ZONE 2 RP ANDY 385-270-7502
CF22-1215	01/10/2022 07:00:08	DUMP	Initiated	No	88	M8	85 East 1300 South	A	MALE STARTING FIRE IN DUMPSTER, AT SONIC, JUST SMOKE
Count: 2									
CAD Officer in Charge: Carter, Gary									
CF21-41185	12/12/2021 11:23:06	ACC	Initiated	No	88	BC1, LT8	South MAIN ST / E CLEVELAND Avenue	B	
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 2									
CAD Officer in Charge: Clark, Jeffrey									
CF22-795	01/06/2022 15:40:36	REFUEL	Initiated	No	87	RD2, RD3, RD4	60 East PERIMETER	B	US MARSHALS B737
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Davies, Adam									
CF22-	01/06/2022	ALARMF	Initiated	No	87	EQ14	1755 South	B	FIRE ALARM // BUSN LAKEVIEW CHEESE //

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
822	18:17:11						FREMONT Drive		RP RED 940-234-0212 // SMOKE ALARM ZONE 2 //
CF22-841	01/06/2022 19:50:56	ALARMW	Initiated	No	85	EQ14	1175 South MERIDIAN PARK Road	B	BUILDING 3.. GENERAL FIRE AND WATER FLOW ALARM.. BUSN NAME FREEPORT WEST, R/P ON CALL 801-633-8324
CF22-763	01/06/2022 12:44:43	HAZMAT	Initiated	No	85	M8, H10, BC1, M6, H14	717 South 500 West	B	OJ INDUSTRIES.....LOCATED A TIN 2 GALLON CONTAINER OF SODIUM CYINIDE.....NOTHING LEAKING NO INJURIES
Count: 3									
CAD Officer in Charge: Endemano, Edward									
CF22-1114	01/09/2022 10:57:59	FUEL	Initiated	No	82	RD1, RD5	94 North SUPPORT[PUMPS AT PUMP 3	A	GASOLINE OVERFLOWED FROM THE PUMP, APPROX 15"X10", NOTHING IN THE DRAINS. ... SEE RELATED CP#: AP22-1052
Count: 1									
CAD Officer in Charge: Forbes, Kevin									
CF21-42552	12/22/2021 20:37:31	LOCKP	Initiated	No	82	M7, M11	251 North CORNELL Street	A	2YOM,...LOCKED INSIDE A UHAL...
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: Goodwin, Les									
CF22-285	01/03/2022 00:45:57	HOUSE	Initiated	No	92	LT2, M5, M8, E10, UT10, E13, BC1, BC2, FD155, FD180, E41, LT8, EQ14, LT5	321 East 2100 South	C	SMOKE COMING OUT OF A HOUSE, LARGE AMOUNTS
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									
CF21-42610	12/23/2021 10:56:25	ALARMF	Initiated	No	88	M7	1025 West MACFARLAND Drive	A	FIRE ALARM // RES JAQUELINE SKINNER -202-510-0082 // ZONE 95
CF21-42499	12/22/2021 11:52:22	PUBLIC	Initiated	No	88	M7	2333 West NORTH TEMPLE Street	A	MALE IN LATE 30S STUCK IN ELEVATOR ON FIRST FLOOR...
CF22-1200	01/10/2022 05:30:36	APT	Initiated	No	88	M2, LT2, M7, M11, BC2, LT8, M6	251 North CORNELL Street	A	SMOKE COMING OUT OF APT BLDG.....COMING FROM 2ND FLOOR
CF22-1143	01/09/2022 17:40:57	MISCF	Initiated	No	88	M7	604 North 1300 West	A	JUST W OF GIVEN ADDR ON 600 N.....NEIGHBOR HAS A BON FIRE GOING IN FRONT YARD.....CLOSER TO A GARAGE.....NOT SPREADING
CF22-1154	01/09/2022 19:42:46	MISCF	Initiated	No	88	M7	1528 West NORTH TEMPLE Street	A	TRAX POWER STATION...GARBAGE CAN ON FIRE... COMP WILL STAY ON SCENE TO DIRECT...SHE IS ON CORNELL AND NORTH TEMPLE...SHE IS WEARING TAN PANTS AND GRN SHIRT...
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
Count: 9									
CAD Officer in Charge: Jepperson, Chad									
CF22-1209	01/10/2022 06:41:02	APT	Initiated	No	84	M7, M8, BC2, LT8, EQ14, M6	1601 West SNOW QUEEN Place	A	PER LANG LINE SOMETHING IS ON FIRE.... LANG LINK DISC... TRYING TO GET THEM BACK ON THE LINE
CF22-372	01/03/2022 16:40:51	TRUCK	Initiated	No	88	M6, H14	200 South ORANGE Street	A	RV MADE OF ALL DIFFERENT MATERIALS HAS A HOLE IN THE ROOF WITH A FIRE GOING INSIDE
CF22-406	01/03/2022 21:30:25	PIPE	Initiated	No	88	M6	1118 South 700 West	A	NEIGB IS OUT OF TOWN, LARGE AMOUNT OF WATER COMING FROM THE FRONT OF THE HOUSE...PS FROM THE HOSE CONNECTOR TO THE HOUSE...NEIGB HAVE ATTEMPTED TO TURN OF THE HOSE W/ NO LUCK...NO CONTACT INFO FOR NEIGB, NAME IS PS DAVE...IS PS OFF ON MILITARY LEAVE
CF22-464	01/04/2022 09:42:40	SGASLE	Initiated	No	86	H10, M6, H14	550 West 700 South	A	GAS LEAK OUTSIDE, VBH
Count: 4									
CAD Officer in Charge: Kochevar, Kevin									
CF22-1121	01/09/2022 11:47:04	MISCF	Initiated	No	86	M1	81 North O Street	A	FIRE IN THE BACKYARD... NEIGHBOR 4 TO 5 HOUSES SOUTH OF ADDR.... SAW NO FLAMES JUST LOTS OF SMOKE...
CF22-1122	01/09/2022 12:02:25	MISCF	Initiated	No	88	M1	81 North O Street	A	FIRE IN THE BACKYARD... NEIGHBOR 4 TO 5 HOUSES SOUTH OF ADDR.... SAW NO FLAMES JUST LOTS OF SMOKE... COMP CALLING BACK LOTS OF SMOKE STILL
CF21-43307	12/29/2021 12:36:13	ALARMW	Initiated	No	88	M1, LT8	324 South STATE Street	A	FIRE ALARM.. WATER FLOW 541 FROM THE 6TH FLOOR./...
CF22-1194	01/10/2022 04:31:13	MISCF	Initiated	No	88	M1	150 South 300 East	A	WARMING FIRE AT OLD PSB.... ON WEST SIDE OF BUILDING ... FIRE IS GROWING... VERY CLOSE TO BUILDING AND 10 FT FROM A TREE....
Count: 4									
CAD Officer in Charge: Koetitz, Paul									
CF22-599	01/05/2022 08:39:39	FUEL	Initiated	No	88	EQ9, H14	5645 West AMELIA EARHART Drive	B	AT THE MAVERICK APPROX 19 GALLONS OF GAS ON THE GROUND... HOLE IN THE GAS TANK OF VAN PARKED ON TOP OF THE SPILL
Count: 1									
CAD Officer in Charge: Marston, Kyle									
CF21-42074	12/18/2021 22:06:27	ARESCU	Initiated	No	88	M2	165 South 400 West	B	SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299
Count: 1									
CAD Officer in Charge: Mortensen, Daniel									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
Count: 3									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count:									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
1									
CAD Officer in Charge: Reilly, Daniel									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ...PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
Count: 4									
CAD Officer in Charge: Shafer, Curtis									
CF21-43035	12/27/2021 08:51:05	EXPLO	Initiated	No	98	H14, FD153, BC2, BC1, M11, M7, LT2, M2	West NORTH TEMPLE ST / N REDWOOD Road	C	GAS STATION BLEW UP.
Count: 1									
CAD Officer in Charge: Sorensen, Derek									
CF21-40641	12/08/2021 08:20:08	SMOKE	Initiated	No	87	M5, M8	1609 South MAJOR Street	B	HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,
CF21-40639	12/08/2021 08:14:49	MISCF	Initiated	No	87	M8	150 West 1400 South	B	MISCF WEST OF DISP ADDRESS
Count: 2									
CAD Officer in Charge: Staheli, Brian									
CF22-1214	01/10/2022 06:53:10	ALARMF	Initiated	No	88	EQ14	1140 South 3200 West	A	-AIRY FARMERS OF AMERICA SOUTH BUILDING....INSIDE -801-977-300
CF22-1189	01/10/2022 04:12:38	MISCF	Initiated	No	84	EQ14	South WALLACE RD / W FORTUNE Road	A	THATCHER CHEMICAL COMPANY.. TRANSIENTS TOOK PALLETS AND HAVE A FIRE GOING IN A BARREL... BARREL IS INFRONT OF A ABAN RV.. AT LEAST 3-4 SUBJ ON SITE WHO WERE AGGRESSIVE WITH WORKERS WHEN THEY WENT IN
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
Count: 3									
CAD Officer in Charge: Stringam, Reed									
CF21-42687	12/24/2021 00:35:50	REFUEL	Initiated	No	88	RD2, RD4	24 East PERIMETER	A	B6 A320
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF22-559	01/04/2022 21:47:03	PUBLIC	Initiated	No	86	LT8	1700 South 500 West	A	COMP IS PASSERBY... SOMEONE IS STUCK UNDER THE OVER PASS.... NEEDS HELP DOWN.. NOT INJURED...
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 2									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 1									
CAD Officer in Charge: Winkler, Scott									
CF21-43241	12/28/2021 22:59:24	ALARMF	Initiated	No	87	M1, E4	165 South 300 East	A	MAGNOLIA APTS...SEE POLICE CASE 237877, M IN THE LOBBY WAS HAVING A PSYCH EPISODE EARLIER, T/L 4 HOURS...ZONE 64 FIRE ALARM...R/P # DON 801-509-6234, REF # A16552...ALARM CO ORIGINALLY GAVE THE ADDRESS 175 S 300 E
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
CAD Officer in Charge: Yamane, Chad									
CF22-595	01/05/2022 08:03:29	ALARMF	Initiated	No	87	M8	1818 South 300 West	A	GENERAL NOTIF...ROOFTOP UNIT 26...801 485 9715
Count: 1									
Count: 81									

Report Criteria

- Record Status: Is Not Equal To Officer reviewed
- Locked?: Is Not Equal To Yes
- Incident Date Time: Is On or After 1/16/2018
- Incident Number: Begins With CF
- Code: Is Not Equal To ARSINV
- Code: Is Not Equal To APSN
- Apparatus: Is Not Equal To E41
- Apparatus: Is Not Equal To E73
- Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.