

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

01/11/2022



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|---|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF21-38975 | 11/23/2021 11:05:26 | PUBLIC | Initiated | No | 86 | BLU28 | 31 CONCOURSE A SL[OBA A25] | | |
| CF21-30961 | 09/18/2021 21:35:36 | TRUCK | Initiated | No | 84 | BC41, E41, MA41 | 200 West 180E WB Freeway | | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 95 | M3 | 1237 East BRICKYARD Road | B | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF21-24834 | 08/04/2021 01:03:00 | ELEC | Initiated | No | 95 | M3 | 2225 South HIGHLAND Drive | B | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP |
| CF21-29580 | 09/09/2021 13:39:54 | UNCON | Initiated | No | 82 | MA72 | 2000 South 3200 West | | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD |
| CF21-29985 | 09/12/2021 00:56:00 | UNCON | Initiated | No | 83 | MA73 | 1571 South I215W NB Freeway | | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH |
| CF21-31373 | 09/22/2021 08:01:32 | PUBLIC | Initiated | No | 87 | BLUE | 765 North 2200 W[BUILDING 302] | | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME |
| CF21-35807 | 10/28/2021 06:29:40 | ASSAM | Initiated | No | 80 | E41, ME101, MA41 | 2757 South 300 East | | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584 | 11/03/2021 16:20:52 | MISCF | Initiated | No | 85 | BC31 | 442 South HOLD Avenue | | ***TEST*** |
| CF21-37094 | 11/07/2021 21:52:52 | PDASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE |
| CF21-42781 | 12/24/2021 21:12:59 | ASSAM | Initiated | No | 84 | MA73 | 2831 South 2540 West | | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746 |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|------------------|---------|-------|-----------|------------------------------|---------|--|
| Count: 17 | | | | | | | | | |
| CAD Officer in Charge: Allen, Aaron | | | | | | | | | |
| CF22-1422 | 01/11/2022 17:48:51 | ODOR | Initiated | No | 88 | M8 | 159 East 800 South | B | CASCADE ON W SIDE OF 711.....SMELL OF PROPANE.....ONLY OUTSIDE BUILDINGS |
| CF22-1434 | 01/11/2022 19:13:50 | MISCF | Initiated | No | 88 | M8 | 1345 South MAJOR Street | B | COSMIC.....2 M'S BURNING A PIZZA BOX IN PARKING LOT |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Arnesen, Aaron | | | | | | | | | |
| CF21-42145 | 12/19/2021 15:02:27 | MISCF | Initiated | No | 88 | M8 | 1212 South STATE Street | B | FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG |
| CF21-42157 | 12/19/2021 17:18:18 | MISCF | Initiated | No | 88 | M8 | 967 South WASHINGTON Street | B | #HOMELESS...MWA/LATE 50S....WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Atwood, Michael | | | | | | | | | |
| CF21-9552 | 04/02/2021 21:59:22 | ALARMF | Initiated | No | 88 | M2, LT2 | 147 West 300 South | A | FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068 |
| CF21-10299 | 04/09/2021 09:17:32 | PUBLIC | Initiated | No | 88 | LT2 | 235 West 600 North | A | COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Burk, Christopher | | | | | | | | | |
| CF21-40470 | 12/06/2021 16:00:20 | ALARMF | Officer reviewed | No | 100 | EQ14 | 4870 West 2100 South | B | FIRE ALARM...STRIKER NEUROVASCULAR.. 385 220 4713 REF# S45290 |
| CF21-40494 | 12/06/2021 18:27:12 | ALARMF | Officer reviewed | No | 100 | EQ14 | 1755 South FREMONT Drive | B | FIRE ALARM, SMOKE ALARM ZONE 2, |
| CF21-40642 | 12/08/2021 08:23:55 | ALARMF | Initiated | No | 87 | E4 | 402 East 6TH Avenue | B | ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683 |
| CF22-860 | 01/06/2022 22:43:31 | ALARMF | Officer reviewed | No | 100 | M2 | 155 South 400 West | B | COMMERCIAL FIRE ALARM.. GATEWAY BLOCK A .. ZONE 0 GENERAL FIRE.. RP ANDY CURTIS 801-380-2183 |
| CF22-882 | 01/07/2022 07:43:00 | ALARMF | Officer reviewed | No | 100 | M2 | 175 South WEST TEMPLE Street | B | POINT 1 GENERAL FIRE.... BRAIN TAYLOR 208-803-1324.... |
| CF22-724 | 01/06/2022 09:28:06 | ALARMW | Officer reviewed | No | 100 | M2, LT2 | 255 North 400 West | B | FIRE ALARM // LOFTS AT GATEWAY // ZONE 42 WATERFLOW, AND 101 WATERFLOW // REF #S95247 |
| Count: 6 | | | | | | | | | |
| CAD Officer in Charge: Bush, Joseph | | | | | | | | | |
| CF22-1124 | 01/09/2022 12:12:17 | ALARMF | Initiated | No | 87 | M1, M8 | 350 South 200 East | A | GENERAL FIRE ALARM ZONE 2 RP ANDY 385-270-7502 |
| CF22-1425 | 01/11/2022 18:09:38 | MISCF | Initiated | No | 88 | M6 | 1100 West HAYES Avenue | B | TRANSIENT FIRE ON THE RIVER TRAIL.. ON THIS CORNER.. AND LOOK TOWARDS THE RIVER THERE IS AFOOT BRIDGE YOU CAN SEE THE FIRE.. EAST SINCE OF THE RIVER |
| CF22-1369 | 01/11/2022 09:40:21 | ELEVAT | Initiated | No | 88 | LT2, M6 | 650 South 500 West | B | INDUSTRY - BUSINESS NAME, INSIDE, STUCK ON MAIN FLOOR ELEVATOR, USE MAIN DOOR |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20- | 09/12/2020 | 65A03 | Initiated | No | 88 | EW6091, | 10914 West | | EW6091 // FIELD FIRE // VECC CH 3 // VECC |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|---------------------------------|---------------------------------|---------|--|
| 29532 | 10:22:19 | | | | | EW6092 | 180W EB Freeway | | NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDASST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Davies, Adam | | | | | | | | | |
| CF22-822 | 01/06/2022 18:17:11 | ALARMF | Initiated | No | 87 | EQ14 | 1755 South FREMONT Drive | B | FIRE ALARM // BUSN LAKEVIEW CHEESE // RP RED 940-234-0212 // SMOKE ALARM ZONE 2 // |
| CF22-841 | 01/06/2022 19:50:56 | ALARMW | Initiated | No | 85 | EQ14 | 1175 South MERIDIAN PARK Road | B | BUILDING 3.. GENERAL FIRE AND WATER FLOW ALARM.. BUSN NAME FREEPORT WEST, R/P ON CALL 801-633-8324 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Doyle, Chad | | | | | | | | | |
| CF22-1384 | 01/11/2022 11:35:41 | ALARMF | Initiated | No | 87 | E10 | 2682 East ST MARYS Way | B | DOWNSTAIRS SMOKE DECTOR...801-906-0096... |
| CF22-1423 | 01/11/2022 17:56:11 | APT | Initiated | No | 88 | LT2, M5, E10, E13, BC1, LT5, M1 | 750 South ARAPEEN Drive | B | FIRE IN OVEN....PULLED AWAY FROM THE WALL.....UNPLUGGED ...NO FLAMES NOW |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Forbes, Kevin | | | | | | | | | |
| CF22-1433 | 01/11/2022 19:10:49 | VEH | Initiated | No | 88 | M2 | 1100 South 115 SB Freeway | B | TIRE BLEW ON THE VEH AND SOMETHING CAUGHT ON FIRE - PULLED OFF TO R HAND SIDE - BLK SUV - RIGHT BEFORE EXIT 305 |
| CF22-1388 | 01/11/2022 12:11:41 | ALARMF | Initiated | No | 88 | M11 | 2170 West NORTH TEMPLE Street | B | WEST EXIT MANUAL PULL DT 1210.... 801-359-7500 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21-18617 | 06/17/2021 16:52:56 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 South | | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Jepperson, Chad | | | | | | | | | |
| CF22-1209 | 01/10/2022 06:41:02 | APT | Initiated | No | 100 | LT8, EQ14, M6, M7, M8, BC2 | 1601 West SNOW QUEEN Place | A | PER LANG LINE SOMETHING IS ON FIRE.... LANG LINK DISC... TRYING TO GET THEM BACK ON THE LINE |
| CF22-372 | 01/03/2022 16:40:51 | TRUCK | Initiated | No | 88 | M6, H14 | 200 South ORANGE Street | A | RV MADE OF ALL DIFFERENT MATERIALS HAS A HOLE IN THE ROOF WITH A FIRE GOING INSIDE |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|---------------|---------|-------|--------------|--------------------------------|---------|---|
| CF22-406 | 01/03/2022 21:30:25 | PIPE | Initiated | No | 88 | M6 | 1118 South 700 West | A | NEIGB IS OUT OF TOWN, LARGE AMOUNT OF WATER COMING FROM THE FRONT OF THE HOUSE...PS FROM THE HOSE CONNECTOR TO THE HOUSE...NEIGB HAVE ATTEMPTED TO TURN OF THE HOSE W/ NO LUCK...NO CONTACT INFO FOR NEIGB, NAME IS PS DAVE...IS PS OFF ON MILITARY LEAVE |
| CF22-464 | 01/04/2022 09:42:40 | SGASLE | Initiated | No | 86 | H10, M6, H14 | 550 West 700 South | A | GAS LEAK OUTSIDE, VBH |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Kochevar, Kevin | | | | | | | | | |
| CF21-43307 | 12/29/2021 12:36:13 | ALARMW | Initiated | No | 88 | M1, LT8 | 324 South STATE Street | A | FIRE ALARM.. WATER FLOW 541 FROM THE 6TH FLOOR./... |
| CF22-1224 | 01/10/2022 08:46:06 | ALARMF | Initiated | No | 87 | M1 | 650 South 300 East | A | ZONE 1, |
| CF22-1231 | 01/10/2022 09:31:29 | ALARMF | Initiated | No | 87 | M1 | 955 East SOUTH TEMPLE Street | A | BASEMENT SMOKE SENSOR, JACKLYN WHITE, NO PHONE # |
| CF22-1237 | 01/10/2022 10:33:38 | ALARMF | Initiated | No | 87 | M1 | 550 South 400 East | A | BLDG 3 COMMERCIAL FIRE ALARM.. POINT 1 ALARM.. RP CAMERON 385-267-2214.. REF# MA100785 |
| CF22-1239 | 01/10/2022 11:00:48 | ALARMF | Initiated | No | 87 | M1 | 45 North WEST TEMPLE Street | A | FIRE SMOKE BASEMENT MENS RESTROOM.. SEC RESPONDING.. PER COMP THEY HEARD ON THE RADIO THAT IT WAS CONSTRUCTION AND IS FALSE .. |
| CF22-1312 | 01/10/2022 20:50:35 | MISCF | Initiated | No | 85 | M1 | South STATE ST / E 100 South | A | NW CORNER...HOMELESS M IS LIGHTING STUFF ON FIRE...PS PSYCH ISSUE.. |
| CF22-1194 | 01/10/2022 04:31:13 | MISCF | Initiated | No | 88 | M1 | 150 South 300 East | A | WARMING FIRE AT OLD PSB.... ON WEST SIDE OF BUILDING ... FIRE IS GROWING... VERY CLOSE TO BUILDING AND 10 FT FROM A TREE.... |
| CF22-1121 | 01/09/2022 11:47:04 | MISCF | Initiated | No | 86 | M1 | 81 North O Street | A | FIRE IN THE BACKYARD... NEIGHBOR 4 TO 5 HOUSES SOUTH OF ADDR.... SAW NO FLAMES JUST LOTS OF SMOKE... |
| CF22-1122 | 01/09/2022 12:02:25 | MISCF | Initiated | No | 88 | M1 | 81 North O Street | A | FIRE IN THE BACKYARD... NEIGHBOR 4 TO 5 HOUSES SOUTH OF ADDR.... SAW NO FLAMES JUST LOTS OF SMOKE... COMP CALLING BACK LOTS OF SMOKE STILL |
| Count: 9 | | | | | | | | | |
| CAD Officer in Charge: Koetitz, Paul | | | | | | | | | |
| CF22-599 | 01/05/2022 08:39:39 | FUEL | Initiated | No | 88 | EQ9, H14 | 5645 West AMELIA EARHART Drive | B | AT THE MAVERICK APPROX 19 GALLONS OF GAS ON THE GROUND... HOLE IN THE GAS TANK OF VAN PARKED ON TOP OF THE SPILL |
| CF22-1414 | 01/11/2022 15:45:18 | ALARMF | Initiated | No | 87 | EQ9 | 140 South 300 West | B | FIRE ALARM.. REF # AE04I0114 POINT 405 4TH FLOOR CENTER HALLWAY SMOKE.. HYATT HOUSE.. INSIDE # 801-359-4020 |
| CF22-1416 | 01/11/2022 16:19:42 | MISCF | Initiated | No | 88 | EQ9 | 4190 West 700 South | B | BY THE RAILROAD TRACKS.... TRANSIENT RVS BURNING TRASH... BLACK SMOKE...THERE WERE FLAMES HIGHER THAN THE RV... MULTI TRANSIENTS TRYING TO GET IT UNDER CONTROL |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Marston, Kyle | | | | | | | | | |
| CF21-42074 | 12/18/2021 22:06:27 | ARESCU | Initiated | No | 88 | M2 | 165 South 400 West | B | SOUTH PARKING GARAGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|---------------|---------|-------|--|---------------------------------------|---------|--|
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF21-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF21-10548 | 04/11/2021 09:48:49 | PDASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PDASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950 | 07/29/2020 14:30:19 | 65A03 | Initiated | No | 88 | E13 | 6650 East I80E WB Freeway | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Shafer, Curtis | | | | | | | | | |
| CF21-43035 | 12/27/2021 08:51:05 | EXPLO | Initiated | No | 98 | H14, FD153, BC2, BC1, M11, M7, LT2, M2 | West NORTH TEMPLE ST / N REDWOOD Road | C | GAS STATION BLEW UP. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Sorensen, Derek | | | | | | | | | |
| CF21-40641 | 12/08/2021 08:20:08 | SMOKE | Initiated | No | 87 | M5, M8 | 1609 South MAJOR Street | B | HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG, |
| CF21-40639 | 12/08/2021 08:14:49 | MISCF | Initiated | No | 87 | M8 | 150 West 1400 South | B | MISCF WEST OF DISP ADDRESS |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Staheli, Brian | | | | | | | | | |
| CF21-38166 | 11/17/2021 14:15:10 | PDASST | Initiated | No | 87 | H14 | 1500 West 1700 South | | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Valdez, Christopher | | | | | | | | | |
| CF22-1438 | 01/11/2022 20:03:49 | COMM | Initiated | No | 88 | LT2, E4, M7, BC1, LT8, M6, M1 | 155 South 400 West | B | SMOKE COMING FROM THE TOP OF THE BLDG - NO FLAMES SEEN |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|-----------|---------------------------|---------|--|
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Winkler, Scott | | | | | | | | | |
| CF21-43241 | 12/28/2021 22:59:24 | ALARMF | Initiated | No | 87 | M1, E4 | 165 South 300 East | A | MAGNOLIA APTS...SEE POLICE CASE 237877, M IN THE LOBBY WAS HAVING A PSYCH EPISODE EARLIER, T/L 4 HOURS...ZONE 64 FIRE ALARM...R/P # DON 801-509-6234, REF # A16552...ALARM CO ORGINALLY GAVE THE ADDRESS 175 S 300 E |
| CF22-1320 | 01/10/2022 21:43:59 | ALARMF | Initiated | No | 88 | E4 | 1234 East ALAMEDA Avenue | A | PINE COVE APTS...GENERAL FIRE ZONE 005 INSIDE 801-455-7881 RP RAUL ESPINOZA 801-599-2865 RP AMY SLOAN 801-597-9697 RP BARD HOLBROOK 801-904-3906 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Worthington, Jared | | | | | | | | | |
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Yamane, Chad | | | | | | | | | |
| CF22-595 | 01/05/2022 08:03:29 | ALARMF | Initiated | No | 87 | M8 | 1818 South 300 West | A | GENERAL NOTIF...ROOFTOP UNIT 26...801 485 9715 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Zwahlen, Jon | | | | | | | | | |
| CF22-1323 | 01/10/2022 22:07:33 | ALARMF | Initiated | No | 88 | E13 | 2166 South 1700 East | A | GEN FIRE ALARM - RP CHUCK SMITH 801-484-4343 |
| Count: 1 | | | | | | | | | |
| Count: 83 | | | | | | | | | |

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018
 Incident Number: Begins With CF
 Code: Is Not Equal To ARSINV
 Code: Is Not Equal To APSN
 Apparatus: Is Not Equal To E41
 Apparatus: Is Not Equal To E73
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.