

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

01/13/2022



| Incident Number                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                | Address                         | Platoon | CAD Narrative   |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|---|
| <b>CAD Officer in Charge: (None)</b> |                     |        |               |         |       |                          |                                 |         |   |
| CF21-38975                           | 11/23/2021 11:05:26 | PUBLIC | Initiated     | No      | 86    | BLU28                    | 31 CONCOURSE A SL[OBA A25]      |         |   |
| CF21-30961                           | 09/18/2021 21:35:36 | TRUCK  | Initiated     | No      | 84    | BC41, E41, MA41          | 200 West 180E WB Freeway        |         |   |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South             | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING   |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle       |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5  |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152                    | 8037 South ROYAL Lane           |         | FD152   |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 95    | M3                       | 1237 East BRICKYARD Road        | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..  |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2                      | 307 East 600 South              |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...  |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street     | B       | FALSE ALARM PER CHURCH SECURITY   |
| CF21-24834                           | 08/04/2021 01:03:00 | ELEC   | Initiated     | No      | 95    | M3                       | 2225 South HIGHLAND Drive       | B       | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP   |
| CF21-29580                           | 09/09/2021 13:39:54 | UNCON  | Initiated     | No      | 82    | MA72                     | 2000 South 3200 West            |         | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD   |
| CF21-29985                           | 09/12/2021 00:56:00 | UNCON  | Initiated     | No      | 83    | MA73                     | 1571 South I215W NB Freeway     |         | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH  |
| CF21-31373                           | 09/22/2021 08:01:32 | PUBLIC | Initiated     | No      | 87    | BLUE                     | 765 North 2200 WJBUILDING 302 ] |         | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME   |
| CF21-35807                           | 10/28/2021 06:29:40 | ASSAM  | Initiated     | No      | 80    | E41, ME101, MA41         | 2757 South 300 East             |         | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584                           | 11/03/2021 16:20:52 | MISCF  | Initiated     | No      | 85    | BC31                     | 442 South HOLD Avenue           |         | ***TEST***  |
| CF21-37094                           | 11/07/2021 21:52:52 | PDASST | Initiated     | No      | 88    | M2                       | 50 South 500 West               | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750   |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road      |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE  |
| CF21-42781                           | 12/24/2021 21:12:59 | ASSAM  | Initiated     | No      | 84    | MA73                     | 2831 South 2540 West            |         | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746   |

| Incident Number                                 | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus      | Address                     | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|----------------|-----------------------------|---------|--|
| CF22-1489                                       | 01/12/2022 11:25:20 | FUEL   | Initiated     | No      | 87    | RD3, RD4       | 60 East PERIMETER           | B       | LEAK FROM AIRCRAFT, 1-2 GALLONS, IN PROCESS OF CLEAN UP, NOTHING IN THE DRAINS. ... SEE RELATED CP#: AP22-1377   |
| CF22-1590                                       | 01/13/2022 10:33:26 | SEIZ   | Initiated     | No      | 86    | GC565, ME119   | 876 East 800 South          |         | LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565  |
| <b>Count:</b><br>19                             |                     |        |               |         |       |                |                             |         |  |
| <b>CAD Officer in Charge: Allen, Aaron</b>      |                     |        |               |         |       |                |                             |         |  |
| CF22-1609                                       | 01/13/2022 13:37:00 | MISCF  | Initiated     | No      | 88    | M11            | 3300 North 2200 West        | C       | FROM BOUNTIFUL... STATING FIRE IN APPROX AREA, UNK SIZE OR WHAT'S BURNING...   |
| <b>Count:</b><br>1                              |                     |        |               |         |       |                |                             |         |  |
| <b>CAD Officer in Charge: Arnesen, Aaron</b>    |                     |        |               |         |       |                |                             |         |  |
| CF21-42145                                      | 12/19/2021 15:02:27 | MISCF  | Initiated     | No      | 88    | M8             | 1212 South STATE Street     | B       | FLOAT SPA 19.... HOMELESS FIRE BEHIND BLDG   |
| CF21-42157                                      | 12/19/2021 17:18:18 | MISCF  | Initiated     | No      | 88    | M8             | 967 South WASHINGTON Street | B       | #HOMELESS...MWA/LATE 50S....WOOD FIRE ON GROUND WITH PALLETS ON SIDES OF IT...FLAMES 3 FEET OFF GROUND...NOT CONCERNED ABOUT A FIRE...ONLY CONCERNED THAT HIS HOUSE SMELLS LIKE CAMPFIRE...DOES NOT WANT "THOSE PEOPLE" AROUND HIS HOUSE                                       |
| <b>Count:</b><br>2                              |                     |        |               |         |       |                |                             |         |  |
| <b>CAD Officer in Charge: Atwood, Michael</b>   |                     |        |               |         |       |                |                             |         |  |
| CF21-9552                                       | 04/02/2021 21:59:22 | ALARMF | Initiated     | No      | 88    | M2, LT2        | 147 West 300 South          | A       | FIRE ALARM POINT 1 GENERAL.. SQUATTERS.. 801-363-2739 REF AE102068   |
| CF21-10299                                      | 04/09/2021 09:17:32 | PUBLIC | Initiated     | No      | 88    | LT2            | 235 West 600 North          | A       | COMP'S COUSIN SLID DOWN IN BED HIP DISLOCATED  |
| <b>Count:</b><br>2                              |                     |        |               |         |       |                |                             |         |  |
| <b>CAD Officer in Charge: Bills, Jared</b>      |                     |        |               |         |       |                |                             |         |  |
| CF22-1600                                       | 01/13/2022 12:17:28 | MISCF  | Initiated     | No      | 88    | M6             | 800 South 900 West          | C       | PARK BEHIND... IN THE PARK, SS NEXT TO THE RIVER....COMP WITH PARKS WITNESSED HOMLESS CAMP HAVE A FIRE THERE THIS MORNING, THEY PUT IT OUT, AND NOW AGAIN THEY HAVE ANOTHER FIRE GOING... NOT SPREADING, UNKWN IF CONTAINED .... COMP WILL MEET BEHIND THE SMITHS TO DIRECT... |
| <b>Count:</b><br>1                              |                     |        |               |         |       |                |                             |         |  |
| <b>CAD Officer in Charge: Burk, Christopher</b> |                     |        |               |         |       |                |                             |         |  |
| CF21-40642                                      | 12/08/2021 08:23:55 | ALARMF | Initiated     | Yes     | 100   | E4             | 402 East 6TH Avenue         | B       | ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683  |
| <b>Count:</b><br>1                              |                     |        |               |         |       |                |                             |         |  |
| <b>CAD Officer in Charge: Bush, Joseph</b>      |                     |        |               |         |       |                |                             |         |  |
| CF22-1124                                       | 01/09/2022 12:12:17 | ALARMF | Initiated     | No      | 87    | M1, M8         | 350 South 200 East          | A       | GENERAL FIRE ALARM ZONE 2 RP ANDY 385-270-7502   |
| CF22-1369                                       | 01/11/2022 09:40:21 | ELEVAT | Initiated     | No      | 100   | LT2, M6        | 650 South 500 West          | B       | INDUSTRY - BUSINESS NAME, INSIDE, STUCK ON MAIN FLOOR ELEVATOR, USE MAIN DOOR  |
| CF22-1425                                       | 01/11/2022 18:09:38 | MISCF  | Initiated     | No      | 88    | M6             | 1100 West HAYES Avenue      | B       | TRANSIENT FIRE ON THE RIVER TRAIL.. ON THIS CORNER.. AND LOOK TOWARDS THE RIVER THERE IS AFOOT BRIDGE YOU CAN SEE THE FIRE.. EAST SINCE OF THE RIVER   |
| <b>Count:</b><br>3                              |                     |        |               |         |       |                |                             |         |  |
| <b>CAD Officer in Charge: Carter, Gary</b>      |                     |        |               |         |       |                |                             |         |  |
| CF20-14622                                      | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156          | 475 South 300 East          |         |  |
| <b>Count:</b><br>1                              |                     |        |               |         |       |                |                             |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>       |                     |        |               |         |       |                |                             |         |  |
| CF20-29532                                      | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092 | 10914 West 180W EB Freeway  |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                  | Address                         | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|----------------------------|---------------------------------|---------|---|
| <b>Count:</b><br>1                             |                     |        |               |         |       |                            |                                 |         |   |
| <b>CAD Officer in Charge: Comer, Peter</b>     |                     |        |               |         |       |                            |                                 |         |   |
| CF21-22812                                     | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12                        | 1174 West 600 North             | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD                            |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                            |                                 |         |   |
| <b>CAD Officer in Charge: Davis, Jayde</b>     |                     |        |               |         |       |                            |                                 |         |   |
| CF22-1593                                      | 01/13/2022 10:38:35 | ALARMF | Initiated     | No      | 88    | M2                         | 404 West 700 South              | C       | FIRE ALARM // GRAINARY CAMPUS // 801-349-8898 // ZONE 337 SMOKE // REF #13043978  |
| CF22-1614                                      | 01/13/2022 14:33:39 | ALARMF | Initiated     | No      | 87    | M2                         | 274 West 200 South              | C       | ZONE 562 SMOKE RP 801-550-2930  |
| <b>Count:</b><br>2                             |                     |        |               |         |       |                            |                                 |         |   |
| <b>CAD Officer in Charge: Forbes, Kevin</b>    |                     |        |               |         |       |                            |                                 |         |   |
| CF22-1388                                      | 01/11/2022 12:11:41 | ALARMF | Initiated     | No      | 88    | M11                        | 2170 West NORTH TEMPLE Street   | B       | WEST EXIT MANUAL PULL DT 1210.... 801-359-7500  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                            |                                 |         |   |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |               |         |       |                            |                                 |         |   |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated     | No      | 88    | SQ2                        | 48 West 300 South               |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU                        |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                            |                                 |         |   |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |               |         |       |                            |                                 |         |   |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated     | No      | 86    | M7                         | 300 North 700 West              | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904                                     | 06/27/2021 17:57:23 | ALARMF | Initiated     | No      | 88    | M7                         | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE   |
| CF21-19914                                     | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155                  | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA  |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated     | No      | 87    | H14                        | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS          |
| <b>Count:</b><br>4                             |                     |        |               |         |       |                            |                                 |         |   |
| <b>CAD Officer in Charge: Higgins, Jimmie</b>  |                     |        |               |         |       |                            |                                 |         |   |
| CF22-1591                                      | 01/13/2022 10:34:28 | COMM   | Initiated     | No      | 86    | T42, LT8, M6, M5, M8, BC2  | 335 West 1830 South             | C       | DICKEYS BBQ PIT COMP GOT A CALL FROM FATHER WHO WAS TOLD BY AN EMPLOYEE THAT THERE WAS A FIRE... 801-574-6161 RINGS BUSY          |
| CF22-1584                                      | 01/13/2022 08:08:30 | MISCF  | Initiated     | No      | 88    | M6                         | 800 South GOSHEN Street         | B       | JUST S OF GOSHEN ST NEAR JORDAN RIVER... LARGE ENCAMPMENT AND WARMING FIRE... NEG THREATENING...                                  |
| <b>Count:</b><br>2                             |                     |        |               |         |       |                            |                                 |         |   |
| <b>CAD Officer in Charge: Hill, John</b>       |                     |        |               |         |       |                            |                                 |         |   |
| CF22-1620                                      | 01/13/2022 15:01:41 | MISCF  | Initiated     | No      | 88    | E13                        | 2749 East PARLEYS Way           | C       | CALLBK=(612)987-7876 #HOMELESS BURNING A FIRE UNDER THE OVERPASS OF PARLEYS WAY AND FOOTHILL DR .....                             |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                            |                                 |         |   |
| <b>CAD Officer in Charge: Jepperson, Chad</b>  |                     |        |               |         |       |                            |                                 |         |   |
| CF22-1209                                      | 01/10/2022 06:41:02 | APT    | Initiated     | No      | 100   | LT8, EQ14, M6, M7, M8, BC2 | 1601 West SNOW QUEEN Place      | A       | PER LANG LINE SOMETHING IS ON FIRE.... LANG LINK DISC... TRYING TO GET THEM BACK ON THE LINE                                      |
| CF22-372                                       | 01/03/2022 16:40:51 | TRUCK  | Initiated     | No      | 88    | M6, H14                    | 200 South ORANGE Street         | A       | RV MADE OF ALL DIFFERENT MATERIALS HAS A HOLE IN THE ROOF WITH A FIRE GOING INSIDE  |
| CF22-  | 01/03/2022          | PIPE   | Initiated     | No      | 88    | M6                         | 1118 South                      | A       | NEIGB IS OUT OF TOWN, LARGE AMOUNT OF   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus    | Address                       | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--------------|-------------------------------|---------|---|
| 406  | 21:30:25            |        |               |         |       |              | 700 West                      |         | WATER COMING FROM THE FRONT OF THE HOUSE...PS FROM THE HOSE CONNECTOR TO THE HOUSE...NEIGB HAVE ATTEMPTED TO TURN OF THE HOSE W/ NO LUCK...NO CONTACT INFO FOR NEIGB, NAME IS PS DAVE...IS PS OFF ON MILITARY LEAVE |
| CF22-464   | 01/04/2022 09:42:40 | SGASLE | Initiated     | No      | 86    | H10, M6, H14 | 550 West 700 South            | A       | GAS LEAK OUTSIDE, VBH   |
| <b>Count: 4</b>                                  |                     |        |               |         |       |              |                               |         |   |
| <b>CAD Officer in Charge: Jorgensen, Brandon</b> |                     |        |               |         |       |              |                               |         |   |
| CF22-1559  | 01/13/2022 00:19:42 | ALARMF | Initiated     | No      | 88    | M11          | 1999 West NORTH TEMPLE Street | B       | FIRE ALARM GOING OFF MULTIPLE TIMES THIS WEEK, GOING OFF AGAIN SHOWING, CO ALARM...BUT COMP IS UNSURE IF THEY ARE HAVING SYMPTOMS DUE THEM HAVING COVID   |
| <b>Count: 1</b>                                  |                     |        |               |         |       |              |                               |         |   |
| <b>CAD Officer in Charge: Kauffmann, Jeffrey</b> |                     |        |               |         |       |              |                               |         |   |
| CF22-1580  | 01/13/2022 07:56:39 | ALARMF | Initiated     | No      | 87    | M3           | 1165 East WILMINGTON Avenue   | B       | COMM FIRE ALARM - BOYER COMPANY.. GENERAL FIRE... PREMISE 8013667144  |
| <b>Count: 1</b>                                  |                     |        |               |         |       |              |                               |         |   |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>    |                     |        |               |         |       |              |                               |         |   |
| CF22-1224  | 01/10/2022 08:46:06 | ALARMF | Initiated     | No      | 87    | M1           | 650 South 300 East            | A       | ZONE 1,   |
| CF22-1231  | 01/10/2022 09:31:29 | ALARMF | Initiated     | No      | 87    | M1           | 955 East SOUTH TEMPLE Street  | A       | BASEMENT SMOKE SENSOR, JACKLYN WHITE, NO PHONE #  |
| CF22-1237  | 01/10/2022 10:33:38 | ALARMF | Initiated     | No      | 87    | M1           | 550 South 400 East            | A       | BLDG 3 COMMERICAL FIRE ALARM.. POINT 1 ALARM.. RP CAMERON 385-267-2214.. REF# MA100785  |
| CF22-1239  | 01/10/2022 11:00:48 | ALARMF | Initiated     | No      | 87    | M1           | 45 North WEST TEMPLE Street   | A       | FIRE SMOKE BASEMENT MENS RESTROOM.. SEC RESPONDING.. PER COMP THEY HEARD ON THE RADIO THAT IT WAS CONSTRUCTION AND IS FALSE ..  |
| CF22-1312  | 01/10/2022 20:50:35 | MISCF  | Initiated     | No      | 85    | M1           | South STATE ST / E 100 South  | A       | NW CORNER...HOMELESS M IS LIGHTING STUFF ON FIRE...PS PSYCH ISSUE..   |
| CF22-1194  | 01/10/2022 04:31:13 | MISCF  | Initiated     | No      | 88    | M1           | 150 South 300 East            | A       | WARMING FIRE AT OLD PSB.... ON WEST SIDE OF BUILDING ... FIRE IS GROWING... VERY CLOSE TO BUILDING AND 10 FT FROM A TREE....  |
| CF22-1121  | 01/09/2022 11:47:04 | MISCF  | Initiated     | No      | 86    | M1           | 81 North O Street             | A       | FIRE IN THE BACKYARD... NEIGHBOR 4 TO 5 HOUSES SOUTH OF ADDR.... SAW NO FLAMES JUST LOTS OF SMOKE...  |
| CF22-1122  | 01/09/2022 12:02:25 | MISCF  | Initiated     | No      | 88    | M1           | 81 North O Street             | A       | FIRE IN THE BACKYARD... NEIGHBOR 4 TO 5 HOUSES SOUTH OF ADDR.... SAW NO FLAMES JUST LOTS OF SMOKE... COMP CALLING BACK LOTS OF SMOKE STILL  |
| CF21-43307                                       | 12/29/2021 12:36:13 | ALARMW | Initiated     | No      | 88    | M1, LT8      | 324 South STATE Street        | A       | FIRE ALARM.. WATER FLOW 541 FROM THE 6TH FLOOR./...   |
| <b>Count: 9</b>                                  |                     |        |               |         |       |              |                               |         |   |
| <b>CAD Officer in Charge: Marston, Kyle</b>      |                     |        |               |         |       |              |                               |         |   |
| CF21-42074                                       | 12/18/2021 22:06:27 | ARESCU | Initiated     | No      | 88    | M2           | 165 South 400 West            | B       | SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299  |
| <b>Count: 1</b>                                  |                     |        |               |         |       |              |                               |         |   |
| <b>CAD Officer in Charge: Mortensen, Daniel</b>  |                     |        |               |         |       |              |                               |         |   |
| CF20-28530                                       | 09/07/2020 03:45:47 | 65B02A | Initiated     | No      | 88    | FD154        | 1246 East BONNER Way          |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD   |
| CF20-28546                                       | 09/07/2020 09:39:27 | 65B02A | Initiated     | No      | 83    | FD154        | 1330 East IRA HODGES          |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN   |

| Incident Number                                   | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                              | Address                               | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|--|---------------------------------------|---------|--|
| CF20-16587  | 05/29/2020 01:10:39 | ARS IN | Initiated     | No      | 85    | FD154                                  | 120 South STATE Street                |         |  |
| <b>Count:</b><br>3                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>       |                     |        |               |         |       |  |                                       |         |  |
| CF21-13024  | 05/03/2021 12:24:54 | PUBLIC | Initiated     | No      | 86    | SQ1                                    | 131 East 700 South                    |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count:</b><br>1                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b>      |                     |        |               |         |       |  |                                       |         |  |
| CF20-30271  | 09/18/2020 17:47:16 | 65A03  | Initiated     | No      | 86    | EW6141, EW6142, M14                    | 1560 West 3900 South                  | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF21-10548  | 04/11/2021 09:48:49 | PDASST | Initiated     | No      | 88    | LT8                                    | 1460 South STATE Street               | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF   |
| CF21-11158  | 04/16/2021 12:43:25 | PDASST | Initiated     | No      | 84    | GC589                                  | 1364 West GLENROSE Drive              |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824                                     |
| CF20-23950  | 07/29/2020 14:30:19 | 65A03  | Initiated     | No      | 88    | E13                                    | 6650 East 180E WB Freeway             | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| <b>Count:</b><br>4                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Rock, Nathan</b>        |                     |        |               |         |       |  |                                       |         |  |
| CF22-1631   | 01/13/2022 16:39:55 | ALARMF | Initiated     | No      | 87    | M1                                     | 215 South STATE Street                | C       | FIRE ALARM ...DROP TIME / 1635 HRS ... PARK SIDE TOWER ... GENERAL FIRE ALARM PHOTO DETECTOR HIGH RISE FLOOR #2 TELEPHONE ROOM ... PH# 801 403 9779  |
| CF22-1601   | 01/13/2022 12:32:14 | ALARMF | Initiated     | No      | 87    | M1                                     | 205 East 1ST Avenue                   | C       | MADELEINE CHOIR SCHOOL // NO PREMISE NUMBER // RP SHAWN 801-647-7127 // ZONE 993 // REF#B11340   |
| <b>Count:</b><br>2                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Shafer, Curtis</b>      |                     |        |               |         |       |  |                                       |         |  |
| CF21-43035  | 12/27/2021 08:51:05 | EXPLO  | Initiated     | No      | 98    | H14, FD153, BC2, BC1, M11, M7, LT2, M2 | West NORTH TEMPLE ST / N REDWOOD Road | C       | GAS STATION BLEW UP.   |
| <b>Count:</b><br>1                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Sorensen, Derek</b>     |                     |        |               |         |       |  |                                       |         |  |
| CF21-40641  | 12/08/2021 08:20:08 | SMOKE  | Initiated     | No      | 87    | M5, M8                                 | 1609 South MAJOR Street               | B       | HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,  |
| CF21-40639  | 12/08/2021 08:14:49 | MISCF  | Initiated     | No      | 87    | M8                                     | 150 West 1400 South                   | B       | MISCF WEST OF DISP ADDRESS   |
| <b>Count:</b><br>2                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Staheli, Brian</b>      |                     |        |               |         |       |  |                                       |         |  |
| CF21-38166  | 11/17/2021 14:15:10 | PDASST | Initiated     | No      | 87    | H14                                    | 1500 West 1700 South                  |         | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| <b>Count:</b><br>1                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |               |         |       |  |                                       |         |  |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated     | No      | 87    | M5, M8                                 | 10758 South REDWOOD Road              | A       | GOING TO STATION 61  |
| <b>Count:</b><br>1                                |                     |        |               |         |       |  |                                       |         |  |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |               |         |       |  |                                       |         |  |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                     | Address                   | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-------------------------------|---------------------------|---------|--|
| CF22-1518  | 01/12/2022 15:29:13 | PIPE   | Initiated     | No      | 88    | LT2                           | 271 South FOSS Street     | B       | NOT SURE WHAT APT IT IS/ APT IS FLOODING ... PER HX POSS APT 18  |
| CF22-1438  | 01/11/2022 20:03:49 | COMM   | Initiated     | No      | 88    | LT2, E4, M7, BC1, LT8, M6, M1 | 155 South 400 West        | B       | SMOKE COMING FROM THE TOP OF THE BLDG - NO FLAMES SEEN   |
| <b>Count:</b><br>2                               |                     |        |               |         |       |                               |                           |         |  |
| <b>CAD Officer in Charge: Visser, Otto</b>       |                     |        |               |         |       |                               |                           |         |  |
| CF20-25507                                       | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164                         | 475 South 300 East        |         | OTTO VISSOR VS LANDSCAPE VEH   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                               |                           |         |  |
| <b>CAD Officer in Charge: Winkler, Scott</b>     |                     |        |               |         |       |                               |                           |         |  |
| CF22-1320  | 01/10/2022 21:43:59 | ALARMF | Initiated     | No      | 88    | E4                            | 1234 East ALAMEDA Avenue  | A       | PINE COVE APTS...GENERAL FIRE ZONE 005 INSIDE 801-455-7881 RP RAUL ESPINOZA 801-599-2865 RP AMY SLOAN 801-597-9697 RP BARD HOLBROOK 801-904-3906   |
| CF21-43241                                       | 12/28/2021 22:59:24 | ALARMF | Initiated     | No      | 87    | M1, E4                        | 165 South 300 East        | A       | MAGNOLIA APTS...SEE POLICE CASE 237877, M IN THE LOBBY WAS HAVING A PSYCH EPISODE EARLIER, T/L 4 HOURS...ZONE 64 FIRE ALARM...R/P # DON 801-509-6234, REF # A16552...ALARM CO ORGINALLY GAVE THE ADDRESS 175 S 300 E |
| <b>Count:</b><br>2                               |                     |        |               |         |       |                               |                           |         |  |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |                               |                           |         |  |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159                         | 7673 South HIGHLAND Drive |         | STRUCTURE FIRE UFA   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                               |                           |         |  |
| <b>CAD Officer in Charge: Yamane, Chad</b>       |                     |        |               |         |       |                               |                           |         |  |
| CF22-595   | 01/05/2022 08:03:29 | ALARMF | Initiated     | No      | 87    | M8                            | 1818 South 300 West       | A       | GENERAL NOTIF...ROOFTOP UNIT 26...801 485 9715   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                               |                           |         |  |
| <b>CAD Officer in Charge: Zwahlen, Jon</b>       |                     |        |               |         |       |                               |                           |         |  |
| CF22-1323  | 01/10/2022 22:07:33 | ALARMF | Initiated     | No      | 88    | E13                           | 2166 South 1700 East      | A       | GEN FIRE ALARM - RP CHUCK SMITH 801-484-4343   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                               |                           |         |  |
| <b>Count:</b><br>82                              |                     |        |               |         |       |                               |                           |         |  |

**Report Criteria**

- Record Status: Is Not Equal To Officer reviewed
- Locked?: Is Not Equal To Yes
- Incident Date Time: Is On or After 1/16/2018
- Incident Number: Begins With CF
- Code: Is Not Equal To ARSINV
- Code: Is Not Equal To APSN
- Apparatus: Is Not Equal To E41
- Apparatus: Is Not Equal To E73
- Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.