

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

01/16/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West 180E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-1489	01/12/2022 11:25:20	FUEL	Initiated	No	87	RD3, RD4	60 East PERIMETER	B	LEAK FROM AIRCRAFT, 1-2 GALLONS, IN PROCESS OF CLEAN UP, NOTHING IN THE DRAINS. ... SEE RELATED CP#: AP22-1377
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF22-1928	01/16/2022 02:48:17	ALARMF	Initiated	No	88	M6	660 South 400 West	A	HOTEL ALARMS ARE GOING OFF...THERE IS SOME NEW CONSTRUCTION...FIRST FLOOR FIRE CURTAIN....NO FLAMES/SMOKE...
<b>Count: 20</b>									
<b>CAD Officer in Charge: Burk, Christopher</b>									
CF21-40642	12/08/2021 08:23:55	ALARMF	Initiated	Yes	100	E4	402 East 6TH Avenue	B	ALARM 402 6TH AVE, ZONE 1 ELEVATOR FIRE ALARM / LOBBY SMOKE DET, 801-328-1683
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-1369	01/11/2022 09:40:21	ELEVAT	Initiated	No	100	LT2, M6	650 South 500 West	B	INDUSTRY - BUSINESS NAME, INSIDE, STUCK ON MAIN FLOOR ELEVATOR, USE MAIN DOOR
CF22-1425	01/11/2022 18:09:38	MISCF	Initiated	No	88	M6	1100 West HAYES Avenue	B	TRANSIENT FIRE ON THE RIVER TRAIL... ON THIS CORNER.. AND LOOK TOWARDS THE RIVER THERE IS AFOOT BRIDGE YOU CAN SEE THE FIRE.. EAST SINCE OF THE RIVER
CF22-1124	01/09/2022 12:12:17	ALARMF	Initiated	No	87	M1, M8	350 South 200 East	A	GENERAL FIRE ALARM ZONE 2 RP ANDY 385-270-7502
<b>Count: 3</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF22-1388	01/11/2022 12:11:41	ALARMF	Initiated	No	88	M11	2170 West NORTH TEMPLE Street	B	WEST EXIT MANUAL PULL DT 1210.... 801-359-7500
<b>Count: 1</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count: 1</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-	06/27/2021	ALARMF	Initiated	No	88	M7	836 West FIG	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
19904	17:57:23						TREE Place		HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
<b>Count:</b> 4									
<b>CAD Officer in Charge: Higgins, Jimmie</b>									
CF22-1584	01/13/2022 08:08:30	MISCF	Initiated	No	88	M6	800 South GOSHEN Street	B	JUST S OF GOSHEN ST NEAR JORDAN RIVER... LARGE ENCAMPMENT AND WARMING FIRE... NEG THREATENING...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-1209	01/10/2022 06:41:02	APT	Initiated	No	100	LT8, EQ14, M6, M7, M8, BC2	1601 West SNOW QUEEN Place	A	PER LANG LINE SOMETHING IS ON FIRE.... LANG LINK DISC... TRYING TO GET THEM BACK ON THE LINE
CF22-372	01/03/2022 16:40:51	TRUCK	Initiated	No	88	M6, H14	200 South ORANGE Street	A	RV MADE OF ALL DIFFERENT MATERIALS HAS A HOLE IN THE ROOF WITH A FIRE GOING INSIDE
CF22-406	01/03/2022 21:30:25	PIPE	Initiated	No	88	M6	1118 South 700 West	A	NEIGB IS OUT OF TOWN, LARGE AMOUNT OF WATER COMING FROM THE FRONT OF THE HOUSE...PS FROM THE HOSE CONNECTOR TO THE HOUSE...NEIGB HAVE ATTEMPTED TO TURN OF THE HOSE W/ NO LUCK...NO CONTACT INFO FOR NEIGB, NAME IS PS DAVE...IS PS OFF ON MILITARY LEAVE
CF22-464	01/04/2022 09:42:40	SGASLE	Initiated	No	86	H10, M6, H14	550 West 700 South	A	GAS LEAK OUTSIDE, VBH
<b>Count:</b> 4									
<b>CAD Officer in Charge: Jorgensen, Brandon</b>									
CF22-1559	01/13/2022 00:19:42	ALARMF	Initiated	No	88	M11	1999 West NORTH TEMPLE Street	B	FIRE ALARM GOING OFF MULTIPLE TIMES THIS WEEK, GOING OFF AGAIN SHOWING, CO ALARM...BUT COMP IS UNSURE IF THEY ARE HAVING SYMPTOMS DUE THEM HAVING COVID
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kartson, Constantine</b>									
CF22-1848	01/15/2022 12:57:37	SMOKE	Initiated	No	88	E13	2749 East PARLEYS Way	A	ON PARELYS WAY, COMING OFF OF I215 NB.....UNDER FOOTHILL..... THERE IS SMOKE COMING FROM UNDER THE BRIDGE AREA... ONLY DRK SMOKE SEEN AT THIS TIME
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-1888	01/15/2022 19:36:54	ALARMF	Initiated	No	88	M1	135 East 100 South	A	GEN FIRE ALARM--RP JORDAN NO NUMBER PROVIDED...PREMIS 801-428-0366
CF21-43307	12/29/2021 12:36:13	ALARMW	Initiated	No	88	M1, LT8	324 South STATE Street	A	FIRE ALARM.. WATER FLOW 541 FROM THE 6TH FLOOR./...
CF22-1224	01/10/2022 08:46:06	ALARMF	Initiated	No	87	M1	650 South 300 East	A	ZONE 1,
CF22-1231	01/10/2022 09:31:29	ALARMF	Initiated	No	87	M1	955 East SOUTH TEMPLE Street	A	BASEMENT SMOKE SENSOR, JACKLYN WHITE, NO PHONE #
CF22-1237	01/10/2022 10:33:38	ALARMF	Initiated	No	87	M1	550 South 400 East	A	BLDG 3 COMMERCIAL FIRE ALARM.. POINT 1 ALARM.. RP CAMERON 385-267-2214.. REF# MA100785
CF22-1239	01/10/2022 11:00:48	ALARMF	Initiated	No	87	M1	45 North WEST TEMPLE Street	A	FIRE SMOKE BASEMENT MENS RESTROOM.. SEC RESPONDING.. PER COMP THEY HEARD ON THE RADIO THAT IT WAS CONSTRUCTION AND IS FALSE ..
CF22-1312	01/10/2022 20:50:35	MISCF	Initiated	No	85	M1	South STATE ST / E 100 South	A	NW CORNER...HOMELESS M IS LIGHTING STUFF ON FIRE...PS PSYCH ISSUE..
CF22-	01/10/2022	MISCF	Initiated	No	88	M1	150 South	A	WARMING FIRE AT OLD PSB.... ON WEST SIDE OF

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
1194	04:31:13						300 East		BUILDING ... FIRE IS GROWING... VERY CLOSE TO BUILDING AND 10 FT FROM A TREE....
CF22-1121	01/09/2022 11:47:04	MISCF	Initiated	No	86	M1	81 North O Street	A	FIRE IN THE BACKYARD... NEIGHBOR 4 TO 5 HOUSES SOUTH OF ADDR.... SAW NO FLAMES JUST LOTS OF SMOKE...
CF22-1122	01/09/2022 12:02:25	MISCF	Initiated	No	88	M1	81 North O Street	A	FIRE IN THE BACKYARD... NEIGHBOR 4 TO 5 HOUSES SOUTH OF ADDR.... SAW NO FLAMES JUST LOTS OF SMOKE... COMP CALLING BACK LOTS OF SMOKE STILL
<b>Count: 10</b>									
<b>CAD Officer in Charge: Marston, Kyle</b>									
CF21-42074	12/18/2021 22:06:27	ARESCU	Initiated	No	88	M2	165 South 400 West	B	SOUTH PARKING GARAGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299
<b>Count: 1</b>									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-1826	01/15/2022 08:37:41	ALARMF	Initiated	No	87	M2	404 West 700 South	A	GRAINERY CAMPUS....ZONE 359 FIRE SMOKE ALARM....INSIDE #801-349-8898
CF22-1922	01/16/2022 01:44:24	APT	Initiated	No	88	M7, M8, BC2, FD155, FD159, LT8, M1, M2, LT2	360 South 400 West	A	SOMEONE JUST BROKE INTO THE BUILDING.. IN THE MAIN ENTRANCE BROKE THE GLASS TO ENTER .. MHA BLK JACKET SHORT HAIR, ... SEE RELATED CP#: SL22-9204
<b>Count: 2</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
<b>Count: 3</b>									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East 180E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
<b>Count: 4</b>									
<b>CAD Officer in Charge: Shafer, Curtis</b>									
CF21-43035	12/27/2021 08:51:05	EXPLO	Initiated	No	98	H14, FD153, BC2, BC1, M11, M7, LT2, M2	West NORTH TEMPLE ST / N REDWOOD Road	C	GAS STATION BLEW UP.
<b>Count: 1</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>1</b>									
<b>CAD Officer in Charge: Sharp, Dallas</b>									
CF22-1876	01/15/2022 17:11:47	MISCF	Initiated	No	88	M6	700 West PACIFIC Avenue	A	DUMPSTER FIRE// SEE 1871
CF22-1921	01/16/2022 01:42:49	MISCF	Initiated	No	88	M6	900 West 400 South	A	WARMING FIRE APPROACHING A HOUSE AND GETTING OUT OF CONTROL
CF22-1938	01/16/2022 05:35:12	WATER	Initiated	No	88	M6	622 South REDWOOD Road	A	WATER MAIN COMING OUT OF THE ROAD..EAST SIDE OR ROAD AND WATER SPILLING OUT OF MANHOLD
<b>Count: 3</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-1939	01/16/2022 05:59:12	PUBLIC	Initiated	No	88	LT2	360 South 400 West	A	ELEVATOR WAS TAKEN OUT OF SERV WHEN OUT ON FIRE...REQ ELEVATOR BE PUT BACK IN SERV...WILL MEET OUT FRONT
<b>Count: 1</b>									
<b>CAD Officer in Charge: Silverthorne, Robert</b>									
CF22-1907	01/15/2022 22:41:22	PASST	Initiated	No	88	M3	1220 East 2100 South	A	DOG IN A CAR SINCE 2030 HOURS.. NO ONE AROUND IT.. WAS REPORTED BY A GUEST .. UNK IF DOG IS IN DISTRESS .. UNK WHICH GUEST DOG BELONGS TO. VEHICLE IS A HONDA CIVIC SILVER. @U664LE/ ... SEE RELATED CP#: SL22-9115
CF22-1893	01/15/2022 20:36:35	WATER	Initiated	No	88	M3	475 East HOLLYWOOD Avenue	A	WATER FLOODING STREET, UNKN WHERE IT'S COMING FROM...NEG SICK/INJ...
<b>Count: 2</b>									
<b>CAD Officer in Charge: Sorensen, Derek</b>									
CF21-40641	12/08/2021 08:20:08	SMOKE	Initiated	No	87	M5, M8	1609 South MAJOR Street	B	HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,
CF21-40639	12/08/2021 08:14:49	MISCF	Initiated	No	87	M8	150 West 1400 South	B	MISCF WEST OF DISP ADDRESS
<b>Count: 2</b>									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
CF22-1932	01/16/2022 02:52:56	TRUCK	Initiated	No	86	BC41, E41, H10, EQ14	500 South I215W NB Freeway	A	DOUBLE TRAILER
<b>Count: 2</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF22-1930	01/16/2022 02:50:16	APT	Initiated	No	88	LT8, EQ14, M2, LT2, M7, M11, BC2	764 North 900 West	A	ALARMS GOING OFF...THERE IS SMOKE OR HAZE IN HALLWAY...SMELLS SOMETHING BURNING BUT UNKN WHAT...DOWNTOWN WEST...THE ALARMS HAVE STOPPED GOING OFF, THEY ARE EVACING
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count: 2</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-1518	01/12/2022 15:29:13	PIPE	Initiated	No	88	LT2	271 South FOSS Street	B	NOT SURE WHAT APT IT IS/ APT IS FLOODING ... PER HX POSS APT 18
CF22-1438	01/11/2022 20:03:49	COMM	Initiated	No	88	LT2, E4, M7, BC1, LT8, M6, M1	155 South 400 West	B	SMOKE COMING FROM THE TOP OF THE BLDG - NO FLAMES SEEN

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 2									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-1849	01/15/2022 13:11:47	ALARMF	Initiated	No	88	E4	270 South 1400 East	A	FIRE ALARM
CF21-43241	12/28/2021 22:59:24	ALARMF	Initiated	No	87	M1, E4	165 South 300 East	A	MAGNOLIA APTS...SEE POLICE CASE 237877, M IN THE LOBBY WAS HAVING A PSYCH EPISODE EARLIER, T/L 4 HOURS...ZONE 64 FIRE ALARM...R/P # DON 801-509-6234, REF # A16552...ALARM CO ORGINALLY GAVE THE ADDRESS 175 S 300 E
CF22-1320	01/10/2022 21:43:59	ALARMF	Initiated	No	88	E4	1234 East ALAMEDA Avenue	A	PINE COVE APTS...GENERAL FIRE ZONE 005 INSIDE 801-455-7881 RP RAUL ESPINOZA 801-599-2865 RP AMY SLOAN 801-597-9697 RP BARD HOLBROOK 801-904-3906
<b>Count:</b> 3									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-595	01/05/2022 08:03:29	ALARMF	Initiated	No	87	M8	1818 South 300 West	A	GENERAL NOTIF...ROOFTOP UNIT 26...801 485 9715
CF22-1879	01/15/2022 18:02:24	MISCF	Initiated	No	87	M8	350 West HOPE Avenue	A	SOUTH OF WALMART...HOMELESS MAN WITH A FIRE....SOMETHING IS ON FIRE BUT CALLER WON'T SAY WHAT
CF22-1919	01/16/2022 01:13:25	MISCF	Initiated	No	88	M8	120 West 1300 South	A	GRASS FIRE NEAR INDIAN CULTURAL CENTER...TRASH FIRE...ON EAST SIDE OF BUILDING
CF22-1905	01/15/2022 22:15:38	MISCF	Initiated	No	88	M8	875 South STATE Street	A	TRANSIENT ON THE CORNER IN FRONT OF THE CHEVRON LIGHTING A FIRE...UNKN IF CONTAINED....NOT CURRENTLY THREATENING ANYTHING
<b>Count:</b> 4									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-1906	01/15/2022 22:26:00	SMOKE	Initiated	No	88	M5	1475 East 900 South	A	SEES A LOT OF SMOKE IN THE AREA.....CAN SEE THRU IT...UNKN WHERE IT IS COMING FROM
CF22-1923	01/16/2022 01:47:05	WATER	Initiated	No	88	M5	975 East 400 South	A	WATER COMING FROM ROAD
CF22-1937	01/16/2022 05:21:32	SMOKE	Initiated	No	88	M5	332 South 800 East	A	CAN SEE SMOKE IN THE AIR .. STRONG ODOR AND CAN SEE SMOKE OUTSIDE . UNK SOURCE.. SMELLS STRONG LIKE CAMPFIRE SMELL LIKE SOMETHING IS BURNING IN AREA BUT CANT DETERMINE SOURCE
CF22-1899	01/15/2022 21:16:56	ALARMF	Initiated	No	88	M5	857 East YALE Avenue	A	IN DUPLEX.... ALARMS ARE GOING OFF... EVERYONE IS OUT... POSS CARBON MONOXIDE...
<b>Count:</b> 4									
<b>Count:</b> 89									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF

Code: Is Not Equal To ARSINV

Code: Is Not Equal To APSN

Apparatus: Is Not Equal To E41

Apparatus: Is Not Equal To E73

Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)