

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

01/20/2022



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|--|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF21-38975 | 11/23/2021 11:05:26 | PUBLIC | Initiated | No | 86 | BLU28 | 31 CONCOURSE A SL[OBA A25] | | |
| CF21-30961 | 09/18/2021 21:35:36 | TRUCK | Initiated | No | 84 | BC41, E41, MA41 | 200 West I80E WB Freeway | | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 95 | M3 | 1237 East BRICKYARD Road | B | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF21-24834 | 08/04/2021 01:03:00 | ELEC | Initiated | No | 95 | M3 | 2225 South HIGHLAND Drive | B | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP |
| CF21-29580 | 09/09/2021 13:39:54 | UNCON | Initiated | No | 82 | MA72 | 2000 South 3200 West | | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD |
| CF21-29985 | 09/12/2021 00:56:00 | UNCON | Initiated | No | 83 | MA73 | 1571 South I215W NB Freeway | | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH |
| CF21-31373 | 09/22/2021 08:01:32 | PUBLIC | Initiated | No | 87 | BLUE | 765 North 2200 W[BUILDING 302] | | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME |
| CF21-35807 | 10/28/2021 06:29:40 | ASSAM | Initiated | No | 80 | E41, ME101, MA41 | 2757 South 300 East | | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM.. COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584 | 11/03/2021 16:20:52 | MISCF | Initiated | No | 85 | BC31 | 442 South HOLD Avenue | | ***TEST*** |
| CF21-37094 | 11/07/2021 21:52:52 | PASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE |
| CF21-42781 | 12/24/2021 21:12:59 | ASSAM | Initiated | No | 84 | MA73 | 2831 South 2540 West | | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746 |
| CF22-1590 | 01/13/2022 10:33:26 | SEIZ | Initiated | No | 86 | GC565, ME119 | 876 East 800 South | | LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565 |
| Count: 18 | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|----------------|------------------------------|---------|---|
| CAD Officer in Charge: Alleman, Michael | | | | | | | | | |
| CF22-1958 | 01/16/2022 10:52:22 | MISCF | Initiated | No | 88 | M6 | 1472 South 300 West | A | ONE STOP SMOKE SHOP...TRANS FIRE...ON SOUTH SIDE |
| CF22-2007 | 01/16/2022 19:08:48 | MISCF | Initiated | No | 88 | M6 | 1102 South MONTGOMERY Street | A | NEIGHBOR TO THE NORTH OF THIS ADDRESS...COMP SEES FIRE IN THE BACK YARD...CAN SEE FLAMES AND SMOKE...ASKED THE HOMEOWNER IF SHE KNEW FIRE IN BACKYARD AND HOMEOWNER SAID NO... |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Allen, Aaron | | | | | | | | | |
| CF22-2433 | 01/19/2022 23:30:04 | ALARMF | Initiated | No | 87 | M11 | 379 North REDWOOD Road | C | SMOKE DETECTOR ALARM, ZONE 7 RESIDENCE BAILEY PETERSON 801-864-1114 REF # CN4665 |
| CF22-2481 | 01/20/2022 13:15:50 | ALARMF | Initiated | No | 88 | M11 | 1740 West GERTIE Avenue | C | FIRE ALARM // BUSN THE HIVE APARTMENTS // POINT 77 // NO PREMISE NUMBER // REF #S95446 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Arnesen, Aaron | | | | | | | | | |
| CF22-2468 | 01/20/2022 10:30:50 | ALARMF | Initiated | No | 87 | M1 | 151 South REGENT Street | C | COMM FIRE PANEL ALARM - UPMA REGENT ST OFC AND PARKING - ZONE 9 - UPMA SEC 801.573.3231 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Baum, Darren | | | | | | | | | |
| CF22-2501 | 01/20/2022 15:09:49 | ALARMF | Initiated | No | 88 | EQ9 | 615 South 6400 West | C | FALARMF... COPPER CROSSING ... DROP TIME 15:07.. ZONE 1 ... REF # S45513 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20-29532 | 09/12/2020 10:22:19 | 65A03 | Initiated | No | 88 | EW6091, EW6092 | 10914 West I80W EB Freeway | | EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDASST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: DeLeeuw, Brian | | | | | | | | | |
| CF22-2473 | 01/20/2022 11:16:33 | LINE | Initiated | No | 88 | M8 | 1546 South 300 Avenue West | C | CONCRETE MIXER JUST PULLED DOWN POWER LINES PULLING INTO PKLOT... LINES ARE DOWN.. UNK IF POWER DISCONNECTED... PS CONNECTED TO ABANDONED BLDG... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Elton, Richard | | | | | | | | | |
| CF22-2478 | 01/20/2022 12:08:23 | ARESCU | Initiated | No | 88 | LT5 | 114 North U Street | C | THIS IS COMPS ADDR... ELDERLY CALLER....THINKS HE SEES A WHITE CAT STUCK ONTOP OF THE ROOF/SOLAR PANEL...ABOUT 114 N U STREET...HOUSE IS WHT/YELLOW WITH BROWN ROOF WITH SOLAR PANELS...ONE BLOCK WEST OF DISP ADDRESS. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21-18617 | 06/17/2021 16:52:56 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 South | | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|---------------|---------|-------|---------------------|---------------------------------|---------|---|
| HELP MOVING PT...NO FLU | | | | | | | | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Jepperson, Chad | | | | | | | | | |
| CF22-372 | 01/03/2022 16:40:51 | TRUCK | Initiated | No | 88 | M6, H14 | 200 South ORANGE Street | A | RV MADE OF ALL DIFFERENT MATERIALS HAS A HOLE IN THE ROOF WITH A FIRE GOING INSIDE |
| CF22-406 | 01/03/2022 21:30:25 | PIPE | Initiated | No | 88 | M6 | 1118 South 700 West | A | NEIGB IS OUT OF TOWN, LARGE AMOUNT OF WATER COMING FROM THE FRONT OF THE HOUSE...PS FROM THE HOSE CONNECTOR TO THE HOUSE...NEIGB HAVE ATTEMPTED TO TURN OF THE HOSE W/ NO LUCK...NO CONTACT INFO FOR NEIGB, NAME IS PS DAVE...IS PS OFF ON MILITARY LEAVE |
| CF22-464 | 01/04/2022 09:42:40 | SGASLE | Initiated | No | 86 | H10, M6, H14 | 550 West 700 South | A | GAS LEAK OUTSIDE, VBH |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Marston, Kyle | | | | | | | | | |
| CF21-42074 | 12/18/2021 22:06:27 | ARESCU | Initiated | No | 88 | M2 | 165 South 400 West | B | SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF21-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF21-10548 | 04/11/2021 09:48:49 | PDASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PDASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF20- | 07/29/2020 | 65A03 | Initiated | No | 88 | E13 | 6650 East I80E | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--|---------------------------------------|---------|--|
| 23950 | 14:30:19 | | | | | | WB Freeway | | |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Shafer, Curtis | | | | | | | | | |
| CF21-43035 | 12/27/2021 08:51:05 | EXPLO | Initiated | No | 98 | H14, FD153, BC2, BC1, M11, M7, LT2, M2 | West NORTH TEMPLE ST / N REDWOOD Road | C | GAS STATION BLEW UP. |
| CF22-2471 | 01/20/2022 11:10:38 | MISCF | Initiated | No | 88 | M7 | 738 West SOUTH TEMPLE Street | C | JUST S OF CARTOW TOWING NEAR FREEWAY... S SIDE OF TRAX |
| CF22-2510 | 01/20/2022 16:20:10 | PDASST | Initiated | No | 88 | M7 | 838 West NORTH TEMPLE Street | C | GUSY FIGHTING...KNIFE ... SEE RELATED CP#: SL22-11900 |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Sorensen, Derek | | | | | | | | | |
| CF21-40641 | 12/08/2021 08:20:08 | SMOKE | Initiated | No | 87 | M5, M8 | 1609 South MAJOR Street | B | HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG, |
| CF21-40639 | 12/08/2021 08:14:49 | MISCF | Initiated | No | 87 | M8 | 150 West 1400 South | B | MISCF WEST OF DISP ADDRESS |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Staheli, Brian | | | | | | | | | |
| CF21-38166 | 11/17/2021 14:15:10 | PDASST | Initiated | No | 87 | H14 | 1500 West 1700 South | | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Winkler, Scott | | | | | | | | | |
| CF22-2067 | 01/17/2022 07:47:00 | PUBLIC | Initiated | No | 87 | E4 | 1495 East 100 South | A | SOMEONE IS STUCK IN THE ELEVATOR.. ELEVATOR 2 MALE WAS SAYING IT WAS ON THE 3RD FLOOR.. UUPD PHONE SYSTEM SHOWED ELEVATOR 2 PERSON INSIDE WAS SAYING IT WAS ELEVATOR 1 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Worthington, Jared | | | | | | | | | |
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
| Count: 1 | | | | | | | | | |
| Count: 56 | | | | | | | | | |

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes

| | |
|---------------------|--------------------------|
| Incident Date Time: | Is On or After 1/16/2018 |
| Incident Number: | Begins With CF |
| Code: | Is Not Equal To ARSINV |
| Code: | Is Not Equal To APSN |
| Apparatus: | Is Not Equal To E41 |
| Apparatus: | Is Not Equal To E73 |
| Apparatus: | Is Not Equal To ME117 |

Need help? Call Nicole at 801-799-4103, [or email us.](#)