

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

01/30/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-3555	01/29/2022 11:07:36	APFA	Initiated	No	88	RD1, M12	193 CONOURSE A SL	B	
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT..

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									WILL HAVE THEM ASSIST.. GC565
CF22-3233	01/26/2022 21:34:28	APT	Initiated	No	88	M7, M8, BC2, LT2, LT8, M6, M1	360 West 300 South	C	IN THE LOBBY ...TENNANT CALLED BLDG OWNER...SAYING SMOKE IN THE BLDG.... 845-243-1550 KIRSTEN APT TENNANT
<b>Count: 20</b>									
<b>CAD Officer in Charge: Alleman, Michael</b>									
CF22-1958	01/16/2022 10:52:22	MISCF	Initiated	No	88	M6	1472 South 300 West	A	ONE STOP SMOKE SHOP...TRANS FIRE...ON SOUTH SIDE
CF22-2007	01/16/2022 19:08:48	MISCF	Initiated	No	88	M6	1102 South MONTGOMERY Street	A	NEIGHBOR TO THE NORTH OF THIS ADDRESS...COMP SEES FIRE IN THE BACK YARD...CAN SEE FLAMES AND SMOKE...ASKED THE HOMEOWNER IF SHE KNEW FIRE IN BACKYARD AND HOMEOWNER SAID NO...
<b>Count: 2</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-3026	01/25/2022 08:28:20	MISCF	Initiated	No	88	M6	900 South REDWOOD RD / W REDWOOD DEPOT Lane	B	
<b>Count: 1</b>									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-3023	01/25/2022 08:23:34	ALARMF	Initiated	No	87	M5	737 South 1300 East	B	SARAH DAFT HOME.. FIRE ALARM.. ZONE 76 NO DESC... INSIDE # 801-582-5104
<b>Count: 1</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Dahle, Chad</b>									
CF22-3619	01/30/2022 00:01:24	ALARMF	Initiated	No	87	M1	169 East 200 South	B	COMMERCIAL FIRE ... FIRE SMOKE ALARM ZONE 92.. RP VERAINE 801-301-6888
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-3559	01/29/2022 12:04:57	PUBLIC	Initiated	No	88	EQ14	1781 South 4800 West	B	PIPE BURST LAST NIGHT AND FIRE TURNED WATER OFF/ COMP ON SCENE REQ FD RESPOND TO TURN WATER BACK ON/ ... PIPE HAS BEEN FIXED AND PLUMBER CANT' TURN IT ON... LANG BARRIER/ COMP ONLY SPEAKS SPANISH/ WILL MEET ON THE NORTH SIDE OF THE BUSN/ ... PRETIUM... WILL FLAG DOWN OUTSIDE
CF22-3538	01/29/2022 08:22:35	COMM	Initiated	No	82	LT2, M11, BC2, LT8, EQ9, EQ14, M6	3528 West 500 South	A	BUSN INVE AQUACULTURE // HEATER WAS ON FIRE, TURNED IT OFF, NO LONGER ON FIRE, WANTS SOMEONE TO COME CHECK OUT THE BLDG OUT TO MAKE SURE EVERYTHING IS OK... IT IS A GAS HEATER..
<b>Count: 2</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-3582	01/29/2022 16:59:44	ARESCU	Initiated	No	88	M6	948 West 300 South	B	DOG LOCKED IN VEH...WINDOWS ROLLED UP...PANTING...BLU PT CRUISER NO LIC PLATES...COMP PASSING BY AND WILL NOT BE ON SCENE ... SEE RELATED CP#: SL22-17409
CF22-3543	01/29/2022 09:19:45	ALARMF	Initiated	No	88	M6	824 South 400 West	B	FIRE ALARM ZONE 187 ... ART SPACE APTS BLDG B... NO PREMISE / KEYHOLDER CAMERON PETERSON 801 502 3076
<b>Count: 2</b>									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count: 1</b>									
<b>CAD Officer in Charge: Gillies, Matthew</b>									
CF22-3558	01/29/2022 11:51:15	DUMP	Initiated	No	88	M8	1488 South STATE Street	B	DUMPSTER FIRE IN ALLEYWAY BEHIND THIS ADDR/ W OF ADDR BETWEEN STATE AND MAIN
CF22-3569	01/29/2022 14:48:35	ALARMW	Initiated	No	88	M8, LT8	258 West 700 South	B	FIRE ALARM // MOTA GRANARY LLC // GENERAL FIRE, FIRST FLR MAIN RISER WATER FLOW, 5 TH FLR EAST STAIR WATERFLOW // 801-335-8500
CF22-3607	01/29/2022 21:07:43	ALARMF	Initiated	No	88	M8	1858 South 200 East	B	THINKS THERE IS A CO LEAK...FEELS NAUSEUS INSIDE...NEG FLAMES/SMOKE
CF22-3587	01/29/2022 17:49:35	DUMP	Initiated	No	88	M8	1811 South 300 West	B	ASHLEY FURNITURE// DUMPSTER FIRE ON THE N SIDE OF BLDG...
CF22-3589	01/29/2022 18:09:27	MISCF	Initiated	No	88	M8	800 South WEST TEMPLE Street	B	ALLEY WAY WEST OF 711 WARMING FIRE
<b>Count: 5</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF22-3407	01/28/2022 07:45:05	WATER	Initiated	No	88	M7	62 North 1000 West	A	IN FRONT OF FIRE HYDRANT, WATER COMING OUT OF ROAD...
CF22-3413	01/28/2022 09:01:32	VEH	Initiated	No	88	M7	1500 West 180W WB Freeway	A	VEH FIRE, PULLED OFF ON RIGHT SIDE OF FREEWAY... JUST BEFORE REDWOOD EXIT...
CF22-3333	01/27/2022 15:43:21	ALARMF	Initiated	No	87	M7	57 South 500 West	A	BUSN GATEWAY BLOCK C2 // PREMISE 801-456-0040 // REF #S83054
CF22-2634	01/21/2022 20:46:34	HOUSE	Initiated	No	88	M2, LT2, M7, M11, BC2	900 West NORTH TEMPLE Street	A	E SIDE OF 900 W... JUST N OF NORTH TEMPLE .. PS A COUPLE BLOCKS N OF
<b>Count: 8</b>									
<b>CAD Officer in Charge: Hovermale, Matthew</b>									
CF22-3637	01/30/2022 05:29:56	ALARMF	Initiated	No	88	E4	797 North NORTHSHORE	B	SMOKE DETECTOR SOUNDING IN THE HALLWAY...CALLER DOES NOT KNOW IF THERE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							Street		IS A PROBLEM BUT WOULD LIKE TO HAVE SOMEONE CHECK IT OUT..NO SMOKE OR FLAMES VISIBLE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kauffmann, Jeffrey</b>									
CF22-3581	01/29/2022 16:41:35	PUBLIC	Initiated	No	88	M3	1212 East WILMINGTON Avenue	B	CONSTANT CALLER... NEEDS HELP REMOVING COVER,,,, NO STAFF IS RESPONDING TO HER
CF22-3618	01/29/2022 23:34:27	ALARMF	Initiated	No	88	M2	20 South 400 West	B	GATEWAY BLOCK B STEAK HOUSE...ZONE 1
CF22-3542	01/29/2022 09:09:16	PUBLIC	Initiated	No	88	M3	1212 East WILMINGTON Avenue	B	TIGHT RING NEEDS TO BE CUT OFF/ HOSPICE PT
<b>Count:</b> 3									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-3523	01/29/2022 03:33:17	ALARMF	Initiated	No	88	M1	169 East 200 South	A	STRATFORD HOTEL APT,,,ZONE 77 GEN ALARM ...RP LORAIN RUIZ 801-301-6888
CF22-3479	01/28/2022 18:12:23	MISCF	Initiated	No	88	M1	150 South 200 East	A	ACROSS THE STREET FROM THE BLDG, PPL BUILT A FIRE ON THE SIDEWALK, COMP A PASSERBY...
CF22-3488	01/28/2022 19:19:23	ALARMF	Initiated	No	88	M1	169 East 200 South	A	COMMERCIAL FIRE ALARM ... ZONE 89 .... RP LORRIANE RUIZ 801-301-6888
CF22-3467	01/28/2022 16:46:23	ALARMF	Initiated	No	87	M1	360 South STATE Street	A	FIRE ALARM TOP ELEVATOR SMOKE... HIMALAYAN KITCHEN 801-328-2077
CF22-3404	01/28/2022 06:55:07	MISCF	Initiated	No	88	M1	131 East 700 South	A	FIRE WEST OF ON THE SIDEWALK IN FRONT OF ABANDONED BLDG...NOTHING THREATENED RIGHT NOW
<b>Count:</b> 5									
<b>CAD Officer in Charge: Mackintosh, William</b>									
CF22-3556	01/29/2022 11:33:14	PIPE	Initiated	No	88	LT5	704 East BRYAN Avenue	B	BROKEN PIPE IN HOME...
CF22-3596	01/29/2022 19:26:39	ALARMF	Initiated	No	87	M5	1020 East YALE Avenue	B	MULTIPLE SMOKE ALARMS...RP PENDING...#NONE
<b>Count:</b> 2									
<b>CAD Officer in Charge: Marston, Kyle</b>									
CF21-42074	12/18/2021 22:06:27	ARESCU	Initiated	No	88	M2	165 South 400 West	B	SOUTH PARKING GARGE, PLANITARIUM ENTERANCE, FIRST LEVEL OF PARKING GARAGE, DOG LOCKED IN CAR FOR OVER 1 HOUR,RED PC @JGV6930.TX.2021.PC ... SEE RELATED CP#: SL21-232299
<b>Count:</b> 1									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-3396	01/28/2022 05:56:19	HIGH	Initiated	No	88	LT8, M1, BC1, M7, E4, LT2, M2	40 North STATE Street	A	MAIN FLR FILLED WITH SMOKE..OFFICERS WITH MEET CREWS
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Mumedly, Shaun</b>									
CF22-3150	01/26/2022 08:54:57	PUBLIC	Initiated	No	88	LT2	320 South 200 West	C	PALLADIO APTS... INFO GIVEN BY CHILD DUE TO LANGUAGE BARRIER... ELEVATOR ALARM HAS BEEN GOING OFF ALL MORNING...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
<b>Count:</b> 4									
<b>CAD Officer in Charge: Sorensen, Derek</b>									
CF21-40641	12/08/2021 08:20:08	SMOKE	Initiated	No	87	M5, M8	1609 South MAJOR Street	B	HOUSE ACROSS ST WAS ON FIRE A FEW DAYS AGO, NOW THERES SMOKE, SOMEONE, SAW MALE HISP MALE 40S ALL BLK CARRYING BLK BAG,
CF21-40639	12/08/2021 08:14:49	MISCF	Initiated	No	87	M8	150 West 1400 South	B	MISCF WEST OF DISP ADDRESS
<b>Count:</b> 2									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF22-3304	01/27/2022 12:13:48	ALARMF	Initiated	No	87	EQ14	1477 West 200 South	A	LIVING RM SMOKE... RESD OF MANUAL PADILLA... PREMISE # 801 864 2389
CF22-3325	01/27/2022 15:19:59	ALARMF	Initiated	No	88	EQ14	1486 South DISTRIBUTION Drive	A	COMM DUCT ALARM - KOMATSU EQUIPMENT CO- RTU 2 LOWER S OFC DUCT - SIT 801-972-4702
CF22-3515	01/29/2022 01:52:54	COMM	Initiated	No	86	M8, M11, BC2, LT8, EQ14, M6	2160 West 1700 South	A	BLDG ON THE NORTH WEST CORNER ... CAN SEE SMOKE COMING OUT OF THE 3RD GARAGE .. NO FLAMES.. SMELLS LIKE BURNING RUBBER.. ONE STORY BLDG.. NOORDA.. COMP ACROSS THE STREET
CF22-3480	01/28/2022 18:14:43	MISCF	Initiated	No	88	EQ14	1030 South REDWOOD Road	A	OUTSIDE BACK OF BLDG // BEHIND THE AFRICAN MARKET // LANG BARRIER, PS WARMING FIRE
CF22-3533	01/29/2022 06:44:07	HAZMAT	Initiated	No	88	H10, M11, BC2, M6, H14	858 South 3760 West	A	BUSN NAME SPO LOGISTICS.. SW CORNER OF YARD BEHIND THE SHOP, FUEL SPILL, APP 50 TO 100 GALLONS DIESEL FUEL SPILLED IS GOING DOWN DRAINS..
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL.... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
CF22-3472	01/28/2022 17:18:42	PIPE	Initiated	No	88	EQ14	1781 South 4800 West	A	WHAREHOUSE BEHING AMERICAN TEXTILE..GATE 6..EMP BROKE SPRINKLER HEAD..UNK IF WATER HAS BEEN SHUT OFF
<b>Count:</b> 7									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF22-3470	01/28/2022 17:11:35	PUBLIC	Initiated	No	87	M8	1532 South 500 West	A	JERRY SEINER KIA... ELEVATOR ALARM // NO CONTACT // 801-685-3352 PER GOOGLE FOR PREMISE... NO CONTACT FROM RP
CF22-3422	01/28/2022 10:24:56	WASH	Initiated	No	88	M8	800 South 900 West	A	AUTO PED...HIT A SECOND TIME - AUTO PED ...SEE RELATED EMS&FIRE CALL CF22-3403 ... SEE RELATED CP#: SL22-16425 - FD
CF22-3437	01/28/2022 12:01:00	MISCF	Initiated	No	88	M8	1120 South 300 West	A	NW CORNER FROM EL POLLO LOCOC IN PARKING LOT....FIRE INSIDE STORM DRAIN
CF22-3446	01/28/2022 13:55:10	ALARMF	Initiated	No	88	M8	996 South 200 East	A	FIRE ALARM GOING OFF IN RESIDENCE FOR LAST 10-15 MINUTES.. SECOND FLOOR OF COMPLEX.. UNK SMOKE OR FIRE...
CF22-3363	01/27/2022 19:38:19	MISCF	Initiated	No	88	M8	1356 South STATE Street	A	BEHIND THE LITTLE WORLD REST..
<b>Count:</b> <b>6</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-3598	01/29/2022 19:40:31	APT	Initiated	No	83	M2, LT2, M7, BC2, LT8, M6, M1	549 West 200 South	B	AIR FRYER GOT PLUGGED IN AND IT STARTED SMOKING, COMP HAS TURNED IT OFF AND PUT IT ON THE BALCONY.. NO FLAMES, COMP SAYS IT HAS STOPPED SMOKING NOW BUT WANTS HELP..
CF22-3615	01/29/2022 22:56:57	ALARMF	Initiated	No	88	M2	204 West 200 North	B	COMMERCIAL FIRE ALARM... POINT 7 SMOKE .. RP DON 801-509-6281
<b>Count:</b> <b>2</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> <b>1</b>									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> <b>1</b>									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-3351	01/27/2022 18:06:43	PUBLIC	Initiated	No	88	M1	East SOUTH TEMPLE ST / S 400 East	A	EBOUND ON SOUTH TEMPLE BETWEEN 400 AND 300 E... GAS CAN IN THE LANE OF TRAVEL WITH GAS LEAKING OUT OF IT... POSS BEEN HIT... BUSDRIVER CALLED IT IN/ PASSERBY
<b>Count:</b> <b>1</b>									
<b>Count:</b> <b>90</b>									

#### Report Criteria

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.