

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

02/04/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPÉ EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF22-3749	01/31/2022 06:31:00	APFA	Initiated	No	87	RD1, M12	35 CONCOURSE B SL[PIK UP STIX	B	NOTIFIER ALARM
CF22-	02/01/2022	LOCKP	Initiated	No	88	E13	2680 South 2000	C	2 YO DAUGHTER IS LOCKED IN THE COMP'S

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
3940	08:51:10						East		VEH..IN HER CARSEAT..VEH IS NOT RUNNING...WHI AUDI Q7..CHILD IS NOT IN DISTRESS ... SEE RELATED CP#: SL22-18933
Count: 20									
CAD Officer in Charge: Alleman, Michael									
CF22-1958	01/16/2022 10:52:22	MISCF	Initiated	No	88	M6	1472 South 300 West	A	ONE STOP SMOKE SHOP...TRANS FIRE...ON SOUTH SIDE
CF22-2007	01/16/2022 19:08:48	MISCF	Initiated	No	88	M6	1102 South MONTGOMERY Street	A	NEIGHBOR TO THE NORTH OF THIS ADDRESS...COMP SEES FIRE IN THE BACK YARD...CAN SEE FLAMES AND SMOKE...ASKED THE HOMEOWNER IF SHE KNEW FIRE IN BACKYARD AND HOMEOWNER SAID NO...
Count: 2									
CAD Officer in Charge: Buhler, Jason									
CF22-3023	01/25/2022 08:23:34	ALARMF	Initiated	No	87	M5	737 South 1300 East	B	SARAH DAFT HOME.. FIRE ALARM.. ZONE 76 NO DESC... INSIDE # 801-582-5104
Count: 1									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Christiansen, Calvin									
CF22-4322	02/04/2022 04:52:01	ALARMF	Initiated	No	88	M2	274 West 200 South	A	ON THE THIRD FLOOR EAST WING... FEMALE HAVING 1096 ISSUES, THINKS THE FIRE ALARM SYSTEM IS TALKING TO HER, SHE COMES OUT AND YELLS AT IT. ... SEE RELATED CP#: SL22-20843 - ,FIRE ALARM GOING OFF/PRIORTIY 2 ALARM
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN	B	VEH IS ON FIRE.. HONDA

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
BEAUTY Drive									
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF22-3413	01/28/2022 09:01:32	VEH	Initiated	No	88	M7	1500 West I80W WB Freeway	A	VEH FIRE, PULLED OFF ON RIGHT SIDE OF FREEWAY... JUST BEFORE REDWOOD EXIT...
CF22-3333	01/27/2022 15:43:21	ALARMF	Initiated	No	87	M7	57 South 500 West	A	BUSN GATEWAY BLOCK C2 // PREMISE 801-456-0040 // REF #S83054
CF22-2634	01/21/2022 20:46:34	HOUSE	Initiated	No	88	M2, LT2, M7, M11, BC2	900 West NORTH TEMPLE Street	A	E SIDE OF 900 W... JUST N OF NORTH TEMPLE .. PS A COUPLE BLOCKS N OF
CF22-4143	02/02/2022 19:51:37	VEH	Initiated	No	88	M7	1659 West NORTH TEMPLE Street	A	WHOLE CABIN ENGULFED IN FLAMES ... SEE RELATED CP#: SL22-19988
CF22-4156	02/02/2022 22:00:41	ODOR	Initiated	No	88	M7	123 South JEREMY Street	A	ELECTRICAL BURNING ODOR COMING FROM OUTSIDE
CF22-4267	02/03/2022 15:00:36	MISCF	Initiated	No	88	M7	1200 West NORTH TEMPLE Street	A	FRIEGHT LINE CROSSES THERE...APPROX 1000 YARDS TO THE W OF....GARBAGE ON FIRE NEAR A HOMELESS ENCAMPMENT
CF22-4324	02/04/2022 05:02:34	MISCF	Initiated	No	88	M7	507 South 400 West	A	CBI SECURITY AGENT CAN SEE SMOKE AND FLAMES /UNKNOWN WHAT IS BURNING
CF22-4302	02/03/2022 21:02:49	ARESCU	Initiated	No	88	M7	206 West NORTH TEMPLE Street	A	MAVERIK: 2015 GRY TOYT COROLLA.....VEH NOT RUNNING..PUPPY LOCKED INSIDE W/KEYS ... SEE RELATED CP#: SL22-20705
Count: 12									
CAD Officer in Charge: Jepperson, Chad									
CF22-4153	02/02/2022 21:20:28	ARESCU	Initiated	No	88	M5	535 South 200 East	A	DOG HAS FALLEN INTO CEMENT WATER DRAINAGE AREA.. IN THE UNDER GROUND PARKING AREA.. WILL NEED TO TAKE THE DRIVEWAY TO THE LOWER LEVEL PARKING AREA.. COMP CAN BUZZ AC IN IF NEEDED.. THE DOG IS COLD AND SHIVERING ... SEE RELATED CP#: AC22-1549 - FF
CF22-4167	02/02/2022 23:21:01	HOUSE	Initiated	No	88	BC1, E10, M5, LT5, M1	1320 East 700 South	A	TURNED ON FURNACE... SHORT HAPPENED AND A WIRE CAUGHT ON FIRE IN THE CONDUIT
Count: 2									
CAD Officer in Charge: Kartson, Constantine									
CF22-4277	02/03/2022 15:34:17	PUBLIC	Initiated	No	100	E13	2100 South 2100 East	A	NE CONSTRUCTION MACHINCE LOOK LIKE GROUND IS GOING TO COLLAPS UNDER HIM AND FALL ON KIDS WALKING HOIME
Count: 1									
CAD Officer in Charge: Kochevar, Kevin									
CF22-4278	02/03/2022 15:41:43	ALARMF	Initiated	No	88	M1	169 East 200 South	A	FIRE ALARM // ZONE 92 ... NO DESCRIPTION // NO PREMISE NUMBER // RP 801-301-6888 LORAINE
CF22-4133	02/02/2022 18:30:33	ALARMF	Initiated	No	88	M1	532 East 400 South	A	CAFE RIO // PULL STATION AND PANEL SMOKE // PREMISE 801-924-3800 //
CF22-4184	02/03/2022 04:46:45	ALARMF	Initiated	No	87	M1	220 South STATE Street	A	COMMERCIAL ALARM.. GENERAL ALARM BLOCK 57 .. SITE NUMBER 801-961-8700
CF22-4203	02/03/2022 09:07:27	MISCF	Initiated	No	88	M1	630 South STRINGFELLOW Court	A	COMP PROP MANAGER.....HOMELESS PERSON ON PROPERTY, HAS A FIRE, CLOSE TO A FENCE... M IS ALONG THE FENCE OFF STRINGFELLOW CT....GO ALL THE WAY TO THE END...IT IS A DEAD END... PER COMP IT IS A SMALL ROAD...
CF22-4148	02/02/2022 20:56:55	ALARMF	Initiated	No	88	M1	380 South 400 E [BLOCK 44 APARTMENTS]	A	BLOCK 44 - CO ALARM GOING OFF... COMP WILL MEET AND DIRECT OLDER LINCOLN TOWN CAR ON 400 E...NEG FLU
CF22-4061	02/02/2022 08:55:49	ALARMF	Initiated	No	88	M1	50 West NORTH TEMPLE Street	A	LDS TEMPLE. FIRE ALARM.. ZONE NW STAIR TOWER LOBBY LEVEL 4 SMOKE DETECTOR.. JACOBSEN CONST IS ON SITE DOING CONSTRUCTION UNK IF THAT IS WHY IT WENT OFF OR NOT THEY ARE TRYING TO CONTACT

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
THEM									
CF22-4070	02/02/2022 10:11:00	ALARMF	Initiated	No	87	M1	102 South 200 East	A	REF CN6409, ZONE 993, GENERAL, U OF U REAL ESTATE, RP NATHAN ROONEY, 435-650-7127
CF22-4086	02/02/2022 12:21:07	ALARMF	Initiated	No	87	M1	331 East SOUTH TEMPLE Street	A	ZONE 1, PANEL, RP FALSE
CF22-4093	02/02/2022 12:49:22	COMM	Initiated	No	88	LT5, M1, BC1, M5, LT2, M2, E4, E10	160 South 1000 East	A	DOING CONSTRUCTION / ELECTRICAL AND PLUMBING, CAN SMELL ELECTRICAL ODOR, AND ALARM WENT OFF
CF22-4111	02/02/2022 14:51:58	ALARMF	Initiated	No	88	M1	40 South 800 East	A	SMOKE 1ST FLR BOYS RESTROOM... PREMISE # 801 578 8118
CF22-3404	01/28/2022 06:55:07	MISCF	Initiated	No	88	M1	131 East 700 South	A	FIRE WEST OF ON THE SIDEWALK IN FRONT OF ABANDONED BLDG...NOTHING THREATENED RIGHT NOW
CF22-3467	01/28/2022 16:46:23	ALARMF	Initiated	No	87	M1	360 South STATE Street	A	FIRE ALARM TOP ELEVATOR SMOKE... HIMALAYAN KITCHEN 801-328-2077
CF22-3479	01/28/2022 18:12:23	MISCF	Initiated	No	88	M1	150 South 200 East	A	ACROSS THE STREET FROM THE BLDG, PPL BUILT A FIRE ON THE SIDEWALK, COMP A PASSERBY...
CF22-3488	01/28/2022 19:19:23	ALARMF	Initiated	No	88	M1	169 East 200 South	A	COMMERCIAL FIRE ALARM ... ZONE 89 RP LORRIANE RUIZ 801-301-6888
CF22-3523	01/29/2022 03:33:17	ALARMF	Initiated	No	88	M1	169 East 200 South	A	STRATFORD HOTEL APT,,,ZONE 77 GEN ALARM ...RP LORLAINE RUIZ 801-301-6888
CF22-4303	02/03/2022 21:14:59	ALARMF	Initiated	No	88	LT2, M1	204 West 200 North	A	FIRE ALARM, ZONE 7 SMOKE.. R/P DAWN P 801-509-6281
CF22-4261	02/03/2022 14:22:42	ALARMF	Initiated	No	87	M1	175 South WEST TEMPLE Street	A	FIRE ALARM / BUSN IS BREFF 175... NO PREMISE #/ RP 208 803 1324 BRYAN
Count: 17									
CAD Officer in Charge: Meyer, Bryon									
CF22-3396	01/28/2022 05:56:19	HIGH	Initiated	No	88	LT8, M1, BC1, M7, E4, LT2, M2	40 North STATE Street	A	MAIN FLR FILLED WITH SMOKE..OFFICERS WITH MEET CREWS
CF22-4260	02/03/2022 14:02:30	PUBLIC	Initiated	No	88	LT2	300 North STATE Street	A	MAIN CAP BLDG SOUTH ELEVATOR2 JUVES INSIDE EAST SIDE IS EASIEST ACCESS POINT
Count: 2									
CAD Officer in Charge: Mortensen, Daniel									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
Count: 3									
CAD Officer in Charge: Mumedly, Shaun									
CF22-3781	01/31/2022 12:11:05	ALARMW	Initiated	No	87	LT5, E13	1710 South FOOTHILL Drive	C	D/T 1210...ZONE 999 WATER FLOW...RP MARILYN HAWS 801-455-2281
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
ON ROOF									
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
Count: 4									
CAD Officer in Charge: Rock, Nathan									
CF22-3988	02/01/2022 15:57:46	ALARMF	Initiated	No	88	M1	350 South 600 East	C	ZONE 0 GENERAL...ZONE 9 FIRST FLR RM 131 BEDROOM SMOKE...SX APTS...801 537 7000
Count: 1									
CAD Officer in Charge: Shumway, Brandon									
CF22-3752	01/31/2022 07:50:23	ALARMF	Initiated	No	87	M1	230 East 300 South	B	FIRE ALARM -
CF22-3753	01/31/2022 07:50:48	PUBLIC	Initiated	No	88	M1	131 East 700 South	B	
Count: 2									
CAD Officer in Charge: Staheli, Brian									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
Count: 1									
CAD Officer in Charge: Steadman, Karl									
CF22-4118	02/02/2022 15:50:52	HAZMAT	Initiated	No	88	M5, H10, BC2, FD182, BC1, UT10, M3, M2, H14, LT5, M1	341 East 800 South	A	HEAVY CHEMICAL SMELL IN BUILDING... SMELLS LIKE SOMEONE MAKING DRUGS... COMP NOT ON SCENE, BUT GETTING REPORTS OF PEOPLE GETTING SICK...
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 1									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
CAD Officer in Charge: Zwahlen, Jon									
CF22-3351	01/27/2022 18:06:43	PUBLIC	Initiated	No	88	M1	East SOUTH TEMPLE ST / S 400 East	A	EBOUND ON SOUTH TEMPLE BETWEEN 400 AND 300 E... GAS CAN IN THE LANE OF TRAVEL WITH GAS LEAKING OUT OF IT... POSS BEEN HIT... BUSDRIVER CALLED IT IN/ PASSERBY

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
-----------------	--------------------	------	---------------	---------	-------	-----------	---------	---------	---------------

Count:

1

Count:

82

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018
 Incident Number: Begins With CF
 Code: Is Not Equal To ARSINV
 Code: Is Not Equal To APSN
 Apparatus: Is Not Equal To E41
 Apparatus: Is Not Equal To E73
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)