

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

02/05/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		****TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF22-3749	01/31/2022 06:31:00	APFA	Initiated	No	87	RD1, M12	35 CONOURSE B	B	NOTIFIER ALARM

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
SL[PIK UP STIX									
CF22-3940	02/01/2022 08:51:10	LOCKP	Initiated	No	88	E13	2680 South 2000 East	C	2 YO DAUGHTER IS LOCKED IN THE COMP'S VEH..IN HER CARSEAT..VEH IS NOT RUNNING...WHI AUDI Q7..CHILD IS NOT IN DISTRESS ... SEE RELATED CP#: SL22-18933
CF22-4449	02/04/2022 23:01:23	SMOKE	Initiated	No	88	M2	442 South HOLD Avenue	B	TEST TEST TEST
<b>Count: 21</b>									
<b>CAD Officer in Charge: Alleman, Michael</b>									
CF22-1958	01/16/2022 10:52:22	MISCF	Initiated	No	88	M6	1472 South 300 West	A	ONE STOP SMOKE SHOP...TRANS FIRE...ON SOUTH SIDE
CF22-2007	01/16/2022 19:08:48	MISCF	Initiated	No	88	M6	1102 South MONTGOMERY Street	A	NEIGHBOR TO THE NORTH OF THIS ADDRESS...COMP SEES FIRE IN THE BACK YARD...CAN SEE FLAMES AND SMOKE...ASKED THE HOMEOWNER IF SHE KNEW FIRE IN BACKYARD AND HOMEOWNER SAID NO...
<b>Count: 2</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-4510	02/05/2022 14:17:52	MISCF	Initiated	No	88	M2	5 South 500 West	B	BUSH ON FIRE IN PARK MEDIAN
<b>Count: 1</b>									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-3023	01/25/2022 08:23:34	ALARMF	Initiated	No	87	M5	737 South 1300 East	B	SARAH DAFT HOME.. FIRE ALARM.. ZONE 76 NO DESC... INSIDE # 801-582-5104
<b>Count: 1</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-4347	02/04/2022 10:01:35	ALARMW	Initiated	No	88	LT8, M6	650 West 800 South	B	FIRE ALARM // BUSN UNIVAR USA INCORPORATED // WATER FLOW, ZONE 2 // 801-328-1112
CF22-4368	02/04/2022 12:48:58	ALARMF	Initiated	No	87	M6	534 West 800 South	B	FIRE ALARM // BUSN AMERITECH COATINGS // ZONE .993 // RP TOM 801-573-8570 // REF CN6081
CF22-4394	02/04/2022 15:34:32	ALARMF	Initiated	No	88	M6	1051 South 300 West	B	COMM FIRE ALARM... ZONE 4 SMOKE DETECTOR... ON-TIME COMMESSARY... AAA8030
CF22-4452	02/05/2022 00:04:21	MISCF	Initiated	No	88	M6	802 West FAYETTE Avenue	B	NEIGHBOR HAS A FIRE IN A PIT THAT IS VERY CLOSE TO THE COMP'S HOUSE.....SAYS IT IS LESS THAN 25 FEET FROM BOTH HOUSES....1 HOUSE W OF
CF22-4536	02/05/2022 18:03:57	ARESCU	Initiated	No	88	LT2, M6	444 South GOSHEN Street	B	BLACK CAT IN TREE...WS OF THE STREET....50 FT
<b>Count: 5</b>									
<b>CAD Officer in Charge: Doyle, Chad</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-4547	02/05/2022 19:25:58	PUBLIC	Initiated	No	88	E10	2470 East NINTH SOUTH Circle	B	FEM LIFT ASSIST...58 YOF NEG INJ...170 LBS
<b>Count:</b> 1									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Gillies, Matthew</b>									
CF22-4383	02/04/2022 14:33:29	PIPE	Initiated	No	88	LT8	355 North 500 West	B	WEST BLDG WATER COMING IN THROUGH THE CEILING THROUGH THE LIGHT FIXTURE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-4302	02/03/2022 21:02:49	ARESCU	Initiated	No	88	M7	206 West NORTH TEMPLE Street	A	MAVERIK: 2015 GRY TOYT COROLLA.....VEH NOT RUNNING..PUPPY LOCKED INSIDE W/KEYS ... SEE RELATED CP#: SL22-20705
CF22-4324	02/04/2022 05:02:34	MISCF	Initiated	No	88	M7	507 South 400 West	A	CBI SECURITY AGENT CAN SEE SMOKE AND FLAMES /UNKNOWN WHAT IS BURNING
CF22-3333	01/27/2022 15:43:21	ALARMF	Initiated	No	87	M7	57 South 500 West	A	BUSN GATEWAY BLOCK C2 // PREMISE 801-456-0040 // REF #S83054
CF22-4267	02/03/2022 15:00:36	MISCF	Initiated	No	88	M7	1200 West NORTH TEMPLE Street	A	FRIEGHT LINE CROSSES THERE....APPROX 1000 YARDS TO THE W OF....GARBAGE ON FIRE NEAR A HOMELESS ENCAMPMENT
CF22-2634	01/21/2022 20:46:34	HOUSE	Initiated	No	88	M2, LT2, M7, M11, BC2	900 West NORTH TEMPLE Street	A	E SIDE OF 900 W... JUST N OF NORTH TEMPLE .. PS A COUPLE BLOCKS N OF
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
<b>Count:</b> 9									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-4153	02/02/2022 21:20:28	ARESCU	Initiated	No	88	M5	535 South 200 East	A	DOG HAS FALLEN INTO CEMENT WATER DRAINAGE AREA.. IN THE UNDER GROUND PARKING AREA.. WILL NEED TO TAKE THE DRIVEWAY TO THE LOWER LEVEL PARKING AREA.. COMP CAN BUZZ AC IN IF NEEDED.. THE DOG IS COLD AND SHIVERING ... SEE RELATED CP#: AC22-1549 - FF
CF22-4167	02/02/2022 23:21:01	HOUSE	Initiated	No	88	BC1, E10, M5, LT5, M1	1320 East 700 South	A	TURNED ON FURNACE... SHORT HAPPENED AND A WIRE CAUGHT ON FIRE IN THE CONDUIT
<b>Count:</b> 2									
<b>CAD Officer in Charge: Jeppson, Zachary</b>									
CF22-4379	02/04/2022 14:08:00	ALARMW	Initiated	No	86	M7, LT8, M1	511 West 400 North	B	COMM WATERFLOW ALARM - CLASSIC OPEN FACE #2 - ZONE 210 ...RP 801.916.5148

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>1</b>									
<b>CAD Officer in Charge: Jorgensen, Brandon</b>									
CF22-4439	02/04/2022 21:03:06	ALARMF	Initiated	No	87	M11	200 North 2100 West	B	COMM FIRE ALARM..SMOKE DEC ZONE 45...801 741 1500.
CF22-4494	02/05/2022 10:50:31	ALARMW	Initiated	No	87	M11, LT2	5405 West 300 South	B	BISHOP CENTRAL STORE HOUSE ... FIRE ALARM VMF MAIN RISER WATER FLOW... PREMISE 801-240-2967
<b>Count: 2</b>									
<b>CAD Officer in Charge: Kartson, Constantine</b>									
CF22-4277	02/03/2022 15:34:17	PUBLIC	Initiated	No	100	E13	2100 South 2100 East	A	NE CONSTRUCTION MACHINCE LOOK LIKE GROUND IS GOING TO COLLAPS UNDER HIM AND FALL ON KIDS WALKING HOIME
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kauffmann, Jeffrey</b>									
CF22-4539	02/05/2022 18:40:45	LGASLE	Initiated	No	88	M3, M5, M8, H10, BC1, H14, LT5	South HIGHLAND DR / E WILMINGTON Avenue	B	ACROSS FROM SUGARMONT APTS APPRO 2174 WILIMINGTON.... COMP WALKING BY STRONG ODOR OF NAT GAS... CAN ALSO HEAR IT
CF22-4518	02/05/2022 15:39:45	ODOR	Initiated	No	88	M3	66 East COATSVILLE Avenue	B	STRONG SMELL OF NATURAL GASS OR PROPAIN GAS OUTSIDE BUT NOT INSIDE HOUSE
CF22-4523	02/05/2022 16:11:39	LOCKP	Initiated	No	88	M3	1250 East BRICKYARD Road	B	ROSS PARKING LOT / 3 KIDS IN A GREY NISSAN SENTRA / F874PL . NO ADULTS AROUND
CF22-4532	02/05/2022 17:12:36	LOCKP	Initiated	No	88	M3	1040 East SUGARMONT Drive	B	COMP LOCKED HER KEYS INSIDE HER .DARK GREEN 2015 NISSAN ROUGE....1 YEAR OLD AND BORDER COLLE ARE IN THE VEHICLE...NOT IN DISTRESS ... IN THE DOG PARK PLOT ... SEE RELATED CP#: SL22-21821
<b>Count: 4</b>									
<b>CAD Officer in Charge: Lightfoot, Aaron</b>									
CF22-4554	02/05/2022 20:12:20	PUBLIC	Initiated	No	87	LT2, M5, HV5, LT5	10 West 300 South	B	CLIFF BUILDING...PS MIDDLE ELEVATOR...FIRST FLOOR...NEG SICK/INJ...9 PPL STUCK IN ELEVATOR
<b>Count: 1</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-4498	02/05/2022 11:27:11	ARESCU	Initiated	No	87	LT5, M8	601 East 1300 South	B	SE CORNER... CAT IN TREE .. PER BC1 SEND LT8
<b>Count: 1</b>									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-4549	02/05/2022 19:35:31	ALARMF	Initiated	No	87	M2	202 West 300 South	B	COMMERCIAL FIRE ALARM.. SMOKE FIRST FLOOR ELEVATOR SMOKE.. BUCCA DI BEPPO.. 801-575-6262 INSIDE NUMBER
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
<b>Count: 3</b>									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-	02/04/2022	MISCF	Initiated	No	88	M8	250 West 900	B	UNDER THE OVER PASS...OFF OF

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
4443	21:40:04						South		WASHINGTON...CAMPFIRE...NOT THREATENING ANYTHING...
CF22-4506	02/05/2022 12:43:57	ALARMF	Initiated	No	87	M8	350 South 200 East	B	COMM METRO CONDOS .. GEN FIRE ALARM .. ZONE 2 .. R/P ANDY KRAUS 385-270-7502 .. LANCE JACKSON 801-560-2435 ... EMILY DOWTON 801-634-1903 .. REF N71080
CF22-4548	02/05/2022 19:35:07	ALARMF	Initiated	No	88	M8	365 East 1300 South	B	CO ALARM IS GOING OFF...
CF22-4541	02/05/2022 18:58:08	ALARMF	Initiated	No	87	M8	999 South MAIN Street	B	GENERAL FIRE ALARM...ZONE 5...801 505 7777...REF A16553
CF22-4542	02/05/2022 19:00:28	ODOR	Initiated	No	88	M8	1700 South WEST TEMPLE Street	B	BETWEEN WEST TEMPLE AND STATE SMELLS LIKE GAS.. COMP NO LONGER IN THE AREA
CF22-4476	02/05/2022 05:14:14	SMOKE	Initiated	No	87	M8	800 South EDISON Street	B	OFFICER REPORTING SMOKE IN AREA S OF
<b>Count:</b> 7									
<b>CAD Officer in Charge: Mumedly, Shaun</b>									
CF22-3781	01/31/2022 12:11:05	ALARMW	Initiated	No	87	LT5, E13	1710 South FOOTHILL Drive	C	D/T 1210...ZONE 999 WATER FLOW...RP MARILYN HAWS 801-455-2281
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
<b>Count:</b> 4									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-3988	02/01/2022 15:57:46	ALARMF	Initiated	No	88	M1	350 South 600 East	C	ZONE 0 GENERAL...ZONE 9 FIRST FLR RM 131 BEDROOM SMOKE...SX APTS...801 537 7000
<b>Count:</b> 1									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-4329	02/04/2022 07:44:56	PUBLIC	Initiated	No	88	LT5	164 South 1300 East	A	LIFT ASSIST... 75YOM, HAS DEMENTIA AND HAS GOTTEN STUCK IN CHAIR... PT IS APPROX 280 LBS... DOOR CODE 1850*
<b>Count:</b> 1									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-3752	01/31/2022 07:50:23	ALARMF	Initiated	No	87	M1	230 East 300 South	B	FIRE ALARM -
CF22-3753	01/31/2022 07:50:48	PUBLIC	Initiated	No	88	M1	131 East 700 South	B	
<b>Count:</b> 2									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.									
<b>Count:</b> 1									
<b>CAD Officer in Charge: Steadman, Karl</b>									
CF22-4118	02/02/2022 15:50:52	HAZMAT	Initiated	No	88	M5, H10, BC2, FD182, BC1, UT10, M3, M2, H14, LT5, M1	341 East 800 South	A	HEAVY CHEMICAL SMELL IN BUILDING... SMELLS LIKE SOMEONE MAKING DRUGS... COMP NOT ON SCENE, BUT GETTING REPORTS OF PEOPLE GETTING SICK...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-4367	02/04/2022 12:35:19	ALARMF	Initiated	No	88	E13, LT5	2166 South 1700 East	B	FIRE ALARM // GENERAL FIRE ALARM // NO PREMISE NUMBER
CF22-4385	02/04/2022 14:34:48	ALARMF	Initiated	No	87	E13	2166 South 1700 East	B	FIRE ALARM // GENERAL FIRE ALARM // NO PREMISE NUMBER
<b>Count:</b> 2									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-4406	02/04/2022 16:37:08	ALARMW	Initiated	No	87	LT2, M2	511 West 400 North	B	COMM WATERFLOW ALARM - CLASSIC OPEN FACE #2 - ZONE 204 ...RP 801.916.5148
CF22-4440	02/04/2022 21:09:00	WATER	Initiated	No	88	M2, LT2	240 West FERN Avenue	B	WATER MAIN BREAK, JUST WEST OF DISP ADDRESS.. NO ONE SICK OR INJURED
CF22-4359	02/04/2022 11:46:23	DUMP	Initiated	No	88	M2	404 South WEST TEMPLE Street	B	REAR OF STRUCTURE IN ALLEYWAY.. CONTAINED TO DUMPSTER ..NEG THREATENING
CF22-4486	02/05/2022 07:42:26	ALARMF	Initiated	No	88	M2	204 West 200 North	B	REF A16554... FIRE ALARM ZONE 7 SMOKE.... RP DON P 801-509-6281
<b>Count:</b> 4									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-4327	02/04/2022 07:19:53	PUBLIC	Initiated	No	88	E4	26 North MEDICAL Drive	A	F STUCK IN ELEVATOR 1, 3RD FLOOR... SECURITY ENR...
<b>Count:</b> 1									
<b>Count:</b> 92									

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)