

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

02/10/2022



| Incident Number                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                | Address                         | Platoon | CAD Narrative  |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|--|
| <b>CAD Officer in Charge: (None)</b> |                     |        |               |         |       |                          |                                 |         |  |
| CF21-38975                           | 11/23/2021 11:05:26 | PUBLIC | Initiated     | No      | 86    | BLU28                    | 31 CONCOURSE A SL[OBA A25]      |         |  |
| CF21-30961                           | 09/18/2021 21:35:36 | TRUCK  | Initiated     | No      | 84    | BC41, E41, MA41          | 200 West I80E WB Freeway        |         |  |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South             | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING  |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle       |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5   |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152                    | 8037 South ROYAL Lane           |         | FD152  |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 95    | M3                       | 1237 East BRICKYARD Road        | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..   |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2                      | 307 East 600 South              |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...   |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street     | B       | FALSE ALARM PER CHURCH SECURITY  |
| CF21-24834                           | 08/04/2021 01:03:00 | ELEC   | Initiated     | No      | 95    | M3                       | 2225 South HIGHLAND Drive       | B       | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP  |
| CF21-29580                           | 09/09/2021 13:39:54 | UNCON  | Initiated     | No      | 82    | MA72                     | 2000 South 3200 West            |         | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD  |
| CF21-29985                           | 09/12/2021 00:56:00 | UNCON  | Initiated     | No      | 83    | MA73                     | 1571 South I215W NB Freeway     |         | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH   |
| CF21-31373                           | 09/22/2021 08:01:32 | PUBLIC | Initiated     | No      | 87    | BLUE                     | 765 North 2200 W[BUILDING 302 ] |         | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME  |
| CF21-35807                           | 10/28/2021 06:29:40 | ASSAM  | Initiated     | No      | 80    | E41, ME101, MA41         | 2757 South 300 East             |         | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM.. . COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584                           | 11/03/2021 16:20:52 | MISCF  | Initiated     | No      | 85    | BC31                     | 442 South HOLD Avenue           |         | ***TEST***   |
| CF21-37094                           | 11/07/2021 21:52:52 | PASST  | Initiated     | No      | 88    | M2                       | 50 South 500 West               | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750  |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road      |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE   |
| CF21-42781                           | 12/24/2021 21:12:59 | ASSAM  | Initiated     | No      | 84    | MA73                     | 2831 South 2540 West            |         | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746  |
| CF22-1590                            | 01/13/2022 10:33:26 | SEIZ   | Initiated     | No      | 86    | GC565, ME119             | 876 East 800 South              |         | LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565  |
| CF22-3749                            | 01/31/2022 06:31:00 | APFA   | Initiated     | No      | 87    | RD1, M12                 | 35 CONCOURSE B                  | B       | NOTIFIER ALARM   |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus      | Address                      | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|----------------|------------------------------|---------|--|
| SLPIK UP STIX                                  |                     |        |               |         |       |                |                              |         |  |
| CF22-4449                                      | 02/04/2022 23:01:23 | SMOKE  | Initiated     | No      | 88    | M2             | 442 South HOLD Avenue        | B       | TEST TEST TEST   |
| CF22-5171                                      | 02/10/2022 18:13:38 | HYD    | Initiated     | No      | 88    | E13            | 2100 East DOWNINGTON Avenue  | B       | CALLBK=(801)696-5196 HYDRANT ON EAST SIDE OF 2100 S JUST NORTH OF DOWNINGTON IS LEAKING  |
| CF22-5179                                      | 02/10/2022 19:21:47 | ALARMF | Initiated     | No      | 86    | M2             | 6 North RIO GRANDE Street    | B       | ZONE 0 GEN FIRE...BARNES AND NOBLE ... SEE RELATED CP#: SL22-25080   |
| <b>Count:</b><br>22                            |                     |        |               |         |       |                |                              |         |  |
| <b>CAD Officer in Charge: Alleman, Michael</b> |                     |        |               |         |       |                |                              |         |  |
| CF22-1958                                      | 01/16/2022 10:52:22 | MISCF  | Initiated     | No      | 88    | M6             | 1472 South 300 West          | A       | ONE STOP SMOKE SHOP...TRANS FIRE...ON SOUTH SIDE   |
| CF22-2007                                      | 01/16/2022 19:08:48 | MISCF  | Initiated     | No      | 88    | M6             | 1102 South MONTGOMERY Street | A       | NEIGHBOR TO THE NORTH OF THIS ADDRESS...COMP SEES FIRE IN THE BACK YARD...CAN SEE FLAMES AND SMOKE...ASKED THE HOMEOWNER IF SHE KNEW FIRE IN BACKYARD AND HOMEOWNER SAID NO... |
| <b>Count:</b><br>2                             |                     |        |               |         |       |                |                              |         |  |
| <b>CAD Officer in Charge: Bills, Jared</b>     |                     |        |               |         |       |                |                              |         |  |
| CF22-4735                                      | 02/07/2022 11:54:47 | MISCF  | Initiated     | No      | 89    | M6             | 3600 West 500 South          | C       | HOMELESS ENCAMPMENT.. POSS BURNING WIRES.. CAN SEE BLACK SMOKE.. NEXT TO WASTE MANAGEMENT..  |
| CF22-4849                                      | 02/08/2022 08:23:50 | ALARMF | Initiated     | No      | 87    | M6             | 242 West PARAMOUNT Avenue    | C       | FIRE ALARM GAIL MILLER.. GENERAL FIRE ALARM.. THOMAS 801-557-0722  |
| <b>Count:</b><br>2                             |                     |        |               |         |       |                |                              |         |  |
| <b>CAD Officer in Charge: Buhler, Jason</b>    |                     |        |               |         |       |                |                              |         |  |
| CF22-3023                                      | 01/25/2022 08:23:34 | ALARMF | Initiated     | No      | 87    | M5             | 737 South 1300 East          | B       | SARAH DAFT HOME.. FIRE ALARM.. ZONE 76 NO DESC... INSIDE # 801-582-5104  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |                              |         |  |
| <b>CAD Officer in Charge: Carter, Gary</b>     |                     |        |               |         |       |                |                              |         |  |
| CF20-14622                                     | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156          | 475 South 300 East           |         |  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |                              |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>      |                     |        |               |         |       |                |                              |         |  |
| CF20-29532                                     | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092 | 10914 West 180W EB Freeway   |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |                              |         |  |
| <b>CAD Officer in Charge: Comer, Peter</b>     |                     |        |               |         |       |                |                              |         |  |
| CF21-22812                                     | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12            | 1174 West 600 North          | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |                              |         |  |
| <b>CAD Officer in Charge: Dahle, Chad</b>      |                     |        |               |         |       |                |                              |         |  |
| CF22-4607                                      | 02/06/2022 07:27:21 | ALARMF | Initiated     | No      | 88    | M1             | 209 East 500 South           | B       | ZONE 1 SMOKE...THE LEONARDO...801 531 9800   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                |                              |         |  |
| <b>CAD Officer in Charge: Davy, Matthew</b>    |                     |        |               |         |       |                |                              |         |  |
| CF22-5157                                      | 02/10/2022 16:26:06 | LINE   | Initiated     | No      | 87    | GC590, M6      | 390 South REDWOOD Road       | B       | FROM UTA OPERATOR...AT BUS STOP JUST N OF INTERSECTION ON SB SIDE... PS POWER LINE DOWN...   |
| CF22-5169                                      | 02/10/2022 17:41:39 | MISCF  | Initiated     | No      | 88    | M6             | 300 West 900 South           | B       | M LIGHTING A FIRE... CALLER PASSERBY... JUST S OF OVERPASS   |
| CF22-5132                                      | 02/10/2022 12:51:15 | SMOKE  | Initiated     | No      | 88    | M6             | 1335 South 300 West          | B       | COMP SAW SMOKE BEHIND LOWE'S WHILE PASSING BY ON TRAX TRAIN... DID NOT SEE FLAMES...   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                           | Address                         | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-------------------------------------|---------------------------------|---------|--|
| <b>Count:</b><br>3                               |                     |        |               |         |       |                                     |                                 |         |  |
| <b>CAD Officer in Charge: Endemano, Edward</b>   |                     |        |               |         |       |                                     |                                 |         |  |
| CF22-3459  | 01/28/2022 15:59:33 | FIRE   | Initiated     | No      | 88    | M12                                 | 500 EMPLOYEE LOT[STOP 4         | A       | GARBAGE CAN ON FIRE  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                     |                                 |         |  |
| <b>CAD Officer in Charge: Fraser, Patrick</b>    |                     |        |               |         |       |                                     |                                 |         |  |
| CF21-18617                                       | 06/17/2021 16:52:56 | PUBLIC | Initiated     | No      | 88    | SQ2                                 | 48 West 300 South               |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                     |                                 |         |  |
| <b>CAD Officer in Charge: Gillies, Matthew</b>   |                     |        |               |         |       |                                     |                                 |         |  |
| CF22-5109  | 02/10/2022 10:20:22 | COMM   | Initiated     | No      | 87    | M8, M11, BC1, LT8, EQ9, M6, LT5, M7 | 265 East 100 South              | C       | SMOKE AND SPARKS COMING FROM A/C UNIT... INSIDE BLDG...  |
| CF22-5127  | 02/10/2022 12:29:43 | ALARMF | Initiated     | No      | 87    | M8, LT8                             | 999 South MAIN Street           | B       | FIRE ALARM, POINT 5... REF#A16553  |
| CF22-5178  | 02/10/2022 18:56:37 | ALARMF | Initiated     | No      | 88    | M8                                  | 999 South MAIN Street           | B       | GENERAL FIRE ZONE 1/ PREMISE 801 505 7777  |
| <b>Count:</b><br>3                               |                     |        |               |         |       |                                     |                                 |         |  |
| <b>CAD Officer in Charge: Halvorsen, Davin</b>   |                     |        |               |         |       |                                     |                                 |         |  |
| CF21-19889                                       | 06/27/2021 13:50:03 | SMOKE  | Initiated     | No      | 86    | M7                                  | 300 North 700 West              | B       | VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...   |
| CF21-19904                                       | 06/27/2021 17:57:23 | ALARMF | Initiated     | No      | 88    | M7                                  | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE  |
| CF21-19914                                       | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155                           | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA   |
| CF21-34549                                       | 10/18/2021 05:15:22 | HAZMAT | Initiated     | No      | 87    | H14                                 | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS   |
| <b>Count:</b><br>4                               |                     |        |               |         |       |                                     |                                 |         |  |
| <b>CAD Officer in Charge: Hovermale, Matthew</b> |                     |        |               |         |       |                                     |                                 |         |  |
| CF22-5154  | 02/10/2022 15:36:51 | ALARMF | Initiated     | No      | 88    | E4                                  | 843 North GRANDRIDGE Court      | B       | RESD UPLINK FIRE ALARM - NORTHPOINT... ZONE 252... ALEX 801.362.8262   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                     |                                 |         |  |
| <b>CAD Officer in Charge: Jepperson, Chad</b>    |                     |        |               |         |       |                                     |                                 |         |  |
| CF22-4153  | 02/02/2022 21:20:28 | ARESCU | Initiated     | No      | 88    | M5                                  | 535 South 200 East              | A       | DOG HAS FALLEN INTO CEMENT WATER DRAINAGE AREA.. IN THE UNDER GROUND PARKING AREA.. WILL NEED TO TAKE THE DRIVEWAY TO THE LOWER LEVEL PARKING AREA.. COMP CAN BUZZ AC IN IF NEEDED.. THE DOG IS COLD AND SHIVERING ... SEE RELATED CP#: AC22-1549 - FF |
| CF22-4167  | 02/02/2022 23:21:01 | HOUSE  | Initiated     | No      | 88    | BC1, E10, M5, LT5, M1               | 1320 East 700 South             | A       | TURNOED ON FURNACE... SHORT HAPPENED AND A WIRE CAUGHT ON FIRE IN THE CONDUIT  |
| <b>Count:</b><br>2                               |                     |        |               |         |       |                                     |                                 |         |  |
| <b>CAD Officer in Charge: Kauffmann, Jeffrey</b> |                     |        |               |         |       |                                     |                                 |         |  |
| CF22-5094  | 02/10/2022 08:33:55 | SGASLE | Initiated     | No      | 88    | M3, H10                             | 2249 South GREEN Street         | B       | WATER CREW HIT RESID GAS LINE... BLOWING.. NEG SICK OR INJURED   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                     |                                 |         |  |
| <b>CAD Officer in Charge: Koetitz, Paul</b>      |                     |        |               |         |       |                                     |                                 |         |  |
| CF22-  | 02/10/2022          | ALARMF | Initiated     | No      | 88    | EQ9                                 | 1106 South                      | B       | COMM GENERAL FIRE ALARM - BLACK M  |

| Incident Number                                   | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                              | Address                    | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|--|----------------------------|---------|--|
| 5155  | 15:45:04            |        |               |         |       |  | LEGACY VIEW Street         |         | MCDONALD BUSN - ZONE 1 - 801.569.9219  |
| <b>Count:</b><br>1                                |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Lightfoot, Aaron</b>    |                     |        |               |         |       |  |                            |         |  |
| CF22-4554   | 02/05/2022 20:12:20 | PUBLIC | Initiated     | No      | 88    | LT2, M5, HV5, LT5                      | 10 West 300 South          | B       | CLIFF BUILDING...PS MIDDLE ELEVATOR...FIRST FLOOR...NEG SICK/INJ...9 PPL STUCK IN ELEVATOR   |
| CF22-4571   | 02/05/2022 23:16:40 | APT    | Initiated     | No      | 88    | M6, M1, BC1, LT8, M2, LT2, E4          | 455 West 200 North         | B       | COMP SAYING IT LOOKS LIKE THERE IS A FIRE.. CAN SEE BLACK SMOKE.. NO FLAMES..  |
| <b>Count:</b><br>2                                |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Mackintosh, William</b> |                     |        |               |         |       |  |                            |         |  |
| CF22-5177   | 02/10/2022 18:50:03 | ALARMF | Initiated     | No      | 87    | M1                                     | 424 West 100 South         | B       | COMM FIRE ALARM... ZONE 0 GENERAL ALARM, MULT TRIPS... GATEWAY BLOCK B... 801-456-0040... REF#S83052   |
| <b>Count:</b><br>1                                |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Maddux, John</b>        |                     |        |               |         |       |  |                            |         |  |
| CF22-4579   | 02/05/2022 23:45:56 | PIPE   | Initiated     | No      | 88    | LT5                                    | 230 East 300 South         | B       | BROADWAY APART...WATER IS GOING INTO UNIT 1007 AND 909 FROM 1009...MAINTNANCE WOULD LIKE FIRE TO COME OUT ON SCENE TO ASSIST...THERE IS AN ELDERLY MALE IN APT 1009 NO ANSER AT THE DOOR |
| CF22-5028   | 02/09/2022 17:55:46 | DUMP   | Initiated     | No      | 88    | M1                                     | 200 South 200 East         | A       | 252 TOWERS... GARBAGE CAN ON FIRE... NOW GARBAGE ON FIRE... NEG THREATENING  |
| CF22-5081   | 02/10/2022 05:56:16 | ALARMF | Initiated     | No      | 87    | M1                                     | 660 South 300 East         | A       | FIRE ALARM GENERAL... R/P JONE STOCK HOME 801-363-0253   |
| <b>Count:</b><br>3                                |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b>   |                     |        |               |         |       |  |                            |         |  |
| CF20-28530  | 09/07/2020 03:45:47 | 65B02A | Initiated     | No      | 88    | FD154                                  | 1246 East BONNER Way       |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546  | 09/07/2020 09:39:27 | 65B02A | Initiated     | No      | 83    | FD154                                  | 1330 East IRA HODGES       |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| CF20-16587  | 05/29/2020 01:10:39 | ARS IN | Initiated     | No      | 85    | FD154                                  | 120 South STATE Street     |         |  |
| <b>Count:</b><br>3                                |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Moser, Shane</b>        |                     |        |               |         |       |  |                            |         |  |
| CF22-4411   | 02/04/2022 16:46:39 | COMM   | Initiated     | No      | 87    | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South          | B       | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...   |
| <b>Count:</b><br>1                                |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Mumedy, Shaun</b>       |                     |        |               |         |       |  |                            |         |  |
| CF22-4781   | 02/07/2022 18:31:54 | HYD    | Initiated     | No      | 88    | E13                                    | 1808 South 2100 East       | C       | HYD LEAKING ON THE EAST SIDE OF 2100 E BETWEEN WILSON AND DOWINGTON  |
| CF22-4807   | 02/07/2022 22:47:14 | ALARMF | Initiated     | No      | 88    | E13                                    | 2139 South HANNIBAL Street | C       | CO ALARM EVACUATING ... NEG SICK OR INJ... MAIN FLOOR 3 ALARMS SOUNDING.. REPLACED WITH A NEW ALARM AND IMMEDIATLY ALERTED... CELL 801-953-5383  |
| <b>Count:</b><br>2                                |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>       |                     |        |               |         |       |  |                            |         |  |
| CF21-13024  | 05/03/2021 12:24:54 | PUBLIC | Initiated     | No      | 86    | SQ1                                    | 131 East 700 South         |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count:</b><br>1                                |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b>      |                     |        |               |         |       |  |                            |         |  |
| CF20-30271  | 09/18/2020 17:47:16 | 65A03  | Initiated     | No      | 86    | EW6141, EW6142,                        | 1560 West 3900 South       | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |

| Incident Number                                   | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus  | Address                      | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|--|------------------------------|---------|--|
| M14   |                     |        |                  |         |       |  |                              |         |  |
| CF21-10548  | 04/11/2021 09:48:49 | PDASST | Initiated        | No      | 88    | LT8  | 1460 South STATE Street      | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF   |
| CF21-11158  | 04/16/2021 12:43:25 | PDASST | Initiated        | No      | 84    | GC589  | 1364 West GLENROSE Drive     |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824                                     |
| CF20-23950  | 07/29/2020 14:30:19 | 65A03  | Initiated        | No      | 88    | E13  | 6650 East I80E WB Freeway    | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| CF22-5137   | 02/10/2022 13:19:29 | PUBLIC | Initiated        | No      | 88    | LT2  | 235 South RIO GRANDE Street  | B       | M HAS KEYRING STUCK ON FINGER... UNABLE TO GET IT OFF... POCKETKNIFE BLADE ATTACHED TO KEYRING... STAFF CAN BRING PT OUTSIDE FRONT DOOR...   |
| <b>Count: 5</b>                                   |                     |        |                  |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Shumway, Brandon</b>    |                     |        |                  |         |       |  |                              |         |  |
| CF22-3753   | 01/31/2022 07:50:48 | PUBLIC | Initiated        | No      | 88    | M1   | 131 East 700 South           | B       |  |
| CF22-4850   | 02/08/2022 08:30:44 | ALARMF | Initiated        | No      | 88    | M6   | 824 South 400 West           | A       | FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A   |
| CF22-3752   | 01/31/2022 07:50:23 | ALARMF | Initiated        | No      | 87    | M1   | 230 East 300 South           | B       | FIRE ALARM -   |
| <b>Count: 3</b>                                   |                     |        |                  |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Staheli, Brian</b>      |                     |        |                  |         |       |  |                              |         |  |
| CF21-38166  | 11/17/2021 14:15:10 | PDASST | Initiated        | No      | 87    | H14  | 1500 West 1700 South         |         | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| <b>Count: 1</b>                                   |                     |        |                  |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Steadman, Karl</b>      |                     |        |                  |         |       |  |                              |         |  |
| CF22-4118   | 02/02/2022 15:50:52 | HAZMAT | Initiated        | No      | 88    | M5, H10, BC2, FD182, BC1, UT10, M3, M2, H14, LT5, M1 | 341 East 800 South           | A       | HEAVY CHEMICAL SMELL IN BUILDING... SMELLS LIKE SOMEONE MAKING DRUGS... COMP NOT ON SCENE, BUT GETTING REPORTS OF PEOPLE GETTING SICK...   |
| <b>Count: 1</b>                                   |                     |        |                  |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Stringam, Reed</b>      |                     |        |                  |         |       |  |                              |         |  |
| CF22-3584   | 01/29/2022 17:26:29 | MISCF  | Initiated        | No      | 87    | ET1  | 575 North JOHN GLENN Road    |         | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,   |
| <b>Count: 1</b>                                   |                     |        |                  |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |                  |         |       |  |                              |         |  |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated        | No      | 87    | M5, M8   | 10758 South REDWOOD Road     | A       | GOING TO STATION 61  |
| <b>Count: 1</b>                                   |                     |        |                  |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |                  |         |       |  |                              |         |  |
| CF22-4440   | 02/04/2022 21:09:00 | WATER  | Officer reviewed | No      | 100   | M2, LT2  | 240 West FERN Avenue         | B       | WATER MAIN BREAK, JUST WEST OF DISP ADDRESS.. NO ONE SICK OR INJURED   |
| CF22-4359   | 02/04/2022 11:46:23 | DUMP   | Initiated        | No      | 88    | M2   | 404 South WEST TEMPLE Street | B       | REAR OF STRUCTURE IN ALLEYWAY.. CONTAINED TO DUMPSTER ..NEG THREATENING  |
| CF22-4406   | 02/04/2022 16:37:08 | ALARMW | Initiated        | No      | 87    | LT2, M2  | 511 West 400 North           | B       | COMM WATERFLOW ALARM - CLASSIC OPEN FACE #2 - ZONE 204 ...RP 801.916.5148  |
| CF22-4486   | 02/05/2022 07:42:26 | ALARMF | Initiated        | No      | 88    | M2   | 204 West 200 North           | B       | REF A16554... FIRE ALARM ZONE 7 SMOKE.... RP DON P 801-509-6281  |
| CF22-   | 02/10/2022          | ALARMF | Initiated        | No      | 87    | M2   | 255 South                    | B       | FIRE ALARM // GENERAL FIRE ALARM // 801-   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                      | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-----------|------------------------------|---------|--|
| 5097   | 08:59:15            |        |               |         |       |           | WEST TEMPLE Street           |         | 328-2000 // REF AE101750   |
| CF22-5136  | 02/10/2022 13:05:42 | MISCF  | Initiated     | No      | 88    | M2        | 490 West NORTH TEMPLE Street | B       | M LIT JACKET ON FIRE... OFF THE RIGHT OF THE ESCALATORS.. MWA... 40 YOA..SHORT BROWN HAIR.. UNK COLOR SHIRT.. JEANS.. BURNING A BLUE JKT.. |
| CF22-5173  | 02/10/2022 18:34:07 | ALARMF | Initiated     | No      | 87    | M2        | 222 South MAIN Street        | B       | COMM GENERAL FIRE ALARM, ZONE 1... 222 BLDG... DAVID BEHR 801-623-7502... REF#AC11377  |
| <b>Count:</b><br>7                               |                     |        |               |         |       |           |                              |         |  |
| <b>CAD Officer in Charge: Visser, Otto</b>       |                     |        |               |         |       |           |                              |         |  |
| CF20-25507                                       | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164     | 475 South 300 East           |         | OTTO VISSOR VS LANDSCAPE VEH   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                              |         |  |
| <b>CAD Officer in Charge: Winkler, Scott</b>     |                     |        |               |         |       |           |                              |         |  |
| CF22-5089  | 02/10/2022 08:00:33 | ALARMF | Initiated     | No      | 87    | E4, LT5   | 50 North MEDICAL Drive       | A       | GENERAL FIRE ALARM... NFD... MAIN HOSPITAL ...   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                              |         |  |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |           |                              |         |  |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159     | 7673 South HIGHLAND Drive    |         | STRUCTURE FIRE UFA   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                              |         |  |
| <b>CAD Officer in Charge: Yamane, Chad</b>       |                     |        |               |         |       |           |                              |         |  |
| CF22-5188  | 02/10/2022 20:30:41 | ALARMF | Initiated     | No      | 87    | EQ14      | 980 South BENDING RIVER Road | B       |  |
| CF22-5144  | 02/10/2022 14:19:01 | WATER  | Initiated     | No      | 88    | EQ14      | 1700 South 900 West          | B       | FROM UHP... WATERMAIN BREAK... UNK EXACTLY WHERE COMING FROM...  |
| <b>Count:</b><br>2                               |                     |        |               |         |       |           |                              |         |  |
| <b>Count:</b><br>85                              |                     |        |               |         |       |           |                              |         |  |

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.