

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

02/12/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR...BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF22-3749	01/31/2022 06:31:00	APFA	Initiated	No	87	RD1, M12	35 CONCOURSE B	B	NOTIFIER ALARM

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							SLPIK UP STIX		
CF22-4449	02/04/2022 23:01:23	SMOKE	Initiated	No	100	M2	442 South HOLD Avenue	B	TEST TEST TEST
CF22-5206	02/11/2022 00:56:51	ALARMW	Initiated	No	88	E13, LT5	1710 South FOOTHILL Drive	B	ALL SAINTS EPISCOPE CHURCH...ZONE 999 WATER FLOW....RP PENDING...#801-581-0380
CF22-5252	02/11/2022 09:25:53	FUEL	Initiated	No	88	RD1, RD5	5 North SUPPORT	B	FEUL LEAKKING FROM PIPE. ABOUT A QUART ... SEE RELATED CP#: AP22-4747
CF22-5278	02/11/2022 12:46:53	APFA	Initiated	No	87	M11	24 TAXIWAY H	B	TEST CALL FOR GONGS
CF22-5288	02/11/2022 13:46:04	HAZMAT	Initiated	No	88	H10, BC2, RD1	44 FUEL[OUTSIDE	B	FOAM 20 GAL WENT INTO THE DRAIN ... SEE RELATED CP#: AP22-4761 - FD
CF22-5349	02/11/2022 23:24:36	ODOR	Initiated	No	100	M8	1134 South DENVER Street	B	SMELLS LIKE LIGHTER FLUID OUTSIDE POSS COMING FROM WEST OF DISP ADDRESS... CALLER THINKS IT MIGHT BE A METH LAB
Count: 25									
CAD Officer in Charge: Alleman, Michael									
CF22-1958	01/16/2022 10:52:22	MISCF	Initiated	No	88	M6	1472 South 300 West	A	ONE STOP SMOKE SHOP...TRANS FIRE...ON SOUTH SIDE
CF22-2007	01/16/2022 19:08:48	MISCF	Initiated	No	88	M6	1102 South MONTGOMERY Street	A	NEIGHBOR TO THE NORTH OF THIS ADDRESS...COMP SEES FIRE IN THE BACK YARD...CAN SEE FLAMES AND SMOKE...ASKED THE HOMEOWNER IF SHE KNEW FIRE IN BACKYARD AND HOMEOWNER SAID NO...
Count: 2									
CAD Officer in Charge: Bills, Jared									
CF22-4735	02/07/2022 11:54:47	MISCF	Initiated	No	89	M6	3600 West 500 South	C	HOMELESS ENCAMPMENT.. POSS BURNING WIRES.. CAN SEE BLACK SMOKE.. NEXT TO WASTE MANAGEMENT..
CF22-4849	02/08/2022 08:23:50	ALARMF	Initiated	No	87	M6	242 West PARAMOUNT Avenue	C	FIRE ALARM GAIL MILLER.. GENERAL FIRE ALARM.. THOMAS 801-557-0722
Count: 2									
CAD Officer in Charge: Buhler, Jason									
CF22-3023	01/25/2022 08:23:34	ALARMF	Initiated	No	87	M5	737 South 1300 East	B	SARAH DAFT HOME.. FIRE ALARM.. ZONE 76 NO DESC... INSIDE # 801-582-5104
Count: 1									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Dahle, Chad									
CF22-4607	02/06/2022 07:27:21	ALARMF	Initiated	No	88	M1	209 East 500 South	B	ZONE 1 SMOKE...THE LEONARDO...801 531 9800
Count: 1									
CAD Officer in Charge: Davies, Adam									
CF22-	02/12/2022	HAZMAT	Initiated	No	84	M8, H10,	3570 West	B	WAREHOUSE 1 ON THE NW CORNER OF LOT....

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
5364	02:13:36					BC2, HM73, M6, H14	1820 South		VALVE FAILURE 1... ETHANOL CONTANIED IN A MIXING VESSEL...
Count: 1									
CAD Officer in Charge: Davy, Matthew									
CF22-5276	02/11/2022 12:28:24	MISCF	Initiated	No	88	M6	1470 South STATE Street	B	GOT A CALL THAT A TRESSPASSER LIT A FIRE IN THE BACK OF THE BLDG.... LOT BEHIND BLDG, WILL SEE A TENT WITH A TRESSPASSER THERE, COMP NOT ONSCENE.... UNKWN IF FIRE IS STILL GOING OR NOT
CF22-5132	02/10/2022 12:51:15	SMOKE	Initiated	No	88	M6	1335 South 300 West	B	COMP SAW SMOKE BEHIND LOWE'S WHILE PASSING BY ON TRAX TRAIN... DID NOT SEE FLAMES...
CF22-5157	02/10/2022 16:26:06	LINE	Initiated	No	87	GC590, M6	390 South REDWOOD Road	B	FROM UTA OPERATOR...AT BUS STOP JUST N OF INTERSECTION ON SB SIDE... PS POWER LINE DOWN...
CF22-5169	02/10/2022 17:41:39	MISCF	Initiated	No	88	M6	300 West 900 South	B	M LIGHTING A FIRE... CALLER PASSERBY... JUST S OF OVERPASS
Count: 4									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: Gillies, Matthew									
CF22-5199	02/10/2022 23:08:22	APT	Initiated	No	88	M6, M1, LT8, BC1, M8, LT2, M2	154 West 600 South	C	HALLWAYS FULL OF SMOKE...1ST FLR
CF22-5109	02/10/2022 10:20:22	COMM	Initiated	No	87	M8, M11, BC1, LT8, EQ9, M6, LT5, M7	265 East 100 South	C	SMOKE AND SPARKS COMING FROM A/C UNIT... INSIDE BLDG...
CF22-5345	02/11/2022 22:40:16	MISCF	Initiated	No	100	M8	178 West LUCY Avenue	B	PERSON LIGHTING WARMING FIRE BEHIND HOUSE IN ALLEY... CLOSE TO THE FENCE... WEARING A LARGE COAT
Count: 3									
CAD Officer in Charge: Halvorsen, Davin									
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
Count: 4									
CAD Officer in Charge: Hovermale, Matthew									
CF22-5378	02/12/2022 04:25:58	WASH	Initiated	No	100	E4	415 East 400 South	B	M HIT BY A VEH SEE RELATED EMS&FIRE CALL CF22-5358 ... SEE RELATED CP#: SL22-25985

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
1									
CAD Officer in Charge: Jepperson, Chad									
CF22-4153	02/02/2022 21:20:28	ARESCU	Initiated	No	88	M5	535 South 200 East	A	DOG HAS FALLEN INTO CEMENT WATER DRAINAGE AREA.. IN THE UNDER GROUND PARKING AREA.. WILL NEED TO TAKE THE DRIVEWAY TO THE LOWER LEVEL PARKING AREA.. COMP CAN BUZZ AC IN IF NEEDED.. THE DOG IS COLD AND SHIVERING ... SEE RELATED CP#: AC22-1549 - FF
CF22-4167	02/02/2022 23:21:01	HOUSE	Initiated	No	88	BC1, E10, M5, LT5, M1	1320 East 700 South	A	TURNED ON FURNACE... SHORT HAPPENED AND A WIRE CAUGHT ON FIRE IN THE CONDUIT
Count: 2									
CAD Officer in Charge: Jeppson, Zachary									
CF22-5322	02/11/2022 18:35:26	PUBLIC	Initiated	No	88	M7	750 West SOUTH TEMPLE Street	B	COMM ELEVATOR - BLDG 1... UNK ELEVATOR ... UNK OCCUPANTS... UNK FLOOR... 801.425.1027
Count: 1									
CAD Officer in Charge: Kauffmann, Jeffrey									
CF22-5354	02/11/2022 23:43:26	MISCF	Initiated	No	88	M3	2100 South 700 East	B	SMOKE BELLOWING FROM BEHIND THE PEP BOYS...CAN HEAR PEOPLE W/SHOPPING CARTS...WHITE SMOKE...
Count: 1									
CAD Officer in Charge: Lightfoot, Aaron									
CF22-4554	02/05/2022 20:12:20	PUBLIC	Initiated	No	88	LT2, M5, HV5, LT5	10 West 300 South	B	CLIFF BUILDING...PS MIDDLE ELEVATOR...FIRST FLOOR...NEG SICK/INJ...9 PPL STUCK IN ELEVATOR
CF22-4571	02/05/2022 23:16:40	APT	Initiated	No	88	M6, M1, BC1, LT8, M2, LT2, E4	455 West 200 North	B	COMP SAYING IT LOOKS LIKE THERE IS A FIRE.. CAN SEE BLACK SMOKE.. NO FLAMES..
Count: 2									
CAD Officer in Charge: Mackintosh, William									
CF22-5380	02/12/2022 05:43:43	PDASST	Initiated	No	88	M1	655 East 400 South	B	POSS SOMEONE INSIDE THE FIRE RISER ROOM ... NO ALARMS GOING OFF.. SEC GUARD ON SCENE ... SEE RELATED CP#: SL22-26068
Count: 1									
CAD Officer in Charge: Maddux, John									
CF22-5361	02/12/2022 01:25:17	LINE	Initiated	No	88	M5	1183 South 700 East	B	LAMPOST FALLEN ON SCENE... ... SEE RELATED CP#: SL22-25994
Count: 1									
CAD Officer in Charge: Mortensen, Daniel									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
Count: 1									
CAD Officer in Charge: Mumedy, Shaun									
CF22-	02/07/2022	HYD	Initiated	No	88	E13	1808 South	C	HYD LEAKING ON THE EAST SIDE OF 2100 E

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
4781	18:31:54						2100 East		BETWEEN WILSON AND DOWINGTON
CF22-4807	02/07/2022 22:47:14	ALARMF	Initiated	No	88	E13	2139 South HANNIBAL Street	C	CO ALARM EVACUATING ... NEG SICK OR INJ... MAIN FLOOR 3 ALARMS SOUNDING.. REPLACED WITH A NEW ALARM AND IMMEDIATLY ALERTED... CELL 801-953-5383
Count: 2									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
Count: 4									
CAD Officer in Charge: Shumway, Brandon									
CF22-3753	01/31/2022 07:50:48	PUBLIC	Initiated	No	88	M1	131 East 700 South	B	
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-3752	01/31/2022 07:50:23	ALARMF	Initiated	No	87	M1	230 East 300 South	B	FIRE ALARM -
CF22-5366	02/12/2022 02:16:15	PIPE	Initiated	No	88	LT8	800 South 200 East	B	711...WATER ISSUE
Count: 4									
CAD Officer in Charge: Staheli, Brian									
CF21-38166	11/17/2021 14:15:10	PASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
Count: 1									
CAD Officer in Charge: Steadman, Karl									
CF22-4118	02/02/2022 15:50:52	HAZMAT	Initiated	No	88	M5, H10, BC2, FD182, BC1, UT10, M3, M2, H14, LT5, M1	341 East 800 South	A	HEAVY CHEMICAL SMELL IN BUILDING... SMELLS LIKE SOMEONE MAKING DRUGS... COMP NOT ON SCENE, BUT GETTING REPORTS OF PEOPLE GETTING SICK...
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Taylor, Matthew									
CF22-5302	02/11/2022 16:04:36	ALARMF	Initiated	No	87	E13, M3	2305 South DALLIN Street	B	COMM FIRE...DOWNSTAIRS SMOKE X2... 801 485 2529

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 1									
CAD Officer in Charge: Valdez, Christopher									
CF22-4440	02/04/2022 21:09:00	WATER	Officer reviewed	No	100	M2, LT2	240 West FERN Avenue	B	WATER MAIN BREAK, JUST WEST OF DISP ADDRESS.. NO ONE SICK OR INJURED
CF22-4486	02/05/2022 07:42:26	ALARMF	Initiated	No	100	M2	204 West 200 North	B	REF A16554... FIRE ALARM ZONE 7 SMOKE... RP DON P 801-509-6281
CF22-4359	02/04/2022 11:46:23	DUMP	Initiated	No	88	M2	404 South WEST TEMPLE Street	B	REAR OF STRUCTURE IN ALLEYWAY.. CONTAINED TO DUMPSTER ..NEG THREATENING
CF22-4406	02/04/2022 16:37:08	ALARMW	Initiated	No	87	LT2, M2	511 West 400 North	B	COMM WATERFLOW ALARM - CLASSIC OPEN FACE #2 - ZONE 204 ...RP 801.916.5148
CF22-5097	02/10/2022 08:59:15	ALARMF	Initiated	No	100	M2	255 South WEST TEMPLE Street	B	FIRE ALARM // GENERAL FIRE ALARM // 801-328-2000 // REF AE101750
Count: 5									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Winkler, Scott									
CF22-5089	02/10/2022 08:00:33	ALARMF	Initiated	No	87	E4, LT5	50 North MEDICAL Drive	A	GENERAL FIRE ALARM... NFD... MAIN HOSPITAL ...
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
Count: 85									

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018
 Incident Number: Begins With CF
 Code: Is Not Equal To ARSINV
 Code: Is Not Equal To APSN
 Apparatus: Is Not Equal To E41
 Apparatus: Is Not Equal To E73
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.