

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

02/17/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF22-3749	01/31/2022 06:31:00	APFA	Initiated	No	87	RD1, M12	35 CONCOURSE B SL[PIK UP STIX	B	NOTIFIER ALARM
CF22-5206	02/11/2022 00:56:51	ALARMW	Initiated	No	88	E13, LT5	1710 South FOOTHILL Drive	B	ALL SAINTS EPISCOPLE CHURCH...ZONE 999 WATER FLOW....RP PENDING...#801-581-0380
CF22-	02/11/2022	FUEL	Initiated	No	88	RD1, RD5	5 North SUPPORT	B	FEUL LEAKING FROM PIPE. ABOUT A

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
5252	09:25:53								QUART ... SEE RELATED CP#: AP22-4747
CF22-5288	02/11/2022 13:46:04	HAZMAT	Initiated	No	88	H10, BC2, RD1	44 FUEL[OUTSIDE	B	FOAM 20 GAL WENT INTO THE DRAIN ... SEE RELATED CP#: AP22-4761 - FD
CF22-5507	02/13/2022 08:32:21	SMOKE	Initiated	No	88	M6	1023 West INDIANA Avenue	C	2 HOUSES EAST OF DISP ADDR/ SAYING THERE IS A LOT OF WHITE SMOKE ... THERE IS A BBQ SN FOR 1003 INDIANA AVE TILL 2000/ COMP SAYS SMOKE IS EXCESSIVE AND ITS MAKING HER COUGH
CF22-5538	02/13/2022 15:55:22	GRASS	Initiated	No	88	EW6061, EW6062, M6	1324 South 900 West	C	COMP CAN SEE A FIRE ON THE JORDAN RIVER TRAIL FROM HER BACK YARD... SAID THE FIRE IS ALONG 1300 S GOING WB
CF22-5923	02/17/2022 07:33:54	HOUSE	Initiated	No	88	BC2, M7, M2, LT8, M6	864 West 400 South	B	EXITED 400 S FROM FREEWAY, AND HEADED W/B OUTSIDE FIRE ON THE PORCH, IS A BRICK BUILDING, WOOD OVER THE WINDOWS
CF22-5965	02/17/2022 14:48:52	ODOR	Initiated	No	88	RD1, M12	225 CVXBAR[O28	B	WHITE FORD TRUCK W/CRUX SUBSURFACE ON THE SIDE HAS A STRONG SMELL OF NATURAL GAS AND THERE'S ALSO FLUID POOLED UNDERNEATH.
Count: 26									
CAD Officer in Charge: Buhler, Jason									
CF22-5935	02/17/2022 08:26:51	ALARMF	Initiated	No	87	M5	358 South 700 East	B	NOODLE AND CO.. CO ALARM ZONE 31 BACK CARBON DETECTOR FRONT KITCHEN 801-359-8315
CF22-3023	01/25/2022 08:23:34	ALARMF	Initiated	No	87	M5	737 South 1300 East	B	SARAH DAFT HOME.. FIRE ALARM.. ZONE 76 NO DESC... INSIDE # 801-582-5104
Count: 2									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Clark, Jeffrey									
CF22-5976	02/17/2022 16:31:08	FUEL	Initiated	No	87	RD2, RD4	60 East PERIMETER[ROW 4]	B	A COUPLE GALLONS OF JET A, IN THE PROCESS OF BEING CLEANED, DIDN'T GET IN ANY DRAINS ... SEE RELATED CP#: AP22-5528
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Dahle, Chad									
CF22-4607	02/06/2022 07:27:21	ALARMF	Initiated	No	88	M1	209 East 500 South	B	ZONE 1 SMOKE...THE LEONARDO...801 531 9800
CF22-5974	02/17/2022 16:18:48	ALARMF	Initiated	No	87	M5, M1	230 East BROADWAY Street	B	BROADWAY TOWERS.....DT 1617.....GENERAL FIRE.....
Count: 2									
CAD Officer in Charge: Davy, Matthew									
CF22-5933	02/17/2022 08:06:59	MISCF	Initiated	No	88	M6	864 West 400 South	B	WARMING FIRE ON PATIO SOUTH SIDE FBA WRAPPED IN LIGHT BLANKET COMP PASSER BY
CF22-5961	02/17/2022 13:15:01	ALARMF	Initiated	No	87	M6	1291 South EMERY Street	B	ROJAS RESIDENCE HALLWAY SMOKE DET....912-572-7050

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-5942	02/17/2022 09:17:28	ALARMF	Initiated	No	87	M6	423 West 300 South	B	SMOKE ZONE 96, GENERAL, 801-363-6700
CF22-5845	02/16/2022 13:15:11	WASH	Initiated	No	88	SQ6, M6	648 West 800 South	B	UNION PACIFIC TRAIN STUCK ON THE TRACKS...NEED ENGINE TO SPAY THE TRACK TO GET THE SALT OFF SO THE TRAIN CAN GO.... OK'D FROM BC2
Count: 4									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: Gillies, Matthew									
CF22-5109	02/10/2022 10:20:22	COMM	Initiated	No	87	M8, M11, BC1, LT8, EQ9, M6, LT5, M7	265 East 100 South	B	SMOKE AND SPARKS COMING FROM A/C UNIT... INSIDE BLDG...
CF22-5199	02/10/2022 23:08:22	APT	Initiated	No	88	M6, M1, LT8, BC1, M8, LT2, M2	154 West 600 South	B	HALLWAYS FULL OF SMOKE...1ST FLR
Count: 2									
CAD Officer in Charge: Halvorsen, Davin									
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
Count: 4									
CAD Officer in Charge: Harp, Michael									
CF22-5551	02/13/2022 18:29:22	ALERT	Initiated	No	84	RD1, RD3, M12, BLU24, RD5, RD4, RD2, BC2	120 RUNWAY 1735	C	RW 35 ETA 20 MIN G50 WITH TRIM ISSUES
Count: 1									
CAD Officer in Charge: Hovermale, Matthew									
CF22-5378	02/12/2022 04:25:58	WASH	Initiated	No	100	E4	415 East 400 South	B	M HIT BY A VEHSEE RELATED EMS&FIRE CALL CF22-5358 ... SEE RELATED CP#: SL22-25985
Count: 1									
CAD Officer in Charge: Kartson, Constantine									
CF22-5738	02/15/2022 15:15:29	ARESCU	Initiated	No	88	E13	2177 South WELLINGTON Street	A	T/L NOW..COMP THINKS CAT IS STUCK UNDER A SEWER LID..COMP AT LOC..
CF22-5811	02/16/2022 05:27:20	ALARMW	Initiated	No	88	E13, LT5	2705 East PARLEYS Way	A	WATERFLOW ALARM....ZONE 26.....385-313-3942
CF22-	02/16/2022	PIPE	Initiated	No	88	E13	2705 East	A	FIRE SUPPRESSION UNIT BROKEN.... WATER

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
5815	07:08:33						PARLEYS Way		COMING FROM FIRE SYSTEM.....
Count: 3									
CAD Officer in Charge: Kochevar, Kevin									
CF22-5797	02/15/2022 23:26:26	ALARMF	Initiated	No	88	M1	777 East SOUTH TEMPLE Street	A	SMOKE DETECTOR
Count: 1									
CAD Officer in Charge: Koetitz, Paul									
CF22-5860	02/16/2022 15:50:39	ALARMW	Initiated	No	87	LT2, EQ9	6020 West 300 South	B	WATER FLOW... PER BRAD FALSE ALARM
Count: 1									
CAD Officer in Charge: Lightfoot, Aaron									
CF22-4554	02/05/2022 20:12:20	PUBLIC	Initiated	No	88	LT2, M5, HV5, LT5	10 West 300 South	B	CLIFF BUILDING...PS MIDDLE ELEVATOR...FIRST FLOOR...NEG SICK/INJ...9 PPL STUCK IN ELEVATOR
Count: 1									
CAD Officer in Charge: Maddux, John									
CF22-5361	02/12/2022 01:25:17	LINE	Initiated	No	88	M5	1183 South 700 East	B	LAMPOST FALLEN ON SCENE.... SEE RELATED CP#: SL22-25994
Count: 1									
CAD Officer in Charge: Mortensen, Daniel									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5861	02/16/2022 15:53:22	WASH	Initiated	No	88	M8	550 West 1700 South	B	AT THE RAILROAD...UNION PACIFIC RAILROOD STUCK ON TRACKS... NEED ENGINE SPRAY DOWN THE SALT ON THE SIGNAL APPROVED BY BC2
CF22-5820	02/16/2022 08:43:29	ALARMF	Initiated	No	87	M8	650 South MAIN Street	B	ZONE 1 SMOKE...CRIMSON SERVICES...801 450 0817
CF22-5826	02/16/2022 09:23:09	MISCF	Initiated	No	88	M8	1727 South MAJOR Street	B	GOLDEN DRAGON ON STATE ST..S SIDE..BIG CAMP..HAVE A FIRE GOING ... SEE RELATED CP#: SL22-28655 - FD
CF22-5838	02/16/2022 11:34:49	ALARMF	Initiated	No	87	M8	650 South MAIN Street	B	CRIMSON SERVICES, JASON RP 801-450-0817, ZONE 1 SMOKE
CF22-5932	02/17/2022 08:08:44	ALARMF	Initiated	No	87	M8	650 South MAIN Street	B	CRIMSON SERVICES... ZONE 1 SMOKE DETECTOR... NO PREMISE# RP JASON NELSON # 801 450 0817
CF22-5892	02/16/2022 21:27:56	MISCF	Initiated	No	88	M8	1588 South STATE Street	B	IN THE ALLEY BEHIND ACES HIGH SALOON - TRANSIENTS STARTED A FIRE CALLER IS CONCERNED ABOUT - CALLER HAS LEFT
CF22-5910	02/17/2022 01:18:24	HOUSE	Initiated	No	88	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-5950	02/17/2022 10:30:16	ALARMF	Initiated	No	87	M8	1580 South 500 West	B	FLOOR AND DECOR .. INSIDE PHONE 801-906-4090 .. CONT CALEB PACE / 801-879-1337 .. DT 1028 .. MANUAL PULL STATION
Count: 9									
CAD Officer in Charge: Mumedly, Shaun									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-5535	02/13/2022 15:18:15	SMOKE	Initiated	No	88	M6	950 West 1300 South	C	BY THE CREEK... BLUE / GREEN SMOKE IN THE AREA... PS TRANSIENTS WHO STARTED A FIRE.....
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF22-5875	02/16/2022 18:25:06	PUBLIC	Initiated	No	88	LT2	309 East 100 South	B	ELEVATOR STUCK W/ OCCUPANTS.... ON GROUND LEVEL 1... NEG SICK OR INJURED...
CF22-5936	02/17/2022 08:34:39	ALARMW	Initiated	No	87	LT2, M7	204 West 200 North	B	ZONE 161 WATERFLOW... NO PREMISE... RP DON 801 509 6281
Count: 6									
CAD Officer in Charge: Shafer, Curtis									
CF22-5559	02/13/2022 19:23:20	ALARMF	Initiated	No	87	M7	55 South REDWOOD Road	C	BUSN: ABS FRIGHT SYS, FIRE ALARM...ZONE 3 - DRY FLOW ALARM...R/P # DAVID 317-797-2329, REF # MP100355
Count: 1									
CAD Officer in Charge: Shumway, Brandon									
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-3752	01/31/2022 07:50:23	ALARMF	Initiated	No	87	M1	230 East 300 South	B	FIRE ALARM -
CF22-3753	01/31/2022 07:50:48	PUBLIC	Initiated	No	88	M1	131 East 700 South	B	
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
Count: 4									
CAD Officer in Charge: Stafford, Robert									
CF22-5491	02/13/2022 04:16:32	PUBLIC	Initiated	No	88	LT2	641 West NORTH TEMPLE Street	C	FIRE ALARM WENT OFF AND NOW THE ELEVATORS ARN'T WORKING...NO ONE INSIDE...COMP IS EMPLOYEE...REQUESTING ASSISTANCE RESETTING THE ELEVATOR
Count: 1									
CAD Officer in Charge: Staheli, Brian									
CF21-38166	11/17/2021 14:15:10	PASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
Count: 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: Steadman, Karl									
CF22-4118	02/02/2022 15:50:52	HAZMAT	Initiated	No	88	M5, H10, BC2, FD182, BC1, UT10, M3, M2, H14, LT5, M1	341 East 800 South	A	HEAVY CHEMICAL SMELL IN BUILDING... SMELLS LIKE SOMEONE MAKING DRUGS... COMP NOT ON SCENE, BUT GETTING REPORTS OF PEOPLE GETTING SICK...
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Taylor, Matthew									
CF22-5302	02/11/2022 16:04:36	ALARMF	Initiated	No	87	E13, M3	2305 South DALLIN Street	B	COMM FIRE...DOWNSTAIRS SMOKE X2... 801 485 2529
CF22-5953	02/17/2022 12:11:59	ALARMF	Initiated	No	87	E13	1955 East STRATFORD Avenue	B	FIRE ALARM CRICKET SMOKE NO PREMISE OR RP NUMBER
Count: 2									
CAD Officer in Charge: Turner, Cary									
CF22-5794	02/15/2022 22:50:51	PUBLIC	Initiated	No	87	LT8	242 West PARAMOUNT Avenue	A	STAFF IS REQ CREWS COME TO TURN OFF THE ALARM - STAFF STATED THEY WERE TOLD THE FD WERE THE ONLY ONES WHO COULD TURN IT OFF
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 2									
CAD Officer in Charge: Valdez, Christopher									
CF22-5858	02/16/2022 15:21:10	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE SMOKE ZONE 92.... LORAIN RUIZ 801-301-6888
CF22-5912	02/17/2022 01:59:06	DUMP	Initiated	No	88	M2	206 West NORTH TEMPLE Street	B	MAVERIK...DUMPSTER FIRE....PS SUSP STILL ON SCENE
CF22-5916	02/17/2022 03:59:46	SGASLE	Initiated	No	88	H10, M2	239 West 600 North	B	ELEC/GAS WATER HEATER...GAS SMELL IN APT...NEG SICK/INJ...ADVISED TO EVAC
Count: 3									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Whitney, Russell									
CF22-5926	02/17/2022 07:53:25	APT	Initiated	No	88	M2, LT2, E4, M5, BC1, FD152, FD153, LT5, M1	120 South 300 East	B	SMOKE INSIDE 4TH FLOOR
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
Count: 94									

Report Criteria

Record Status: Is Not Equal To Officer reviewed

Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)