

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

02/19/2022



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|---|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF21-30961 | 09/18/2021 21:35:36 | TRUCK | Initiated | No | 84 | BC41, E41, MA41 | 200 West 180E WB Freeway | | |
| CF22-6197 | 02/19/2022 10:37:22 | APFA | Initiated | No | 87 | M11, RD2 | 581 North 2360 West | C | |
| CF21-38975 | 11/23/2021 11:05:26 | PUBLIC | Initiated | No | 86 | BLU28 | 31 CONCOURSE A SL[OBA A25] | | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 95 | M3 | 1237 East BRICKYARD Road | B | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF21-24834 | 08/04/2021 01:03:00 | ELEC | Initiated | No | 95 | M3 | 2225 South HIGHLAND Drive | B | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP |
| CF21-29580 | 09/09/2021 13:39:54 | UNCON | Initiated | No | 82 | MA72 | 2000 South 3200 West | | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD |
| CF21-29985 | 09/12/2021 00:56:00 | UNCON | Initiated | No | 83 | MA73 | 1571 South I215W NB Freeway | | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH |
| CF21-31373 | 09/22/2021 08:01:32 | PUBLIC | Initiated | No | 87 | BLUE | 765 North 2200 W[BUILDING 302] | | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME |
| CF21-35807 | 10/28/2021 06:29:40 | ASSAM | Initiated | No | 80 | E41, ME101, MA41 | 2757 South 300 East | | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584 | 11/03/2021 16:20:52 | MISCF | Initiated | No | 85 | BC31 | 442 South HOLD Avenue | | ***TEST*** |
| CF21-37094 | 11/07/2021 21:52:52 | PDASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE |
| CF21- | 12/24/2021 | ASSAM | Initiated | No | 84 | MA73 | 2831 South | | COMP GOT INTO A FIGHT WITH HER BOYFIREND |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|-----------------------------|-------------------------------|---------|---|
| 42781 | 21:12:59 | | | | | | 2540 West | | AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746 |
| CF22-1590 | 01/13/2022 10:33:26 | SEIZ | Initiated | No | 86 | GC565, ME119 | 876 East 800 South | | LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565 |
| CF22-6242 | 02/19/2022 16:29:29 | VEH | Initiated | No | 87 | M6 | 2100 South 115 SB Freeway | C | MAIN FLOW - VEH FIRE |
| Count: 20 | | | | | | | | | |
| CAD Officer in Charge: Baum, Darren | | | | | | | | | |
| CF22-6063 | 02/18/2022 10:39:47 | ALARMF | Initiated | No | 88 | EQ9 | 5433 West WILEY POST Way | C | BEST WESTERN/ RM 301 SMOKE PREMISE # 801 428 0900 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Bills, Jared | | | | | | | | | |
| CF22-6127 | 02/18/2022 18:56:54 | MISCF | Initiated | No | 88 | M6 | 1578 West SECRET GARDEN Place | C | GROUP OF KIDS HAS BBQ FULLY ENGULFED IN FLAMES... NOT COOKING ANYTHING ... E SIDE OF BLDG D |
| CF22-6189 | 02/19/2022 09:54:03 | ALARMF | Initiated | No | 86 | M6 | 673 South 1200 West | C | RES FIRE ALARM BUT FALSE ALARM PER R/P ON SCENE |
| CF22-6277 | 02/19/2022 20:16:36 | MISCF | Initiated | No | 88 | M6 | 850 West 900 South | C | |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20-29532 | 09/12/2020 10:22:19 | 65A03 | Initiated | No | 88 | EW6091, EW6092 | 10914 West 180W EB Freeway | | EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDASST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Endemano, Edward | | | | | | | | | |
| CF22-3459 | 01/28/2022 15:59:33 | FIRE | Initiated | No | 88 | M12 | 500 EMPLOYEE LOT[STOP 4 | A | GARBAGE CAN ON FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21-18617 | 06/17/2021 16:52:56 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 South | | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: George, Brady | | | | | | | | | |
| CF22-5992 | 02/17/2022 18:05:23 | HOUSE | Initiated | No | 88 | BC1, E10, M5, LT5, M1 | 500 South 1300 East | B | HOME IS 3 IN FROM THE INTERESCTION...BRICK HOUSE...SMOKE COMING FROM IT |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Gillies, Matthew | | | | | | | | | |
| CF22-5109 | 02/10/2022 10:20:22 | COMM | Initiated | No | 87 | M8, M11, BC1, LT8, EQ9, M6, | 265 East 100 South | B | SMOKE AND SPARKS COMING FROM A/C UNIT... INSIDE BLDG... |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--|---------------------------------|---------|--|
| LT5, M7 | | | | | | | | | |
| CF22-5199 | 02/10/2022 23:08:22 | APT | Initiated | No | 88 | M6, M1, LT8, BC1, M8, LT2, M2 | 154 West 600 South | B | HALLWAYS FULL OF SMOKE...1ST FLR |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Harp, Michael | | | | | | | | | |
| CF22-5551 | 02/13/2022 18:29:22 | ALERT | Initiated | No | 84 | RD1, RD3, M12, BLU24, RD5, RD4, RD2, BC2 | 120 RUNWAY 1735 | C | RW 35 ETA 20 MIN G50 WITH TRIM ISSUES |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Hill, John | | | | | | | | | |
| CF22-6071 | 02/18/2022 11:55:18 | ALARMW | Initiated | No | 87 | E13, LT5 | 2673 South PRESTON Street | C | ADDR HAS THAT AS 3676 S PRESTON ST FOR PRESTON APTS... WATERFLOW ZONE 975... PREMISE # 801 485 21111... KEYHOLDER FRANK WINGER 801 651 6576 |
| CF22-6258 | 02/19/2022 17:57:47 | WATER | Initiated | No | 88 | E13 | 2705 East PARLEYS Way | C | IN NEIGHBOR JUST S OF... WATER SHOOTING IN THE AIR... PS OFF WILSHIRE... UNK FURTHER... SPRAYING DIRECTLY ONTO A HOUSE ... TALLER THAN THE TREES |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Hovermale, Matthew | | | | | | | | | |
| CF22-5378 | 02/12/2022 04:25:58 | WASH | Initiated | No | 100 | E4 | 415 East 400 South | B | M HIT BY A VEH ... SEE RELATED EMS&FIRE CALL CF22-5358 ... SEE RELATED CP#: SL22-25985 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kartson, Constantine | | | | | | | | | |
| CF22-5738 | 02/15/2022 15:15:29 | ARESCU | Initiated | No | 88 | E13 | 2177 South WELLINGTON Street | A | T/L NOW..COMP THINKS CAT IS STUCK UNDER A SEWER LID..COMP AT LOC.. |
| CF22-5811 | 02/16/2022 05:27:20 | ALARMW | Initiated | No | 88 | E13, LT5 | 2705 East PARLEYS Way | A | WATERFLOW ALARM....ZONE 26.....385-313-3942 |
| CF22-5815 | 02/16/2022 07:08:33 | PIPE | Initiated | No | 88 | E13 | 2705 East PARLEYS Way | A | FIRE SUPPRESSION UNIT BROKEN.... WATER COMING FROM FIRE SYSTEM..... |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Knowlton, John | | | | | | | | | |
| CF22-6152 | 02/19/2022 01:23:45 | PDASST | Initiated | No | 88 | HV5, LT5, M1 | 145 East 300 South | C | INTOX MALE ON TOP OF BUILDING E OF COPPER COMMONS RESTAURANT ... MWA/ GRY T SHIRT/ BRO PANTS ... SEE RELATED CP#: SL22-30596 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kochevar, Kevin | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|---------------|---------|-------|--|------------------------------|---------|---|
| CF22-5797 | 02/15/2022 23:26:26 | ALARMF | Initiated | No | 88 | M1 | 777 East SOUTH TEMPLE Street | A | SMOKE DETECTOR |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Lightfoot, Aaron | | | | | | | | | |
| CF22-4554 | 02/05/2022 20:12:20 | PUBLIC | Initiated | No | 88 | LT2, M5, HV5, LT5 | 10 West 300 South | B | CLIFF BUILDING...PS MIDDLE ELEVATOR...FIRST FLOOR...NEG SICK/INJ...9 PPL STUCK IN ELEVATOR |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Moser, Shane | | | | | | | | | |
| CF22-4411 | 02/04/2022 16:46:39 | COMM | Initiated | No | 87 | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South | B | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF21-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF21-10548 | 04/11/2021 09:48:49 | PASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BF ...PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN...YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950 | 07/29/2020 14:30:19 | 65A03 | Initiated | No | 88 | E13 | 6650 East 180E WB Freeway | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Rock, Nathan | | | | | | | | | |
| CF22-6133 | 02/18/2022 19:41:03 | ALARMF | Initiated | No | 87 | M1 | 169 East 200 South | C | COMMERCIAL FIRE ALARM.. ZONE 103 FIRE PULL STATION.. LORANE RUIZ 801-301-6888 |
| CF22-6085 | 02/18/2022 13:58:20 | ALARMF | Initiated | No | 87 | M1 | 650 South 300 East | C | ZONE 3 GENERAL FIRE.... 801-364-5111 // REF AC27112 |
| CF22-6090 | 02/18/2022 14:06:44 | APT | Initiated | No | 88 | M1, BC1, M8, M5, LT8, M6, LT5 | 650 South 300 East | C | SMALL KITCHEN FIRE... NO FLAMES NOT... SMOKE LINGERING... |
| CF22-6174 | 02/19/2022 08:13:59 | MISCF | Initiated | No | 88 | M1 | 175 East 200 South | C | N SIDE OF ST... SUBJECT BURNING A BLANKET... PARTIALLY EXTINGUISHED.. UTAPD ON SCENE |
| CF22-6218 | 02/19/2022 14:01:17 | LGASLE | Initiated | No | 88 | E4, M5, H10, BC1, H14, LT5, M1 | 630 East 300 South | C | CALLBK=(801)666-0455 THIS IS AN APPROX ADDR,,,,, COMP IS FROM OUT OF TOWN THIS HOUSE IS UNDER CONSTRUCTION WHITE HOUSE COMP CAN BE OUTSIDE TO FLAG DOWN RESPONDERS STRIPED SHIRT JEANS GRAY COAT AND WHITE SWEATER HAT |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--|-------------------------------|---------|--|
| Count: 5 | | | | | | | | | |
| CAD Officer in Charge: Shafer, Curtis | | | | | | | | | |
| CF22-6095 | 02/18/2022 14:51:09 | PDASST | Initiated | No | 87 | M7 | 1841 West MORTON Drive | C | WELF CHECK ON COMPS NEIGHBOR, NO ONE HAS SEEN THEM IN 3 WEEKS...DOG IS OUT...LOTS OF PACKAGES AND MAIL PILING UP OUTSIDE HIS APT DOOR ... SEE RELATED CP#: SL22-30138 |
| CF22-6125 | 02/18/2022 18:30:52 | SMOKE | Initiated | No | 88 | M7 | 1200 West NORTH TEMPLE Street | C | APPROX ADDR... JUST SOUTH OF NORTH TEMPLE/ ON THE EAST SIDE JORDAN RIVER/ COMP CAN SEE SOME SMOKE POSS BONFIRE.. NOT ON SCENE VIEWING THIS FROM THE TRAIL |
| CF22-6136 | 02/18/2022 20:24:54 | MISCF | Initiated | No | 88 | M7 | 1000 West NORTH TEMPLE Street | C | WEST OF DISPATCHED ADDRESS...HOMELESS CAMP FIRE 10 FEET FROM THE TRAX.. WANTS AN UPDATE WHEN ITS OUT... |
| CF22-5559 | 02/13/2022 19:23:20 | ALARMF | Initiated | No | 87 | M7 | 55 South REDWOOD Road | C | BUSN: ABS FRIGHT SYS, FIRE ALARM...ZONE 3 - DRY FLOW ALARM...R/P # DAVID 317-797-2329, REF # MP100355 |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Shumway, Brandon | | | | | | | | | |
| CF22-5893 | 02/16/2022 21:39:08 | APT | Initiated | No | 88 | M2, LT2, E4, M7, BC1, LT5, M1 | 228 East 1ST Avenue | B | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR |
| CF22-4850 | 02/08/2022 08:30:44 | ALARMF | Initiated | No | 88 | M6 | 824 South 400 West | A | FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Stafford, Robert | | | | | | | | | |
| CF22-6177 | 02/19/2022 08:40:59 | WATER | Initiated | No | 88 | M2 | 103 East EDGECOMBE Drive | C | WATER MAIN BREAK, LOOKS LIKE ITS COMING FROM METER |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Staheli, Brian | | | | | | | | | |
| CF21-38166 | 11/17/2021 14:15:10 | PDASST | Initiated | No | 87 | H14 | 1500 West 1700 South | | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Steadman, Karl | | | | | | | | | |
| CF22-4118 | 02/02/2022 15:50:52 | HAZMAT | Initiated | No | 88 | M5, H10, BC2, FD182, BC1, UT10, M3, M2, H14, LT5, M1 | 341 East 800 South | A | HEAVY CHEMICAL SMELL IN BUILDING... SMELLS LIKE SOMEONE MAKING DRUGS... COMP NOT ON SCENE, BUT GETTING REPORTS OF PEOPLE GETTING SICK... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Stringam, Reed | | | | | | | | | |
| CF22-3584 | 01/29/2022 17:26:29 | MISCF | Initiated | No | 87 | ET1 | 575 North JOHN GLENN Road | | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF22-5794 | 02/15/2022 22:50:51 | PUBLIC | Initiated | No | 87 | LT8 | 242 West PARAMOUNT Avenue | A | STAFF IS REQ CREWS COME TO TURN OFF THE ALARM - STAFF STATED THEY WERE TOLD THE FD WERE THE ONLY ONES WHO COULD TURN IT OFF |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|-----------|---------------------------|---------|------------------------------|
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Worthington, Jared | | | | | | | | | |
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
| Count: 1 | | | | | | | | | |
| Count: 74 | | | | | | | | | |

Report Criteria

- Record Status: Is Not Equal To Officer reviewed
- Locked?: Is Not Equal To Yes
- Incident Date Time: Is On or After 1/16/2018
- Incident Number: Begins With CF
- Code: Is Not Equal To ARSINV
- Code: Is Not Equal To APSN
- Apparatus: Is Not Equal To E41
- Apparatus: Is Not Equal To E73
- Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)