

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

02/20/2022



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|---------------------------------|---------|--|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF21-38975 | 11/23/2021 11:05:26 | PUBLIC | Initiated | No | 86 | BLU28 | 31 CONCOURSE A SL[OBA A25] | | |
| CF21-30961 | 09/18/2021 21:35:36 | TRUCK | Initiated | No | 84 | BC41, E41, MA41 | 200 West 180E WB Freeway | | |
| CF22-6197 | 02/19/2022 10:37:22 | APFA | Initiated | No | 87 | M11, RD2 | 581 North 2360 West | C | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 95 | M3 | 1237 East BRICKYARD Road | B | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF21-24834 | 08/04/2021 01:03:00 | ELEC | Initiated | No | 95 | M3 | 2225 South HIGHLAND Drive | B | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP |
| CF21-29580 | 09/09/2021 13:39:54 | UNCON | Initiated | No | 82 | MA72 | 2000 South 3200 West | | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD |
| CF21-29985 | 09/12/2021 00:56:00 | UNCON | Initiated | No | 83 | MA73 | 1571 South I215W NB Freeway | | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR...BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH |
| CF21-31373 | 09/22/2021 08:01:32 | PUBLIC | Initiated | No | 87 | BLUE | 765 North 2200 W[BUILDING 302] | | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME |
| CF21-35807 | 10/28/2021 06:29:40 | ASSAM | Initiated | No | 80 | E41, ME101, MA41 | 2757 South 300 East | | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM.. COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584 | 11/03/2021 16:20:52 | MISCF | Initiated | No | 85 | BC31 | 442 South HOLD Avenue | | ***TEST*** |
| CF21-37094 | 11/07/2021 21:52:52 | PASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE |
| CF21-42781 | 12/24/2021 21:12:59 | ASSAM | Initiated | No | 84 | MA73 | 2831 South 2540 West | | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|-------------------------------------|----------------------------|---------|---|
| IT ... SEE RELATED CP#: SL21-235746 | | | | | | | | | |
| CF22-1590 | 01/13/2022 10:33:26 | SEIZ | Initiated | No | 86 | GC565, ME119 | 876 East 800 South | | LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565 |
| Count: 19 | | | | | | | | | |
| CAD Officer in Charge: Arnesen, Aaron | | | | | | | | | |
| CF22-6360 | 02/20/2022 14:14:14 | ALARMF | Initiated | No | 88 | M3 | 1940 South 800 East | A | ZONE 16 KEYPAD...BRENT AND JENNIFER BIXLER...BERNT 435 830 2595 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20-29532 | 09/12/2020 10:22:19 | 65A03 | Initiated | No | 88 | EW6091, EW6092 | 10914 West 180W EB Freeway | | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDASST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Endemano, Edward | | | | | | | | | |
| CF22-3459 | 01/28/2022 15:59:33 | FIRE | Initiated | No | 88 | M12 | 500 EMPLOYEE LOT[STOP 4 | A | GARBAGE CAN ON FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21-18617 | 06/17/2021 16:52:56 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 South | | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: George, Brady | | | | | | | | | |
| CF22-5992 | 02/17/2022 18:05:23 | HOUSE | Initiated | No | 88 | BC1, E10, M5, LT5, M1 | 500 South 1300 East | B | HOME IS 3 IN FROM THE INTERESCTION...BRICK HOUSE...SMOKE COMING FROM IT |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Gillies, Matthew | | | | | | | | | |
| CF22-5109 | 02/10/2022 10:20:22 | COMM | Initiated | No | 87 | M8, M11, BC1, LT8, EQ9, M6, LT5, M7 | 265 East 100 South | B | SMOKE AND SPARKS COMING FROM A/C UNIT... INSIDE BLDG... |
| CF22-5199 | 02/10/2022 23:08:22 | APT | Initiated | No | 88 | M6, M1, LT8, BC1, M8, LT2, M2 | 154 West 600 South | B | HALLWAYS FULL OF SMOKE...1ST FLR |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF22-6365 | 02/20/2022 14:35:43 | DUMP | Initiated | No | 88 | M7 | 1255 West 500 North | A | DUMPSTER FIRE...FLAMES AND SMOKE... NEAR THE CORNER STORE ON THE EAST.... |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--|---------------------------------|---------|--|
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS |
| Count: 5 | | | | | | | | | |
| CAD Officer in Charge: Harp, Michael | | | | | | | | | |
| CF22-5551 | 02/13/2022 18:29:22 | ALERT | Initiated | No | 84 | RD1, RD3, M12, BLU24, RD5, RD4, RD2, BC2 | 120 RUNWAY 1735 | C | RW 35 ETA 20 MIN G50 WITH TRIM ISSUES |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Hovermale, Matthew | | | | | | | | | |
| CF22-5378 | 02/12/2022 04:25:58 | WASH | Initiated | No | 100 | E4 | 415 East 400 South | B | M HIT BY A VEH ... SEE RELATED EMS&FIRE CALL CF22-5358 ... SEE RELATED CP#: SL22-25985 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kartsones, Constantine | | | | | | | | | |
| CF22-5738 | 02/15/2022 15:15:29 | ARESCU | Initiated | No | 88 | E13 | 2177 South WELLINGTON Street | A | T/L NOW..COMP THINKS CAT IS STUCK UNDER A SEWER LID..COMP AT LOC.. |
| CF22-5811 | 02/16/2022 05:27:20 | ALARMW | Initiated | No | 88 | E13, LT5 | 2705 East PARLEYS Way | A | WATERFLOW ALARM....ZONE 26.....385-313-3942 |
| CF22-5815 | 02/16/2022 07:08:33 | PIPE | Initiated | No | 88 | E13 | 2705 East PARLEYS Way | A | FIRE SUPPRESSION UNIT BROKEN.... WATER COMING FROM FIRE SYSTEM..... |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Kochevar, Kevin | | | | | | | | | |
| CF22-5797 | 02/15/2022 23:26:26 | ALARMF | Initiated | No | 88 | M1 | 777 East SOUTH TEMPLE Street | A | SMOKE DETECTOR |
| CF22-6336 | 02/20/2022 08:47:35 | ALARMF | Initiated | No | 88 | M1 | 15 South STATE Street | A | OC TANNER BLD.....GENERAL FIRE ZONE 1.....INSIDE 801-486-7341 |
| CF22-6372 | 02/20/2022 15:20:37 | ALARMF | Initiated | No | 88 | M1 | 230 East 300 Street South | A | BUSN/ BROADWAY TOWER... 801 560 2435....DT 1519....AREA 1 FIRE ALARM.. |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Lightfoot, Aaron | | | | | | | | | |
| CF22-4554 | 02/05/2022 20:12:20 | PUBLIC | Initiated | No | 88 | LT2, M5, HV5, LT5 | 10 West 300 South | B | CLIFF BUILDING...PS MIDDLE ELEVATOR...FIRST FLOOR...NEG SICK/INJ...9 PPL STUCK IN ELEVATOR |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Moser, Shane | | | | | | | | | |
| CF22-4411 | 02/04/2022 16:46:39 | COMM | Initiated | No | 87 | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South | B | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR... |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--|---------------------------|---------|--|
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF20-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF21-10548 | 04/11/2021 09:48:49 | PDASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PDASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950 | 07/29/2020 14:30:19 | 65A03 | Initiated | No | 88 | E13 | 6650 East 180E WB Freeway | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |
| CF22-6291 | 02/20/2022 00:14:27 | MISCF | Initiated | No | 88 | E10 | 1400 South 1900 East | C | STAKE CENTER BEHIND THIS LOCATION...FIRE IN PARKING LOT...UNKN WHAT, NOT THREATENING |
| Count: 5 | | | | | | | | | |
| CAD Officer in Charge: Rockwood, Wade | | | | | | | | | |
| CF22-6346 | 02/20/2022 12:03:03 | ALARMF | Initiated | No | 87 | E10 | 500 South FOOTHILL Drive | A | BLDG 1...ZONE 70 GENERAL...801 582 1565 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Shumway, Brandon | | | | | | | | | |
| CF22-5893 | 02/16/2022 21:39:08 | APT | Initiated | No | 88 | M2, LT2, E4, M7, BC1, LT5, M1 | 228 East 1ST Avenue | B | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR |
| CF22-4850 | 02/08/2022 08:30:44 | ALARMF | Initiated | No | 88 | M6 | 824 South 400 West | A | FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Staheli, Brian | | | | | | | | | |
| CF21-38166 | 11/17/2021 14:15:10 | PDASST | Initiated | No | 87 | H14 | 1500 West 1700 South | | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Steadman, Karl | | | | | | | | | |
| CF22-4118 | 02/02/2022 15:50:52 | HAZMAT | Initiated | No | 88 | M5, H10, BC2, FD182, BC1, UT10, M3, M2, H14, LT5, M1 | 341 East 800 South | A | HEAVY CHEMICAL SMELL IN BUILDING... SMELLS LIKE SOMEONE MAKING DRUGS... COMP NOT ON SCENE, BUT GETTING REPORTS OF PEOPLE GETTING SICK... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Stringam, Reed | | | | | | | | | |
| CF22-3584 | 01/29/2022 17:26:29 | MISCF | Initiated | No | 87 | ET1 | 575 North JOHN GLENN Road | | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,, |
| CF22-6374 | 02/20/2022 15:26:08 | ALERT | Initiated | No | 84 | BC2, RD1, RD2, RD3, RD4, RD5, BLUE, M12 | 560 RUNWAY 1735 | A | RW 17 .. ETA 10 MIN // ETA 10 MIN HYDRALIC ISSUES |
| CF22- | 02/20/2022 | PUBLIC | Initiated | No | 88 | RD2, RD4 | 649 North | A | AT THE AIRMED HANGER.... TAKE THE |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--|------------------------------|---------|--|
| 6343 | 11:12:35 | | | | | | 2360 West | | TARMACC....LIFT ASSIST FOR 400 LB PT....PLANE TO GLDX AMBULANCE... ETA 1200 NOON |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Winkler, Scott | | | | | | | | | |
| CF22-6373 | 02/20/2022 15:20:32 | ALARMF | Initiated | No | 87 | E4 | 230 East 300 South | A | COMP SET OFF HER SMOKE ALARM ON ACCIDENT.. SHE BURNED FOOD.. WAS TOLD TO CALL THE FD TO GET HELP SHUTTING IT OFF |
| CF22-6377 | 02/20/2022 15:48:06 | ALARMF | Initiated | No | 88 | E4 | 1435 East CIRCLE Way | A | RES/ DAVID THOMAS AND ELIZABETH LOCKET... 801 518 5933....801 560 1088....NO ANSWER WHEN ALARM CO CALLED IN... DT 1546 AND 1547...BASEMENT SMOKE DETECTOR... |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Worthington, Jared | | | | | | | | | |
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Yamane, Chad | | | | | | | | | |
| CF22-6302 | 02/20/2022 02:06:21 | COMM | Initiated | No | 86 | LT2, E4, M5, M7, M8, E10, UT10, M11, BC1, BC2, FD120, FD154, FD180, ME102, SDM82, LT8, M6, LT5 | 150 East SOUTH TEMPLE Street | C | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Zwahlen, Jon | | | | | | | | | |
| CF22-6379 | 02/20/2022 16:07:54 | PUBLIC | Initiated | No | 88 | LT5 | 1559 East LOGAN Avenue | A | SPILLED OIL... APROX 3 LITERS... IN STREET...RAN DOWN GUTTER NOT IN STORM DRAIN... |
| Count: 1 | | | | | | | | | |
| Count: 67 | | | | | | | | | |

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018
 Incident Number: Begins With CF
 Code: Is Not Equal To ARSINV
 Code: Is Not Equal To APSN
 Apparatus: Is Not Equal To E41
 Apparatus: Is Not Equal To E73
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).