

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

02/25/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		****TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF22-6635	02/22/2022 18:33:34	ALERT	Initiated	No	86	BLU21, BLUE, RD6, RD5, RD4, BC2, RD1, RD2, RD3, M12	800 RUNWAY 16L34R	B	NOSE GEAR ISSUE PILATUS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-6738	02/23/2022 13:02:13	FUEL	Initiated	No	87	RD1, RD5	24 TAXIWAY H[NORTH SUPPORT FUEL Station	B	INDIVIDUAL W/SP OVER FUELED VEHICLE AND FUEL SPILLED ONTO GROUND//ABOUT A QUARTER GALLON/UNK IF IN DRAINS ... SEE RELATED CP#: AP22-6295
CF22-6857	02/24/2022 11:30:25	REFUEL	Initiated	No	88	RD2, RD4	60 East PERIMETER[SPOT 26]	C	AIRBUS A320 N584JB
CF22-6899	02/24/2022 19:27:33	PDASST	Initiated	No	85	GC591	211 South 500 East		GX TO STAGE FOR STATION 1
Count: 22									
CAD Officer in Charge: Allen, Aaron									
CF22-6873	02/24/2022 13:37:01	SMOKE	Initiated	No	88	M11	1650 West NORTHWOOD Avenue	C	COMP SEES THICK WHITE SMOKE COMING FROM STUMP IN THE FIELD....
CF22-6876	02/24/2022 14:10:44	DUMP	Initiated	No	87	M11	16 COMMERCIAL LN[WEST END	C	TRASH CAN ON FAR WEST END IS SMOKING
CF22-6847	02/24/2022 09:57:01	ALARMF	Initiated	No	87	M11	497 North MORTON Drive	C	COMM FIRE ALARM... DUCT ALARM, 2ND FLOOR ZONE 10... 801-550-9527...
Count: 3									
CAD Officer in Charge: Bills, Jared									
CF22-6851	02/24/2022 10:50:52	ALARMF	Initiated	No	88	M6	550 West 900 South	C	.3 GENERAL FIRE ALARM... SALT METRO LEASING WAREHOUSE... NO PREMISE / KEYHOLDER ROSS LINGWALL 801 598 2020
CF22-6925	02/24/2022 22:32:39	MISCF	Initiated	No	88	M6	968 West QUAYLE Avenue	C	WARMING FIRE GOING ON PRIVATE PROPERTY ... FIRE IS NOT THREATNING BLDGS... CORNER OF QUAYLE AVE AND PEARL ST ..
CF22-6858	02/24/2022 11:32:42	ALARMW	Initiated	No	87	M6, LT8	828 South RICHARDS Street	C	THE CHARLIE BUSN...ZONE1 FIRE ALARM, WENT OFF TWICE, ZONE 77 WATER FLOW...NO INSIDE PHONE LISTED
CF22-6894	02/24/2022 18:47:32	ALARMF	Initiated	No	88	M6	1142 South PROSPECT Street	C	HOUSE// TRYING TO REPLACE A BOILER TANK AND ALARM IS GOING OFF // CAN'T FIGURE OUT HOW TO SHUT IT OFF... NO MONITORING CENTER/ JUST CAN'T SHUT OFF ALARM/ NO WATER DAMAGE
Count: 4									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Clark, Jeffrey									
CF22-6587	02/22/2022 11:10:44	REFUEL	Initiated	No	87	RD2, RD3	60 East PERIMETER[SPOT 24]	B	JET BLUE ON SPOT 24
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: DeLeeuw, Brian									
CF22-6842	02/24/2022 09:09:59	ALARMF	Initiated	No	87	M8	650 South MAIN Street	C	COMM FIRE ALARM... SMOKE DETECTOR, ZONE 1... CRIMSON SERVICE... RP JAMES NELSON 801-450-0817... REF#155645
CF22-	02/24/2022	MISCF	Initiated	No	88	M8	1345 South	C	ON HARRISON AVE JUST S OF THIS ADDR/

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
6887	17:55:30						MAJOR Street		OUTSIDE FIRE NOT ATTENDED
Count: 2									
CAD Officer in Charge: Elton, Richard									
CF22-6921	02/24/2022 22:05:17	MISCF	Initiated	No	88	M5	1195 East BROWNING Avenue	C	SAW A BALL OF FLAME FROM THE ALLEY BEHIND....CAN STILL SEE FLAMES...UNKN WHAT IS BURNING
Count: 1									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: George, Brady									
CF22-5992	02/17/2022 18:05:23	HOUSE	Initiated	No	88	BC1, E10, M5, LT5, M1	500 South 1300 East	B	HOME IS 3 IN FROM THE INTERESCTION...BRICK HOUSE...SMOKE COMING FROM IT
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									
CF22-6365	02/20/2022 14:35:43	DUMP	Initiated	No	88	M7	1255 West 500 North	A	DUMPSTER FIRE...FLAMES AND SMOKE... NEAR THE CORNER STORE ON THE EAST....
CF22-6410	02/20/2022 20:21:09	VEH	Initiated	No	88	M7	1017 North 900 West	A	TOYOTA CAMERY IS ON FIRE.. IN THE PARKING LOT OF THE MEXICAN GRILL
CF22-6538	02/22/2022 01:44:19	MISCF	Initiated	No	88	M7	960 West NORTH TEMPLE Street	A	WARMING FIRE NEXT TO DUMPSTER... BURNING BOXES... COMP ASKED THEM TO STOP AND LEAVE...
CF22-6552	02/22/2022 05:47:31	MISCF	Initiated	No	88	M7	870 West NORTH TEMPLE Street	A	NEAR THE NAIL SALOON...IN THE DRIVEWAY JUST NORTH OF THE JACKSON/EUCLID STATION...HOMELESS M SET WOOD ON FIRE THEN LEFT ON THE TRAIN, FIRE STILL BURNING
CF22-6572	02/22/2022 08:25:37	MISCF	Initiated	No	88	M7	1411 West 1100 North	A	NEIGHBOR BACKYARD ON FIRE.. SOUTH OF.. THEY HAVE EMBERS FALLING INTO THEIR YARD.. APPROX ADDRESS.
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
Count: 9									
CAD Officer in Charge: Harding, Paul									
CF22-6532	02/22/2022 00:12:16	APFA	Initiated	No	85	RD1, M12	146 TERMINAL SL[TERM 2FL	A	OVERSIZE BAG AND PANEL
Count: 1									
CAD Officer in Charge: Harp, Michael									
CF22-5551	02/13/2022 18:29:22	ALERT	Initiated	No	84	RD1, RD3, M12, BLU24,	120 RUNWAY 1735	C	RW 35 ETA 20 MIN G50 WITH TRIM ISSUES

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
						RD5, RD4, RD2, BC2			
CF22-6874	02/24/2022 14:05:17	ALERT	Initiated	No	86	BC2, RD1, RD2, RD4, RD5, RD6, M12, BLU23	560 RUNWAY 1735 [ETA 2120	C	EXEC JET 653 CITATION 680 NOSE WHEEL STEERING ISSUE 8 SOB, 160 LBS FUEL
CF22-6928	02/24/2022 23:16:48	REFUEL	Initiated	No	88	RD2, RD4	60 East PERIMETER	C	B6
Count: 3									
CAD Officer in Charge: Kochevar, Kevin									
CF22-6537	02/22/2022 01:36:59	MISCF	Initiated	No	88	M1	131 East 700 South	A	SMALL FIRE -INBETWEEN THE PARKING STRUCTURE TO THE EAST OF DISP ADDR
CF22-6527	02/21/2022 23:41:31	COMM	Initiated	No	87	LT8, LT5, M1, BC1, M8, M5, LT2, M2	220 South STATE Street	A	ACCESS THROUGH P1 BY THE DELIVERY TRUCKS SEC WILL MEET ..SMOKE IN THE LAUNDRY ROOM ...DOES NOT KNOW WHERE ITS COMING FROM ..ADVISED TO EVAC
CF22-6542	02/22/2022 03:40:59	ALARMF	Initiated	No	88	M1	777 East SOUTH TEMPLE Street	A	FIRE ALARM... SMOKE APT 4F... BONNEVILLE APTS... 801-355-2170
Count: 3									
CAD Officer in Charge: Maddux, John									
CF22-6586	02/22/2022 11:07:17	LINE	Initiated	No	87	M5, M8	806 South LINCOLN Street	B	POWER LINE DOWN ACROSS DRIVEWAY...NOT SPARKING
CF22-6674	02/22/2022 23:13:12	MISCF	Initiated	No	88	M5	650 South 700 East	B	HOMELESS F HAS AN OPEN FIRE OUT FRONT OF AN ABANDONED BLDG.....NOT SPREADING
CF22-6678	02/23/2022 00:12:08	ALARMF	Initiated	No	88	M5	681 South EGLI Court	B	ALL OF FIRE ALARMS WENT OFF IN THE HOME, PS CO ISSUE
Count: 3									
CAD Officer in Charge: Mortensen, Daniel									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
Count: 2									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF22-6291	02/20/2022 00:14:27	MISCF	Initiated	No	88	E10	1400 South 1900 East	C	STAKE CENTER BEHIND THIS LOCATION...FIRE IN PARKING LOT...UNKN WHAT, NOT THREATENING
Count: 5									
CAD Officer in Charge: Rock, Nathan									
CF22-6853	02/24/2022 11:09:38	ALARMF	Initiated	No	87	M1	169 East 200 South	C	STRATFORD HOTEL - SMOKE ALARM - ZONE 92 - LORAIN RUIZ 801.301.6888
CF22-6855	02/24/2022 11:18:28	ALARMF	Initiated	No	88	M1	230 East 300 South	C	MULTI RESD GENERAL FIRE ALARM - ZONE 1 - LANE JACKSON 801.560.2435
CF22-6881	02/24/2022 16:36:59	ALARMF	Initiated	No	88	M1	230 East 300 South	C	APT FIRE ALARM IS GOING OFF IN HER APT ONLY/ NO FIRE ISSUE SEEN/ CAN'T RESET IT AND UNK WHY IT WENT OFF
CF22-6861	02/24/2022 12:20:34	ALARMF	Initiated	No	87	M1	95 South STATE Street	C	FIRE ALARM ... KUSHMAN AND WAKEFIELD BUSN... PREMISE 801 450 3142
Count: 4									
CAD Officer in Charge: Shafer, Curtis									
CF22-6902	02/24/2022 19:46:18	ALARMF	Initiated	No	87	M7	474 North GRANT Street	C	FIRST STEP HOUSE...ZONE 1 GENERAL FIRE 3 TRIPS...RP THERON 801-935-1322...#801-557-9069
Count: 1									
CAD Officer in Charge: Shumway, Brandon									
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
Count: 2									
CAD Officer in Charge: Stafford, Robert									
CF22-6868	02/24/2022 13:09:57	ALARMF	Initiated	No	87	M2	244 West REED Avenue	C	RES SMOKE DET ALARM // RES MICHAEL GREEN // 801-856-5655 // REF C057-36543
CF22-6891	02/24/2022 18:14:32	PUBLIC	Initiated	No	88	M2, LT2	122 West SOUTH TEMPLE Street	C	POWER OUT - PEOPLE IN ELEVATOR 1 AND 2... ALL THREE ELEVATORS NOT FUNCTIONING... NEG SICK OR INJURED... UNK WHAT FLOOR STUCK ON..
Count: 2									
CAD Officer in Charge: Staheli, Brian									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
1									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
CAD Officer in Charge: Zwahlen, Jon									
CF22-6548	02/22/2022 05:10:54	PUBLIC	Initiated	No	88	LT5	1320 East 500 South	A	MEDICAL ALARM W/ PT CONTACT...84 YOM, STATING HE CANNOT GET OF HIS CHAIR...
Count: 1									
Count: 84									

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018
 Incident Number: Begins With CF
 Code: Is Not Equal To ARSINV
 Code: Is Not Equal To APSN
 Apparatus: Is Not Equal To E41
 Apparatus: Is Not Equal To E73
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).