

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

03/03/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF22-7655	03/03/2022 09:22:21	ALARMF	Initiated	No	86	M2	442 South HOLD Avenue	C	
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFRIEND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF22-6635	02/22/2022 18:33:34	ALERT	Initiated	No	86	BLU21, BLUE, RD6, RD5,	800 RUNWAY 16L34R	B	NOSE GEAR ISSUE PILATUS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
						RD4, BC2, RD1, RD2, RD3, M12			
CF22-6738	02/23/2022 13:02:13	FUEL	Initiated	No	87	RD1, RD5	24 TAXIWAY H[NORTH SUPPORT FUEL Station	B	INDIVIDUAL W/SP OVER FUELED VEHICLE AND FUEL SPILLED ONTO GROUND//ABOUT A QUARTER GALLON/UNK IF IN DRAINS ... SEE RELATED CP#: AP22-6295
CF22-6899	02/24/2022 19:27:33	PDASST	Initiated	No	85	GC591	211 South 500 East		GX TO STAGE FOR STATION 1
CF22-7660	03/03/2022 10:48:31	ALARMF	Initiated	No	87	M5	875 South DONNER Way	C	CANYON CREST CONDOS // 801-582-2207 ...801-296-6002 // ZONE 1 FIRE ALARM // REF AE101041
CF22-7668	03/03/2022 12:22:02	ALARMF	Initiated	No	87	M1	169 East 200 South	C	ZONE 90 SMOKE DETECTOR // NO PREMISE NUMBER //
<b>Count: 24</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-7529	03/02/2022 11:03:48	ALARMF	Initiated	No	86	EQ9	6628 West 700 North	C	COMM NORTHWEST QUADRANT BLDG 5 - FACP PULL STATION ALARM - RP 801.232.9794
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-7041	02/26/2022 00:04:24	VEH	Initiated	No	88	M6	600 North I15 NB 600 N OFF Ramp	C	COMP'S CAR ON FIRE... JUST OFF THE RAMP WB, BEFORE THE INTERSECTION
CF22-7568	03/02/2022 15:52:14	MISCF	Initiated	No	88	M6	1110 South 300 West	C	TARGET ON 1300 S 300 W BY US CHEFS, LARGE GREEN ELECTRICAL BOX ON FIRE, NOW GOING OUT, NOT THREATENING
CF22-7587	03/02/2022 18:23:54	ODOR	Initiated	No	88	M6	1134 West FREMONT Avenue	C	SMELLS LIKE BURNING METALS OUTSIDE OF THE HOUSE
<b>Count: 3</b>									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-7673	03/03/2022 13:08:52	ALARMF	Initiated	No	87	E10	875 South DONNER Way	C	CANYON CREST CONDOS // 801-582-2207 // ZONE 1 FIRE ALARM // REF AE101041
<b>Count: 1</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 1</b>									
<b>CAD Officer in Charge: Clark, Jeffrey</b>									
CF22-6587	02/22/2022 11:10:44	REFUEL	Initiated	No	87	RD2, RD3	60 East PERIMETER[SPOT 24 ]	B	JET BLUE ON SPOT 24
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-7514	03/02/2022 08:02:13	ALARMF	Initiated	No	87	EQ14	2560 West CALIFORNIA Avenue	B	PANEL SMOKE ZONE2, ALLEN W SUPPLIES, 801-401-8270
CF22-	03/01/2022	ALARMF	Initiated	No	87	EQ14	3366 West 1820	B	ZONE 1 GENERAL...AIRCOMM...801 901

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
7445	15:47:18						South		8888
<b>Count:</b> 2									
<b>CAD Officer in Charge: Davis, Jayde</b>									
CF22-7723	03/03/2022 18:34:42	WATER	Initiated	No	87	M2, LT2	600 West 200 North	C	WATER LEAKING FROM CONSTRUCTION SITE... POLICE NOT REMAINING ON SITE ... SEE RELATED CP#: SL22-38849 - ,WATER LEAK FROM CONSTRUCTION SITE... JUST W OF INTERSECTION IN FRONT OF VACANT LOT UNDER CONTRUCTION... OFCR NOT REMAINING ON SITE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-7590	03/02/2022 18:46:46	ALARMF	Initiated	No	88	M5	718 South 600 East	C	FIRE ALARM // BUSN VOA YWTH // NO PREMISE // ZONE 6 BASEMENT SMOKE // REF S95227
CF22-7609	03/02/2022 20:40:11	ALARMF	Initiated	No	88	M5	439 South DENVER Street	C	FIRST STEP HOUSE...RP PENDING...ZONE 316 PULL...#
CF22-7554	03/02/2022 14:43:12	ALARMF	Initiated	No	87	M5	1076 East 700 South	C	UPSTAIRS HALLWAY SMOKE DETECTOR/ RESD OF KATHLEEN LEONARD... THEY DID GET A "CANCEL" SIGNAL... PH # 801 209 7501
CF22-7651	03/03/2022 08:04:27	MISCF	Initiated	No	88	M5	667 South 700 East	C	BETWEEN 600 S AND 700 S AT THE ASIAN MARKET..TRANSIENTS HAVE A WARMING FIRE..
<b>Count:</b> 4									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Gillies, Matthew</b>									
CF22-7398	03/01/2022 09:29:26	LGASLE	Initiated	No	85	M1, BC1, E13, H10, HM73, LT8, M6, H14	1391 South 300 West	B	GAS LEAK INSIDE THE STRUCTURE AND CANT GET IT SHUT OFF.. PIPE COMING IN TO THE BUILDING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-6552	02/22/2022 05:47:31	MISCF	Initiated	No	88	M7	870 West NORTH TEMPLE Street	A	NEAR THE NAIL SALOON...IN THE DRIVEWAY JUST NORTH OF THE JACKSON/EUCLID STATION...HOMELESS M SET WOOD ON FIRE THEN LEFT ON THE TRAIN, FIRE STILL BURNING
CF22-6572	02/22/2022 08:25:37	MISCF	Initiated	No	88	M7	1411 West 1100 North	A	NEIGHBOR BACKYARD ON FIRE.. SOUTH OF.. THEY HAVE EMBERS FALLING INTO THEIR YARD.. APPROX ADDRESS.
CF22-6538	02/22/2022 01:44:19	MISCF	Initiated	No	88	M7	960 West NORTH TEMPLE Street	A	WARMING FIRE NEXT TO DUMPSTER... BURNING BOXES... COMP ASKED THEM TO STOP AND LEAVE...
CF22-6365	02/20/2022 14:35:43	DUMP	Initiated	No	88	M7	1255 West 500 North	A	DUMPSTER FIRE...FLAMES AND SMOKE... NEAR THE CORNER STORE ON THE EAST....
CF22-6410	02/20/2022 20:21:09	VEH	Initiated	No	88	M7	1017 North 900 West	A	TOYOTA CAMERY IS ON FIRE.. IN THE PARKING LOT OF THE MEXICAN GRILL
CF22-7135	02/26/2022 22:49:28	PASST	Initiated	No	88	M7, GC593	1000 West 1000 North	A	... SEE RELATED CP#: SL22-35577 - ,100 N 900 W,STAGED
CF22-	02/27/2022	WATER	Initiated	No	88	M7	North REDWOOD	A	BROKEN WATER LINE ON THE OUTSIDE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
7193	12:32:11						RD / W NORTHSTAR Drive		OF THE PROPERTY BUBBLING OUT OF GROUND... PS FLOODING THE PROPERTY UNK IF ACTUALLY IS... RIGHT BEHIND THE BUS STOP... ACROSS FOR THE AGRICULTUAL BUILDING.... SOUTH SIDE
CF22-7246	02/27/2022 20:38:31	ALARMF	Initiated	No	87	M7	866 West SOUTH TEMPLE Street	A	ZONE 1 ALARM - RP MIKE SMITH 801-702-9660
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
<b>Count:</b> 12									
<b>CAD Officer in Charge: Harding, Paul</b>									
CF22-6532	02/22/2022 00:12:16	APFA	Initiated	No	85	RD1, M12	146 TERMINAL SL TERM 2FL	A	OVERSIZE BAG AND PANEL
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-7277	02/28/2022 08:03:24	ALARMF	Initiated	No	87	M6	404 West 700 South	A	GENERAL FIRE ALARM... FIRE SMOKE ZONE 91... 801-349-8898....
<b>Count:</b> 1									
<b>CAD Officer in Charge: Knowlton, John</b>									
CF22-7525	03/02/2022 10:30:16	ALARMF	Initiated	No	87	E4	607 East 200 South	C	COMM GENERAL ALARM - ZONE 993 - ODYSSEY HOUSE - SITE # 801.363.0203.. PER TYLER.. NO ALARM GOING OFF... FAULTY ALARM YESTERDAY... REQ FD CXL
CF22-7545	03/02/2022 13:59:10	ALARMF	Initiated	No	87	E4	1422 East MILITARY Way	C	ZONE 10 SMOKE BASEMENT... RESD OF JEFF BRUNKIN.... PREMISE # 801 910 9640
CF22-7717	03/03/2022 17:57:28	PUBLIC	Initiated	No	88	E4	200 South CENTRAL CAMPUS Drive	C	ELEVATOR MALFUNCTION // 2 OCCUPANTS INSIDE... NO ONE SICK OR INJ // SEC ENROUTE TO DIRECT // THE SERVICE ELEVATOR...ELEVATOR #1
<b>Count:</b> 3									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-6537	02/22/2022 01:36:59	MISCF	Initiated	No	88	M1	131 East 700 South	A	SMALL FIRE -INBETWEEN THE PARKING STRUCTURE TO THE EAST OF DISP ADDR
CF22-6542	02/22/2022 03:40:59	ALARMF	Initiated	No	88	M1	777 East SOUTH TEMPLE Street	A	FIRE ALARM... SMOKE APT 4F... BONNEVILLE APTS... 801-355-2170
CF22-6527	02/21/2022 23:41:31	COMM	Initiated	No	87	LT8, LT5, M1, BC1, M8, M5, LT2, M2	220 South STATE Street	A	ACCESS THROUGH P1 BY THE DELIVERY TRUCKS SEC WILL MEET ..SMOKE IN THE LAUNDRY ROOM ...DOES NOT KNOW WHERE ITS COMING FROM ..ADVISED TO EVAC
<b>Count:</b> 3									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
<b>Count:</b> 3									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST Temple Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
<b>Count: 2</b>									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN...YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF22-6291	02/20/2022 00:14:27	MISCF	Initiated	No	88	E10	1400 South 1900 East	C	STAKE CENTER BEHIND THIS LOCATION...FIRE IN PARKING LOT...UNKN WHAT, NOT THREATENING
<b>Count: 5</b>									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-7543	03/02/2022 13:51:33	ALARMF	Initiated	No	87	M1	89 North B Street	C	GENERAL FIRE ALARM ZONE 7.... BUSN IS MADELINE CHOIR SCHOOL... NO PREMISE # ... KEYHOLDER SEAN SPARKS 801 647 7127
CF22-7716	03/03/2022 17:57:15	ALARMW	Initiated	No	88	LT2, M1	257 East 200 South	C	WATERFLOW ALARM... 257 TOWER, 801-322-1984... REF#F3400013
CF22-7659	03/03/2022 10:28:28	BOMBF	Initiated	No	87	M1, BC2, BC1, H10, M5	131 East 700 South	C	FEMALE SAYING THERE IS A BOMB THREAT NEED COPS THERE NOW....WHEN ASKED WHY.....SHE SAID BECUASE IT'S TRUE AND HUNG UP..... SEE RELATED CP#: SL22-38475
CF22-7692	03/03/2022 15:51:47	ALARMF	Initiated	No	88	M1	819 East 900 South	C	ALARM STARTED GOING OFF 25 MIN AGO....BF PULLED OUT THE BATTERY...NO ON SICK
<b>Count: 4</b>									
<b>CAD Officer in Charge: Shafer, Curtis</b>									
CF22-7610	03/02/2022 20:55:31	TRUCK	Initiated	No	88	M7, EQ14, H14, M2	1558 West I80W WB REDWOOD OFF Ramp	C	TIRES EXPLODED ON A SEMI....SMOKE, UNKN FLAMES...SEMI PULLED OVER ONTO RIGHT SIDE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-7417	03/01/2022 12:22:11	LOCKP	Initiated	No	87	LT2, M2	424 West 100 South	B	LOCKP CHILDREN INSIDE, MEET AT NORTH GARAGE ENTRANCE 424 W 100 S
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1,	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
						LT5, M1	ODOR FROM THE BASEMENT - MAINT IS ENR		
<b>Count:</b> 3									
<b>CAD Officer in Charge: Stafford, Robert</b>									
CF22-7728	03/03/2022 19:00:44	ALARMF	Initiated	No	87	M2	90 South RIO GRANDE Street	C	FIRE ALARM.. GATEWAY BLOCK C 1 .. ZONE 0 .. SITE NUMBER 801-456-0040..REF#S83053
CF22-7679	03/03/2022 13:46:02	ALARMW	Initiated	No	88	M2, LT2	102 West 500 South	C	BUSN OF CITY PLACE...NO PREMISE # KEYHOLDER DAWN FRANCIS 801 897 4180... WATERFLOW ZONE 11
<b>Count:</b> 2									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-7505	03/02/2022 05:50:26	HOUSE	Initiated	No	86	M5, M8, UT10, M2, BC1, BC2, FD141, FD152, FD182, LT8, EQ14, M6, LT5, M1	1089 South 200 Avenue West	B	HOUSE ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-7265	02/28/2022 03:06:22	SMOKE	Initiated	No	88	M8	1700 South MAIN Street	A	LOTS OF SMOKE AT THE INTERSECTION... SMELLS LIKE BURNT TIRES.. COMP WAS DRIVING SB ON MAIN AND WAS TURNING E ON 1700 S NEG FLAMES SEEN
<b>Count:</b> 1									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-6548	02/22/2022 05:10:54	PUBLIC	Initiated	No	88	LT5	1320 East 500 South	A	MEDICAL ALARM W/ PT CONTACT...84 YOM, STATING HE CANNOT GET OF HIS CHAIR...
<b>Count:</b> 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
-----------------	--------------------	------	---------------	---------	-------	-----------	---------	---------	---------------

Count:

92

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)