

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

03/04/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDA SST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF22-6635	02/22/2022 18:33:34	ALERT	Initiated	No	86	BLU21, BLUE, RD6, RD5, RD4, BC2, RD1, RD2, RD3, M12	800 RUNWAY 16L34R	B	NOSE GEAR ISSUE PILATUS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-6738	02/23/2022 13:02:13	FUEL	Initiated	No	87	RD1, RD5	24 TAXIWAY H[NORTH SUPPORT FUEL Station	B	INDIVIDUAL W/SP OVER FUELED VEHICLE AND FUEL SPILLED ONTO GROUND//ABOUT A QUARTER GALLON/UNK IF IN DRAINS ... SEE RELATED CP#: AP22-6295
CF22-6899	02/24/2022 19:27:33	PDASST	Initiated	No	85	GC591	211 South 500 East		GX TO STAGE FOR STATION 1
CF22-7747	03/03/2022 23:04:31	MISCF	Initiated	No	88	M6	389 West 1700 South	C	IN FENCED OFF AREA OF ORGANIC BUILDING...BURNING A FIRE NEAR THE BUILDING...JUST NORTH OF COSTCO
<b>Count:</b> 22									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-7568	03/02/2022 15:52:14	MISCF	Initiated	No	88	M6	1110 South 300 West	C	TARGET ON 1300 S 300 W BY US CHEFS, LARGE GREEN ELECTRICAL BOX ON FIRE, NOW GOING OUT, NOT THREATENING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-7743	03/03/2022 21:51:58	WATER	Initiated	No	88	E10	1436 South EL REY Street	C	INTERSECTION OF ST MARYS DR AND EL RAY ST..HOUSE WEST OF EL REY ST... WATER MAIN BREAK ... COMP SAYING WATER IS FLOWING FOR BLOCKS...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Clark, Jeffrey</b>									
CF22-6587	02/22/2022 11:10:44	REFUEL	Initiated	No	87	RD2, RD3	60 East PERIMETER[SPOT 24 ]	B	JET BLUE ON SPOT 24
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-7445	03/01/2022 15:47:18	ALARMF	Initiated	No	87	EQ14	3366 West 1820 South	B	ZONE 1 GENERAL...AIRCOMM...801 901 8888
CF22-7514	03/02/2022 08:02:13	ALARMF	Initiated	No	87	EQ14	2560 West CALIFORNIA Avenue	B	PANEL SMOKE ZONE2, ALLEN W SUPPLIES, 801-401-8270
<b>Count:</b> 2									
<b>CAD Officer in Charge: Davis, Jayde</b>									
CF22-7723	03/03/2022 18:34:42	WATER	Initiated	No	87	M2, LT2	600 West 200 North	C	WATER LEAKING FROM CONSTRUCTION SITE... POLICE NOT REMAINING ON SITE ... SEE RELATED CP#: SL22-38849 - ,WATER LEAK FROM CONSTRUCTION SITE... JUST W OF INTERSECTION IN FRONT OF VACANT LOT UNDER CONSTRUCTION... OFCR NOT REMAINING ON SITE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Elton, Richard</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-7826	03/04/2022 16:44:23	ALARMW	Initiated	No	87	M8, LT8	350 West HOPE Avenue	A	COMM WATERFLOW ALARM, PARKING GARAGE DRY SYSTEM... 801-484-7311... REF#3589
<b>Count:</b> 1									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-7831	03/04/2022 17:38:01	ALERT	Initiated	No	85	RD1, RD6, RD5, RD4, RD2, BC2, M12, BLU21	502 RUNWAY 16R34L	A	DECOY C17 MANIFOLD ISSUE
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 2									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Gillies, Matthew</b>									
CF22-7398	03/01/2022 09:29:26	LGASLE	Initiated	No	85	M1, BC1, E13, H10, HM73, LT8, M6, H14	1391 South 300 West	B	GAS LEAK INSIDE THE STRUCTURE AND CANT GET IT SHUT OFF.. PIPE COMING IN TO THE BUILDING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-6552	02/22/2022 05:47:31	MISCF	Initiated	No	88	M7	870 West NORTH Temple Street	A	NEAR THE NAIL SALOON...IN THE DRIVEWAY JUST NORTH OF THE JACKSON/EUCLID STATION...HOMELESS M SET WOOD ON FIRE THEN LEFT ON THE TRAIN, FIRE STILL BURNING
CF22-6572	02/22/2022 08:25:37	MISCF	Initiated	No	88	M7	1411 West 1100 North	A	NEIGHBOR BACKYARD ON FIRE.. SOUTH OF.. THEY HAVE EMBERS FALLING INTO THEIR YARD.. APPROX ADDRESS.
CF22-6365	02/20/2022 14:35:43	DUMP	Initiated	No	88	M7	1255 West 500 North	A	DUMPSTER FIRE...FLAMES AND SMOKE... NEAR THE CORNER STORE ON THE EAST....
CF22-6410	02/20/2022 20:21:09	VEH	Initiated	No	88	M7	1017 North 900 West	A	TOYOTA CAMERY IS ON FIRE.. IN THE PARKING LOT OF THE MEXICAN GRILL
CF22-7135	02/26/2022 22:49:28	PDASST	Initiated	No	88	M7, GC593	1000 West 1000 North	A	... SEE RELATED CP#: SL22-35577 - ,100 N 900 W,STAGED
CF22-7193	02/27/2022 12:32:11	WATER	Initiated	No	88	M7	North REDWOOD RD / W NORTHSTAR Drive	A	BROKEN WATER LINE ON THE OUTSIDE OF THE PROPERTY BUBBLING OUT OF GROUND... PS FLOODING THE PROPERTY UNK IF ACTUALLY IS... RIGHT BEHIND THE BUS STOP... ACROSS FOR THE AGRICULTUAL BUILDING.... SOUTH SIDE
CF22-7246	02/27/2022 20:38:31	ALARMF	Initiated	No	87	M7	866 West SOUTH Temple Street	A	ZONE 1 ALARM - RP MIKE SMITH 801-702-9660
CF22-6538	02/22/2022 01:44:19	MISCF	Initiated	No	88	M7	960 West NORTH Temple Street	A	WARMING FIRE NEXT TO DUMPSTER... BURNING BOXES... COMP ASKED THEM TO STOP AND LEAVE...
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE... HONDA

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 12									
<b>CAD Officer in Charge: Harding, Paul</b>									
CF22-6532	02/22/2022 00:12:16	APFA	Initiated	No	85	RD1, M12	146 TERMINAL SL[TERM 2FL	A	OVERSIZE BAG AND PANEL
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-7277	02/28/2022 08:03:24	ALARMF	Initiated	No	87	M6	404 West 700 South	A	GENERAL FIRE ALARM... FIRE SMOKE ZONE 91... 801-349-8898....
CF22-7832	03/04/2022 17:44:59	MISCF	Initiated	No	88	M6	1304 West IOLA Avenue	A	SMOKE COMING FROM BEHIND THE HOUSE, UNK WHAT'S BURNING... COMP IS NEIGHBOR, STATING RED BRICK HOUSE... ADDR FROM GOOGLE...
<b>Count:</b> 2									
<b>CAD Officer in Charge: Kartstone, Constantine</b>									
CF22-7797	03/04/2022 11:02:11	ALARMF	Initiated	No	88	E13	2164 South 2300 East	A	BASEMENT SMOKE DETECTOR... RESD OF EMILY CORDOVA... PREMISE # 801 253 1461
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-6537	02/22/2022 01:36:59	MISCF	Initiated	No	88	M1	131 East 700 South	A	SMALL FIRE -INBETWEEN THE PARKING STRUCTURE TO THE EAST OF DISP ADDR
CF22-6542	02/22/2022 03:40:59	ALARMF	Initiated	No	88	M1	777 East SOUTH TEMPLE Street	A	FIRE ALARM... SMOKE APT 4F... BONNEVILLE APTS... 801-355-2170
CF22-6527	02/21/2022 23:41:31	COMM	Initiated	No	87	LT8, LT5, M1, BC1, M8, M5, LT2, M2	220 South STATE Street	A	ACCESS THROUGH P1 BY THE DELIVERY TRUCKS SEC WILL MEET ..SMOKE IN THE LAUNDRY ROOM ...DOES NOT KNOW WHERE ITS COMING FROM ..ADVISED TO EVAC
<b>Count:</b> 3									
<b>CAD Officer in Charge: Miller, Gregory</b>									
CF22-7789	03/04/2022 10:07:28	TRUCK	Initiated	No	86	M7, M8, FD155, FD182, M6, H14	600 South 700 West	A	RV N FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
<b>Count:</b> 2									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>1</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF22-6291	02/20/2022 00:14:27	MISCF	Initiated	No	88	E10	1400 South 1900 East	C	STAKE CENTER BEHIND THIS LOCATION...FIRE IN PARKING LOT...UNKN WHAT, NOT THREATENING
<b>Count: 5</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
CF22-7417	03/01/2022 12:22:11	LOCKP	Initiated	No	87	LT2, M2	424 West 100 South	B	LOCKP CHILDREN INSIDE, MEET AT NORTH GARAGE ENTRANCE 424 W 100 S
<b>Count: 3</b>									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
CF22-7820	03/04/2022 15:44:19	HYD	Initiated	No	88	EQ14	3405 West 900 South	A	LEAKING HYDRANT B211 IN THE AREA TO DIRECT
<b>Count: 2</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF22-7844	03/04/2022 19:22:18	ODOR	Initiated	No	88	M8	162 West PAXTON Avenue	A	
CF22-7781	03/04/2022 09:14:47	MISCF	Initiated	No	88	M8, FD182	1700 South 900 West	A	WRECKING TOW YARD ACROSS FROM 711...LOTS OF BLACK SMOKE
CF22-7833	03/04/2022 17:48:02	MISCF	Initiated	No	88	M8	54 East HARRISON Avenue	A	TRANSIENTS HAVE BUILT A CAMPFIRE IN THE PARKING LOT OF LITTLE WORLD .. IS ON TOP OF THE ASPHALT .. 3 TRANSIENTS ON SCENE ..
<b>Count: 4</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-7505	03/02/2022 05:50:26	HOUSE	Initiated	No	86	M5, M8, UT10, M2, BC1, BC2, FD141, FD152,	1089 South 200 Avenue West	B	HOUSE ON FIRE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
						FD182, LT8, EQ14, M6, LT5, M1			
<b>Count:</b> 1									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-7807	03/04/2022 13:12:09	ALARMF	Initiated	No	87	E4	37 North 2000 East	A	FIRE ALARM / NFD... SEC ENR
CF22-7808	03/04/2022 13:19:41	ALARMF	Initiated	No	88	E4	223 East 3RD Avenue	A	WILL BE OUTSIDE... COMP WEARING VERY COLORFUL SWEATPANTS, BLU COAT AND DOG WITH THEM // CO ALARM WENT OFF, NO SMOKE OR SMELL OF SMOKE...
CF22-7812	03/04/2022 14:08:14	ALARMF	Initiated	No	87	E4	1430 East PRESIDENTS Circle	A	FIRE ALARM
<b>Count:</b> 3									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-7265	02/28/2022 03:06:22	SMOKE	Initiated	No	88	M8	1700 South MAIN Street	A	LOTS OF SMOKE AT THE INTERSECTION... SMELLS LIKE BURNT TIRES.. COMP WAS DRIVING SB ON MAIN AND WAS TURNING E ON 1700 S NEG FLAMES SEEN
<b>Count:</b> 1									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-6548	02/22/2022 05:10:54	PUBLIC	Initiated	No	88	LT5	1320 East 500 South	A	MEDICAL ALARM W/ PT CONTACT...84 YOM, STATING HE CANNOT GET OF HIS CHAIR...
<b>Count:</b> 1									
<b>Count:</b> 85									

#### Report Criteria

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).