

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

03/06/2022



| Incident Number                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus   | Address                         | Platoon | CAD Narrative   |
|--------------------------------------|---------------------|--------|---------------|---------|-------|---|---------------------------------|---------|---|
| <b>CAD Officer in Charge: (None)</b> |                     |        |               |         |       |   |                                 |         |   |
| CF21-38975                           | 11/23/2021 11:05:26 | PUBLIC | Initiated     | No      | 86    | BLU28   | 31 CONCOURSE A SL[OBA A25]      |         |   |
| CF21-30961                           | 09/18/2021 21:35:36 | TRUCK  | Initiated     | No      | 84    | BC41, E41, MA41                                     | 200 West I80E WB Freeway        |         |   |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11                            | 4201 West 700 South             | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING   |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159  | 7345 South WINESAP Circle       |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5  |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152   | 8037 South ROYAL Lane           |         | FD152   |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 95    | M3  | 1237 East BRICKYARD Road        | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..  |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2   | 307 East 600 South              |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...  |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2   | 50 West NORTH TEMPLE Street     | B       | FALSE ALARM PER CHURCH SECURITY   |
| CF21-24834                           | 08/04/2021 01:03:00 | ELEC   | Initiated     | No      | 95    | M3  | 2225 South HIGHLAND Drive       | B       | CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP   |
| CF21-29580                           | 09/09/2021 13:39:54 | UNCON  | Initiated     | No      | 82    | MA72  | 2000 South 3200 West            |         | FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD   |
| CF21-29985                           | 09/12/2021 00:56:00 | UNCON  | Initiated     | No      | 83    | MA73  | 1571 South I215W NB Freeway     |         | FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH  |
| CF21-31373                           | 09/22/2021 08:01:32 | PUBLIC | Initiated     | No      | 87    | BLUE  | 765 North 2200 W[BUILDING 302 ] |         | BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME   |
| CF21-35807                           | 10/28/2021 06:29:40 | ASSAM  | Initiated     | No      | 80    | E41, ME101, MA41                                    | 2757 South 300 East             |         | BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472 |
| CF21-36584                           | 11/03/2021 16:20:52 | MISCF  | Initiated     | No      | 85    | BC31  | 442 South HOLD Avenue           |         | ***TEST***  |
| CF21-37094                           | 11/07/2021 21:52:52 | PASST  | Initiated     | No      | 88    | M2  | 50 South 500 West               | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750   |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120   | 1600 South INDUSTRIAL Road      |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE  |
| CF21-42781                           | 12/24/2021 21:12:59 | ASSAM  | Initiated     | No      | 84    | MA73  | 2831 South 2540 West            |         | COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746   |
| CF22-1590                            | 01/13/2022 10:33:26 | SEIZ   | Initiated     | No      | 86    | GC565, ME119  | 876 East 800 South              |         | LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565   |
| CF22-6635                            | 02/22/2022 18:33:34 | ALERT  | Initiated     | No      | 86    | BLU21, BLUE, RD6, RD5, RD4, BC2, RD1, RD2, RD3, M12 | 800 RUNWAY 16L34R               | B       | NOSE GEAR ISSUE PILATUS   |

| Incident Number                               | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus      | Address                                 | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|----------------|---|---------|--|
| CF22-6738                                     | 02/23/2022 13:02:13 | FUEL   | Initiated     | No      | 87    | RD1, RD5       | 24 TAXIWAY H[NORTH SUPPORT FUEL Station | B       | INDIVIDUAL W/SP OVER FUELED VEHICLE AND FUEL SPILLED ONTO GROUND//ABOUT A QUARTER GALLON/UNK IF IN DRAINS ... SEE RELATED CP#: AP22-6295 |
| CF22-6899                                     | 02/24/2022 19:27:33 | PDASST | Initiated     | No      | 85    | GC591          | 211 South 500 East                      |         | GX TO STAGE FOR STATION 1  |
| CF22-7747                                     | 03/03/2022 23:04:31 | MISCF  | Initiated     | No      | 88    | M6             | 389 West 1700 South                     | C       | IN FENCED OFF AREA OF ORGANIC BUILDING...BURNING A FIRE NEAR THE BUILDING...JUST NORTH OF COSTCO   |
| <b>Count:</b><br>22                           |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Bills, Jared</b>    |                     |        |               |         |       |                |   |         |  |
| CF22-7568                                     | 03/02/2022 15:52:14 | MISCF  | Initiated     | No      | 88    | M6             | 1110 South 300 West                     | C       | TARGET ON 1300 S 300 W BY US CHEFS, LARGE GREEN ELECTRICAL BOX ON FIRE, NOW GOING OUT, NOT THREATENING                                   |
| <b>Count:</b><br>1                            |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Bush, Joseph</b>    |                     |        |               |         |       |                |   |         |  |
| CF22-7743                                     | 03/03/2022 21:51:58 | WATER  | Initiated     | No      | 88    | E10            | 1436 South EL REY Street                | C       | INTERSECTION OF ST MARYS DR AND EL RAY ST..HOUSE WEST OF EL REY ST... WATER MAIN BREAK ... COMP SAYING WATER IS FLOWING FOR BLOCKS...    |
| <b>Count:</b><br>1                            |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Carter, Gary</b>    |                     |        |               |         |       |                |   |         |  |
| CF20-14622                                    | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156          | 475 South 300 East                      |         |  |
| <b>Count:</b><br>1                            |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Clark, Jeffrey</b>  |                     |        |               |         |       |                |   |         |  |
| CF22-6587                                     | 02/22/2022 11:10:44 | REFUEL | Initiated     | No      | 87    | RD2, RD3       | 60 East PERIMETER[SPOT 24 ]             | B       | JET BLUE ON SPOT 24  |
| <b>Count:</b><br>1                            |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>     |                     |        |               |         |       |                |   |         |  |
| CF20-29532                                    | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092 | 10914 West I80W EB Freeway              |         | EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE   |
| <b>Count:</b><br>1                            |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Comer, Peter</b>    |                     |        |               |         |       |                |   |         |  |
| CF21-22812                                    | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12            | 1174 West 600 North                     | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD                                   |
| <b>Count:</b><br>1                            |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Crandall, Steve</b> |                     |        |               |         |       |                |   |         |  |
| CF22-7975                                     | 03/05/2022 21:52:33 | PUBLIC | Initiated     | No      | 88    | LT5            | 1465 South 900 East                     | A       | LARGE TREE FELL ON ROOF OF HOUSE.... AFRAID OF LARGER TREE POSSIBLY COLLAPSING ROOF....  |
| CF22-7994                                     | 03/05/2022 22:53:39 | LINE   | Initiated     | No      | 88    | LT5            | 700 East BROWNING Avenue                | A       | POWER LINE POPPED/SPARKED AND FELL DOWN ACROSS ST...   |
| <b>Count:</b><br>2                            |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Davies, Adam</b>    |                     |        |               |         |       |                |   |         |  |
| CF22-7445                                     | 03/01/2022 15:47:18 | ALARMF | Initiated     | No      | 87    | EQ14           | 3366 West 1820 South                    | B       | ZONE 1 GENERAL...AIRCOMM...801 901 8888  |
| CF22-7514                                     | 03/02/2022 08:02:13 | ALARMF | Initiated     | No      | 87    | EQ14           | 2560 West CALIFORNIA Avenue             | B       | PANEL SMOKE ZONE2, ALLEN W SUPPLIES, 801-401-8270  |
| <b>Count:</b><br>2                            |                     |        |               |         |       |                |   |         |  |
| <b>CAD Officer in Charge: Davis, Jayde</b>    |                     |        |               |         |       |                |   |         |  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                             | Address                         | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|---------------------------------------|---------------------------------|---------|--|
| CF22-7723                                      | 03/03/2022 18:34:42 | WATER  | Initiated     | No      | 87    | M2, LT2                               | 600 West 200 North              | C       | WATER LEAKING FROM CONSTRUCTION SITE... POLICE NOT REMAINING ON SITE ... SEE RELATED CP#: SL22-38849 - ,WATER LEAK FROM CONSTRUCTION SITE... JUST W OF INTERSECTION IN FRONT OF VACANT LOT UNDER CONTRUCTION... OFCR NOT REMAINING ON SITE |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                                       |                                 |         |  |
| <b>CAD Officer in Charge: Elton, Richard</b>   |                     |        |               |         |       |                                       |                                 |         |  |
| CF22-7826                                      | 03/04/2022 16:44:23 | ALARMW | Initiated     | No      | 87    | M8, LT8                               | 350 West HOPE Avenue            | A       | COMM WATERFLOW ALARM, PARKING GARAGE DRY SYSTEM... 801-484-7311... REF#3589  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                                       |                                 |         |  |
| <b>CAD Officer in Charge: Endemano, Edward</b> |                     |        |               |         |       |                                       |                                 |         |  |
| CF22-3459                                      | 01/28/2022 15:59:33 | FIRE   | Initiated     | No      | 88    | M12                                   | 500 EMPLOYEE LOT[STOP 4         | A       | GARBAGE CAN ON FIRE  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                                       |                                 |         |  |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |               |         |       |                                       |                                 |         |  |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated     | No      | 88    | SQ2                                   | 48 West 300 South               |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                                       |                                 |         |  |
| <b>CAD Officer in Charge: Gillies, Matthew</b> |                     |        |               |         |       |                                       |                                 |         |  |
| CF22-7398                                      | 03/01/2022 09:29:26 | LGASLE | Initiated     | No      | 85    | M1, BC1, E13, H10, HM73, LT8, M6, H14 | 1391 South 300 West             | B       | GAS LEAK INSIDE THE STRUCTURE AND CANT GET IT SHUT OFF.. PIPE COMING IN TO THE BUILDING  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                                       |                                 |         |  |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |               |         |       |                                       |                                 |         |  |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated     | No      | 86    | M7                                    | 300 North 700 West              | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...  |
| CF21-19904                                     | 06/27/2021 17:57:23 | ALARMF | Initiated     | No      | 88    | M7                                    | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE  |
| CF21-19914                                     | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155                             | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA   |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated     | No      | 87    | H14                                   | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS   |
| CF22-8008                                      | 03/05/2022 23:54:10 | ELEC   | Initiated     | No      | 88    | M7                                    | 411 North GRANT Street          | A       | FIRST STEP HOUSE...POLE ON FIRE, POWER POLE...OUT FRONT, CLOSE TO BUILDING AND A TREE  |
| CF22-8032                                      | 03/06/2022 03:55:13 | LINE   | Initiated     | No      | 87    | M7                                    | 711 North 1300 West             | A       | LINE HANGING IN TREE BEHIND HOUSE SOUTH OF..NO FIRE..UNK IF LINE IS STILL LIVE OR NOT  |
| CF22-7982                                      | 03/05/2022 22:12:41 | LINE   | Initiated     | No      | 88    | M7                                    | 411 North GRANT Street          | A       | 1ST STEP HOUSE   |
| <b>Count:</b><br>7                             |                     |        |               |         |       |                                       |                                 |         |  |
| <b>CAD Officer in Charge: Harding, Paul</b>    |                     |        |               |         |       |                                       |                                 |         |  |
| CF22-6532                                      | 02/22/2022 00:12:16 | APFA   | Initiated     | No      | 85    | RD1, M12                              | 146 TERMINAL SL[TERM 2FL        | A       | OVERSIZE BAG AND PANEL   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |                                       |                                 |         |  |
| <b>CAD Officer in Charge: Harwood, Blake</b>   |                     |        |               |         |       |                                       |                                 |         |  |
| CF22-7956                                      | 03/05/2022 19:29:47 | ALARMF | Initiated     | No      | 88    | EQ9                                   | 223 North JIMMY DOOLITTLE Road  | A       | GENERAL FIRE... R/P 801-533-8878..   |
| <b>Count:</b>                                  |                     |        |               |         |       |                                       |                                 |         |  |

| Incident Number                                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                          | Address                       | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|------------------------------------|-------------------------------|---------|--|
| <b>1</b>   |                     |        |               |         |       |                                    |                               |         |  |
| <b>CAD Officer in Charge: Kartsones, Constantine</b> |                     |        |               |         |       |                                    |                               |         |  |
| CF22-7972  | 03/05/2022 21:30:24 | ELEC   | Initiated     | No      | 88    | E13                                | 2514 East KENSINGTON Avenue   | A       | 2-3 HOUSES TO THE SOUTH, BEHIND THE HOUSES UP HIGH - SEEING SPARKING AND SMOKE, THINKS IT IS A TRANSFORMER                                       |
| CF22-7980  | 03/05/2022 22:11:39 | ELEC   | Initiated     | No      | 88    | E13                                | 1502 South WASATCH Drive      | A       | SPARKING IN POWER LINES WITH TREE LIMBS, IN BACKYARD   |
| CF22-7985  | 03/05/2022 22:25:40 | LINE   | Initiated     | No      | 88    | E13                                | 2100 South 1900 East          | A       | EB JUST PRIOR TO YUMA ST... BIG FLASH OF LIGHT... LARGE AMOUNT OF SNOW DUMPED..., REQ SOMEONE CHECK THE AREA FOR PS LINES DOWN...                |
| CF22-8013  | 03/06/2022 00:20:54 | LINE   | Initiated     | No      | 87    | E13                                | 1700 East 1700 South          | A       | 6FT OFF THE GROUND   |
| CF22-8018  | 03/06/2022 01:18:22 | LINE   | Initiated     | No      | 88    | E13                                | 1700 East 1700 South          | A       | LOW LINE IS DOWN NOW ACROSS THE ROAD.. NO SMOKE OR FLAMES..  |
| CF22-7990  | 03/05/2022 22:41:58 | LINE   | Initiated     | No      | 88    | E13                                | 1856 East 2100 South          | A       | TRANSFORMER BLEW - NEG SMOKE OR FLAMES... LINES DOWN...  |
| CF22-7997  | 03/05/2022 23:14:47 | ELEC   | Initiated     | No      | 88    | E13                                | 1947 South NEVADA Street      | A       | POWER LINE IN BACKYARD...TOP OF POLE SPARKING, NOT THREATENING   |
| CF22-8001  | 03/05/2022 23:26:15 | LINE   | Initiated     | No      | 88    | E13                                | 1928 East DOWNINGTON Avenue   | A       | LINE DOWN IN FRONT OF HOME, IN STREET, UNKN IF ITS A POWER LINE  |
| CF22-7797  | 03/04/2022 11:02:11 | ALARMF | Initiated     | No      | 88    | E13                                | 2164 South 2300 East          | A       | BASEMENT SMOKE DETECTOR... RESD OF EMILY CORDOVA... PREMISE # 801 253 1461   |
| <b>Count: 9</b>                                      |                     |        |               |         |       |                                    |                               |         |  |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>        |                     |        |               |         |       |                                    |                               |         |  |
| CF22-6527  | 02/21/2022 23:41:31 | COMM   | Initiated     | No      | 87    | LT8, LT5, M1, BC1, M8, M5, LT2, M2 | 220 South STATE Street        | A       | ACCESS THROUGH P1 BY THE DELIVERY TRUCKS SEC WILL MEET ..SMOKE IN THE LAUNDRY ROOM ...DOES NOT KNOW WHERE ITS COMING FROM ..ADVISED TO EVAC      |
| CF22-6537  | 02/22/2022 01:36:59 | MISCF  | Initiated     | No      | 88    | M1                                 | 131 East 700 South            | A       | SMALL FIRE -INBETWEEN THE PARKING STRUCTURE TO THE EAST OF DISP ADDR   |
| CF22-6542  | 02/22/2022 03:40:59 | ALARMF | Initiated     | No      | 88    | M1                                 | 777 East SOUTH TEMPLE Street  | A       | FIRE ALARM... SMOKE APT 4F... BONNEVILLE APTS... 801-355-2170  |
| CF22-8005  | 03/05/2022 23:40:21 | LINE   | Initiated     | No      | 88    | M1                                 | 860 East 500 South            | A       | IN THE APT COMPLEX PARKING LOT, LINE FELL AND IS DRAPED ACROSS THEIR CAR... ADVISED NOT TO TOUCH THE CAR OR THE LINE                             |
| CF22-7996  | 03/05/2022 23:06:50 | LINE   | Initiated     | No      | 88    | M1                                 | 40 South 200 East             | A       | ... SEE RELATED CP#: SL22-40397 - ,VEH VS FIREHYDRANT... NEG INJ... CLEAR FOR FIRE   |
| CF22-8037  | 03/06/2022 04:15:28 | LINE   | Initiated     | No      | 88    | M1                                 | 143 South 1000 East           | A       | IN DRIVEWAY..LARGE TREE BRANCH FELL DOWN & HAS LINE WRAPPED AROUND IT..SMELLS LIKE SOMETHING BURNING BUT NO SMOKE OR FLAMES..NO ARCING OR SPARKS |
| CF22-7986  | 03/05/2022 22:31:37 | ELEC   | Initiated     | No      | 88    | M1                                 | 581 North TERRACE HILLS Drive | A       | BETWEEN J AND K ST... LINES RED AND EMITTING SPARKS..ON 11TH... THREATENING GARAGE OF HOME   |
| CF22-7977  | 03/05/2022 21:59:30 | ELEC   | Initiated     | No      | 88    | M1                                 | 462 South UNIVERSITY Street   | A       | LINE IS SPARKING AND STARTING TO SHOW FLAMES .. STARTING TO SAG ... THREATENING SHED AND OTHER POWER LINES... IN BACKYARD OF DISP ADDR           |
| CF22-7958  | 03/05/2022 19:45:40 | LINE   | Initiated     | No      | 88    | M1                                 | 200 East SOUTH TEMPLE Street  | A       | SW CORNER BY BIG O TIRES.. DOWNED POWER LINE. NO ONE SICK OR INJ.. SAYS EVERY MIN OR SO CAN SEE FLASHING   |
| CF22-7969  | 03/05/2022 21:15:19 | PUBLIC | Initiated     | No      | 88    | M1                                 | 400 South 600 East            | A       | M IN WHEELCHAIR STUCK IN SNOW... LARGE MAN... SW CORNER... MWA... 50 YOA... NEG INJURIES...  |
| CF22-7904  | 03/05/2022 12:10:19 | ALARMF | Initiated     | No      | 88    | M1                                 | 132 South STATE Street        | A       | COMM FIRE PANEL ALARM- UPMA ORPHIUM OFC PLAZA - SEC 801.573.3231   |
| CF22-7918  | 03/05/2022 14:07:07 | ALARMF | Initiated     | No      | 88    | M1                                 | 132 South STATE Street        | A       | COMM FIRE ALARM... FIRE PANEL ALARM... ORPAHM OFFICE PLAZA... 801-573-3231...  |

| Incident Number                                 | Incident Date Time  | Code   | Record Status            | Locked? | Score | Apparatus                              | Address                       | Platoon | CAD Narrative  |
|---|---------------------|--------|--------------------------|---------|-------|--|-------------------------------|---------|--|
| CF22-7925                                       | 03/05/2022 15:23:43 | ALARMF | Initiated                | No      | 87    | M1                                     | 100 East SOUTH TEMPLE Street  | A       | ZONE 1 FIRE PREMISE 801-326-2044   |
| CF22-8041                                       | 03/06/2022 04:30:48 | LINE   | Initiated                | No      | 88    | M1                                     | 1161 East 900 South           | A       | MULTIPLE LINES VERY LOW TO THE GROUND, THERE HAS BEEN SOME ARCING...   |
| CF22-8045                                       | 03/06/2022 05:20:17 | ELEC   | Initiated                | No      | 87    | M5, M1                                 | 664 South GRAND Street        | A       | POLE FIRE.. WIRE AND TREE THAT FELL ON WIRES..   |
| CF22-8055                                       | 03/06/2022 06:38:49 | ELEC   | Initiated                | No      | 88    | M1                                     | 700 East 200 South            | A       | LINES SPARKING BY GAS STATION NEAR THIS INTERSECTION, SOUTHWEST CORNER OF INTERSECTION   |
| <b>Count: 16</b>                                |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |                          |         |       |  |                               |         |  |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated                | No      | 88    | FD154                                  | 1246 East BONNER Way          |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated                | No      | 83    | FD154                                  | 1330 East IRA HODGES          |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated                | No      | 85    | FD154                                  | 120 South STATE Street        |         |  |
| <b>Count: 3</b>                                 |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Moser, Shane</b>      |                     |        |                          |         |       |  |                               |         |  |
| CF22-4411                                       | 02/04/2022 16:46:39 | COMM   | Initiated                | No      | 87    | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South             | B       | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...           |
| CF22-5910                                       | 02/17/2022 01:18:24 | HOUSE  | Ready for Officer review | No      | 100   | BC1, FD153, M8, M5, LT8, M6            | 1535 South WEST TEMPLE Street | B       | ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..   |
| <b>Count: 2</b>                                 |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>     |                     |        |                          |         |       |  |                               |         |  |
| CF21-13024                                      | 05/03/2021 12:24:54 | PUBLIC | Initiated                | No      | 86    | SQ1                                    | 131 East 700 South            |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count: 1</b>                                 |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b>    |                     |        |                          |         |       |  |                               |         |  |
| CF20-30271                                      | 09/18/2020 17:47:16 | 65A03  | Initiated                | No      | 86    | EW6141, EW6142, M14                    | 1560 West 3900 South          | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF21-10548                                      | 04/11/2021 09:48:49 | PASST  | Initiated                | No      | 88    | LT8                                    | 1460 South STATE Street       | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF                               |
| CF21-11158                                      | 04/16/2021 12:43:25 | PASST  | Initiated                | No      | 84    | GC589                                  | 1364 West GLENROSE Drive      |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950                                      | 07/29/2020 14:30:19 | 65A03  | Initiated                | No      | 88    | E13                                    | 6650 East I80E WB Freeway     | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| CF22-6291                                       | 02/20/2022 00:14:27 | MISCF  | Initiated                | No      | 88    | E10                                    | 1400 South 1900 East          | C       | STAKE CENTER BEHIND THIS LOCATION...FIRE IN PARKING LOT...UNKN WHAT, NOT THREATENING   |
| <b>Count: 5</b>                                 |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Rockwood, Wade</b>    |                     |        |                          |         |       |  |                               |         |  |
| CF22-8058                                       | 03/06/2022 06:43:37 | ALARMF | Initiated                | No      | 87    | M5, E10                                | 1431 South 1000 East          | A       | RESIDENTIAL...ZONE 12 MAIN SMOKE...RP NONE...#801-487-2410   |
| CF22-7998                                       | 03/05/2022 23:16:12 | LINE   | Initiated                | No      | 86    | E10, E13, M3                           | 1880 East WESTMINSTER Avenue  | A       | THE LINE THAT CONNECTS POWER FROM POWER POLES TO STREET LIGHTS IS GLOWING RED AND THE STREET LIGHTS ARE OUT  |
| <b>Count: 2</b>                                 |                     |        |                          |         |       |  |                               |         |  |

| Incident Number                                    | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                                    | Address                      | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|--|------------------------------|---------|--|
| <b>CAD Officer in Charge: Rushton, Joel</b>        |                     |        |               |         |       |  |                              |         |  |
| CF22-8049  | 03/06/2022 05:43:18 | LINE   | Initiated     | No      | 88    | M5   | 1740 South 900 East          | A       | IN THE BACK OF THE HOUSE...BRANCH FELL ON THE ROOF AND POWER LINES ARE LAYING ON THE ROOF  |
| CF22-8050  | 03/06/2022 06:05:26 | LINE   | Initiated     | No      | 88    | M5   | 850 East WILSON Avenue       | A       | LINES DOWN WRAPPED UP IN A TREE AND LAYING ON THE GROUND...CALLER NO LONGER IN AREA  |
| CF22-8053  | 03/06/2022 06:18:53 | LINE   | Initiated     | No      | 88    | M5   | 1664 South 1200 East         | A       | POWER LINE IS ARCING ..COMP WILL MEET CREWS OUTSIDE  |
| CF22-8054  | 03/06/2022 06:29:30 | LINE   | Initiated     | No      | 87    | M5, M1                                       | 700 East EMERSON Avenue      | A       | OFFICER ADVISES TREE TANGLED IN A POWER LINE .. HAD FIRE BUT NOW JUST SPARKING..   |
| <b>Count: 4</b>                                    |                     |        |               |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Shumway, Brandon</b>     |                     |        |               |         |       |  |                              |         |  |
| CF22-4850  | 02/08/2022 08:30:44 | ALARMF | Initiated     | No      | 88    | M6   | 824 South 400 West           | A       | FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A   |
| CF22-5893  | 02/16/2022 21:39:08 | APT    | Initiated     | No      | 88    | M2, LT2, E4, M7, BC1, LT5, M1                | 228 East 1ST Avenue          | B       | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR   |
| CF22-7417  | 03/01/2022 12:22:11 | LOCKP  | Initiated     | No      | 87    | LT2, M2                                      | 424 West 100 South           | B       | LOCKP CHILDREN INSIDE, MEET AT NORTH GARAGE ENTRANCE 424 W 100 S   |
| <b>Count: 3</b>                                    |                     |        |               |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Silverthorne, Robert</b> |                     |        |               |         |       |  |                              |         |  |
| CF22-7999  | 03/05/2022 23:22:04 | ELEC   | Initiated     | No      | 88    | M3   | 1546 East 1700 South         | A       | ACROSS THE STREET, NEXT TO THE WASATCH HOLLOW PARKING LOT AND CHURCH, SEEING SPARKS AND FIRE FROM THE POWER LINES  |
| CF22-8034  | 03/06/2022 04:05:03 | MISCF  | Initiated     | No      | 85    | E10, UT10, E13, BC1, BC2, FD155, LT5, M3, M5 | 1000 East ELM Avenue         | A       | PS A TREE ON FIRE WEST OF PS AN ABANDONED BUILDING   |
| CF22-7865  | 03/05/2022 03:21:02 | ALARMF | Initiated     | No      | 88    | M3   | 1169 East WILMINGTON Avenue  | A       | BED BATH AND BEYOND... FIRE SMOKE ZONE 10 ... INSIDE NUMBER 8014120801   |
| CF22-7869  | 03/05/2022 04:24:15 | ALARMF | Initiated     | No      | 88    | M3   | 1169 East WILMINGTON Avenue  | A       | BED BATH AND BEYOND... FIRE SMOKE ZONE 10 ... INSIDE NUMBER 8014120801   |
| CF22-7974  | 03/05/2022 21:52:52 | ELEC   | Initiated     | No      | 88    | M3   | 1153 East RAMONA Avenue East | A       | ALLEYWAY BEHIND APT COMPLEX (NO NAME)... - TREE AND POWER LINES ON FIRE ..ALLEYWAY BETWEEN WESTMINSTER AND RAMONA ...  |
| CF22-7983  | 03/05/2022 22:16:50 | LINE   | Initiated     | No      | 88    | M3   | 1845 South 800 East          | A       | LINES TOUCHING THE TREES AND TREE IS ON FIRE...HOUSE CLOSE TO THE TREE.....FIRE IS CURRENTLY OUT   |
| <b>Count: 6</b>                                    |                     |        |               |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Staheli, Brian</b>       |                     |        |               |         |       |  |                              |         |  |
| CF22-7993  | 03/05/2022 22:52:28 | ELEC   | Initiated     | No      | 88    | EQ14   | 1627 South PIONEER Road      | A       | ACROSS ST...TRANSFORMER BLEW..LIVE WIRE FROM IT IS MAKING CONTACT W/A VAN..WIRE IS STILL ARKING  |
| CF22-7820  | 03/04/2022 15:44:19 | HYD    | Initiated     | No      | 88    | EQ14   | 3405 West 900 South          | A       | LEAKING HYDRANT B211 IN THE AREA TO DIRECT   |
| CF21-38166   | 11/17/2021 14:15:10 | PDASST | Initiated     | No      | 87    | H14  | 1500 West 1700 South         |         | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| <b>Count: 3</b>                                    |                     |        |               |         |       |  |                              |         |  |
| <b>CAD Officer in Charge: Stringam, Reed</b>       |                     |        |               |         |       |  |                              |         |  |
| CF22-3584  | 01/29/2022 17:26:29 | MISCF  | Initiated     | No      | 87    | ET1  | 575 North JOHN GLENN Road    |         | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,   |

| Incident Number                                   | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus   | Address                    | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|---|----------------------------|---------|--|
| <b>Count:</b><br>1                                |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |               |         |       |   |                            |         |  |
| CF22-7833   | 03/04/2022 17:48:02 | MISCF  | Initiated     | No      | 88    | M8  | 54 East HARRISON Avenue    | A       | TRANSIENTS HAVE BUILT A CAMPFIRE IN THE PARKING LOT OF LITTLE WORLD .. IS ON TOP OF THE ASPHALT .. 3 TRANSIENTS ON SCENE ..            |
| CF22-7781   | 03/04/2022 09:14:47 | MISCF  | Initiated     | No      | 88    | M8, FD182   | 1700 South 900 West        | A       | WRECKING TOW YARD ACROSS FROM 711...LOTS OF BLACK SMOKE  |
| CF22-7844   | 03/04/2022 19:22:18 | ODOR   | Initiated     | No      | 88    | M8  | 162 West PAXTON Avenue     | A       |  |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated     | No      | 87    | M5, M8  | 10758 South REDWOOD Road   | A       | GOING TO STATION 61  |
| CF22-8038   | 03/06/2022 04:25:38 | ELEC   | Initiated     | No      | 88    | M8  | 900 South 200 West         | A       | SE CORNER TRANSFORMER BLEW..   |
| CF22-7979   | 03/05/2022 21:24:49 | ELEC   | Initiated     | No      | 88    | M8  | 200 East 1300 South        | A       | THREE HOUSES IN.... POWER LINE IS SPARKING...  |
| <b>Count:</b><br>6                                |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |               |         |       |   |                            |         |  |
| CF22-7505   | 03/02/2022 05:50:26 | HOUSE  | Initiated     | No      | 86    | M5, M8, UT10, M2, BC1, BC2, FD141, FD152, FD182, LT8, EQ14, M6, LT5, M1 | 1089 South 200 Avenue West | B       | HOUSE ON FIRE  |
| <b>Count:</b><br>1                                |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Visser, Otto</b>        |                     |        |               |         |       |   |                            |         |  |
| CF20-25507  | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164   | 475 South 300 East         |         | OTTO VISSOR VS LANDSCAPE VEH   |
| <b>Count:</b><br>1                                |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Winkler, Scott</b>      |                     |        |               |         |       |   |                            |         |  |
| CF22-7984   | 03/05/2022 22:21:10 | ELEC   | Initiated     | No      | 88    | E4  | 61 South UNIVERSITY Street | A       | IN THE ALLEY BEHIND HOUSE 1/2 A BLOCK EAST OF LOCATION... TREE ON HIGH VOLTAGE LINE IS SPARKING....                                    |
| CF22-8047   | 03/06/2022 05:34:47 | SGASLE | Initiated     | No      | 87    | E4, H10   | 896 East 18TH Avenue       | A       | GAS LINE IS LEAKING, NO SYMPTOMS, COULD SMELL THE GAS, A TREE FELL OVER AND PULLED THE GAS LINE OUT OF THE GROUND                      |
| CF22-8040   | 03/06/2022 04:30:07 | PUBLIC | Initiated     | No      | 88    | E4  | 1125 East 200 South        | A       | LARGE TREE LIMB FELL IN THE DRIVE WAY AND CRUSHED VEHICLE  |
| CF22-8043   | 03/06/2022 04:50:34 | ALARMW | Initiated     | No      | 87    | E4, LT2   | 1710 South FOOTHILL Drive  | A       | ALL SAINT EPISCAPAL CHURCH...ZONE 999 RP MARLON - 801-455-2281   |
| <b>Count:</b><br>4                                |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Worthington, Jared</b>  |                     |        |               |         |       |   |                            |         |  |
| CF20-28397  | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159   | 7673 South HIGHLAND Drive  |         | STRUCTURE FIRE UFA   |
| <b>Count:</b><br>1                                |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Yamane, Chad</b>        |                     |        |               |         |       |   |                            |         |  |
| CF22-7265   | 02/28/2022 03:06:22 | SMOKE  | Initiated     | No      | 88    | M8  | 1700 South MAIN Street     | A       | LOTS OF SMOKE AT THE INTERSECTION... SMELLS LIKE BURNT TIRES.. COMP WAS DRIVING SB ON MAIN AND WAS TURNING E ON 1700 S NEG FLAMES SEEN |
| <b>Count:</b><br>1                                |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Zwahlen, Jon</b>        |                     |        |               |         |       |   |                            |         |  |
| CF22-6548   | 02/22/2022 05:10:54 | PUBLIC | Initiated     | No      | 88    | LT5   | 1320 East 500 South        | A       | MEDICAL ALARM W/ PT CONTACT...84 YOM, STATING HE CANNOT GET OF HIS CHAIR...  |
| CF22-   | 03/06/2022          | SMOKE  | Initiated     | No      | 88    | M2  | 326 North 600              | A       | HEARD LOUD BANG AND SAW BIG FLASH,   |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative   |
|-----------------|--------------------|------|---------------|---------|-------|-----------|---------|---------|---|
| 8025            | 02:05:08           |      |               |         |       |           | West    |         | SOUND CAME SOUTH OF HOUSE,<br>NOTHING SEEN.. NOTHING SEEN |
| <b>Count:</b>   |                    |      |               |         |       |           |         |         |   |
| 2               |                    |      |               |         |       |           |         |         |   |
| <b>Count:</b>   |                    |      |               |         |       |           |         |         |   |
| 117             |                    |      |               |         |       |           |         |         |   |

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).