

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

03/07/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF22-6635	02/22/2022 18:33:34	ALERT	Initiated	No	86	BLU21, BLUE, RD6, RD5, RD4, BC2, RD1, RD2, RD3, M12	800 RUNWAY 16L34R	B	NOSE GEAR ISSUE PILATUS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-6738	02/23/2022 13:02:13	FUEL	Initiated	No	87	RD1, RD5	24 TAXIWAY H[NORTH SUPPORT FUEL Station	B	INDIVIDUAL W/SP OVER FUELED VEHICLE AND FUEL SPILLED ONTO GROUND//ABOUT A QUARTER GALLON/UNK IF IN DRAINS ... SEE RELATED CP#: AP22-6295
CF22-6899	02/24/2022 19:27:33	PDASST	Initiated	No	85	GC591	211 South 500 East		GX TO STAGE FOR STATION 1
CF22-7747	03/03/2022 23:04:31	MISCF	Initiated	No	88	M6	389 West 1700 South	C	IN FENCED OFF AREA OF ORGANIC BUILDING...BURNING A FIRE NEAR THE BUILDING...JUST NORTH OF COSTCO
Count: 22									
CAD Officer in Charge: Bills, Jared									
CF22-7568	03/02/2022 15:52:14	MISCF	Initiated	No	88	M6	1110 South 300 West	C	TARGET ON 1300 S 300 W BY US CHEFS, LARGE GREEN ELECTRICAL BOX ON FIRE, NOW GOING OUT, NOT THREATENING
Count: 1									
CAD Officer in Charge: Buhler, Jason									
CF22-8164	03/06/2022 18:46:46	PUBLIC	Initiated	No	88	LT5	426 South 1000 East	B	FEMALE STUCK IN ELEVATOR FOR 40 MIN..... NOT INJURY
Count: 1									
CAD Officer in Charge: Bush, Joseph									
CF22-7743	03/03/2022 21:51:58	WATER	Initiated	No	88	E10	1436 South EL REY Street	C	INTERSECTION OF ST MARYS DR AND EL RAY ST..HOUSE WEST OF EL REY ST... WATER MAIN BREAK ... COMP SAYING WATER IS FLOWING FOR BLOCKS...
Count: 1									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Carter, Kelly									
CF22-8169	03/06/2022 19:26:34	GARAGE	Initiated	No	86	M2, LT2, M7, UT10, BC1, BC2, FD152, EQ14, M6	1035 North 1400 West	B	ON THE CORNER... ON THE WEST SIDE...
Count: 1									
CAD Officer in Charge: Clark, Jeffrey									
CF22-6587	02/22/2022 11:10:44	REFUEL	Initiated	No	87	RD2, RD3	60 East PERIMETER[SPOT 24]	B	JET BLUE ON SPOT 24
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Davies, Adam									
CF22-7445	03/01/2022 15:47:18	ALARMF	Initiated	No	87	EQ14	3366 West 1820 South	B	ZONE 1 GENERAL...AIRCOMM...801 901 8888
CF22-7514	03/02/2022 08:02:13	ALARMF	Initiated	No	87	EQ14	2560 West CALIFORNIA Avenue	B	PANEL SMOKE ZONE2, ALLEN W SUPPLIES, 801-401-8270

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-8176	03/06/2022 20:14:01	ALARMF	Initiated	No	88	EQ14	1381 West GLENROSE Drive	B	CO ALARM GOING OFF LOC IN THE KITCHEN... NEG PT SYMPTOMS... HOME EVAC... COMP AND HUSB IN VEH IN DRIVEWAY
CF22-8149	03/06/2022 15:06:00	MISCF	Initiated	No	88	EQ14	1636 South PIONEER Road	B	VEH STRIP... SOMEONE TOOK COMPS TIRES OFF HIS VEH OVERNIGHT ..IS CHECKING CAMERAS FOR SUSP ... SEE RELATED CP#: SL22-40794 - FD
CF22-8151	03/06/2022 15:20:48	ALARMF	Initiated	No	87	EQ14, M8	1745 South MILESTONE Drive	B	KEYPAD, NO PREMISE, 1ST CONTACT IS CHRIS PERRY 801-231-2658, ART LIGHT AND
CF22-8181	03/06/2022 20:43:24	TRUCK	Initiated	No	88	EQ9, EQ14	5100 West I80W WB Freeway	B	REAR AXLE IS ON FIRE ... ON THE NB SIDE OF THE ROAD..
CF22-8219	03/07/2022 07:00:29	LINE	Initiated	No	86	EQ14	1422 South REDWOOD Road	B	LINES DOWN.. HALF A BLOCK DOWN.. AND IN MIDDLE OF STREET.. NO ARCING..
Count: 7									
CAD Officer in Charge: Davis, Jayde									
CF22-7723	03/03/2022 18:34:42	WATER	Initiated	No	87	M2, LT2	600 West 200 North	C	WATER LEAKING FROM CONSTRUCTION SITE... POLICE NOT REMAINING ON SITE ... SEE RELATED CP#: SL22-38849 - ,WATER LEAK FROM CONSTRUCTION SITE... JUST W OF INTERSECTION IN FRONT OF VACANT LOT UNDER CONSTRUCTION... OFCR NOT REMAINING ON SITE
Count: 1									
CAD Officer in Charge: Davy, Matthew									
CF22-8097	03/06/2022 09:41:29	HOUSE	Initiated	No	87	M2, BC1, BC2, LT2, M5, M7, UT10, LT8, M6	249 West 700 South	B	HOUSE ON FIRE.
CF22-8136	03/06/2022 13:54:39	ELEC	Initiated	No	88	M6	1063 West FREMONT Avenue	B	TREE HANIGN ON POWER LINES AND ARCING.. ON THE CORNER OF COMPS BACKYARD AND SIDE YARD OF A DUPLEX ON 1100 W
CF22-8087	03/06/2022 09:08:04	PUBLIC	Initiated	No	88	M6	764 South 800 East	B	POWER OUTAGE.. COMP IS OUT OF OXYGEN... 81YOF..C/B IS CONCERNED BECAUSE POWER IS OUT AND SHE DOES NOT HAVE BACK UP
Count: 3									
CAD Officer in Charge: Elton, Richard									
CF22-7826	03/04/2022 16:44:23	ALARMW	Initiated	No	87	M8, LT8	350 West HOPE Avenue	A	COMM WATERFLOW ALARM, PARKING GARAGE DRY SYSTEM... 801-484-7311... REF#3589
Count: 1									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: Gillies, Matthew									
CF22-7398	03/01/2022 09:29:26	LGASLE	Initiated	No	85	M1, BC1, E13, H10, HM73, LT8, M6, H14	1391 South 300 West	B	GAS LEAK INSIDE THE STRUCTURE AND CANT GET IT SHUT OFF.. PIPE COMING IN TO THE BUILDING
CF22-8086	03/06/2022 09:08:28	LINE	Initiated	No	87	M8, M6	183 West 900 South	B	POWER LINE DOWN IN FRONT OF APT BUILDING, WAS SOME ARCING, POWER

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
SUPPOSEDLY WAS SHUT OFF									
CF22-8117	03/06/2022 11:21:12	ELEC	Initiated	No	88	M8	500 East WILLIAMS Avenue	B	JUST WEST OF ON WILLIAMS AVE... TRANSFORMER JUST BLEW... NO LONGER ACTIVE FIRE
CF22-8143	03/06/2022 14:09:13	ELEC	Initiated	No	88	M8	336 East SHERMAN Avenue	B	TREE FELL ON POWER LINE.... NOW PS SMOKING....
CF22-8207	03/07/2022 02:56:18	LINE	Initiated	No	87	M8, M1	200 East LOWELL Avenue	B	DRIVE WAY BETWEEN 700 S AND 800 S.... ON THE SW SIDE OF THE RD.... WIRE DOWN ACROSS THE SIDEWALK..... COMP BELIEVES THERE IS NO POWER TO IT.... REQING IT BE CHECKED OUT
CF22-8216	03/07/2022 06:36:51	MISCF	Initiated	No	88	M8	1300 South STATE Street	B	WARMING FIRE IN FRONT COACHMAN'S RESTAURANT
Count: 6									
CAD Officer in Charge: Halvorsen, Davin									
CF22-8032	03/06/2022 03:55:13	LINE	Initiated	No	87	M7	711 North 1300 West	A	LINE HANGING IN TREE BEHIND HOUSE SOUTH OF... NO FIRE.. UNK IF LINE IS STILL LIVE OR NOT
CF22-7982	03/05/2022 22:12:41	LINE	Initiated	No	88	M7	411 North GRANT Street	A	1ST STEP HOUSE
CF22-8008	03/05/2022 23:54:10	ELEC	Initiated	No	88	M7	411 North GRANT Street	A	FIRST STEP HOUSE... POLE ON FIRE, POWER POLE... OUT FRONT, CLOSE TO BUILDING AND A TREE
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE... CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE... HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
Count: 7									
CAD Officer in Charge: Harding, Paul									
CF22-6532	02/22/2022 00:12:16	APFA	Initiated	No	85	RD1, M12	146 TERMINAL SL[TERM 2FL	A	OVERSIZE BAG AND PANEL
Count: 1									
CAD Officer in Charge: Harp, Michael									
CF22-8101	03/06/2022 09:53:23	FIRE	Initiated	No	88	RD1, M12	24 CONCOURSE A SL[BAG ROOM	B	DL BAG SMOKING WITH A POSSIBLE EXPLODED BATTERY INSIDE
Count: 1									
CAD Officer in Charge: Harwood, Blake									
CF22-7956	03/05/2022 19:29:47	ALARMF	Initiated	No	88	EQ9	223 North JIMMY DOOLITTLE Road	A	GENERAL FIRE... R/P 801-533-8878..
CF22-8069	03/06/2022 07:27:43	ALARMF	Initiated	No	87	M7, EQ9	1404 West GILLESPIE Avenue	A	CARBON MONOXIDE ALARM ACTIVATED NEED IT CHECKED OUT..
Count: 2									
CAD Officer in Charge: Kartson, Constantine									
CF22-8059	03/06/2022 06:47:18	LINE	Initiated	No	88	E13	1600 East 2100 South	A	SOUTH EAST SIDE BY THE MAINTENANCE SHED NEAR THE GREENHOUSE... LIGHT POLE DOWN, SEEMS TO BE LIVE... DOWN ON THE GROUND, THINKS THE LINES ARE LIVE.
CF22-8064	03/06/2022 07:07:11	PUBLIC	Initiated	No	88	E13	875 South DONNER Way	A	CALLBK=(801)582-3315 HUSB ON HOSPICE, CAN'T GET BACK INTO BED, CRAWLED OUT, CANYON CREST CONDOS, 414-350-3315, 96YOM C/B/NEG INJS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-7997	03/05/2022 23:14:47	ELEC	Initiated	No	88	E13	1947 South NEVADA Street	A	POWER LINE IN BACKYARD...TOP OF POLE SPARKING, NOT THREATENING
CF22-8001	03/05/2022 23:26:15	LINE	Initiated	No	88	E13	1928 East DOWNINGTON Avenue	A	LINE DOWN IN FRONT OF HOME, IN STREET, UNKN IF ITS A POWER LINE
CF22-7980	03/05/2022 22:11:39	ELEC	Initiated	No	88	E13	1502 South WASATCH Drive	A	SPARKING IN POWER LINES WITH TREE LIMS, IN BACKYARD
CF22-7985	03/05/2022 22:25:40	LINE	Initiated	No	88	E13	2100 South 1900 East	A	EB JUST PRIOR TO YUMA ST... BIG FLASH OF LIGHT... LARGE AMOUNT OF SNOW DUMPED,,,,, REQ SOMEONE CHECK THE AREA FOR PS LINES DOWN...
CF22-8013	03/06/2022 00:20:54	LINE	Initiated	No	87	E13	1700 East 1700 South	A	6FT OFF THE GROUND
CF22-8018	03/06/2022 01:18:22	LINE	Initiated	No	88	E13	1700 East 1700 South	A	LOW LINE IS DOWN NOW ACROSS THE ROAD.. NO SMOKE OR FLAMES..
CF22-7972	03/05/2022 21:30:24	ELEC	Initiated	No	88	E13	2514 East KENSINGTON Avenue	A	2-3 HOUSES TO THE SOUTH, BEHIND THE HOUSES UP HIGH - SEEING SPARKING AND SMOKE, THINKS IT IS A TRANSFORMER
CF22-7990	03/05/2022 22:41:58	LINE	Initiated	No	88	E13	1856 East 2100 South	A	TRANSFORMER BLEW - NEG SMOKE OR FLAMES... LINES DOWN...
CF22-7797	03/04/2022 11:02:11	ALARMF	Initiated	No	88	E13	2164 South 2300 East	A	BASEMENT SMOKE DETECTOR... RESD OF EMILY CORDOVA... PREMISE # 801 253 1461
Count: 11									
CAD Officer in Charge: Kauffmann, Jeffrey									
CF22-8083	03/06/2022 09:00:07	ELEC	Initiated	No	88	M3	1847 East HOLLYWOOD Avenue	B	IN THE BACK.. BRANCH CAME DOWN ON POWER LINE.. STARTED A FIRE APPEARS FLAMES ARE OUT BUT STILL SMOKING.. SOME LINES DOWN.. BRANCH STILL ON ANOTHER POWER LINE..
CF22-8104	03/06/2022 10:09:35	MISCF	Initiated	No	88	M3	1200 East 1700 South	B	TREE ON FIRE NORTH OF INTERSECTION ... SEE RELATED CP#: SL22-40649 - FD
CF22-8099	03/06/2022 09:43:42	ALARMW	Initiated	No	87	M3	999 South MAIN Street	B	PALMER CT ZONE 1 WATERFLOW, 801-505-7777
CF22-8125	03/06/2022 11:59:40	LINE	Initiated	No	88	M3	1067 East ATKIN Avenue	B	TREE FELL ON LINES...LINES DOWN IN BACKYARD...POWER NOW OUT
CF22-8137	03/06/2022 13:59:20	LINE	Initiated	No	88	M3	1600 East 2100 South	B	POWER LINE AT SUGARHOUSE PARK.. LOW HANGING.. ENTERING OFF 1500 E AND 2100 S HEADINTO PARK LOW HANGING LINE.. NO ARCING OR SPARKING
Count: 5									
CAD Officer in Charge: Kochevar, Kevin									
CF22-8005	03/05/2022 23:40:21	LINE	Initiated	No	88	M1	860 East 500 South	A	IN THE APT COMPLEX PARKING LOT, LINE FELL AND IS DRAPED ACROSS THEIR CAR... ADVISED NOT TO TOUCH THE CAR OR THE LINE
CF22-8037	03/06/2022 04:15:28	LINE	Initiated	No	88	M1	143 South 1000 East	A	IN DRIVEWAY..LARGE TREE BRANCH FELL DOWN & HAS LINE WRAPPED AROUND IT..SMELLS LIKE SOMETHING BURNING BUT NO SMOKE OR FLAMES..NO ARCING OR SPARKS
CF22-8041	03/06/2022 04:30:48	LINE	Initiated	No	88	M1	1161 East 900 South	A	MULTIPLE LINES VERY LOW TO THE GROUND, THERE HAS BEEN SOME ARCING...
CF22-8055	03/06/2022 06:38:49	ELEC	Initiated	No	88	M1	700 East 200 South	A	LINES SPARKING BY GAS STATION NEAR THIS INTERSECTION, SOUTHWEST CORNER OF INTERSECTION
CF22-7996	03/05/2022 23:06:50	LINE	Initiated	No	88	M1	40 South 200 East	A	... SEE RELATED CP#: SL22-40397 - ,VEH VS FIREHYDRANT... NEG INJ... CLEAR FOR FIRE
CF22-7977	03/05/2022 21:59:30	ELEC	Initiated	No	88	M1	462 South UNIVERSITY Street	A	LINE IS SPARKING AND STARTING TO SHOW FLAMES .. STARTING TO SAG ... THREATENING SHED AND OTHER POWER LINES... IN BACKYARD OF DISP ADDR
CF22-7986	03/05/2022 22:31:37	ELEC	Initiated	No	88	M1	581 North TERRACE HILLS	A	BETWEEN J AND K ST... LINES RED AND EMITTING SPARKS..ON 11TH...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							Drive		THREATENING GARAGE OF HOME
CF22-7958	03/05/2022 19:45:40	LINE	Initiated	No	88	M1	200 East SOUTH TEMPLE Street	A	SW CORNER BY BIG O TIRES.. DOWNED POWER LINE. NO ONE SICK OR INJ.. SAYS EVERY MIN OR SO CAN SEE FLASHING
CF22-7969	03/05/2022 21:15:19	PUBLIC	Initiated	No	88	M1	400 South 600 East	A	M IN WHEELCHAIR STUCK IN SNOW... LARGE MAN... SW CORNER... MWA... 50 YOA... NEG INJURIES...
CF22-7904	03/05/2022 12:10:19	ALARMF	Initiated	No	88	M1	132 South STATE Street	A	COMM FIRE PANEL ALARM- UPMA ORPHIUM OFC PLAZA - SEC 801.573.3231
CF22-7918	03/05/2022 14:07:07	ALARMF	Initiated	No	88	M1	132 South STATE Street	A	COMM FIRE ALARM... FIRE PANEL ALARM... ORPAHM OFFICE PLAZA... 801-573-3231...
CF22-7925	03/05/2022 15:23:43	ALARMF	Initiated	No	87	M1	100 East SOUTH TEMPLE Street	A	ZONE 1 FIRE PREMISE 801-326-2044
CF22-6527	02/21/2022 23:41:31	COMM	Initiated	No	87	LT8, LT5, M1, BC1, M8, M5, LT2, M2	220 South STATE Street	A	ACCESS THROUGH P1 BY THE DELIVERY TRUCKS SEC WILL MEET ..SMOKE IN THE LAUNDRY ROOM ...DOES NOT KNOW WHERE ITS COMING FROM ..ADVISED TO EVAC
CF22-6537	02/22/2022 01:36:59	MISCF	Initiated	No	88	M1	131 East 700 South	A	SMALL FIRE -INBETWEEN THE PARKING STRUCTURE TO THE EAST OF DISP ADDR
CF22-6542	02/22/2022 03:40:59	ALARMF	Initiated	No	88	M1	777 East SOUTH TEMPLE Street	A	FIRE ALARM... SMOKE APT 4F... BONNEVILLE APTS... 801-355-2170
Count: 15									
CAD Officer in Charge: Koetitz, Paul									
CF22-8177	03/06/2022 20:22:18	ALARMF	Initiated	No	87	EQ9	750 West SOUTH TEMPLE Street	B	FIRE ALARM GOING OFF... ACTIVE DOME IN UNIT...
Count: 1									
CAD Officer in Charge: Maddux, John									
CF22-8185	03/06/2022 21:11:00	ALARMF	Initiated	No	88	M5	470 South 1300 East	B	GENERAL FIRE ALARM.....801-582-5651.....REF#425550
Count: 1									
CAD Officer in Charge: Mortensen, Daniel									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
Count: 2									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS. POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF22-6291	02/20/2022 00:14:27	MISCF	Initiated	No	88	E10	1400 South 1900 East	C	STAKE CENTER BEHIND THIS LOCATION...FIRE IN PARKING LOT...UNKN WHAT, NOT THREATENING
CF22-8140	03/06/2022 14:03:55	APT	Initiated	No	88	M2	274 West 200 South	B	FIRE ALARM IN APT 72 THERE WAS SOME SMOKE.. COOKING UNK IF ANYTHING IS ON FIRE NOW.
CF22-8107	03/06/2022 10:26:58	ALARMF	Initiated	No	87	M2	45 South 700 East	B	GENERAL ZONE 0, BEVERLY HOUSE, 801-953-0409, JORDAN 385-228-6244
CF22-8095	03/06/2022 09:37:47	LINE	Initiated	No	88	M2	300 West 400 North	B	LARGE TREE DOWN NB LANE / BLOCKING TRAFFIC. COMP SAID CARS CANNOT GET AROUND IT ... SEE RELATED CP#: SL22-40594 - ,EXPOSED POWER LINE,NO SPARKS,NOTHING ON FIRE.
Count: 8									
CAD Officer in Charge: Shumway, Brandon									
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
Count: 2									
CAD Officer in Charge: Silverthorne, Robert									
CF22-7865	03/05/2022 03:21:02	ALARMF	Initiated	No	88	M3	1169 East WILMINGTON Avenue	A	BED BATH AND BEYOND... FIRE SMOKE ZONE 10 ... INSIDE NUMBER 8014120801
CF22-7869	03/05/2022 04:24:15	ALARMF	Initiated	No	88	M3	1169 East WILMINGTON Avenue	A	BED BATH AND BEYOND... FIRE SMOKE ZONE 10 ... INSIDE NUMBER 8014120801
CF22-8034	03/06/2022 04:05:03	MISCF	Initiated	No	86	E10, UT10, E13, BC1, BC2, FD155, LT5, M3, M5	1000 East ELM Avenue	A	PS A TREE ON FIRE WEST OF PS AN ABANDONED BUILDING
Count: 3									
CAD Officer in Charge: Staheli, Brian									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Taylor, Matthew									
CF22-8191	03/06/2022 21:40:57	ELEC	Initiated	No	88	E13	1825 South 2000 East	B	BRANCH DOWN ON A POWER LINE, UPPER HIGH VOLTAGE LINES SPARKING EMBERS INTO COMPS BACKYARD, IS CONCERNED ABOUT IT STARTING A FIRE...RMP NOTI
Count: 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: Turner, Cary									
CF22-8038	03/06/2022 04:25:38	ELEC	Initiated	No	88	M8	900 South 200 West	A	SE CORNER TRANSFORMER BLEW..
CF22-8060	03/06/2022 07:00:18	APT	Initiated	No	86	M5, M8, E10, BC1, FD155, LT8, LT5, M1	970 South 200 Street East	A	PALMER COURT 2600 HALLWAY.. SMOKE IN THE HALLWAY ADVISED TO EVAC
CF22-7979	03/05/2022 21:24:49	ELEC	Initiated	No	88	M8	200 East 1300 South	A	THREE HOUSES IN.... POWER LINE IS SPARKING...
CF22-7833	03/04/2022 17:48:02	MISCF	Initiated	No	88	M8	54 East HARRISON Avenue	A	TRANSIENTS HAVE BUILT A CAMPFIRE IN THE PARKING LOT OF LITTLE WORLD .. IS ON TOP OF THE ASPHALT .. 3 TRANSIENTS ON SCENE ..
CF22-7781	03/04/2022 09:14:47	MISCF	Initiated	No	88	M8, FD182	1700 South 900 West	A	WRECKING TOW YARD ACROSS FROM 711...LOTS OF BLACK SMOKE
CF22-7844	03/04/2022 19:22:18	ODOR	Initiated	No	88	M8	162 West PAXTON Avenue	A	
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 7									
CAD Officer in Charge: Valdez, Christopher									
CF22-7505	03/02/2022 05:50:26	HOUSE	Initiated	No	86	M5, M8, UT10, M2, BC1, BC2, FD141, FD152, FD182, LT8, EQ14, M6, LT5, M1	1089 South 200 Avenue West	B	HOUSE ON FIRE
CF22-8154	03/06/2022 15:49:54	PUBLIC	Initiated	No	88	LT2	750 West SOUTH TEMPLE Street	B	ELEVATOR STUCK UNK IF ANYONE IS INSIDE.. BODHI APTS.. ELVATOR # 2 UNK LEVEL IT IS STUCK ON
Count: 2									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
CAD Officer in Charge: Yamane, Chad									
CF22-7265	02/28/2022 03:06:22	SMOKE	Initiated	No	88	M8	1700 South MAIN Street	A	LOTS OF SMOKE AT THE INTERSECTION... SMELLS LIKE BURNT TIRES.. COMP WAS DRIVING SB ON MAIN AND WAS TURNING E ON 1700 S NEG FLAMES SEEN
Count: 1									
CAD Officer in Charge: Zwahlen, Jon									
CF22-6548	02/22/2022 05:10:54	PUBLIC	Initiated	No	88	LT5	1320 East 500 South	A	MEDICAL ALARM W/ PT CONTACT...84 YOM, STATING HE CANNOT GET OF HIS CHAIR...
CF22-8025	03/06/2022 02:05:08	SMOKE	Initiated	No	88	M2	326 North 600 West	A	HEARD LOUD BANG AND SAW BIG FLASH, SOUND CAME SOUTH OF HOUSE, NOTHING SEEN.. NOTHING SEEN
Count: 2									
Count: 130									

Report Criteria

Record Status: Is Not Equal To Officer reviewed

Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)