

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

03/11/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF22-6899	02/24/2022 19:27:33	PASST	Initiated	No	85	GC591	211 South 500 East		GX TO STAGE FOR STATION 1
CF22-7747	03/03/2022 23:04:31	MISCF	Initiated	No	88	M6	389 West 1700 South	C	IN FENCED OFF AREA OF ORGANIC BUILDING...BURNING A FIRE NEAR THE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
BUILDING...JUST NORTH OF COSTCO									
CF22-8302	03/07/2022 18:31:02	ALARMF	Initiated	No	86	EQ14	1755 South FREMONT Drive	B	FIRE ALARM SMOKE ZONE 2, LAKEVIEW CHEESE, CRAIG WEST, 940-224-0212
<b>Count:</b> 21									
<b>CAD Officer in Charge: Bednarik, Mark</b>									
CF22-8647	03/10/2022 20:11:48	HOUSE	Initiated	No	93	M2, LT2, E4, M5, M7, M8, UT10, M11, BC1, FD155, FD181, LT8, M6, LT5, M1	248 West 300 South	A	ABANDONED HOUSE ON FIRE...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-7568	03/02/2022 15:52:14	MISCF	Initiated	No	88	M6	1110 South 300 West	C	TARGET ON 1300 S 300 W BY US CHEFS, LARGE GREEN ELECTRICAL BOX ON FIRE, NOW GOING OUT, NOT THREATENING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Clark, Jeffrey</b>									
CF22-6587	02/22/2022 11:10:44	REFUEL	Initiated	No	87	RD2, RD3	60 East PERIMETER[SPOT 24 ]	B	JET BLUE ON SPOT 24
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Crandall, Steve</b>									
CF22-8661	03/10/2022 23:42:00	MISCF	Initiated	No	88	M5	600 South 700 East	A	THE OLD ORIENTAL FOOD MARKET THAT CLOSED DOWN... SOMEONE STARTING A FIRE, FRONT CORNER... FLAMES ABOUT 6 FT HIGH... IT'S RIGHT BY THE FRONT DOOR
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-8328	03/08/2022 03:17:07	ALARMF	Initiated	No	88	EQ14	1675 South EMPIRE Road	B	COMP ON SITE.... EITHER FIRE ALARM OR CHEMICAL ALARM IS GOING OFF.. EVERYONE IS EVACUATED
CF22-8149	03/06/2022 15:06:00	MISCF	Initiated	No	88	EQ14	1636 South PIONEER Road	B	VEH STRIP... SOMEONE TOOK COMPS TIRES OFF HIS VEH OVERNIGHT ..IS CHECKING CAMERAS FOR SUSP ... SEE RELATED CP#: SL22-40794 - FD
CF22-8151	03/06/2022 15:20:48	ALARMF	Initiated	No	87	EQ14, M8	1745 South MILESTONE Drive	B	KEYPAD, NO PREMISE, 1ST CONTACT IS CHRIS PERRY 801-231-2658, ART LIGHT AND
CF22-8176	03/06/2022 20:14:01	ALARMF	Initiated	No	88	EQ14	1381 West GLENROSE Drive	B	CO ALARM GOING OFF LOC IN THE KITCHEN... NEG PT SYMPTOMS... HOME EVAC... COMP AND HUSB IN VEH IN DRIVEWAY
CF22-	03/06/2022	TRUCK	Initiated	No	88	EQ9, EQ14	5100 West I80W	B	REAR AXLE IS ON FIRE ... ON THE NB SIDE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
8181	20:43:24						WB Freeway		OF THE ROAD..
CF22-8219	03/07/2022 07:00:29	LINE	Initiated	No	88	EQ14	1422 South REDWOOD Road	B	LINES DOWN.. HALF A BLOCK DOWN.. AND IN MIDDLE OF STREET.. NO ARCING..
CF22-8278	03/07/2022 15:14:53	LINE	Initiated	No	88	EQ14	4340 West CENTRAL Avenue	B	POWER LINE DOWN BLOCKING THE EXIT OF INTERMOUNTAIN RIGGING AND HAULING..UNKN IF SPARKING OR ARCHING
CF22-7445	03/01/2022 15:47:18	ALARMF	Initiated	No	87	EQ14	3366 West 1820 South	B	ZONE 1 GENERAL...AIRCOMM...801 901 8888
CF22-7514	03/02/2022 08:02:13	ALARMF	Initiated	No	87	EQ14	2560 West CALIFORNIA Avenue	B	PANEL SMOKE ZONE2, ALLEN W SUPPLIES, 801-401-8270
<b>Count:</b> 9									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-7826	03/04/2022 16:44:23	ALARMW	Initiated	No	87	M8, LT8	350 West HOPE Avenue	A	COMM WATERFLOW ALARM, PARKING GARAGE DRY SYSTEM... 801-484-7311... REF#3589
<b>Count:</b> 1									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
CF22-8667	03/11/2022 02:29:55	APFA	Initiated	No	87	RD1, M12	12 TERMINAL SL	A	STARBUCKS SECURE SIDE IN CANYON
<b>Count:</b> 2									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF22-8639	03/10/2022 18:57:27	ALARMF	Initiated	No	87	M11	1085 North GARNETTE Circle	A	RES FIRE ALARM.. SMOKE.. R/P ZACK GILBERT.. 801-898-2930
CF22-8659	03/10/2022 23:14:56	ALARMF	Initiated	No	88	M11	558 North REDWOOD Road	A	RIVERSIDE COVE APTS... HEARING A FIRE ALARM GOING OFF, EITHER IN THIS BUILDING OR THE ONE NEXT DOOR... AT LEAST 10-15 MIN... SEEMS LIKE AN ALARM FROM ONE APT, NOT FROM THE WHOLE BUILDING
<b>Count:</b> 2									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Goodwin, Les</b>									
CF22-8345	03/08/2022 09:44:44	SHED	Officer reviewed	No	93	M2, M3, M5, M8, UT10, BC1, FD154, FD157, FD158, FD182, LT8, M6, LT5	1496 South MAJOR Street	C	FIRE BEHIND
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-8008	03/05/2022 23:54:10	ELEC	Initiated	No	88	M7	411 North GRANT Street	A	FIRST STEP HOUSE...POLE ON FIRE, POWER POLE...OUT FRONT, CLOSE TO BUILDING AND A TREE
CF22-8032	03/06/2022 03:55:13	LINE	Initiated	No	87	M7	711 North 1300 West	A	LINE HANGING IN TREE BEHIND HOUSE SOUTH OF..NO FIRE..UNK IF LINE IS STILL LIVE OR NOT
CF22-8630	03/10/2022 17:27:43	ODOR	Initiated	No	88	M7, H14	845 West 100 South	A	GETTING SPANISH INTERPRETER ON LINE...SMELL OF GAS ON STREET...
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF22-7982	03/05/2022 22:12:41	LINE	Initiated	No	88	M7	411 North GRANT Street	A	1ST STEP HOUSE
<b>Count: 8</b>									
<b>CAD Officer in Charge: Harding, Paul</b>									
CF22-6532	02/22/2022 00:12:16	APFA	Initiated	No	85	RD1, M12	146 TERMINAL SL[TERM 2FL	A	OVERSIZE BAG AND PANEL
<b>Count: 1</b>									
<b>CAD Officer in Charge: Harwood, Blake</b>									
CF22-7956	03/05/2022 19:29:47	ALARMF	Initiated	No	88	EQ9	223 North JIMMY DOOLITTLE Road	A	GENERAL FIRE... R/P 801-533-8878..
CF22-8069	03/06/2022 07:27:43	ALARMF	Initiated	No	87	M7, EQ9	1404 West GILLESPIE Avenue	A	CARBON MONOXIDE ALARM ACTIVATED NEED ITCHECKED OUT..
<b>Count: 2</b>									
<b>CAD Officer in Charge: Hoover, Todd</b>									
CF22-8400	03/08/2022 17:13:21	ALARMF	Initiated	No	87	M5	1184 East BLAINE Avenue	C	WESTMINSTER ALUMNI HOUSE....GENERAL FIRE ZONE 1 ...REF AE100550.....TONY 801 330 0201
<b>Count: 1</b>									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-8633	03/10/2022 17:59:33	MISCF	Initiated	No	88	M6	West INDIANA AVE / S DELONG Street	A	UNDER THE UNDERPASS I215..SMOKE/FLAMES...SMELLS LIKE BURNT RUBBER ...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kartsones, Constantine</b>									
CF22-8064	03/06/2022 07:07:11	PUBLIC	Initiated	No	88	E13	875 South DONNER Way	A	CALLBK=(801)582-3315 HUSB ON HOSPICE, CAN'T GET BACK INTO BED, CRAWLED OUT, CANYON CREST CONDOS, 414-350-3315, 96YOM C/B/NEG INJS
CF22-8059	03/06/2022 06:47:18	LINE	Initiated	No	88	E13	1600 East 2100 South	A	SOUTH EAST SIDE BY THE MAINTENANCE SHED NEAR THE GREENHOUSE... LIGHT POLE DOWN, SEEMS TO BE LIVE... DOWN ON THE GROUND, THINKS THE LINES ARE LIVE.
CF22-8013	03/06/2022 00:20:54	LINE	Initiated	No	87	E13	1700 East 1700 South	A	6FT OFF THE GROUND
CF22-8018	03/06/2022 01:18:22	LINE	Initiated	No	88	E13	1700 East 1700 South	A	LOW LINE IS DOWN NOW ACROSS THE ROAD.. NO SMOKE OR FLAMES..
CF22-7990	03/05/2022 22:41:58	LINE	Initiated	No	88	E13	1856 East 2100 South	A	TRANSFORMER BLEW - NEG SMOKE OR FLAMES... LINES DOWN...
CF22-7997	03/05/2022 23:14:47	ELEC	Initiated	No	88	E13	1947 South NEVADA Street	A	POWER LINE IN BACKYARD...TOP OF POLE SPARKING, NOT THREATENING
CF22-8001	03/05/2022 23:26:15	LINE	Initiated	No	88	E13	1928 East DOWNINGTON Avenue	A	LINE DOWN IN FRONT OF HOME, IN STREET, UNKN IF ITS A POWER LINE
CF22-7972	03/05/2022 21:30:24	ELEC	Initiated	No	88	E13	2514 East KENSINGTON Avenue	A	2-3 HOUSES TO THE SOUTH, BEHIND THE HOUSES UP HIGH - SEEING SPARKING AND SMOKE, THINKS IT IS A TRANSFORMER
CF22-7980	03/05/2022 22:11:39	ELEC	Initiated	No	88	E13	1502 South WASATCH Drive	A	SPARKING IN POWER LINES WITH TREE LIMS, IN BACKYARD
CF22-7985	03/05/2022 22:25:40	LINE	Initiated	No	88	E13	2100 South 1900 East	A	EB JUST PRIOR TO YUMA ST... BIG FLASH OF LIGHT... LARGE AMOUNT OF SNOW DUMPED,,,, REQ SOMEONE CHECK THE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
AREA FOR PS LINES DOWN...									
CF22-7797	03/04/2022 11:02:11	ALARMF	Initiated	No	88	E13	2164 South 2300 East	A	BASEMENT SMOKE DETECTOR... RESD OF EMILY CORDOVA... PREMISE # 801 253 1461
<b>Count: 11</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-7986	03/05/2022 22:31:37	ELEC	Initiated	No	88	M1	581 North TERRACE HILLS Drive	A	BETWEEN J AND K ST... LINES RED AND EMITTING SPARKS..ON 11TH... THREATENING GARAGE OF HOME
CF22-7977	03/05/2022 21:59:30	ELEC	Initiated	No	88	M1	462 South UNIVERSITY Street	A	LINE IS SPARKING AND STARTING TO SHOW FLAMES .. STARTING TO SAG ... THREATENING SHED AND OTHER POWER LINES... IN BACKYARD OF DISP ADDR
CF22-6527	02/21/2022 23:41:31	COMM	Initiated	No	87	LT8, LT5, M1, BC1, M8, M5, LT2, M2	220 South STATE Street	A	ACCESS THROUGH P1 BY THE DELIVERY TRUCKS SEC WILL MEET ..SMOKE IN THE LAUNDRY ROOM ...DOES NOT KNOW WHERE ITS COMING FROM ..ADVISED TO EVAC
CF22-8005	03/05/2022 23:40:21	LINE	Initiated	No	88	M1	860 East 500 South	A	IN THE APT COMPLEX PARKING LOT, LINE FELL AND IS DRAPED ACROSS THEIR CAR... ADVISED NOT TO TOUCH THE CAR OR THE LINE
CF22-7996	03/05/2022 23:06:50	LINE	Initiated	No	88	M1	40 South 200 East	A	... SEE RELATED CP#: SL22-40397 - ,VEH VS FIREHYDRANT... NEG INJ... CLEAR FOR FIRE
CF22-8041	03/06/2022 04:30:48	LINE	Initiated	No	88	M1	1161 East 900 South	A	MULTIPLE LINES VERY LOW TO THE GROUND, THERE HAS BEEN SOME ARCING...
CF22-8055	03/06/2022 06:38:49	ELEC	Initiated	No	88	M1	700 East 200 South	A	LINES SPARKING BY GAS STATION NEAR THIS INTERSECTION, SOUTHWEST CORNER OF INTERSECTION
CF22-8037	03/06/2022 04:15:28	LINE	Initiated	No	88	M1	143 South 1000 East	A	IN DRIVEWAY..LARGE TREE BRANCH FELL DOWN & HAS LINE WRAPPED AROUND IT..SMELLS LIKE SOMETHING BURNING BUT NO SMOKE OR FLAMES..NO ARCING OR SPARKS
CF22-8638	03/10/2022 18:54:21	PUBLIC	Initiated	No	88	M1	111 East 300 South	A	PEOPLE STUCK IN ELEVATOR, THE SIDE ELEVATOR.. NO ONE SICK OR INJURED..
CF22-8663	03/10/2022 23:43:19	ELEC	Initiated	No	88	M1	1005 South DENVER Street	A	POWER LINE WAS SPARKING AND SAW SOME LIQUID DRIPPING FROM POWER LINE.. NO ACTIVE FIRE... DOES NOT SMELL ANYTHING... LOCATED IN THE ALLEY EAST OF DENVER STREET...
CF22-8679	03/11/2022 06:32:57	STRUCT	Initiated	No	88	E4, M5, BC1, LT5, M1	171 South 1200 East	A	TENANTS CALLED AND SAID THERE IS SMOKE COMING FROM THE BASEMENT APARTMENT AND CANNOT GET THE FEMALE TO ANSWER THE DOOR
<b>Count: 11</b>									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-8604	03/10/2022 11:36:05	PDASST	Initiated	Yes	100	LT8	1776 South WEST TEMPLE Street	A	AT SALT LAKE CITY HOUSING...KEYS LOCKED IN A BLK SUBARU, COMP IS ON OXYGEN AND THE OXYGEN IS LOCKED IN THE CAR ... SEE RELATED CP#: SL22-43163
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count: 3</b>									
<b>CAD Officer in Charge: Moser, Shane</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
<b>Count: 2</b>									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF22-8681	03/11/2022 06:51:13	MISCF	Initiated	No	87	M2	220 South RIO GRANDE Street	A	
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-6291	02/20/2022 00:14:27	MISCF	Initiated	No	88	E10	1400 South 1900 East	C	STAKE CENTER BEHIND THIS LOCATION...FIRE IN PARKING LOT...UNKN WHAT, NOT THREATENING
CF22-8140	03/06/2022 14:03:55	APT	Initiated	No	88	M2	274 West 200 South	B	FIRE ALARM IN APT 72 THERE WAS SOME SMOKE.. COOKING UNK IF ANYTHING IS ON FIRE NOW.
CF22-8254	03/07/2022 12:05:02	LINE	Initiated	No	88	M2	West NORTH TEMPLE ST / N WEST TEMPLE Street	B	IN BETWEEN NORTH AND SOUTH TEMPLE EAST SIDE OF ROAD.. LINES DOWN.. NOT IN TRAFFIC..
CF22-8330	03/08/2022 05:28:21	MISCF	Initiated	No	88	M2	235 South RIO GRANDE Street	B	WARMING FIRE ON THE EAST SIDE OF THE STREET...SOME KIND OF WAMRING FIRE ON THE SIDEWALK...
CF22-8481	03/09/2022 11:01:27	ALARMF	Initiated	No	88	E10	1933 East BRYAN Avenue	C	TEST CO ALARM... FEELING DIZZY AND NAUSEA.. GETS WORSE THE LONGER SHE IS IN THE HOUSE
CF22-8488	03/09/2022 12:08:23	ALARMF	Initiated	No	88	E10	3125 East KENNEDY Drive	C	FIRE ALARM ZONE 1.... 801-582-3711
CF22-8552	03/09/2022 23:45:06	ALARMF	Initiated	No	88	E10	265 South 1850 East	C	GENERAL FIRE ALARM, IN FROM UUPD AND THEY ARE ENR ... SEE RELATED CP#: SL22-42886 - FD
CF22-8554	03/10/2022 00:09:22	PUBLIC	Initiated	No	88	E10	1121 South 1800 East	C	NEED TO GET RING CUT OFF...
<b>Count: 13</b>									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-8421	03/08/2022 19:28:16	VEH	Initiated	No	88	M5	1450 South WEST TEMPLE Street	C	VEH ON FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
<b>Count: 2</b>									
<b>CAD Officer in Charge: Silverthorne, Robert</b>									
CF22-8034	03/06/2022 04:05:03	MISCF	Initiated	No	100	E10, UT10, E13, BC1, BC2, FD155, LT5, M3, M5	1002 East ELM Avenue	A	PS A TREE ON FIRE WEST OF PS AN ABANDONED BUILDING
CF22-8676	03/11/2022 06:19:12	ALARMF	Initiated	No	88	M3	1044 East 2100 South	A	FLAT BREAD,,ZONE KEY PAD..RP DENTON 208-794-7276
<b>Count: 2</b>									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count: 1</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF22-7979	03/05/2022 21:24:49	ELEC	Initiated	No	88	M8	200 East 1300 South	A	THREE HOUSES IN.... POWER LINE IS SPARKING...
CF22-7833	03/04/2022 17:48:02	MISCF	Initiated	No	88	M8	54 East HARRISON Avenue	A	TRANSIENTS HAVE BUILT A CAMPFIRE IN THE PARKING LOT OF LITTLE WORLD .. IS ON TOP OF THE ASPHALT .. 3 TRANSIENTS ON SCENE ..
CF22-7781	03/04/2022 09:14:47	MISCF	Initiated	No	88	M8, FD182	1700 South 900 West	A	WRECKING TOW YARD ACROSS FROM 711...LOTS OF BLACK SMOKE
CF22-7844	03/04/2022 19:22:18	ODOR	Initiated	No	88	M8	162 West PAXTON Avenue	A	
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF22-8654	03/10/2022 22:18:32	VEH	Initiated	No	86	M8, FD155	1977 South 300 West	A	ACROSS FROM HOME DEPOT, VEH FIRE...NEAR AN AWNING AND A STRUCTURE...EAST SIDE OF STREET
CF22-8658	03/10/2022 23:10:00	MISCF	Initiated	No	88	M8	1356 South STATE Street	A	ALLEY BETWEEN LITTLE WORLD... SOME #HOMELESS INDIVIDUALS STARTED A FIRE IN THE ALLEY... MIDDLE OF THE ALLEY ON THE GROUND, UNK WHAT IT IS
CF22-8038	03/06/2022 04:25:38	ELEC	Initiated	No	88	M8	900 South 200 West	A	SE CORNER TRANSFORMER BLEW..
CF22-8060	03/06/2022 07:00:18	APT	Initiated	No	86	M5, M8, E10, BC1, FD155, LT8, LT5, M1	970 South 200 Street East	A	PALMER COURT 2600 HALLWAY.. SMOKE IN THE HALLWAY ADVISED TO EVAC
<b>Count: 9</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-7505	03/02/2022 05:50:26	HOUSE	Initiated	No	86	M5, M8, UT10, M2, BC1, BC2, FD141, FD152, FD182, LT8, EQ14, M6, LT5, M1	1089 South 200 Avenue West	B	HOUSE ON FIRE
<b>Count: 1</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-8612	03/10/2022 13:06:31	ALARMF	Initiated	No	87	E4	206 North E Street	A	RESIDENTIAL CO ALARM - PS ADDR... ALARM CO KEPT GIVING 206 EAST E ST... 801.913.6948 THERESA GOLLEY...
CF22-8619	03/10/2022 13:13:12	ALARMF	Initiated	No	87	E4	206 North E Street	A	RESIDENTIAL CO AND FIRE ALARM - BASEMENT CO AND SMOKE 801.913.6948 - THERESA GOLLEY
CF22-8626	03/10/2022 15:50:45	ALARMF	Initiated	No	87	E4	2 North MEDICAL Drive	A	COMM FIRE ALARM... ZONE 2 PULL STATION... 801-581-0098... REF#155585
CF22-8670	03/11/2022 02:57:37	ALARMF	Initiated	No	88	E4	678 North F Street	A	CO ALARM GOING OFF..GOING OFF IN ALL OF CO DETCOTORS.. NO ONE SICK OR INJURED
<b>Count: 4</b>									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count: 1</b>									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-7265	02/28/2022 03:06:22	SMOKE	Initiated	No	88	M8	1700 South MAIN Street	A	LOTS OF SMOKE AT THE INTERSECTION... SMELLS LIKE BURNT TIRES.. COMP WAS DRIVING SB ON MAIN AND WAS TURNING E ON 1700 S NEG FLAMES SEEN
<b>Count: 1</b>									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-6548	02/22/2022 05:10:54	PUBLIC	Initiated	No	88	LT5	1320 East 500 South	A	MEDICAL ALARM W/ PT CONTACT...84 YOM, STATING HE CANNOT GET OF HIS CHAIR...
CF22-8025	03/06/2022 02:05:08	SMOKE	Initiated	No	88	M2	326 North 600 West	A	HEARD LOUD BANG AND SAW BIG FLASH, SOUND CAME SOUTH OF HOUSE, NOTHING SEEN.. NOTHING SEEN
<b>Count: 2</b>									
<b>Count: 125</b>									

**Report Criteria**

- Record Status: Is Not Equal To Officer reviewed
- Locked?: Is Not Equal To Yes
- Incident Date Time: Is On or After 1/16/2018
- Incident Number: Begins With CF
- Code: Is Not Equal To ARSINV
- Code: Is Not Equal To APSN
- Apparatus: Is Not Equal To E41
- Apparatus: Is Not Equal To E73
- Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.