

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

03/21/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF22-9507	03/17/2022 19:25:24	TRUCK	Initiated	No	88	M8, FD155, M6, H14	216 West PAXTON Avenue West	A	
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDA SST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
SEE RELATED CP#: SL21-235746									
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF22-6899	02/24/2022 19:27:33	PDASST	Initiated	No	85	GC591	211 South 500 East		GX TO STAGE FOR STATION 1
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-9999	03/21/2022 20:33:34	ALARMF	Initiated	No	87	M2	511 West 400 North	C	PROJECT OPEN PHASE.....FIRE ALARM.....ZONE 206.....RP OFFICE STAFF 801-916-5148
<b>Count: 22</b>									
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF22-9923	03/21/2022 10:09:09	ALARMF	Initiated	No	87	M11	5151 West WILEY POST Way	C	ZONE 992 FIRE ALARM ... PREMISE # 801 539 1515
<b>Count: 1</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-9944	03/21/2022 12:54:15	MISCF	Initiated	No	88	M8	389 West 1830 South	C	LL FLOORING,
CF22-9953	03/21/2022 14:32:36	ALARMF	Initiated	No	87	M8	230 East 300 South	C	ALARMF, GENERAL,
CF22-9872	03/20/2022 22:19:50	MISCF	Initiated	No	88	M8	1575 South MAIN Street	C	TRANSIENT FIRE....FLAMES ARE 1 FT HIGH.....NEAR THE LOBBY DOORS OF THE US BANK.....COMP WAS JUST PASSING BY
CF22-9879	03/21/2022 00:15:38	MISCF	Initiated	No	88	M8	114 West 1300 South	C	#HOMELESS MALE LIT A TRASH CAN AT THE 711 ON FIRE...
CF22-9897	03/21/2022 04:27:46	DUMP	Initiated	No	88	M8	2100 South MAIN Street	C	SUPER SONIC BLDG....DUMPSTER ON FIRE IN FRONT OF BLDG.....NOT THREATENING ANYTHING
<b>Count: 5</b>									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF22-9913	03/21/2022 08:26:05	ALARMF	Initiated	No	87	EQ14	1655 South AWL Circle	C	GENERAL FIRE ALARM... TRULITE BUSN... NO INSIDE #... KEYHOLDER PETER SCOFIELD PH# 817 443 4066
CF22-9919	03/21/2022 09:31:00	ALARMF	Initiated	No	87	EQ14	1655 South AWL Circle	C	ALARM GOING OFF AGAIN... GENERAL... TRULITE
CF22-9884	03/21/2022 00:44:18	ALARMW	Initiated	No	86	EQ14	2455 West 1500 South	C	WATERFLOW ZONE 190... INTERMOUNTAIN SPACE.... RP TYLER PAGE 801-661-6429
CF22-9958	03/21/2022 14:50:03	MISCF	Initiated	No	87	M8	1356 South STATE Street	C	... SEE RELATED CP#: SL22-50592
CF22-9931	03/21/2022 11:03:03	ELEC	Initiated	No	88	EQ14	3630 West CALIFORNIA Avenue	C	TRANSPONDER IS SMOKING NO FLAMES..... ON THE WEST SIDE OF ADDR...RMP HAVE THE CALL HAVEN'T BEEN OUT THERE YET.
<b>Count: 5</b>									
<b>CAD Officer in Charge: Bednarik, Mark</b>									
CF22-8647	03/10/2022 20:11:48	HOUSE	Initiated	Yes	100	M2, LT2, E4, M5, M7, M8, UT10, M11, BC1, FD155, FD181, LT8, M6, LT5, M1	248 West 300 South	A	ABANDONED HOUSE ON FIRE...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-9900	03/21/2022 06:02:57	WATER	Initiated	No	88	M6	1548 West 900 South	C	
CF22-9939	03/21/2022 12:22:18	MISCF	Initiated	No	88	M6	304 South EMERY Street	C	GARBAGE CAN ON FIRE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-9921	03/21/2022 10:05:08	PDASST	Initiated	No	87	GC590, M6	1245 South 900 West	C	D930/ SGT HIMLE AND OLIVER AND SARTOR AND LINDQUIST...NEED TO STAGE FIRE 6 IN HOUSE ... SEE RELATED CP#: SL22-50403
<b>Count:</b> 3									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-9846	03/20/2022 17:06:37	ALARMF	Initiated	No	87	E10	1375 South AMBASSADOR Way	C	RESD FIRE ALARM, MAIN SMOKE, JEFFREY KUHN 435-513-5846
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davis, Jayde</b>									
CF22-9839	03/20/2022 15:41:05	ELEC	Initiated	No	88	M2	336 West 700 North	C	POLE IN FRNT OF HOUSE JUST BLEW..NO ACTIVE FIRE..NO LINES ON THE GROUND
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
<b>Count:</b> 2									
<b>CAD Officer in Charge: DeLeeuw, Brian</b>									
CF22-9860	03/20/2022 20:44:22	PUBLIC	Officer reviewed	No	100	LT8	736 South 300 East	C	SOMEONE BROKE INTO NEIGHBOR'S SHED IN BACKYARD...MWA HEAVIER SET, CAMO JACKET ... SEE RELATED CP#: SL22-50085
<b>Count:</b> 1									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-9951	03/21/2022 14:04:13	MISCF	Initiated	No	88	M5	1027 East BARBARA Place	C	LIGHT POLE OUTSIDE APT IS ON FIRE
CF22-9989	03/21/2022 19:36:27	HOUSE	Initiated	No	88	M5, M8, E13, BC1, LT5	804 East CLAYBOURNE Avenue	C	HOUSE ON FIRE... NOBODY INSIDE
<b>Count:</b> 2									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF22-8639	03/10/2022 18:57:27	ALARMF	Initiated	No	87	M11	1085 North GARNETTE Circle	A	RES FIRE ALARM.. SMOKE.. R/P ZACK GILBERT.. 801-898-2930

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
<b>Count:</b> 4									
<b>CAD Officer in Charge: Harp, Michael</b>									
CF22-9966	03/21/2022 15:58:09	REFUEL	Initiated	No	87	RD2, RD3, RD4	26 East PERIMETER	C	737 DOJ
<b>Count:</b> 1									
<b>CAD Officer in Charge: Harwood, Blake</b>									
CF22-9521	03/17/2022 21:37:37	COMM	Initiated	No	86	M2, LT2, UT10, M11, BC1, BC2, FD155, LT8, EQ9, EQ14, M6	808 North 6550 West	A	JUST N OF ADDR.. FIRE ON ROOM... 3 STORY WAREHOUSE... LIGHTS ARE ON IN BUILDING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hovermale, Matthew</b>									
CF22-9051	03/14/2022 04:21:09	ALARMW	Initiated	No	88	E4, LT5	600 South KOMAS Drive	B	BLDG WATERFLOW ALARM IN THE BASEMENT
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kartson, Constantine</b>									
CF22-8059	03/06/2022 06:47:18	LINE	Initiated	No	88	E13	1600 East 2100 South	A	SOUTH EAST SIDE BY THE MAINTENANCE SHED NEAR THE GREENHOUSE... LIGHT POLE DOWN, SEEMS TO BE LIVE... DOWN ON THE GROUND, THINKS THE LINES ARE LIVE.
CF22-8064	03/06/2022 07:07:11	PUBLIC	Initiated	No	88	E13	875 South DONNER Way	A	CALLBK=(801)582-3315 HUSB ON HOSPICE, CAN'T GET BACK INTO BED, CRAWLED OUT, CANYON CREST CONDOS, 414-350-3315, 96YOM C/B/NEG INJS
CF22-7797	03/04/2022 11:02:11	ALARMF	Initiated	No	88	E13	2164 South 2300 East	A	BASEMENT SMOKE DETECTOR... RESD OF EMILY CORDOVA... PREMISE # 801 253 1461

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-7972	03/05/2022 21:30:24	ELEC	Initiated	No	88	E13	2514 East KENSINGTON Avenue	A	2-3 HOUSES TO THE SOUTH, BEHIND THE HOUSES UP HIGH - SEEING SPARKING AND SMOKE, THINKS IT IS A TRANSFORMER
CF22-7980	03/05/2022 22:11:39	ELEC	Initiated	No	88	E13	1502 South WASATCH Drive	A	SPARKING IN POWER LINES WITH TREE LIMBS, IN BACKYARD
CF22-7985	03/05/2022 22:25:40	LINE	Initiated	No	88	E13	2100 South 1900 East	A	EB JUST PRIOR TO YUMA ST... BIG FLASH OF LIGHT... LARGE AMOUNT OF SNOW DUMPED,,,,, REQ SOMEONE CHECK THE AREA FOR PS LINES DOWN...
CF22-7990	03/05/2022 22:41:58	LINE	Initiated	No	88	E13	1856 East 2100 South	A	TRANSFORMER BLEW - NEG SMOKE OR FLAMES... LINES DOWN...
CF22-7997	03/05/2022 23:14:47	ELEC	Initiated	No	88	E13	1947 South NEVADA Street	A	POWER LINE IN BACKYARD...TOP OF POLE SPARKING, NOT THREATENING
CF22-8001	03/05/2022 23:26:15	LINE	Initiated	No	88	E13	1928 East DOWNINGTON Avenue	A	LINE DOWN IN FRONT OF HOME, IN STREET, UNKN IF ITS A POWER LINE
CF22-8013	03/06/2022 00:20:54	LINE	Initiated	No	87	E13	1700 East 1700 South	A	6FT OFF THE GROUND
CF22-8018	03/06/2022 01:18:22	LINE	Initiated	No	88	E13	1700 East 1700 South	A	LOW LINE IS DOWN NOW ACROSS THE ROAD.. NO SMOKE OR FLAMES..
<b>Count: 11</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-9552	03/18/2022 07:12:32	HOUSE	Initiated	No	88	M5, M8, BC1, LT5, M1	217 East 600 South	A	
CF22-9527	03/17/2022 22:10:51	APT	Initiated	No	88	M5, E10, BC1, LT8, M6, LT5, M1	245 South 200 East	A	MORTAN APTS...ALL ALARMS ARE GOING OFF...SMELLS SMOKE
CF22-9545	03/18/2022 02:26:55	ALARMF	Initiated	No	88	E4, M5, M8, BC1, LT8, LT5, M1	380 South 400 East	A	FIRE ALARM... SMOKE ZONE 8 AND GENERAL... BLOCK 44 R/P JULIE 912-531-2094 REF S45419
<b>Count: 3</b>									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-9185	03/15/2022 09:29:58	FUEL	Initiated	No	87	H14	5600 West AMELIA EARHART Drive		RECORDING STATING ACCIDENT HAS OCC'D WITH A FORD VEH...NFD...NO ANSWER ON CB . NO WAY TO SPEAK TO OCCUPANTS ... SEE RELATED CP#: SL22-46378
CF22-9252	03/15/2022 20:53:06	PUBLIC	Initiated	No	88	EQ14	998 West COLMAR Avenue	C	CALLBK=(801)916-7136 M FELL AND NEEDS HELP TO GET UP
<b>Count: 2</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
<b>Count: 2</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count: 3</b>									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for	No	100	BC1, FD153, M8,	1535 South WEST	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
			Officer review			M5, LT8, M6	TEMPLE Street		FIRE..
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
<b>Count:</b> 3									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN...YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF22-8681	03/11/2022 06:51:13	MISCF	Initiated	No	87	M2	220 South RIO GRANDE Street	A	PALLETS ON FIRE ... SEE RELATED CP#: SL22-43663
<b>Count:</b> 5									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-9817	03/20/2022 12:19:32	ALARMF	Initiated	No	88	M1	465 South 400 East	C	FIRE ALARM 465 PLAZA BUILDING. ZONE 272 LOWER LEVEL SE HALL SMOKE.. INSIDE # 801-322-2505
CF22-9824	03/20/2022 12:44:36	ALARMF	Initiated	No	88	M1	230 North L Street	C	UNOCCUPIED HOUSE FIRE ALARM GOING OFF COMP IN 222 BELIEVES IT IS IN 230 L STREET,, NO FLAMES OR SMOKE..
CF22-9965	03/21/2022 15:56:22	VEH	Initiated	No	88	FD154, FD158, M1	700 East 400 South	C	IN PARKING LOT OF ZIONS BANK... VEH HAS BLACK SMOKE... GRY NISSAN SENTRA
CF22-9938	03/21/2022 12:17:22	ALARMF	Initiated	No	87	M1	102 South 200 East	C	UNIVERSITY OF UTAH REAL ESTATE....REF
<b>Count:</b> 4									
<b>CAD Officer in Charge: Shepherd, Tyler</b>									
CF22-9857	03/20/2022 19:59:44	ALERT	Initiated	No	86	BC2, RD1, RD2, RD3, RD4, RD5, RD6, BLUE, M12	120 RUNWAY 16L34R	C	CHALLENGER WITH ALTERNATER FAILURE ETA 8 MIN ... SEE RELATED CP#: AP22-9333
CF22-9816	03/20/2022 11:56:40	FIRE	Initiated	No	88	LT2, M11, BC2, RD1, M12, LT8, EQ9, EQ14	115 QTA LP[AVIS	C	VEH ON FIRE INSIDE THE QTA
<b>Count:</b> 2									
<b>CAD Officer in Charge: Shumway, Brandon</b>									



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
<b>Count:</b> 2									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF22-8038	03/06/2022 04:25:38	ELEC	Initiated	No	88	M8	900 South 200 West	A	SE CORNER TRANSFORMER BLEW..
CF22-8720	03/11/2022 12:19:26	FUEL	Initiated	No	88	M8, H14	1818 South 300 West	A	GAS STATION - VAN LEAKING FUEL... APPROXIMATELY 17 GALLONS MAX... NEG WATERWAYS.. WILL NEED ASSIST
CF22-8757	03/11/2022 18:13:17	ALARMF	Initiated	No	88	M8	702 South MAIN Street	A	APT // 702 MAIN // SEC GUARD CAME IN AND COMP IS SUPERINTENDET OF THE JOB SITE, STROBES GOING OFF, NEG FLAMES OR SMOKE.... // BEEN HAVING ISSUES WITH HOMELESS PPL, UNKWN IF SOMEONE IS IN THERE AND SET THEM OFF
CF22-8822	03/12/2022 04:53:14	VEH	Initiated	No	88	M8	600 South I15 NB 600 S OFF Ramp	A	2 VEHICAL ACCIDENT
CF22-7979	03/05/2022 21:24:49	ELEC	Initiated	No	88	M8	200 East 1300 South	A	THREE HOUSES IN.... POWER LINE IS SPARKING...
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF22-7844	03/04/2022 19:22:18	ODOR	Initiated	No	88	M8	162 West PAXTON Avenue	A	
<b>Count:</b> 7									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-9562	03/18/2022 09:30:22	ALARMF	Initiated	No	88	M2	360 West 300 South	B	BROADWAY PARK LOFTS... SMOKE DETECTOR... ZONE 1, ELEVATOR EQUIPMENT ROOM...
CF22-9575	03/18/2022 12:20:03	ALARMF	Initiated	No	87	M1, M2	360 West 300 South	B	COMM SMOKE ALARM - BROADWAY PARK LOFTS... ZONE 1 ELEVATOR EQUIPMENT RM - NO #
<b>Count:</b> 3									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-	08/11/2020	ACC	Initiated	No	85	FD164	475 South 300		OTTO VISSOR VS LANDSCAPE VEH

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
25507	18:49:47						East		
<b>Count:</b>									
<b>1</b>									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b>									
<b>1</b>									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-9325	03/16/2022 13:37:29	ALARMW	Initiated	No	87	M8, LT8	258 West 700 South	A	COMM GENERAL AND WATERFLOW -MOTA GRANERY PARTNERS - FIRST FLOOR MAIN RISER - 801.335.8500
CF22-9377	03/16/2022 21:16:12	MISCF	Initiated	No	88	M8	1380 South MAIN Street	A	FIRE NEXT TO A SHED BEHIND THE PRIDE CENTER..SOUTH END OF THE BLDG...CALLER IS PASSERBY
CF22-9466	03/17/2022 15:07:50	ALARMF	Initiated	No	88	M8	555 South MAIN Street	A	GENERAL FIRE ALARM ZONE 2..801 258 6986
CF22-9496	03/17/2022 18:15:42	ALARMW	Initiated	No	87	M5, M8, LT8	702 South MAIN Street	A	ZONE 218 MAIN WATERFLOW 1... BUSN IS 702 APTS LEASING OFFICE... NO PREMISE #... KEYHOLDER BLAKE WHEELER 801 588 9347
<b>Count:</b>									
<b>4</b>									
<b>Count:</b>									
<b>116</b>									

**Report Criteria**

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.