

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

03/27/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF21-38975	11/23/2021 11:05:26	PUBLIC	Initiated	No	86	BLU28	31 CONCOURSE A SL[OBA A25]		
CF22-9507	03/17/2022 19:25:24	TRUCK	Initiated	No	88	M8, FD155, M6, H14	216 West PAXTON Avenue West	A	
CF21-30961	09/18/2021 21:35:36	TRUCK	Initiated	No	84	BC41, E41, MA41	200 West I80E WB Freeway		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-29580	09/09/2021 13:39:54	UNCON	Initiated	No	82	MA72	2000 South 3200 West		FEM FEELS LIKE SHE IS GOING TO PASS OUT.. APPROX ADDR TX VECC ... SEE RELATED CP#: WV21-71 - FD
CF21-29985	09/12/2021 00:56:00	UNCON	Initiated	No	83	MA73	1571 South I215W NB Freeway		FROM CITY...STATES BEST ACCESS 3500 S BY VALLEY FAIR....BETWEEN 1300 S 1900 S...MALE PASSED OUT IN A VEH
CF21-31373	09/22/2021 08:01:32	PUBLIC	Initiated	No	87	BLUE	765 North 2200 W[BUILDING 302 ]		BLUE28 RESPONDING ON A CONCIIOUS PATIENT AND NOT REQUESTING ANY OTHER ASSIST AT THIS TIME
CF21-35807	10/28/2021 06:29:40	ASSAM	Initiated	No	80	E41, ME101, MA41	2757 South 300 East		BOYFRIEND BROKE INTO COMP'S APT. T/L 15 MINS.. COMP LEFT W/ KIDS.. NAME IS HANDERSON GALICIA MALE/ GUADAMALAN / 28YRS OLD/ 5'8/ GRY SWEATS OR BLU JEANS/ BLK JKT T/L 10-15 MINS.. IS KNOWN TO CARRY KNIVES ON HIM... COMP IS NOW AT HER MOM'S HOUSE IN SSL ... SEE RELATED CP#: SL21-198472
CF21-36584	11/03/2021 16:20:52	MISCF	Initiated	No	85	BC31	442 South HOLD Avenue		***TEST***
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-42781	12/24/2021 21:12:59	ASSAM	Initiated	No	84	MA73	2831 South 2540 West		COMP GOT INTO A FIGHT WITH HER BOYFIREND AND WOULD LIKE TO REPORT IT ... SEE RELATED CP#: SL21-235746
CF22-1590	01/13/2022 10:33:26	SEIZ	Initiated	No	86	GC565, ME119	876 East 800 South		LOC IS SMITHS.. CALLED UP FRONT.. MALE WITH SYNCOPE EPISODE.. GOLDX IN PLOT.. WILL HAVE THEM ASSIST.. GC565
CF22-6899	02/24/2022 19:27:33	PDASST	Initiated	No	85	GC591	211 South 500 East		GX TO STAGE FOR STATION 1

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-10343	03/24/2022 15:33:30	ARESCU	Initiated	No	88	M2	656 South 300 West	B	DOG IN CAR... ATMOSPHERE AMPHITHEATER.... UNK IF IN DISTRESS, COMP GOT INFO FROM COWORKER... HUSKY..WINDOW ROLLED SLIGHTLY DOWN.... OLDER STYLE SUBA SIL.... SEE RELATED CP#: SL22-52697
CF22-10384	03/24/2022 21:17:35	REFUEL	Initiated	No	87	RD2, RD3, RD4	60 East PERIMETER	B	***THIS IS A TEST*** DO NOT DISPATCH***
<b>Count: 23</b>									
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF22-10642	03/26/2022 21:46:41	MISCF	Initiated	No	88	M11	1726 West NORTH TEMPLE Street	C	MALE IN WHEELCHAIR LIT FIRE IN GRASS, NEAR AN ELEC BOX
<b>Count: 1</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-10561	03/26/2022 09:04:17	MISCF	Initiated	No	88	M8	242 West PARAMOUNT Avenue	C	RESIDENT PUT CLOTHES IN A SHOPPING CART AND STARTED IT ON FIRE.... CURRENTLY SMOKING, SEC USED A FIRE EXTIGUISHER, DIDN'T EXTIGUISH IT FULLY... SHOPPING CART IS CURRENTLY IN THE STREET OUT FRONT... SEC WILL DIRECT..
CF22-10584	03/26/2022 12:51:52	HYD	Initiated	No	87	M8	839 South WASHINGTON Street	C	HYD LEAKING.. STARTING TO TIP OVER AND GROUND SEEMS TO BE SPONGEY... DIRECTLY IN FRONT OF DISP ADDR ON SAME SIDE OF RD
CF22-10593	03/26/2022 14:17:14	ALARMF	Initiated	No	87	M8	1171 South RICHARDS Street	C	COMM FIRE ALARM.. // CARLSON QUALITY // ZONE 6 SMOKE DETECTOR // 801-521-4469 // REF3007782736
<b>Count: 3</b>									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF22-10592	03/26/2022 13:54:43	PUBLIC	Initiated	No	93	E13	3156 East CARRIGAN CANYON Drive	C	CAR LEAKING GAS....CALLED AAA.....THEY SAID FD HAS TO COME OUT AND CHECK IT OUT FIRST TO SEE IF IT CAN BE TOWED
<b>Count: 1</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-10660	03/27/2022 00:21:16	ALARMF	Initiated	No	88	EQ9	4883 West DOUGLAS CORRIGAN Way	C	FIRE ALARM GOING OFF AND NEEDS ASSISTANCE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bednarik, Mark</b>									
CF22-8647	03/10/2022 20:11:48	HOUSE	Initiated	Yes	100	M2, LT2, E4, M5, M7, M8, UT10, M11, BC1, FD155, FD181, LT8, M6, LT5, M1	248 West 300 South	A	ABANDONED HOUSE ON FIRE...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-10705	03/27/2022 11:09:26	LGASLE	Initiated	No	88	M8, H10, BC2, LT8, M6, H14	1601 West SNOW QUEEN Place	C	CAN SMELL GAS UNK WHERE ITS COMING FROM
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-10610	03/26/2022 16:38:04	ARESCU	Initiated	No	88	E10	2600 East SUNNYSIDE Avenue	C	2 DOGS LOCKED IN CAR...MAIN ENTRANCE ...2ND ROW.. MAROON HOND ODYSSEY ...TEMP TAG -CH81858....2 DACHSHUND DOGS ... SEE RELATED CP#: SL22-54213
CF22-	03/26/2022	LGASLE	Initiated	No	87	M3, M5, M8,	1400 South	C	HI SUSHI RESTRUANT, SMELLED GAS, NO

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
10588	13:13:22					H10, E13, BC1, H14, LT5	FOOTHILL Drive		ONE INSIDE.... DARK INSIDE..THE DOOR WAS OPEN, BUT NO ONE INSIDE AND LIGHTS OFF, SMELLED OF GAS... FLOOR G IN THE FOOTHILL VILLAGE, NEXT TO JERSEY MIKES.... // COMP WILL WATCH FOR FD, CURRENTLY EATING AT ANOTHER RESTURANT
<b>Count:</b> 2									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF22-10533	03/26/2022 02:38:28	STRUCT	Initiated	No	86	LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, FD182, LT8, EQ9, EQ14, M6, LT5	1920 South 900 West	B	PRETTY BIG FIRE
CF22-10713	03/27/2022 12:17:33	ALARMF	Initiated	No	88	M2, H10	350 North STATE Street	C	CO ALARM GOING OFF IN UNDERGROUND PLOT... 1ST LVL... UHP REQUESTING RESPONSE .....
CF22-10697	03/27/2022 09:47:13	ALARMF	Initiated	No	88	M2	235 West 600 North	C	CALLBK=(801)906-0509 SMOKE ALARMS GOING OFF.. UNK WHY.. NO SMOKE OR FLAMES BEEN GOING OFF SINCE 6 AM.. THEY CHANGED THE BATTERIES THIS MORNING AND STILL GOING.. HAS BEEN SICK
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 4									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Dahle, Chad</b>									
CF22-10554	03/26/2022 08:14:30	ALARMF	Initiated	No	88	M1	115 South 300 East	B	ZONE 2 SMOKE DETECTOR... 801-590-4430...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
<b>Count:</b> 2									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-10673	03/27/2022 02:48:28	ALARMF	Initiated	No	88	M5	602 East 500 South	C	ALARM SET OFF BY FOG MACHINE - REQ HELP RESETTING THE ALARM - IN THE NOIR EVENT CENTER
<b>Count:</b> 1									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-	06/17/2021	PUBLIC	Initiated	No	88	SQ2	48 West 300		CALLER IS CAREGIVER, CANNOT GET

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
18617	16:52:56						South		PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
<b>Count:</b> 4									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hovermale, Matthew</b>									
CF22-9051	03/14/2022 04:21:09	ALARMW	Initiated	No	88	E4, LT5	600 South KOMAS Drive	B	BLDG WATERFLOW ALARM IN THE BASEMENT
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jorgensen, Brandon</b>									
CF22-10557	03/26/2022 08:33:49	ALARMF	Initiated	No	87	M11	1001 North FEATHERSTONE Drive	C	ZONE 10, GENERAL FIRE ALARM... TODD 801-577-2190...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-9527	03/17/2022 22:10:51	APT	Initiated	No	88	M5, E10, BC1, LT8, M6, LT5, M1	245 South 200 East	A	MORTAN APTS...ALL ALARMS ARE GOING OFF...SMELLS SMOKE
CF22-9545	03/18/2022 02:26:55	ALARMF	Initiated	No	88	E4, M5, M8, BC1, LT8, LT5, M1	380 South 400 East	A	FIRE ALARM... SMOKE ZONE 8 AND GENERAL... BLOCK 44 R/P JULIE 912-531-2094 REF S45419
CF22-10120	03/22/2022 22:40:44	LGASLE	Initiated	No	87	E4, M5, H10, BC1, H14, LT5, M1	1320 East 200 South	A	NATGAS ODOR IN THE KITCHEN TO THE LOBBY NEAR SODA MACHINE... NO ONE SICK OR INJURED
CF22-10172	03/23/2022 10:18:59	LGASLE	Initiated	No	87	M2, LT2, M7, H10, BC1, H14, M1	171 East 3RD Avenue	A	GAS LEAK, TERRACE FALLS CONDOS, ODOR 4TH FLOOR HALLWAY, COMP NO LONGER THERE, COMPS BROTHER LIVES WITH HIS MOTHER IN UNIT 412
CF22-10175	03/23/2022 10:34:28	PUBLIC	Initiated	No	88	LT8, M1	40 East 100 South	A	CAPITOL GRILL ..COMP CALLING FROM OUT OF STATE .. PASSENGER STUCK IN ELEVATOR .. ELEVATOR #2 IN THE KITCHEN .. PASSENGER NAME IS JERRY 385 272 7246
<b>Count:</b> 5									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-10717	03/27/2022 12:35:22	TRUCK	Initiated	No	88	M11, H14	5670 West 300 South	C	TRUCK IS ON FIRE...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH .. ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count:</b> 2									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-10556	03/26/2022 08:22:19	MISCF	Initiated	No	88	M8	1212 South STATE Street	B	BEHIND THE BLDG, FIRE GOING NEAR DUMPSTER // HOMELESS FIRE ...
<b>Count:</b> 4									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF22-8681	03/11/2022 06:51:13	MISCF	Initiated	No	87	M2	220 South RIO GRANDE Street	A	PALLETS ON FIRE ... SEE RELATED CP#: SL22-43663
<b>Count:</b> 5									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-	03/27/2022	ALARMF	Initiated	No	88	M1	230 East	C	BUSN BROADWAY TOWER... FIRE ALARM...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
10668	01:54:53						BROADWAY Street		NO SPECIFIC ZONE... DT 1:54..... RP IS LANCE JACKSON.. PH 801-560-2435... ETA 45 MINS FOR RP...
CF22-10635	03/26/2022 19:46:11	LGASLE	Initiated	No	86	E4, M5, H10, BC1, BC2, M6, H14, LT5, M1	460 East 400 South	C	VELO ON BLVD...GAS LEAK INSIDE COMING FROM THE OVEN
<b>Count:</b> 2									
<b>CAD Officer in Charge: Shafer, Curtis</b>									
CF22-10607	03/26/2022 16:28:58	ALARMF	Initiated	No	88	M7	750 West SOUTH TEMPLE Street	C	ELEVATOR 1 ALARM, NFD
CF22-10649	03/26/2022 22:44:35	APT	Initiated	No	87	E4, M7, BC1, BC2, LT8, M6, LT5, M1	535 West 300 North	C	FIRE ALARM GOING OFF IN UNIT 50...SMELLED SMOKE ON 3RD FLR...NEG FLAMES
CF22-10612	03/26/2022 17:15:00	ALARMF	Initiated	No	87	M7	1320 West 1000 North	C	RESD...FROILAN URCINO...HALLWAY SMOKE...801 430 5846
CF22-10621	03/26/2022 18:30:07	ALARMF	Initiated	No	87	M7	866 West SOUTH TEMPLE Street	C	BUSN...RED IGUANA 2...801 300 4205
CF22-10627	03/26/2022 19:14:06	ALARMF	Initiated	No	87	M7	866 West SOUTH TEMPLE Street	C	ZONE 1 GENERAL FIRE...RP PENDING...#801-300-4205
CF22-10678	03/27/2022 05:24:26	PUBLIC	Initiated	No	88	M7	750 West SOUTH TEMPLE Street	C	ELEVATOR ALARM.. UNABLE TO REACH ANYONE INSIDE, ELEVATOR 1... R/P NAME 801-270-1326, STEVE 801-634-0868
CF22-10708	03/27/2022 11:19:08	MISCF	Initiated	No	88	M7	200 North 1000 West	C	ON THE LIGHTPOLE 39J....BY THE FAIRPARK ON THE JORDAN RIVER TRAIL...LOOKS LIKE HOMELESS STARTING A FIRE...SEES 2 TENTS...
CF22-10595	03/26/2022 14:35:00	MISCF	Initiated	No	88	M7	1000 West NORTH TEMPLE Street	C	W SIDE OF STREET, BUSHES ON FIRE
CF22-10599	03/26/2022 15:25:18	FUEL	Initiated	No	88	M7, H14	1174 West 600 North	C	SMITH'S PARKING LOT... COMP'S VEH DUMPED GASOLINE... LESS THAN 17 GALLONS... BLK 2016 DODGE JOURNEY... ON 600 N SIDE, NEAR ENTRANCE TO PARKING LOT
<b>Count:</b> 9									
<b>CAD Officer in Charge: Sharp, Dallas</b>									
CF22-10601	03/26/2022 15:33:41	COMM	Initiated	No	86	H14, M2, LT2, M7, M11, BC2, LT8, EQ9, M6	1195 North 6550 West	C	CALLBK=(385)831-9503 ..... FIRE DOWN THE STREET AT A DIFFERENT BUILDING .....
CF22-10580	03/26/2022 11:59:23	SMOKE	Initiated	No	87	EQ9	400 North 5600 West	C	JUST S OF AIRPORT, APPX ADD...SMOKE IN AREA, UNK WHAT IS ON FIRE
<b>Count:</b> 2									
<b>CAD Officer in Charge: Shepherd, Tyler</b>									
CF22-10719	03/27/2022 12:52:50	ODOR	Initiated	No	88	RD1, M12	5 CONCOURSE A SL	C	SMELL OF ELECTRICAL BURN
CF22-9816	03/20/2022 11:56:40	FIRE	Initiated	No	99	LT2, M11, BC2, RD1, M12, LT8, EQ9, EQ14	115 QTA LP[AVIS	C	VEH ON FIRE INSIDE THE QTA
<b>Count:</b> 2									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 2									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF22-10252	03/24/2022 00:48:47	HAZMAT	Initiated	No	84	M7, M8, H10, BC2, H14	1675 South EMPIRE Road	A	WAREHOUSE READY ICE...ALARM GOING OFF FOR AMONIA LEAK...EVAC IN PROGRESS, NEG SICK OR INJ..
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count:</b> 2									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF22-8720	03/11/2022 12:19:26	FUEL	Initiated	No	88	M8, H14	1818 South 300 West	A	GAS STATION - VAN LEAKING FUEL... APPROXIMATELY 17 GALLONS MAX... NEG WATERWAYS.. WILL NEED ASSIST
CF22-8757	03/11/2022 18:13:17	ALARMF	Initiated	No	90	M8	702 South MAIN Street	A	APT // 702 MAIN // SEC GUARD CAME IN AND COMP IS SUPERINTENDET OF THE JOB SITE, STROBES GOING OFF, NEG FLAMES OR SMOKE.... // BEEN HAVING ISSUES WITH HOMELESS PPL, UNKWN IF SOMEONE IS IN THERE AND SET THEM OFF
CF22-8822	03/12/2022 04:53:14	VEH	Initiated	No	88	M8	600 South I15 NB 600 S OFF Ramp	A	2 VEHICAL ACCIDENT
CF22-10256	03/24/2022 01:32:32	PUBLIC	Initiated	No	88	LT8	999 South MAIN Street	A	1604-1607 WITHOUT WATER - AND SEWAGE IS COMING UP THROUGH THE TOILETS - PER CALLER MAINT HASNT BEEN DOING ANYTHING ABOUT IT - SAYING SHE IS THE FROTN DESK EMPLOYEE
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 5									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-10350	03/24/2022 16:17:52	ALARMF	Initiated	No	87	M2	244 North 300 West	B	WEST HIGH SCHOOL PU.LL STATION... PER SN ONLY TESTING ALARMS UNTIL 1530 // PER ALARM CO, SPOKE TO RP JOHN SPENCER, ADVISED FALSE ALARM
CF22-9562	03/18/2022 09:30:22	ALARMF	Initiated	No	88	M2	360 West 300 South	B	BROADWAY PARK LOFTS... SMOKE DETECTOR... ZONE 1, ELEVATOR EQUIPMENT ROOM...
CF22-9575	03/18/2022 12:20:03	ALARMF	Initiated	No	87	M1, M2	360 West 300 South	B	COMM SMOKE ALARM - BROADWAY PARK LOFTS... ZONE 1 ELEVATOR EQUIPMENT RM - NO #
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-10405	03/25/2022 00:13:28	ALARMF	Initiated	No	88	M2	60 East SOUTH TEMPLE Street	B	EAGLE GATE PLAZA AND TOWER.. FIRE ALARM SMOKE DECT FOR 2ND AND 3RD FLOORS.. R/P SEC 801-573-3231..
CF22-10411	03/25/2022 03:43:42	ALARMF	Initiated	No	87	M2	21 East 500 North	B	GARAGE SMOKE DETECTOR...RP PENDING...#801-205-7717
CF22-10415	03/25/2022 06:11:46	ALARMF	Initiated	No	87	M2	133 West 200 North	B	FALSE ALARM FIRE ALARM...HUMIDIFER SET THE ALARM OFF....NEG ASSISTANCE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
NEEDED									
<b>Count:</b>									
7									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-10238	03/23/2022 21:57:33	ALARMW	Initiated	No	88	LT8, M6	350 West HOPE Avenue	A	WATERFLOW 10 PARKING GARAGE
<b>Count:</b>									
1									
<b>Count:</b>									
110									

**Report Criteria**

- Record Status: Is Not Equal To Officer reviewed
- Locked?: Is Not Equal To Yes
- Incident Date Time: Is On or After 1/16/2018
- Incident Number: Begins With CF
- Code: Is Not Equal To ARSINV
- Code: Is Not Equal To APSN
- Apparatus: Is Not Equal To E41
- Apparatus: Is Not Equal To E73
- Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)