

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

04/04/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-10343	03/24/2022 15:33:30	ARESCU	Initiated	No	88	M2	656 South 300 West	B	DOG IN CAR... ATMOSPHERE AMPHITHEATER.... UNK IF IN DISTRESS, COMP GOT INFO FROM COWORKER... HUSKY..WINDOW ROLLED SLIGHTLY DOWN.... OLDER STYLE SUBA SIL... SEE RELATED CP#: SL22-52697
CF22-11189	03/31/2022 15:10:53	REFUEL	Initiated	No	88	RD2, RD4	24 East PERIMETER	B	DOJ AIRCRAFT, REFUEL FOR TACAIR
CF22-11628	04/04/2022 07:32:51	APT	Initiated	No	88	BC1, E10, M8, E4, LT8, LT5, M1	306 East 700 South	A	FIRE ON BOTTOM FLOOR...COMP NOT ANSWERING CT QUESTIONS
<b>Count: 13</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-11298	04/01/2022 10:18:02	MISCF	Initiated	No	87	M6	338 South REDWOOD Road	C	MJ AUTO // FIRE NEAR GAS METERS // COMP ASKED HOMELESS M TO EXTIGUISH IT, UNKWN IF HE DID OR NOT
CF22-11383	04/02/2022 02:05:47	ALARMF	Initiated	No	88	M6	550 West 900 South	C	SALT LAKE METRO LEASING WAREHOUSE ZONE 3...GEN FIRE ALARM ... RP ROSS 801-598-2020 OR 8016711658
CF22-11388	04/02/2022 04:22:55	VEH	Initiated	No	88	M6	West INDIANA AVE / S BENDING RIVER Road	C	VEH ON FIRE RIGHT UNDER THE BRIDGE ON INDIANA AVE... FLAMES AND SMOKE
CF22-11396	04/02/2022 08:00:04	ALARMF	Initiated	No	88	M6	859 South 600 West	C	BEST OF UTAH MOVING...BLUE WAREHOUSE...FIRE ALARMS GOING OFF..NO SMOKE OR FLAMES.... NEEDS HELP RE-

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
SETTING...									
CF22-11464	04/02/2022 20:14:17	ALARMF	Initiated	No	87	M6	1576 South 300 West	C	COMMERCIAL ALARM.. MCBETH HARDWOOD... ZONE 5 OFFICE SMOKE... INSIDE NUMBER 8014847616
<b>Count: 5</b>									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-11277	04/01/2022 07:15:50	PUBLIC	Initiated	No	88	LT5	1228 South 900 East	B	FIRE ALARM GOING OFF/ ... NOW NEED HELP RESETTING IT ...
CF22-11280	04/01/2022 07:39:28	ACC	Initiated	No	88	BC1, LT5	1228 South 900 East	B	LT5 VS VEH... SAFETY CAPT JEPSON NOTIFIED
<b>Count: 2</b>									
<b>CAD Officer in Charge: Burton, Anthony</b>									
CF22-10868	03/28/2022 17:30:05	ALARMF	Initiated	No	88	M5	1398 East MICHIGAN Avenue	A	FIRE ALARM.. HALLWAY SMOKE DET.. DIANE JORGENSEN RES.. INSIDE # 801-209-4284
<b>Count: 1</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF22-11114	03/30/2022 23:39:59	APT	Initiated	No	87	M2, LT2, M7, UT10, M11, BC1, BC2, FD152, FD153, LT8, EQ9, EQ14, M6	819 West NORTH TEMPLE Street	B	FIRE
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 2</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Crandall, Steve</b>									
CF22-11513	04/03/2022 10:06:41	PUBLIC	Initiated	No	88	M5	645 South 1300 East	A	COMP IS STAFF MEMBER .. HAD GREASE FIRE IN OVEN .. FIRE IS OUT .. REQ FD RESPOND TO CHECK THINGS OUT ..
<b>Count: 1</b>									
<b>CAD Officer in Charge: Dahle, Chad</b>									
CF22-11276	04/01/2022 06:59:37	ALARMF	Initiated	No	87	M1	122 South 900 East	B	COMM FIRE ALARM // BUSN CORE WOMEN // 801-883-5378 // FIRST FLR FIRE ALARM // REF 9250 // NO ANSWER ON CB
CF22-11286	04/01/2022 08:26:13	WASH	Initiated	No	88	M1	100 South STATE Street	B	E SIDE OF THE MALL...SB ON FOOT...MWA ...GRY BLANKET/WHI SHOES...BLEEDING FROM THE ANKLE.. ... SEE RELATED CP#: SL22-58587 - FD
<b>Count: 2</b>									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
<b>Count: 2</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF22-11612	04/04/2022 03:14:42	PDASST	Initiated	No	88	M11	1740 West GERTIE Avenue	A	DAU BRIANNA WENDORF 6/22/1997... THREATENED TO COMMIT SUICIDE BY DRUGGING HERSELF... NOT ANSWERING THE PHONE... PH#801.512.3077 ... SEE RELATED CP#: SL22-61153
<b>Count: 1</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count: 1</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF22-10820	03/28/2022 10:25:12	LINE	Initiated	No	87	M7	1575 West ROSE PARK Circle	A	POWER LINE HAS BEEN DOWN FOR A COUPLE WEEKS...
CF22-10966	03/29/2022 15:45:34	ALARMF	Initiated	No	88	M7	1236 West 900 North	A	FIRE ALARM SOUNDING AND REQ TO COME AND CHECK IT
CF22-11004	03/29/2022 22:45:37	MISCF	Initiated	No	88	M7	1151 North CAPISTRANO Drive	A	NEIGHBOR HAS A FIRE GOING...COMP SAYS THIS IS A DRUG HOUSE AND NO ONE IS SUPPOSED TO BE THERE...NOT THREATENING ANYTHING
CF22-11012	03/30/2022 00:46:02	PUBLIC	Initiated	No	88	M7	900 West 1000 North	A	CHEVRON COMP DROVE OFF WITH GAS NOZZLE STILL ATTACHED TO VEHICLE
CF22-11603	04/04/2022 00:07:54	HOUSE	Initiated	No	88	M2, M7, BC2, LT8, M6	100 South 1000 W / W EUCLID Avenue West	A	HOUSE IS ON FIRE
<b>Count: 9</b>									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Hovermale, Matthew</b>									
CF22-9051	03/14/2022 04:21:09	ALARMW	Initiated	No	88	E4, LT5	600 South KOMAS Drive	B	BLDG WATERFLOW ALARM IN THE BASEMENT
<b>Count: 1</b>									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
CF22-11546	04/03/2022 15:15:21	VEH	Initiated	No	88	M2, LT2, M7, BC2,	938 West 300 South	A	VEH FIRE...NW CORNER ON 300 S

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
FD155, M6									
<b>Count:</b> 2									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-11553	04/03/2022 16:05:16	ALARMF	Initiated	No	88	M1	76 South 500 East	A	FIRE ALARM EMERITUS OF SLC...801 359 0050 ...ZONE1
CF22-11563	04/03/2022 18:14:09	ALARMF	Initiated	No	88	M1	209 East 500 South	A	ZONE 3 PULL STATION....THE LEONARDO...801 531 9800
CF22-11576	04/03/2022 20:20:06	ALARMF	Initiated	No	88	M1	230 East 300 South	A	FIRE ALARM... GENERAL... RP LANCE 801-560-2435
CF22-11583	04/03/2022 21:25:13	ODOR	Initiated	No	88	M1	332 South 800 East	A	STRONG ODOR OF SMOKE OUTSIDE....
<b>Count:</b> 4									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count:</b> 2									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-11596	04/03/2022 23:26:02	MISCF	Initiated	No	88	M8	West FAYETTE AVE /S WASHINGTON Street	A	CAMP FIRE AT A HOMELESS ENCAMPMENT...UP AGAINST THE OVERPASS. COMP NOT ON SCENE, IS AT THE END OF WASHINGTON. BEHIND THE STORAGE CONTAINERS
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-10556	03/26/2022 08:22:19	MISCF	Initiated	No	95	M8	1212 South STATE Street	C	BEHIND THE BLDG, FIRE GOING NEAR DUMPSTER // HOMELESS FIRE ...
<b>Count:</b> 4									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-11196	03/31/2022 16:22:17	ALARMW	Initiated	No	87	EQ9	6050 West 700 South	B	WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM									
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ...PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East 180E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF22-11236	03/31/2022 19:42:32	PUBLIC	Initiated	No	88	LT2	122 West SOUTH TEMPLE Street	B	ELEVATOR STUCK ON THE 4TH FLOOR... 3 MALES.. NO ONE SICK OR INJURED
CF22-11192	03/31/2022 15:38:58	PUBLIC	Initiated	No	87	LT2	122 West SOUTH TEMPLE Street	B	ELEVATOR... /// SOMEONE STUCK INSIDE, NOT SURE WHICH ONE.... STUCK ON THE 13TH FLR... NO ONE SICK OR INJ... IN THE LOBBY AREA
CF22-11151	03/31/2022 09:41:03	ALARMF	Initiated	No	87	M2, LT2	142 West 200 North	B	LDS CHURCH, FIRE ALARM GOING OFF... // VEH IN PARKING LOT, BUT NOT SEEING ANYONE COMING IN OR OUT OF BLDG, NEG SMOKE OR FLAMES
CF22-11152	03/31/2022 09:46:51	ALARMF	Initiated	No	87	M2, LT2	280 West 500 North	B	5 STORY BLDG, UNDERS CONST.... FIRE ALARM GOING OFF... NEG FLAMES OR SMOKE... BEEN GOING OFF FOR ABOUT 30 MINS NOW...JUST N OF THE LIBRARY // COMP DOWN THE STREET
<b>Count:</b> 8									
<b>CAD Officer in Charge: Rockwood, Wade</b>									
CF22-11557	04/03/2022 16:56:04	ALARMF	Initiated	No	87	E10	1470 South 2000 East	A	MAIN SMOKE DETECTOR...RESD THOMAS HENRIOD 801 856 2965
CF22-11606	04/04/2022 01:24:10	ALARMF	Initiated	No	87	M5, E10	1415 East LAIRD Circle	A	RESIDENTAL SMOKE ALARM ZONE 9, KITCHEN HALL SMOKE DETECTOR....R/P RACHAEL EGGHOUSER 801-889-9214
<b>Count:</b> 2									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-11589	04/03/2022 22:07:47	ALARMF	Initiated	No	88	E13	2206 East REDONDO Avenue	A	CO ALARM SOUNDED..... NEG SICK OR INJ... SOUNDING IN BASEMENT..... NO FLAMES/SMOKE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>4</b>									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count: 1</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count: 1</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF22-10914	03/29/2022 03:22:58	PUBLIC	Initiated	No	88	LT8	1000 South STATE Street	A	STANDING OUT FRONT....PUT RING ON LAST NIGHT.....FINGER IS SWOLLEN AND CANNOT GET RING OFF.....FINGER IS TURNING BLUE...49 YOM....C/B/A
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count: 2</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-11045	03/30/2022 12:32:11	ALARMF	Initiated	No	88	M2	28 South STATE Street	B	FIRE ALARM CITY CREEK ...FOOD COURT ..RP 801 238 5325
CF22-11072	03/30/2022 17:06:03	ALARMF	Initiated	No	87	M2	174 West 300 South	B	PF CHANG,,, ZONE 169 AND 170 HOOD SHUTOFF PREMISE 801-539-0500...VM ON CB
CF22-11073	03/30/2022 17:13:26	ALARMF	Initiated	No	88	M2	274 West 200 South	B	AUDIBLE ALARM // FIRE ALARM // POWER WENT OUT....FIRE ALARM CAME ON...REFUSING TO GIVE OUT NUMBER... WOULD LIKE THE FIRE DEPT TO ASSIST WITH RESET
CF22-11083	03/30/2022 18:55:05	ALARMF	Initiated	No	88	M2	170 South MAIN Street	B	GENERAL FIRE ZONE 992... NO BUSN NAME LISTED... OFFICE # 801 531 8117... RP NICK PAINTER 385 910 4213...NO ANSWER TO OFFICE/ REACHED NICK ON CALL... 1 HR ETA
CF22-11167	03/31/2022 12:31:25	ALARMF	Initiated	No	88	M2	155 West 200 North	B	COMM GENERAL FIRE ALARM... UPMA GARDEN APTS... SECURITY 801-573-3231...
CF22-11140	03/31/2022 07:36:54	VEH	Initiated	No	88	M2	1000 North BECK Street	B	NEAR STOREM LOCK STORGE, SMALL GOLD SEDEN SWERVED AND HIT A TREE ... SEE RELATED CP#: SL22-57643 - ,CAR JUST STARTED ON FIRE
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-9562	03/18/2022 09:30:22	ALARMF	Initiated	No	88	M2	360 West 300 South	B	BROADWAY PARK LOFTS... SMOKE DETECTOR... ZONE 1, ELEVATOR EQUIPMENT ROOM...
CF22-9575	03/18/2022 12:20:03	ALARMF	Initiated	No	87	M1, M2	360 West 300 South	B	COMM SMOKE ALARM - BROADWAY PARK LOFTS... ZONE 1 ELEVATOR EQUIPMENT RM - NO #
CF22-10350	03/24/2022 16:17:52	ALARMF	Initiated	No	87	M2	244 North 300 West	B	WEST HIGH SCHOOL PU.LL STATION... PER SN ONLY TESTING ALARMS UNTIL 1530 // PER ALARM CO, SPOKE TO RP JOHN SPENCER, ADVISED FALSE ALARM
CF22-10405	03/25/2022 00:13:28	ALARMF	Initiated	No	88	M2	60 East SOUTH TEMPLE	B	EAGLE GATE PLAZA AND TOWER.. FIRE ALARM SMOKE DECT FOR 2ND AND 3RD FLOORS.. R/P SEC 801-573-3231..



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							Street		
CF22-10411	03/25/2022 03:43:42	ALARMF	Initiated	No	87	M2	21 East 500 North	B	GARAGE SMOKE DETECTOR...RP PENDING...#801-205-7717
CF22-10415	03/25/2022 06:11:46	ALARMF	Initiated	No	87	M2	133 West 200 North	B	FALSE ALARM FIRE ALARM...HUMIDIFER SET THE ALARM OFF....NEG ASSISTANCE NEEDED
CF22-11278	04/01/2022 07:26:37	MISCF	Initiated	No	88	M2	500 West NORTH TEMPLE Street	B	GOT A CALL FROM SOMEONE WHO CAN SEE FROM THEIR BALCONY AT THIS ADDR... A VACANT FIELD ON THE W SIDE OF FRONT RUNNER RAILS/ SOUTH OF THE OVERPASS... SQUATTERS THERE LAST NIGHT/ UNK IF FLAMES OR JUST SMOKE
<b>Count:</b> 15									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-11537	04/03/2022 13:02:32	ALARMF	Initiated	No	88	E4	175 South 300 East	A	FIRE ALARM ZONE 41 GENERAL.. MAGNOLIA COMMERCIAL... KEYHOLDER 801-509-6235 DON
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-10979	03/29/2022 18:29:08	ALARMF	Initiated	No	88	M8	1992 South 200 East	A	ALARM GOING OFF ON 2ND FLR...PS COMING FROM 207 OR 208...NO SMOKE OR FLAMES
CF22-10986	03/29/2022 19:55:07	LINE	Initiated	No	88	M8	265 East RAMONA Avenue	A	LINE DOWN... FROM CAR PORT TO THE HOUSE... SPARKING.... REQ NO LIGHTS OR SIRENS....
CF22-11594	04/03/2022 22:56:40	SMOKE	Initiated	No	88	M8	1425 South 200 East	A	SMOKE IN THE STREET - NO FLAMES SEEN - ODOR OF BURNT PLASTIC
CF22-11512	04/03/2022 09:56:24	PUBLIC	Initiated	No	88	LT8	1020 South MAIN Street	A	VALLEY BEH HEALTH ....ELEVATOR STUCK ON 1ST FLR...OCCUPANT INSIDE ...
<b>Count:</b> 4									
<b>Count:</b> 104									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.