

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

04/06/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES.UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-10343	03/24/2022 15:33:30	ARESCU	Initiated	No	88	M2	656 South 300 West	B	DOG IN CAR... ATMOSPHERE AMPHITHEATER.... UNK IF IN DISTRESS, COMP GOT INFO FROM COWORKER... HUSKY..WINDOW ROLLED SLIGHTLY DOWN.... OLDER STYLE SUBA SIL... SEE RELATED CP#: SL22-52697
CF22-11189	03/31/2022 15:10:53	REFUEL	Initiated	No	88	RD2, RD4	24 East PERIMETER	B	DOJ AIRCRAFT, REFUEL FOR TACAIR
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-11773	04/05/2022 10:08:53	ALARMF	Officer reviewed	No	100	M1	255 South WEST TEMPLE Street	B	ZONE 1 GENERAL...HILTON...801 328 2000
<b>Count: 14</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-11803	04/05/2022 13:44:19	ALARMF	Initiated	No	87	EQ9	2333 West NORTH TEMPLE Street	B	GENERAL FIRE ZONE 993.... 801-539-8852....
<b>Count: 1</b>									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-11277	04/01/2022 07:15:50	PUBLIC	Initiated	No	88	LT5	1228 South 900 East	B	FIRE ALARM GOING OFF/ ... NOW NEED HELP RESETTING IT ...
CF22-	04/01/2022	ACC	Initiated	No	88	BC1, LT5	1228 South	B	LT5 VS VEH... SAFETY CAPT JEPSON NOTIFIED

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
11280	07:39:28						900 East		
<b>Count:</b> 2									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Dahle, Chad</b>									
CF22-11286	04/01/2022 08:26:13	WASH	Initiated	No	88	M1	100 South STATE Street	B	E SIDE OF THE MALL...SB ON FOOT...MWA ...GRY BLANKET/WHI SHOES...BLEEDING FROM THE ANKLE.. ... SEE RELATED CP#: SL22-58587 - FD
CF22-11276	04/01/2022 06:59:37	ALARMF	Initiated	No	87	M1	122 South 900 East	B	COMM FIRE ALARM // BUSN CORE WOMEN // 801-883-5378 // FIRST FLR FIRE ALARM // REF 9250 // NO ANSWER ON CB
<b>Count:</b> 2									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-11830	04/05/2022 17:54:57	ALARMF	Initiated	No	88	E10	220 South CONNOR Road	B	GENERAL ALARM...ADA ROOM SMOKE DETECTOR...UUPD NOT AVAIL TO RESPOND
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	82	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680...HOUSE ON FIRE
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
<b>Count:</b> 3									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fredrickson, Tyler</b>									
CF22-11838	04/05/2022 19:00:16	ALARMF	Officer reviewed	No	100	M1	230 West NORTH TEMPLE Street	B	POINT 2 FIRE ALARM.. SEASONS ON CITY CREEK NO PREMISE #
CF22-	04/05/2022	ALARMF	Officer	No	100	LT5, M1	100 East	B	FIRE ALARM.....ZONE 1 GENERAL.....801-326-

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
11842	19:15:45		reviewed				SOUTH TEMPLE Street		2044 OR RP VICTOR AQUILA 801-300-8219
CF22-11834	04/05/2022 18:26:53	ALARMF	Officer reviewed	No	100	M1	660 South 300 East	B	ZONE 82 APT 611 GENERAL...NOREEN JOHNSON...801 531 0202
CF22-11786	04/05/2022 12:06:52	ALARMF	Officer reviewed	No	100	M1	222 South UNIVERSITY Street	B	COMP SAID CARBON MONOXIDE ALARM WENT OFF IN BASEMENT... NOBODY FEELING SICK...
CF22-11763	04/05/2022 08:55:14	ALARMF	Officer reviewed	No	100	M1	120 South 300 East	B	ZONE 3 GENERAL...RP PAULEEN 530 718 8199... SECOND TIME OUT
<b>Count:</b> 5									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-11715	04/04/2022 19:04:48	ALARMF	Initiated	No	88	M7	131 North 800 West	A	RANCHO MARKET...GEN FIRE ALARM AND FIRST FLOOR ELEVATOR SMOKE...DT 1904...RP PENDING...SITE # 801-231-0478...REF # AE04I0831
CF22-11719	04/04/2022 19:52:12	ALARMF	Initiated	No	88	M1	280 East 600 South	A	FIRE ALARM
CF22-11732	04/04/2022 23:25:29	PUBLIC	Initiated	No	88	M7	750 West SOUTH TEMPLE Street	A	ELEVATOR #2 IS STUCK.....UNABLE TO MAKE CONTACT W/ANYONE INSIDE ELEVATOR BUT COULD HEAR SOME SHUFFLING
CF22-11710	04/04/2022 18:07:34	PUBLIC	Initiated	No	88	M7	25 North REDWOOD Road	A	PER CAPT STONE FIRE PIO // WAS NOTIFIED BY A CITIZEN ABOUT BEING LOCKED OUT OF HIS VEHICLE ... CALLER WAS ADVISED PD DOESNT DO LOCKOUTS UNLESS CHILD OR PET LOCKED IN VEH.. REQUESTED FIRE TO RESPOND TO DO THE LOCK OUT.. VEHICLE IS A RED MAZDA 3 ... CALLERS CALL BACK IS 904-574-7797 DANIEL
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDNT GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
<b>Count:</b> 8									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hovermale, Matthew</b>									
CF22-11846	04/05/2022 20:34:54	ALARMF	Initiated	No	87	E4	761 East 6TH Avenue	B	RESID ROBERT SCHACKMANN FIRE ALARM.....ZONE E110.....801-322-1705
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-11755	04/05/2022 07:38:19	ALARMF	Initiated	No	88	M6	404 West 700 South	A	FIRE ALARM ..GRANARY CAMPUS...RP AMY FIELDING 801 349 8898...FIRE SMOKE 18
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
CF22-11546	04/03/2022 15:15:21	VEH	Initiated	No	88	M2, LT2, M7, BC2, FD155, M6	938 West 300 South	A	VEH FIRE...NW CORNER ON 300 S
<b>Count:</b> 3									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Jorgensen, Brandon</b>									
CF22-11764	04/05/2022 08:56:56	MISCF	Initiated	No	88	M11	50 South REDWOOD Road	B	TRANSIENT LIT A STUMP ON FIRE... EAST SIDE BETWEEN REDWOOD AND BUSN DIAMOND AIRPORT...TRANSIENT NO LONGER ON SCENE... COMP IN A RED DOGE RAM W/ HAZARDS
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-11757	04/05/2022 07:41:53	ALARMF	Initiated	No	88	M1	120 South 300 East	A	ZONE 3 GENERAL...RP PAULEEN 530 718 8199
CF22-11553	04/03/2022 16:05:16	ALARMF	Initiated	No	88	M1	76 South 500 East	A	FIRE ALARM EMERITUS OF SLC...801 359 0050 ...ZONE1
CF22-11563	04/03/2022 18:14:09	ALARMF	Initiated	No	88	M1	209 East 500 South	A	ZONE 3 PULL STATION....THE LEONARDO...801 531 9800
CF22-11576	04/03/2022 20:20:06	ALARMF	Initiated	No	88	M1	230 East 300 South	A	FIRE ALARM... GENERAL... RP LANCE 801-560-2435
CF22-11583	04/03/2022 21:25:13	ODOR	Initiated	No	88	M1	332 South 800 East	A	STRONG ODOR OF SMOKE OUTSIDE....
CF22-11628	04/04/2022 07:32:51	APT	Initiated	No	88	BC1, E10, M8, E4, LT8, LT5, M1	306 East 700 South	A	FIRE ON BOTTOM FLOOR...COMP NOT ANSWERING CT QUESTIONS
CF22-11667	04/04/2022 13:04:28	ALARMF	Initiated	No	87	M1	28 South STATE Street	A	CCRI CENTER FOOD COURT GENERAL FIRE ALARM ...RP 801 238 5325
CF22-11672	04/04/2022 14:02:13	ALARMF	Initiated	No	87	M1	1044 East 400 South	A	ZONE 16 GENERAL...INCLINE TERRACE...801 355 9591
CF22-11674	04/04/2022 14:08:54	ALARMF	Initiated	No	88	M1	1044 East 400 South	A	BEEHIVE PUMBLING SET OFF FIRE ALARM... NO PROBLEM JUST NEED HELP TURNING IT OFF...
<b>Count: 9</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count: 2</b>									
<b>CAD Officer in Charge: McNeill, John</b>									
CF22-11847	04/05/2022 20:41:39	APFA	Initiated	No	87	RD1, M12	35 CONCOURSE B SL NODE 3	B	HEAD 9:M3-18.
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count: 3</b>									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-10556	03/26/2022 08:22:19	MISCF	Initiated	No	95	M8	1212 South STATE Street	C	BEHIND THE BLDG, FIRE GOING NEAR DUMPSTER // HOMELESS FIRE ...
<b>Count:</b> 4									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-11196	03/31/2022 16:22:17	ALARMW	Initiated	No	87	EQ9	6050 West 700 South	B	WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-11192	03/31/2022 15:38:58	PUBLIC	Initiated	No	87	LT2	122 West SOUTH TEMPLE Street	B	ELEVATOR... /// SOMEONE STUCK INSIDE, NOT SURE WHICH ONE.... STUCK ON THE 13TH FLR... NO ONE SICK OR INJ... IN THE LOBBY AREA
CF22-11151	03/31/2022 09:41:03	ALARMF	Initiated	No	87	M2, LT2	142 West 200 North	B	LDS CHURCH, FIRE ALARM GOING OFF... // VEH IN PARKING LOT, BUT NOT SEEING ANYONE COMING IN OR OUT OF BLDG, NEG SMOKE OR FLAMES
CF22-11152	03/31/2022 09:46:51	ALARMF	Initiated	No	87	M2, LT2	280 West 500 North	B	5 STORY BLDG, UNDERS CONST.... FIRE ALARM GOING OFF... NEG FLAMES OR SMOKE... BEEN GOING OFF FOR ABOUT 30 MINS NOW...JUST N OF THE LIBRARY // COMP DOWN THE STREET
CF22-11236	03/31/2022 19:42:32	PUBLIC	Initiated	No	88	LT2	122 West SOUTH TEMPLE Street	B	ELEVATOR STUCK ON THE 4TH FLOOR... 3 MALES.. NO ONE SICK OR INJURED
CF22-11853	04/05/2022 21:18:40	ALARMF	Initiated	No	88	E13	2420 East BERNADINE Drive	B	FIRE ALARM IS GOING OFF, BUT NOTHING SEEN, NEG SMOKE OR FLAMES...NO ONE SICK
<b>Count:</b> 9									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7,	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
						BC1, LT5, M1	THE BASEMENT - MAINT IS ENR		
<b>Count:</b> 4									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF22-10914	03/29/2022 03:22:58	PUBLIC	Initiated	No	88	LT8	1000 South STATE Street	A	STANDING OUT FRONT....PUT RING ON LAST NIGHT.....FINGER IS SWOLLEN AND CANNOT GET RING OFF.....FINGER IS TURNING BLUE...49 YOM....C/B/A
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 2									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-11045	03/30/2022 12:32:11	ALARMF	Initiated	No	88	M2	28 South STATE Street	B	FIRE ALARM CITY CREEK ...FOOD COURT ..RP 801 238 5325
CF22-11072	03/30/2022 17:06:03	ALARMF	Initiated	No	87	M2	174 West 300 South	B	PF CHANG,,, ZONE 169 AND 170 HOOD SHUTOFF PREMISE 801-539-0500...VM ON CB
CF22-11073	03/30/2022 17:13:26	ALARMF	Initiated	No	88	M2	274 West 200 South	B	AUDIBLE ALARM // FIRE ALARM // POWER WENT OUT....FIRE ALARM CAME ON...REFUSING TO GIVE OUT NUMBER... WOULD LIKE THE FIRE DEPT TO ASSIST WITH RESET
CF22-11083	03/30/2022 18:55:05	ALARMF	Initiated	No	88	M2	170 South MAIN Street	B	GENERAL FIRE ZONE 992... NO BUSN NAME LISTED... OFFICE # 801 531 8117... RP NICK PAINTER 385 910 4213...NO ANSWER TO OFFICE/ REACHED NICK ON CALL... 1 HR ETA
CF22-11140	03/31/2022 07:36:54	VEH	Initiated	No	88	M2	1000 North BECK Street	B	NEAR STOREM LOCK STORGE, SMALL GOLD SEDEN SWERVED AND HIT A TREE ... SEE RELATED CP#: SL22-57643 - ,CAR JUST STARTED ON FIRE
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-9562	03/18/2022 09:30:22	ALARMF	Initiated	No	88	M2	360 West 300 South	B	BROADWAY PARK LOFTS... SMOKE DETECTOR... ZONE 1, ELEVATOR EQUIPMENT ROOM...
CF22-9575	03/18/2022 12:20:03	ALARMF	Initiated	No	87	M1, M2	360 West 300 South	B	COMM SMOKE ALARM - BROADWAY PARK LOFTS... ZONE 1 ELEVATOR EQUIPMENT RM - NO #
CF22-11167	03/31/2022 12:31:25	ALARMF	Initiated	No	88	M2	155 West 200 North	B	COMM GENERAL FIRE ALARM... UPMA GARDEN APTS... SECURITY 801-573-3231...
CF22-10350	03/24/2022 16:17:52	ALARMF	Initiated	No	87	M2	244 North 300 West	B	WEST HIGH SCHOOL PU.LL STATION... PER SN ONLY TESTING ALARMS UNTIL 1530 // PER ALARM CO, SPOKE TO RP JOHN SPENCER, ADVISED FALSE ALARM
CF22-10405	03/25/2022 00:13:28	ALARMF	Initiated	No	88	M2	60 East SOUTH TEMPLE Street	B	EAGLE GATE PLAZA AND TOWER.. FIRE ALARM SMOKE DECT FOR 2ND AND 3RD FLOORS.. R/P SEC 801-573-3231..

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-10411	03/25/2022 03:43:42	ALARMF	Initiated	No	87	M2	21 East 500 North	B	GARAGE SMOKE DETECTOR...RP PENDING...#801-205-7717
CF22-10415	03/25/2022 06:11:46	ALARMF	Initiated	No	87	M2	133 West 200 North	B	FALSE ALARM FIRE ALARM...HUMIDIFER SET THE ALARM OFF...NEG ASSISTANCE NEEDED
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-11278	04/01/2022 07:26:37	MISCF	Initiated	No	88	M2	500 West NORTH TEMPLE Street	B	GOT A CALL FROM SOMEONE WHO CAN SEE FROM THEIR BALCONY AT THIS ADDR... A VACANT FIELD ON THE W SIDE OF FRONT RUNNER RAILS/ SOUTH OF THE OVERPASS... SQUATTERS THERE LAST NIGHT/ UNK IF FLAMES OR JUST SMOKE
CF22-11858	04/05/2022 22:51:54	ALARMF	Initiated	No	87	M2	75 South WEST TEMPLE Street	B	GROUP 1 ESP #3 FIRE PANEL ALARM - INSIDE #801-531-0800
CF22-11863	04/06/2022 00:31:48	ALARMW	Initiated	No	88	M2, LT2	588 North 300 West	B	FIRE ALARM... ENTIRE FIRE SYSTEM WATER FLOW 17 DIFFERENT ZONES DROPPING... MARMALADE LAUREN WOLF 661-219-3050
CF22-11870	04/06/2022 03:14:07	MISCF	Initiated	No	88	M2	250 South 400 West	B	ON 400 W BETWEEN 200 S AND 300 S...WEST SIDE OF ROAD...GARBAGE CAN ON FIRE
CF22-11810	04/05/2022 15:06:36	ALARMF	Initiated	No	87	M2	21 East 500 North	B	FIRE ALARM.. DAVID BAILEY RESIDENTIAL STAIRWAY SMOKE.. INSIDE # 801-205-7717
<b>Count:</b> <b>19</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> <b>1</b>									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> <b>1</b>									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-11799	04/05/2022 13:14:58	MISCF	Initiated	No	88	M8	28 West MERRIMAC Avenue	B	ALLEY BETWEEN MARRIMAC AND ANDREW... ADDR IS COMP... 2 TRANSIENTS IN ALLEY STARTED A WARMING FIRE AND WANT IT CHECKED OUT... UNK WHAT THEY ARE BURNING...REQ NO LIGHTS AND SIRENS
<b>Count:</b> <b>1</b>									
<b>Count:</b> <b>108</b>									

#### Report Criteria

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.