

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

04/08/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-24834	08/04/2021 01:03:00	ELEC	Initiated	No	95	M3	2225 South HIGHLAND Drive	B	CONTROL BOX ON FIRE.....NOTIF STREETS...NOTIF RMP
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11189	03/31/2022 15:10:53	REFUEL	Initiated	No	88	RD2, RD4	24 East PERIMETER	B	DOJ AIRCRAFT, REFUEL FOR TACAIR
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12128	04/08/2022 07:39:02	ALARMF	Initiated	No	88	EQ14	1635 South 5070 West	C	COMM GENERAL ALARM... LANDMARK EIGHT... REF#S45177
CF22-12190	04/08/2022 16:35:58	COMM	Initiated	No	85	M2, E4, M7, M8, UT10, M11, BC1, BC2, LT8, EQ14, LT5, M1	334 West 800 South	C	CORRUGATED BLDG...PS ABAN...SMOKE COMING FROM ROOF
Count: 14									
CAD Officer in Charge: Allen, Aaron									
CF22-11991	04/07/2022 08:34:33	PUBLIC	Initiated	No	88	M11	1999 West NORTH TEMPLE Street	C	CALLBK=(939)428-3074 COMP IS NOT AT LOC..... COMP THINKS THAT SHE FORGOT TO TURN HER STOVE OFF.... LEFT LOC 10-20 MINS AGO
CF22-12019	04/07/2022 12:20:17	PUBLIC	Initiated	No	88	M11	815 North COLORADO Street	C	NOT ABLE TO GET OUT OF BED/ NO FALL AND NO MED ATTENTION
Count: 2									
CAD Officer in Charge: Baum, Darren									
CF22-12124	04/08/2022 06:09:19	MISCF	Initiated	No	88	EQ9	90 South 5100 West	C	SE OF DISP ADDRESS... TRANSIENT CAMP BURNING ELECTRICAL WIRES... CAN SMELL THE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									FIRE IN THE AIR... COLORS OF FIRE ARE BLUE AND GREEN,,,, ... SEE RELATED CP#: SL22-63906
Count: 1									
CAD Officer in Charge: Bills, Jared									
CF22-12092	04/07/2022 21:14:12	MISCF	Initiated	No	87	M6	1160 West DALTON Avenue	C	APPROX ADDR. BY PEACE GARDENS...
CF22-12099	04/07/2022 22:15:20	APT	Initiated	No	87	LT2, M7, M8, M11, BC2, LT8, EQ14, M6	625 South REDWOOD Road	C	DRYER ON FIRE...
CF22-11803	04/05/2022 13:44:19	ALARMF	Initiated	No	87	EQ9	2333 West NORTH TEMPLE Street	B	GENERAL FIRE ZONE 993.... 801-539-8852....
Count: 3									
CAD Officer in Charge: Buhler, Jason									
CF22-11277	04/01/2022 07:15:50	PUBLIC	Initiated	No	88	LT5	1228 South 900 East	B	FIRE ALARM GOING OFF/ ... NOW NEED HELP RESETTING IT ...
CF22-11280	04/01/2022 07:39:28	ACC	Initiated	No	88	BC1, LT5	1228 South 900 East	B	LT5 VS VEH... SAFETY CAPT JEPSON NOTIFIED
Count: 2									
CAD Officer in Charge: Bush, Joseph									
CF22-12031	04/07/2022 13:31:26	PUBLIC	Initiated	No	88	E10	265 South 1850 East	C	STUCK ON FIRST FLOOR - OCCUPANTS INSIDE.. NEG SICK OR INJURED... MAIN ELEVATOR
CF22-12129	04/08/2022 07:49:10	PUBLIC	Initiated	No	88	E10	15 North 2030 East	C	F STUCK IN W ELEVATOR. 4TH FLOOR... UNK SICK OR INJ...
CF22-12061	04/07/2022 16:23:42	PUBLIC	Initiated	No	88	E10	15 North 2030 East	C	ONE PERSON STUCK IN THE ELEVATOR...WEST ELEVATOR... BEST ACCESS THROUGH FRONT ENTRANCE...NO INJURIES..PT 801-448-1364
CF22-12178	04/08/2022 15:21:39	ALARMF	Initiated	No	87	E10	875 South DONNER Way	C	ZONE 1 GENERAL FIRE... PREMISE # 801 582 2207... KEYHOLDER CHRIS 360 929 9222 ... TECH IS WORKING ON SYSTEM/ FALSE ALARM
Count: 4									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Dahle, Chad									
CF22-11286	04/01/2022 08:26:13	WASH	Initiated	No	88	M1	100 South STATE Street	B	E SIDE OF THE MALL...SB ON FOOT...MWA ...GRY BLANKET/WHI SHOES...BLEEDING FROM THE ANKLE.. ... SEE RELATED CP#: SL22-58587 - FD
CF22-12138	04/08/2022 09:57:08	ELEC	Initiated	No	88	M5	925 East 900 South	C	BRASS SMOOTHIES ... COMP BROUGHT SEMI DOWN SIDE ROAD AND HIT POWER LINE... POWER POLE CAME DOWN WITH IT... NO ARCING OR SPARKS
Count: 2									
CAD Officer in Charge: Davy, Matthew									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	87	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680.....HOUSE ON FIRE
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
Count: 3									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF22-11710	04/04/2022 18:07:34	PUBLIC	Initiated	No	88	M7	25 North REDWOOD Road	A	PER CAPT STONE FIRE PIO // WAS NOTIFIED BY A CITIZEN ABOUT BEING LOCKED OUT OF HIS VEHICLE ... CALLER WAS ADVISED PD DOESNT DO LOCKOUTS UNLESS CHILD OR PET LOCKED IN VEH.. REQUESTED FIRE TO RESPOND TO DO THE LOCK OUT.. VEHICLE IS A RED MAZDA 3 ... CALLERS CALL BACK IS 904-574-7797 DANIEL
CF22-11715	04/04/2022 19:04:48	ALARMF	Initiated	No	88	M7	131 North 800 West	A	RANCHO MARKET...GEN FIRE ALARM AND FIRST FLOOR ELEVATOR SMOKE...DT 1904...RP PENDING...SITE # 801-231-0478....REF # AE04I0831
CF22-11719	04/04/2022 19:52:12	ALARMF	Initiated	No	88	M1	280 East 600 South	A	FIRE ALARM
CF22-11732	04/04/2022 23:25:29	PUBLIC	Initiated	No	88	M7	750 West SOUTH TEMPLE Street	A	ELEVATOR #2 IS STUCK.....UNABLE TO MAKE CONTACT W/ANYONE INSIDE ELEVATOR BUT COULD HEAR SOME SHUFFLING
CF22-12177	04/08/2022 15:07:25	ALARMF	Initiated	No	87	M7	East SOUTH TEMPLE ST / S MAIN Street	C	FIRE ALARM - SMOKE ALARM NE STAIR TOWER LEVEL 9 - UNABLE TO CONFIRM FALSE... ACCESS FROM S SIDE
Count: 9									
CAD Officer in Charge: Healey, Bruce									
CF22-12176	04/08/2022 15:00:55	ARESCU	Initiated	No	87	M3, M8	2400 South 1300 East	C	TL 1 HOUR.....COMP IS CONCERNED FOR DOG THAT HAS BEEN STUCK IN CAR FOR ABOUT 1 HR.....DOG IS LOC IN PARKING LOT DIRECTLY IN FRONT OF STARBUCKS DRIVE THROUGH PARKING LOT.....DOG DESC.....BLK AND WHITE TRIM

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
HUSKY.....OWNER NOT ON SCENE.....									
CF22-12181	04/08/2022 15:38:03	ALARMF	Initiated	No	87	M3	1840 South 1300 East	C	ZONE 1 FIRE ALARM... CAMPUS SEC # 801 832 2525... HEALTH AND WELLNESS CENTER AT WESTMINISTER... PER STEVE WITH SEC HE IS NOT ON SITE/ SOMEONE CONTACTED HIM AND SAID THERE'S NO FIRE PROBLEM... REQ CANCEL
CF22-12192	04/08/2022 16:39:49	ALARMF	Initiated	No	88	M3	660 South 300 East	C	COMM FIRE ALARM // APT 810 // SUSAN 919-448-6097 // REF 231580 // PER SUSAN DON'T KNOW WHY THE SMOKE DETECTOR IS CHIRPING, WOULD LIKE THE FD TO ASSIST, TRIED TO CONTACT MAINT, NO ONE HELPING
Count: 3									
CAD Officer in Charge: Henthorne, David									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
Count: 1									
CAD Officer in Charge: Jepperson, Chad									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
CF22-11546	04/03/2022 15:15:21	VEH	Initiated	No	88	M2, LT2, M7, BC2, FD155, M6	938 West 300 South	A	VEH FIRE...NW CORNER ON 300 S
CF22-11755	04/05/2022 07:38:19	ALARMF	Initiated	No	88	M6	404 West 700 South	A	FIRE ALARM ..GRANARY CAMPUS...RP AMY FIELDING 801 349 8898...FIRE SMOKE 18
Count: 3									
CAD Officer in Charge: Jorgensen, Brandon									
CF22-11764	04/05/2022 08:56:56	MISCF	Initiated	No	88	M11	50 South REDWOOD Road	B	TRANSIENT LIT A STUMP ON FIRE... EAST SIDE BETWEEN REDWOOD AND BUSN DIAMOND AIRPORT...TRANSIENT NO LONGER ON SCENE... COMP IN A RED DOGE RAM W/ HAZARDS
CF22-11973	04/07/2022 00:31:43	APT	Initiated	No	88	M2, LT2, M7, M11, BC2, LT8, EQ14	1999 West NORTH TEMPLE Street	B	NORTH TEMPLE FLATS. STRONG SMELL OF SMOKE ON THE 1ST AND 2ND FLOOR. ALSO SEE SMOKE
Count: 2									
CAD Officer in Charge: Kochevar, Kevin									
CF22-11757	04/05/2022 07:41:53	ALARMF	Initiated	No	88	M1	120 South 300 East	A	ZONE 3 GENERAL...RP PAULEEN 530 718 8199
CF22-11553	04/03/2022 16:05:16	ALARMF	Initiated	No	88	M1	76 South 500 East	A	FIRE ALARM EMERITUS OF SLC...801 359 0050 ...ZONE1
CF22-11563	04/03/2022 18:14:09	ALARMF	Initiated	No	88	M1	209 East 500 South	A	ZONE 3 PULL STATION....THE LEONARDO...801 531 9800
CF22-11576	04/03/2022 20:20:06	ALARMF	Initiated	No	88	M1	230 East 300 South	A	FIRE ALARM... GENERAL... RP LANCE 801-560-2435
CF22-11583	04/03/2022 21:25:13	ODOR	Initiated	No	88	M1	332 South 800 East	A	STRONG ODOR OF SMOKE OUTSIDE....
CF22-11628	04/04/2022 07:32:51	APT	Initiated	No	88	BC1, E10, M8, E4, LT8, LT5, M1	306 East 700 South	A	FIRE ON BOTTOM FLOOR...COMP NOT ANSWERING CT QUESTIONS
CF22-11667	04/04/2022 13:04:28	ALARMF	Initiated	No	87	M1	28 South STATE Street	A	CCRI CENTER FOOD COURT GENERAL FIRE ALARM ...RP 801 238 5325
CF22-11672	04/04/2022 14:02:13	ALARMF	Initiated	No	87	M1	1044 East 400 South	A	ZONE 16 GENERAL...INCLINE TERRACE...801 355 9591
CF22-11674	04/04/2022 14:08:54	ALARMF	Initiated	No	88	M1	1044 East 400 South	A	BEEHIVE PUMBLING SET OFF FIRE ALARM... NO PROBLEM JUST NEED HELP TURNING IT OFF...
Count: 9									
CAD Officer in Charge: Krohn, William									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-12182	04/08/2022 15:44:13	ALARMF	Initiated	No	88	EQ14	2075 South PIONEER Road	C	OPEN LINE...FIRE ALARM GOING OFF...FALSE ALARM...DOES NOT KNOW HOW TO TURN OFF ... SEE RELATED CP#: SL22-64211 - ,FIRE ALARM... FALSE ALARM... UNK HOW TO TURN OFF...SEE 64211
CF22-12094	04/07/2022 21:23:22	MISCF	Initiated	No	88	LT2, M8, M11, BC2, EQ14	1679 West BRAMPTON Way	C	CALLBK=(801)864-4653 DRYER WITH CLOTHES ON FIRE ... LEASING OFFICE RIGHT IN FRONT OF MAIN GATE
Count: 2									
CAD Officer in Charge: Maddux, John									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
Count: 2									
CAD Officer in Charge: Meyer, Bryon									
CF22-12131	04/08/2022 08:16:10	MISCF	Initiated	No	88	M2	700 North VICTORY Road	C	SMOKE POURING OUT OF TENT AT VICTORY ROAD HOMELESS CAMP... NO FLAMES SEEN... COMP PASSERBY
CF22-12132	04/08/2022 08:28:36	ALARMF	Initiated	No	87	M2, M7	616 West 200 South	C	FIRE ALARM // BUSN UTA CENTRAL // 801-266-5626 // ZONE 993 GENERAL FIRE ALARM // REF E18900 // UTAPD SENDING SOMEONE THAT WAY..
Count: 2									
CAD Officer in Charge: Mortensen, Daniel									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-10556	03/26/2022 08:22:19	MISCF	Initiated	No	95	M8	1212 South STATE Street	C	BEHIND THE BLDG, FIRE GOING NEAR DUMPSTER // HOMELESS FIRE ...
Count: 4									
CAD Officer in Charge: Myers, Eric									
CF22-11196	03/31/2022 16:22:17	ALARMW	Initiated	No	87	EQ9	6050 West 700 South	B	WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
TESTING/ FALSE ALARM									
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East 180E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
Count: 4									
CAD Officer in Charge: Rock, Nathan									
CF22-12044	04/07/2022 15:02:20	ALARMF	Initiated	No	88	M1	777 East 200 South	C	COMM GENERAL FIRE ALARM - OLD POST OFC APARTMENTS - ZONE 993 - NO CONTACT INFO .. CONTACT # IN CAD DISCONNECTED
CF22-12097	04/07/2022 21:53:13	ALARMF	Initiated	No	88	M1	350 South 600 East	C	COMMERCIAL FIRE ALARM.. ESSEX APTS.. ZONE 2 ADA ..LIVING ROOM SMOKE.. INSIDE NUMBER 801-537-7000.. MAINT 801-2445643
CF22-12105	04/07/2022 22:38:35	MISCF	Initiated	No	88	M1	331 East SOUTH TEMPLE Street	C	PAN ON FIRE, LOTS OF SMOKE...
CF22-12174	04/08/2022 15:01:46	ALARMF	Initiated	No	87	M1	777 East 200 South	C	OLD POST OFFICE APARTMENTS... ZONE 993 FIRE ALARM... NO PREMISE OR KEYHOLDER #... ON CALL TECH # 801 576 6634 GOES BACK TO POWER CONTROL
CF22-12171	04/08/2022 14:38:20	ALARMF	Initiated	No	87	M1	378 West 300 South	C	THE OLIVE QOZB .. COMMERCIAL BUILDING .. AREA SHOWING ZONE 262 GENERAL FIRE ZONE 261 CO ALARM .. INSIDE# 385 210 1801
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	No	87	SQ1, M1	1035 East 300 South	C	MALE FELL
Count: 6									
CAD Officer in Charge: Shumway, Brandon									
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-4850	02/08/2022 08:30:44	ALARMF	Initiated	No	88	M6	824 South 400 West	A	FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
Count: 4									
CAD Officer in Charge: Stafford, Robert									
CF22-12144	04/08/2022 11:38:05	ODOR	Initiated	No	88	M2	158 North 600 West	C	AWFUL SMELL COMING FROM 3RD FLOOR.... BY THE ELEVATOR AND LIBRARY.... SEE RELATED CP#: SL22-64050
Count: 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: Staheli, Brian									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Taylor, Matthew									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF22-10914	03/29/2022 03:22:58	PUBLIC	Initiated	No	88	LT8	1000 South STATE Street	A	STANDING OUT FRONT....PUT RING ON LAST NIGHT.....FINGER IS SWOLLEN AND CANNOT GET RING OFF.....FINGER IS TURNING BLUE...49 YOM....C/B/A
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 2									
CAD Officer in Charge: Valdez, Christopher									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
Count: 2									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
Count: 102									

Report Criteria

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)