

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

04/18/2022



| Incident Number                              | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                                    | Address                     | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--|-----------------------------|---------|---|
| <b>CAD Officer in Charge: (None)</b>         |                     |        |               |         |       |  |                             |         |   |
| CF20-40282                                   | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11                     | 4201 West 700 South         | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING   |
| CF20-27024                                   | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159                                 | 7345 South WINESAP Circle   |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5  |
| CF20-27832                                   | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152  | 8037 South ROYAL Lane       |         | FD152   |
| CF21-19313                                   | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 95    | M3   | 1237 East BRICKYARD Road    | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..  |
| CF21-17870                                   | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2  | 307 East 600 South          |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...  |
| CF21-24823                                   | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2                                      | 50 West NORTH TEMPLE Street | B       | FALSE ALARM PER CHURCH SECURITY   |
| CF21-37094                                   | 11/07/2021 21:52:52 | PASST  | Initiated     | No      | 88    | M2   | 50 South 500 West           | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960                                   | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120  | 1600 South INDUSTRIAL Road  |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE  |
| CF22-8910                                    | 03/12/2022 22:10:44 | FUEL   | Initiated     | No      | 86    | RD2, RD4                                     | 505 TAXIWAY K               |         | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431                         |
| CF22-11189                                   | 03/31/2022 15:10:53 | REFUEL | Initiated     | No      | 88    | RD2, RD4                                     | 24 East PERIMETER           | B       | DOJ AIRCRAFT, REFUEL FOR TACAIR   |
| CF22-11714                                   | 04/04/2022 19:05:16 | PUBLIC | Initiated     | No      | 87    | BC1  | 211 South 500 East          | A       | TEST TEST TEST  |
| CF22-12397                                   | 04/10/2022 00:57:11 | ABITE  | Initiated     | No      | 83    | E43, ME101                                   | 3663 South 300 West         |         | ... SEE RELATED CP#: LK22-11750 - FM  |
| CF22-13198                                   | 04/16/2022 20:24:32 | HOUSE  | Initiated     | No      | 98    | M7, M8, UT10, BC1, BC2, FD152, LT8, EQ14, M6 | 1484 South 900 West         | A       | HOUSE AT THIS APPROX ADDR ON FIRE, HEARING THINGS EXPLODE   |
| CF22-13267                                   | 04/17/2022 12:59:56 | ALARMF | Initiated     | No      | 86    | M2, LT2                                      | 235 West 600 North          | B       | MEDICAL ALARM.. NEG PT CONTACT... UNK NAME 801-363-4109....   |
| CF22-13352                                   | 04/18/2022 08:00:17 | ALARMF | Initiated     | No      | 87    | M6   | 404 West 700 South          | B       | COMMERCIAL ...GRANARY CAMPUS...801 349 8898 AMY FIELDING ZONE 018   |
| CF22-13405                                   | 04/18/2022 16:59:39 | ALARMF | Initiated     | No      | 88    | M1   | 660 South 300 East          | B       | FIRE ALARM... RANDY SHUMACK 801-531-0202.....   |
| <b>Count: 16</b>                             |                     |        |               |         |       |  |                             |         |   |
| <b>CAD Officer in Charge: Carter, Gary</b>   |                     |        |               |         |       |  |                             |         |   |
| CF20-14622                                   | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156  | 475 South 300 East          |         |   |
| <b>Count: 1</b>                              |                     |        |               |         |       |  |                             |         |   |
| <b>CAD Officer in Charge: Clark, Jeffrey</b> |                     |        |               |         |       |  |                             |         |   |
| CF22-12377                                   | 04/09/2022 21:28:33 | REFUEL | Initiated     | No      | 88    | RD2, RD3                                     | 60 East PERIMETER           | A       | B6 669 NFD  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus  | Address                             | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|--|-------------------------------------|---------|--|
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>      |                     |        |               |         |       |  |                                     |         |  |
| CF20-29532                                     | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092   | 10914 West 180W EB Freeway          |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |  |
| <b>CAD Officer in Charge: Comer, Peter</b>     |                     |        |               |         |       |  |                                     |         |  |
| CF21-22812                                     | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12  | 1174 West 600 North                 | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |  |
| <b>CAD Officer in Charge: Dahle, Chad</b>      |                     |        |               |         |       |  |                                     |         |  |
| CF22-13271                                     | 04/17/2022 13:30:58 | MISCF  | Initiated     | No      | 88    | M1   | 615 South 300 East                  | B       | BEHIND CENTRAL CITY REC CENTER, OUTSIDE FIRE   |
| CF22-13301                                     | 04/17/2022 19:01:45 | ALARMF | Initiated     | No      | 88    | M1   | 169 East 200 South                  | B       | FIRE/SMOKE ZONE 92 RP LORRAINE 801-301-6888...RP NOT ON SCENE  |
| CF22-13326                                     | 04/18/2022 01:16:44 | PUBLIC | Initiated     | No      | 88    | M1   | 24 South 1100 East                  | B       | UNIVERSITY GARDENS COURTYARD AREA... ONGOING FOR HALF HOUR... SEE RELATED CP#: SL22-70263 - ,ELEVATOR RINGING  |
| CF22-13373                                     | 04/18/2022 11:30:08 | BOMBF  | Initiated     | No      | 87    | M5, H10, M1  | 210 East 400 South                  | B       | PER SECURITY BOMB THREAT CALLED IN.. "I'M GOING TO BLOW UP YOUR F--- LIBRARY IN 10 MINUTES" .. TL 5 MINUTES AGO ... EVACUATING ... SEE RELATED CP#: SL22-70489 |
| <b>Count:</b><br>4                             |                     |        |               |         |       |  |                                     |         |  |
| <b>CAD Officer in Charge: Davy, Matthew</b>    |                     |        |               |         |       |  |                                     |         |  |
| CF22-13378                                     | 04/18/2022 12:12:46 | ALARMF | Initiated     | No      | 85    | M6   | 760 West 1760 South                 | B       | BUSN SOUTHWEST FOOD.....FIRE ALARM.... ZONE 993.... KEY HOLDER ANDY RENFRO 801-706-7845  |
| CF22-13300                                     | 04/17/2022 18:31:48 | ALARMF | Initiated     | No      | 87    | M6   | 1747 South 900 West                 | B       | BURG AND FIRE ALARM...POINT 12 BURG ALARM...POINT 0 FIRE ALARM...FORTITUDE TREATMENT CENTER...CONTROL ROOM 801 886 7800  |
| CF22-12911                                     | 04/14/2022 07:41:26 | ALARMF | Initiated     | No      | 87    | M3   | 2205 South 1300 E[SPRINGHILL SUITES | C       | COMM FIRE ALARM..DT: 0739  |
| CF22-11835                                     | 04/05/2022 18:43:50 | HOUSE  | Initiated     | No      | 87    | M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6 | 1000 West EUCLID Avenue             | B       | CALLBK=(801)350-1680....HOUSE ON FIRE  |
| CF22-8920                                      | 03/12/2022 23:11:24 | ALARMF | Initiated     | No      | 87    | M6   | 360 South 200 West                  |         | FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909   |
| CF22-8840                                      | 03/12/2022 09:56:09 | WATER  | Initiated     | No      | 87    | M6   | 1599 West 300 South                 |         | WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK   |
| <b>Count:</b><br>6                             |                     |        |               |         |       |  |                                     |         |  |
| <b>CAD Officer in Charge: Endemano, Edward</b> |                     |        |               |         |       |  |                                     |         |  |
| CF22-3459                                      | 01/28/2022 15:59:33 | FIRE   | Initiated     | No      | 88    | M12  | 500 EMPLOYEE LOT[STOP 4             | A       | GARBAGE CAN ON FIRE  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |  |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |               |         |       |  |                                     |         |  |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated     | No      | 88    | SQ2  | 48 West 300 South                   |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |  |
| <b>CAD Officer in Charge: George, Brady</b>    |                     |        |               |         |       |  |                                     |         |  |
| CF22-12763                                     | 04/12/2022 19:46:48 | HOUSE  | Initiated     | Yes     | 98    | M3, M5, M8, UT10,                                      | 2228 South LAKE Street              | B       |  |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                          | Address                         | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|------------------------------------|---------------------------------|---------|---|
|  |                     |        |               |         |       | E13, BC1,<br>BC2,<br>FD152,<br>LT5 |                                 |         |   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                                 |         |   |
| <b>CAD Officer in Charge: Hafen, Mark</b>        |                     |        |               |         |       |                                    |                                 |         |   |
| CF22-13389                                       | 04/18/2022 14:24:15 | ALARMF | Initiated     | No      | 87    | E10                                | 730 South VALDEZ Drive          | B       | FIRST STEP HOUSE...SMOKE DET ALARM..801 582 0199...   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                                 |         |   |
| <b>CAD Officer in Charge: Halvorsen, Davin</b>   |                     |        |               |         |       |                                    |                                 |         |   |
| CF21-19889                                       | 06/27/2021 13:50:03 | SMOKE  | Initiated     | No      | 86    | M7                                 | 300 North 700 West              | B       | VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...                              |
| CF21-19904                                       | 06/27/2021 17:57:23 | ALARMF | Initiated     | No      | 88    | M7                                 | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE   |
| CF21-19914                                       | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155                          | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA  |
| CF21-34549                                       | 10/18/2021 05:15:22 | HAZMAT | Initiated     | No      | 87    | H14                                | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS  |
| <b>Count:</b><br>4                               |                     |        |               |         |       |                                    |                                 |         |   |
| <b>CAD Officer in Charge: Harwood, Blake</b>     |                     |        |               |         |       |                                    |                                 |         |   |
| CF22-12483                                       | 04/10/2022 19:49:37 | GRASS  | Initiated     | No      | 88    | BC2, EW6061, EQ14, EW6091          | 700 South 5600 West             | A       | ACROSS FROM AMAZON SOUTH SIDE OF I80 IN FIELDS ....BIGGER THAN A TENNIS COURT...CANT TELL WHATS ON FIRE OTHER THAN FIELD, NOT SPREADING....DIDNT SEE ANY PEOPLE |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                                 |         |   |
| <b>CAD Officer in Charge: Henthorne, David</b>   |                     |        |               |         |       |                                    |                                 |         |   |
| CF22-9449  | 03/17/2022 13:06:09 | ACC    | Initiated     | No      | 86    | FD191                              | 1300 South 700 East             |         | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                                 |         |   |
| <b>CAD Officer in Charge: Higgins, Jimmie</b>    |                     |        |               |         |       |                                    |                                 |         |   |
| CF22-13278                                       | 04/17/2022 15:22:02 | ALARMF | Initiated     | No      | 88    | M3                                 | 2205 South 1300 East            | B       | SPRINGHILL SUITES SUGARHOUSE....GENERAL ZONE 015...385 297 8300....PER MACY ON SITE NO PROBLEM  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                                 |         |   |
| <b>CAD Officer in Charge: Hovermale, Matthew</b> |                     |        |               |         |       |                                    |                                 |         |   |
| CF22-13353                                       | 04/18/2022 08:10:18 | ALARMF | Initiated     | No      | 87    | E4                                 | 80 South CENTRAL CAMPUS Drive   | B       | FIRE ALARM ..BROADCAST BDG...GENERAL  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                                 |         |   |
| <b>CAD Officer in Charge: Jepperson, Chad</b>    |                     |        |               |         |       |                                    |                                 |         |   |
| CF22-8867  | 03/12/2022 15:08:31 | LOCKP  | Initiated     | No      | 87    | M6                                 | 1171 South 1300 West            |         | 20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658            |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                                 |         |   |
| <b>CAD Officer in Charge: Jorgensen, Brandon</b> |                     |        |               |         |       |                                    |                                 |         |   |
| CF22-13347                                       | 04/18/2022 07:18:45 | PUBLIC | Initiated     | No      | 88    | M11                                | 1781 West 1700 North            | B       | NEEDS ASSISTANCE TO RESET THE PILOT LIGHT.. HOUSE   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                                 |         |   |
| <b>CAD Officer in Charge: Kauffmann, Jeffrey</b> |                     |        |               |         |       |                                    |                                 |         |   |
| CF22-  | 04/14/2022          | MISCF  | Initiated     | No      | 88    | M3                                 | 1040 East                       | C       | SMALL FIRE ON SIDEWALK ON E SIDE BY THE   |

| Incident Number                                 | Incident Date Time  | Code   | Record Status            | Locked? | Score | Apparatus                              | Address                       | Platoon | CAD Narrative  |
|---|---------------------|--------|--------------------------|---------|-------|--|-------------------------------|---------|--|
| 12927   | 09:47:02            |        |                          |         |       |  | SUGARMONT Drive               |         | NEW CONSTRUCTION// UNATTENDED ... POSS BEING EXTINGUISHED BY PARKS EMPLOYEES   |
| <b>Count:</b><br>1                              |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>   |                     |        |                          |         |       |  |                               |         |  |
| CF22-12723                                      | 04/12/2022 14:00:50 | ALARMF | Initiated                | No      | 87    | EQ9                                    | 1646 South 4490 West          | B       | BUSN AMERIGOLD ....FIRE ALARM ZONE 7.... 801-401-8500  |
| CF22-13080                                      | 04/15/2022 20:46:30 | ALARMF | Initiated                | No      | 88    | M1                                     | 230 East BROADWAY Street      | A       | BROADWAY TOWER...GENERAL FIRE ALARM....LANCE JACKSON...801-560-2435  |
| <b>Count:</b><br>2                              |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Maddux, John</b>      |                     |        |                          |         |       |  |                               |         |  |
| CF22-8865                                       | 03/12/2022 14:53:33 | LOCKP  | Initiated                | No      | 86    | M5, LT5                                | 600 East 900 South            |         | NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646   |
| CF22-8935                                       | 03/13/2022 04:27:39 | PUBLIC | Initiated                | No      | 87    | LT5                                    | 1086 South 800 East           |         |  |
| CF22-13379                                      | 04/18/2022 12:26:12 | PUBLIC | Initiated                | No      | 88    | LT5                                    | 2470 East NINTH SOUTH Circle  | B       | SLIDING OUT OF HER RECLINER... IN HER TV ROOM... NOT FALLEN YET..... GARAGE DOOR CODE 2287.....  |
| <b>Count:</b><br>3                              |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |                          |         |       |  |                               |         |  |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated                | No      | 85    | FD154                                  | 120 South STATE Street        |         |  |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated                | No      | 88    | FD154                                  | 1246 East BONNER Way          |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated                | No      | 83    | FD154                                  | 1330 East IRA HODGES          |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| <b>Count:</b><br>3                              |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Moser, Shane</b>      |                     |        |                          |         |       |  |                               |         |  |
| CF22-4411                                       | 02/04/2022 16:46:39 | COMM   | Initiated                | No      | 87    | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South             | B       | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...   |
| CF22-9661                                       | 03/18/2022 21:55:39 | MISCF  | Initiated                | No      | 100   | FD153, LT8                             | 176 West 600 South            | B       | MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL |
| CF22-5910                                       | 02/17/2022 01:18:24 | HOUSE  | Ready for Officer review | No      | 100   | BC1, FD153, M8, M5, LT8, M6            | 1535 South WEST TEMPLE Street | B       | ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..   |
| CF22-13392                                      | 04/18/2022 15:00:26 | ARESCU | Initiated                | No      | 88    | M8                                     | 601 East 1300 South           | B       | 2 DOGS IN A VEH NISSAN VERSA PLT/ JNF4845.MI.2022.PC VEH IS NOT RUNNING HAVE BEEN IN THE VEH 40 MIN PARKED BY THE CONCRETE TABLES JUST PASSED THE ENTERANCE DOGS ARE IN DISTRESS.. REQ TO BE ANON ... SEE RELATED CP#: SL22-70601  |
| <b>Count:</b><br>4                              |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Myers, Eric</b>       |                     |        |                          |         |       |  |                               |         |  |
| CF22-11196                                      | 03/31/2022 16:22:17 | ALARMW | Initiated                | No      | 87    | EQ9                                    | 6050 West 700 South           | B       | WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM   |
| <b>Count:</b><br>1                              |                     |        |                          |         |       |  |                               |         |  |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                      | Address                      | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|--------------------------------|------------------------------|---------|--|
| <b>CAD Officer in Charge: Parks, Paul</b>      |                     |        |               |         |       |                                |                              |         |  |
| CF22-12711                                     | 04/12/2022 12:09:11 | ACC    | Initiated     | No      | 86    | SQ6                            | 223 West FAYETTE Avenue      |         | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI   |
| <b>Count: 1</b>                                |                     |        |               |         |       |                                |                              |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>    |                     |        |               |         |       |                                |                              |         |  |
| CF21-13024                                     | 05/03/2021 12:24:54 | PUBLIC | Initiated     | No      | 86    | SQ1                            | 131 East 700 South           |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count: 1</b>                                |                     |        |               |         |       |                                |                              |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b>   |                     |        |               |         |       |                                |                              |         |  |
| CF20-30271                                     | 09/18/2020 17:47:16 | 65A03  | Initiated     | No      | 86    | EW6141, EW6142, M14            | 1560 West 3900 South         | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF22-13396                                     | 04/18/2022 15:26:03 | ACC    | Initiated     | No      | 88    | LT2                            | 1600 South INDUSTRIAL Road   | B       |  |
| CF21-10548                                     | 04/11/2021 09:48:49 | PASST  | Initiated     | No      | 88    | LT8                            | 1460 South STATE Street      | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF                               |
| CF21-11158                                     | 04/16/2021 12:43:25 | PASST  | Initiated     | No      | 84    | GC589                          | 1364 West GLENROSE Drive     |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950                                     | 07/29/2020 14:30:19 | 65A03  | Initiated     | No      | 88    | E13                            | 6650 East I80E WB Freeway    | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| CF22-13284                                     | 04/17/2022 15:48:01 | LGASLE | Initiated     | No      | 88    | M7, H10, BC1, M6, H14, M1, LT2 | 342 West 200 South           | B       | RESD CONTACT COMP...USED GAS STOVE TO COOK AND CAN STILL SMELL GAS...HAVE BEEN AIRING OUT FOR APPX 4 HRS...STILL SMELL THE GAS                         |
| <b>Count: 6</b>                                |                     |        |               |         |       |                                |                              |         |  |
| <b>CAD Officer in Charge: Rock, Nathan</b>     |                     |        |               |         |       |                                |                              |         |  |
| CF22-12874                                     | 04/13/2022 19:16:34 | HIGH   | Initiated     | No      | 95    | M6, M1, BC1, M7, LT2, M2, LT8  | 109 East SOUTH TEMPLE Street | C       | 3RD FLOOR ... SMOKEY ... NOW SAYING NO FIRE ... FOOD WAS BURNING ON STOVE  |
| CF22-12186                                     | 04/08/2022 16:10:57 | PUBLIC | Initiated     | No      | 99    | SQ1, M1                        | 1035 East 300 South          | C       | MALE FELL  |
| <b>Count: 2</b>                                |                     |        |               |         |       |                                |                              |         |  |
| <b>CAD Officer in Charge: Shepherd, Tyler</b>  |                     |        |               |         |       |                                |                              |         |  |
| CF22-12859                                     | 04/13/2022 17:46:45 | ALARMF | Initiated     | No      | 88    | RD1, M12                       | 146 BAG 11                   | C       |  |
| <b>Count: 1</b>                                |                     |        |               |         |       |                                |                              |         |  |
| <b>CAD Officer in Charge: Shumway, Brandon</b> |                     |        |               |         |       |                                |                              |         |  |
| CF22-4850                                      | 02/08/2022 08:30:44 | ALARMF | Initiated     | No      | 88    | M6                             | 824 South 400 West           | A       | FIRE ALARM REF # S95109.. ZONE 64 BOILER ROOM SMOKE.. ART SPACE.. BUILDING A   |
| CF22-5893                                      | 02/16/2022 21:39:08 | APT    | Initiated     | No      | 88    | M2, LT2, E4, M7, BC1, LT5, M1  | 228 East 1ST Avenue          | B       | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR   |
| CF22-11285                                     | 04/01/2022 08:23:12 | ALARMF | Initiated     | No      | 87    | E10                            | 1912 East YALECREST Avenue   | B       | ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S                          |
| CF22-10793                                     | 03/28/2022 05:57:25 | ODOR   | Initiated     | No      | 88    | E4                             | 860 East 3RD Avenue          | C       | CALLER PASSED BY - ODOR OF GASOLINE  |
| CF22-12805                                     | 04/13/2022 07:55:52 | MISCF  | Initiated     | No      | 88    | M7                             | 916 West NORTH TEMPLE Street | B       | CALLBK=(385)310-5091 SHOPPING CART ON FIRE .....   |
| CF22-13394                                     | 04/18/2022 15:08:11 | ALARMF | Initiated     | No      | 88    | M2                             | 185 North WEST TEMPLE        | B       | FIRE ALARM FIRE PANEL.. WEST TEMPLE APTS.. ZONE 2 INSIDE # 801-573-3231  |

| Incident Number                                    | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                     | Address                     | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-------------------------------|-----------------------------|---------|--|
|  |                     |        |               |         |       |                               | Street                      |         |  |
| CF22-13395   | 04/18/2022 15:13:12 | ALARMF | Initiated     | No      | 87    | M2                            | 327 West 200 South          | B       | FIRE ALARM FIRE PANEL WAREHOUSE DISTRICT CONDOS.. INSIDE # 801-897-6000  |
| CF22-13381   | 04/18/2022 12:48:01 | ALARMF | Initiated     | No      | 87    | M2                            | 179 East SOCIAL HALL Avenue | B       | ZONE 2 FIRE PANEL ALARM...UPMA...801 573 3231/SEC  |
| CF22-13367   | 04/18/2022 10:48:36 | ALARMF | Initiated     | No      | 87    | M2                            | 425 South 300 West          | B       | ZONE 20 GENERAL...HAMPTON INN...801 741 1110   |
| <b>Count: 9</b>                                    |                     |        |               |         |       |                               |                             |         |  |
| <b>CAD Officer in Charge: Silverthorne, Robert</b> |                     |        |               |         |       |                               |                             |         |  |
| CF22-13019   | 04/15/2022 11:29:41 | PUBLIC | Initiated     | No      | 88    | M1                            | 535 South 200 East          | A       | OFFICE ON THE 1ST FLR NEAR THE MAILROOM// RECEPTIONIST CAN DIRECT... NEED HELP GETTING OUT OF CHAIR... PT WEIGHS LESS THAN 200 LBS   |
| CF22-13053   | 04/15/2022 16:45:39 | ALARMF | Initiated     | No      | 87    | M1                            | 299 South MAIN Street       | A       | COMM GENERAL ALARM... ZONE 13... 801-450-2586... REF#CN4501  |
| <b>Count: 2</b>                                    |                     |        |               |         |       |                               |                             |         |  |
| <b>CAD Officer in Charge: Staheli, Brian</b>       |                     |        |               |         |       |                               |                             |         |  |
| CF21-38166   | 11/17/2021 14:15:10 | PDASST | Initiated     | No      | 87    | H14                           | 1500 West 1700 South        |         | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| <b>Count: 1</b>                                    |                     |        |               |         |       |                               |                             |         |  |
| <b>CAD Officer in Charge: Stringam, Reed</b>       |                     |        |               |         |       |                               |                             |         |  |
| CF22-3584  | 01/29/2022 17:26:29 | MISCF  | Initiated     | No      | 87    | ET1                           | 575 North JOHN GLENN Road   |         | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,  |
| <b>Count: 1</b>                                    |                     |        |               |         |       |                               |                             |         |  |
| <b>CAD Officer in Charge: Taylor, Matthew</b>      |                     |        |               |         |       |                               |                             |         |  |
| CF22-8895  | 03/12/2022 18:48:19 | PUBLIC | Initiated     | No      | 87    | E13                           | 2695 South 900 East         |         | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/   |
| <b>Count: 1</b>                                    |                     |        |               |         |       |                               |                             |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>         |                     |        |               |         |       |                               |                             |         |  |
| CF20-23422   | 07/25/2020 14:44:13 | 65A05  | Initiated     | No      | 87    | M5, M8                        | 10758 South REDWOOD Road    | A       | GOING TO STATION 61  |
| <b>Count: 1</b>                                    |                     |        |               |         |       |                               |                             |         |  |
| <b>CAD Officer in Charge: Valdez, Christopher</b>  |                     |        |               |         |       |                               |                             |         |  |
| CF22-11273   | 04/01/2022 06:52:06 | COMM   | Initiated     | No      | 84    | BC1, M8, M7, LT2, M2, LT8, M1 | 224 West 600 South          | B       | STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D   |
| CF22-8886  | 03/12/2022 17:43:58 | PUBLIC | Initiated     | No      | 87    | LT2                           | 250 West 600 South          |         | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER   |
| <b>Count: 2</b>                                    |                     |        |               |         |       |                               |                             |         |  |
| <b>CAD Officer in Charge: Visser, Otto</b>         |                     |        |               |         |       |                               |                             |         |  |
| CF20-25507   | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164                         | 475 South 300 East          |         | OTTO VISSOR VS LANDSCAPE VEH   |
| <b>Count: 1</b>                                    |                     |        |               |         |       |                               |                             |         |  |
| <b>CAD Officer in Charge: Worthington, Jared</b>   |                     |        |               |         |       |                               |                             |         |  |
| CF20-28397   | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159                         | 7673 South HIGHLAND Drive   |         | STRUCTURE FIRE UFA   |
| <b>Count: 1</b>                                    |                     |        |               |         |       |                               |                             |         |  |
| <b>Count: 88</b>                                   |                     |        |               |         |       |                               |                             |         |  |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|-----------------|--------------------|------|---------------|---------|-------|-----------|---------|---------|---------------|
|-----------------|--------------------|------|---------------|---------|-------|-----------|---------|---------|---------------|

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)