

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

05/04/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East 180E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-14905	04/29/2022 15:21:52	REFUEL	Initiated	No	99	RD2, RD3, RD4	60 East PERIMETER	B	TACAIR , US MARSHALLS NEED REFUEL STANDBY 640CS
CF22-15403	05/03/2022 18:54:40	ALARMF	Initiated	No	87	M8	1400 South MAIN Street	A	BUSN: SUNSET STUDIOS...COMMERCIAL ALARM BACK ROOM HALL SMOKE...RP'S CHAD KIRKLAND 801-230-5352
Count: 14									
CAD Officer in Charge: Ainge, Arnold									
CF22-15480	05/04/2022 11:47:51	MISCF	Initiated	No	88	M8	1700 South 1300 West	A	ABOUT 100 YARDS S OF ... IN A FIELD.. NEAR THE RAGING WATERS.. CLOSER TO THE RICKS REPAIR SHOP... // APPROX 10 FT, SPREADING S... HOMELESS PERSON NEAR THE FIRE UNKNWN IF STARTED IT OR NOT
CF22-15491	05/04/2022 13:21:29	MISCF	Initiated	No	88	M8	240 West BROOKLYN Avenue	A	NEAR THE FREEWAY... HOMELESS PPL STARTING FIRES... // BEHIND UNIFIRST.....
CF22-15515	05/04/2022 16:18:37	TRUCK	Initiated	No	88	M8, H14	1100 South I215W NB Freeway	A	SEMI POSSIBLY ON FIRE...JUST AFTER...RIGHT HAND SIDE...TRIPLE TRAILER...A LOT OF SMOKE COMING FROM BACK TRAILER
Count: 3									
CAD Officer in Charge: Arnesen, Aaron									
CF22-	05/03/2022	MISCF	Initiated	No	88	M8	1415 South	A	FIRE INSIDE THE MANHOLE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
15384	16:08:22						MAIN Street		
CF22-15344	05/03/2022 10:35:27	ALARMF	Initiated	No	88	M8	1095 South 300 West	A	CALIBER COLLISON - COMMERICAL FIRE ALARM, SMOKE AND GENERAL ALARM...
CF22-15357	05/03/2022 12:42:34	ELEC	Initiated	No	85	M8	648 East COATSVILLE Avenue	A	TRANSFORMER FIRE SMOKE AND FLAMES
CF22-15424	05/03/2022 23:13:32	MISCF	Initiated	No	88	M8	252 West BROOKLYN Avenue	A	NORTHEAST OF DETOX BETWEEN THE FREEWAY AND THIS ADDR THERE IS GRY SMOKE - UNK WHAT IS ON FIRE
CF22-15419	05/03/2022 22:43:19	ALARMF	Initiated	No	87	M8	838 South ROBERTA Street	A	CARBON MONOXIDE DETECTOR GOING OFF...6 APTS IN BLDG....LOCATED BETWEEN KITCHEN AND LIVING....TOP FLOOR.....NEG INJ/SICK.....
Count: 5									
CAD Officer in Charge: Baum, Darren									
CF22-13637	04/20/2022 08:56:14	ALARMF	Initiated	No	87	EQ9	223 North JIMMY DOOLITTLE Road	C	ZONE 1 GENERAL...SUPER 8...801 533 8878
CF22-13689	04/20/2022 16:02:43	ALARMF	Initiated	No	87	EQ9	256 South 5500 West	C	BUSN RC WILLEY #57 // ZONE 215 RISER 5-1 DOCK DOOR // 801-596-6950 // REF#AE100901 //
Count: 2									
CAD Officer in Charge: Bills, Jared									
CF22-15137	05/01/2022 16:17:45	ALARMF	Initiated	No	99	M6, EQ9	556 West 700 South	C	
Count: 1									
CAD Officer in Charge: Bush, Joseph									
CF22-15276	05/02/2022 22:59:00	ALARMF	Initiated	No	88	E10	2185 East RED BUTTE CANYON Road	C	FIRE ALARM.....SINGLE RM ON 3RD FLOOR.....UUPD ON SCENE
Count: 1									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Christiansen, Calvin									
CF22-15470	05/04/2022 11:05:32	ALARMF	Initiated	No	87	M2	2 South 400 West	A	BUSN GATEWAY BLOCK F // POINT 0 GENERAL FIRE ALARM // 801-456-0040 // REF S83055 // TESTING ALARMS FALSE PER SEC ARTHUR
CF22-15435	05/04/2022 04:49:41	HIGH	Initiated	Yes	100	M7, BC1, E4, LT2, M2, LT8, M1	135 South 500 West	A	ODOR IN APT...PS ELECTRICAL, OUTLET IS PS ALSO GETTING HOT
CF22-15494	05/04/2022 13:55:44	ALARMF	Initiated	No	87	M2	2 South 400 West	A	ZONE 0 GENERAL FIRE ALARM... GATEWAY BLOCK F... 801-456-0040... REF#S83055
Count: 3									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Davy, Matthew									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	87	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680....HOUSE ON FIRE
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
Count: 3									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: George, Brady									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
Count: 1									
CAD Officer in Charge: Goodwin, Les									
CF22-15123	05/01/2022 14:55:56	VEH	Initiated	No	86	M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5	637 South HARMONY Court	C	SIDE OF HOUSE ...PILE OF STUFF (MATTRESS, CAR ON FIRE)
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									
CF22-15421	05/03/2022 23:02:29	LGASLE	Initiated	No	88	M2, LT2, M7, H10, M11, BC2, H14	1174 West 600 North	A	SMELLS LIKE GAS INSIDE THE STORE.. NO ONE SICK OR INJURED..
CF22-15517	05/04/2022 16:39:34	MISCF	Initiated	No	88	M7	West NORTH TEMPLE ST /N CORNELL Street	A	ACROSS FROM THE POWER PLANT HOMELESS CAMP POSS TARPS AND TENT ON FIRE..
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-14756	04/28/2022 14:33:35	ALARMF	Initiated	No	88	M7	439 North 200 West	A	CO ALARM GOING OFF AT MOTHERS HOUSE... COMP UP IN WEBER CO... MOTHER DOESNT SPEAK ENGLISH...
CF22-14769	04/28/2022 16:26:07	MISCF	Initiated	No	88	M7	346 South 500 West	A	... SEE RELATED CP#: SL22-77294 - ,SMALL WARMING FIRE TOWARDS THE BACK OF THE BUILDING, CODE4 ON ARRIVAL
CF22-14584	04/27/2022 08:43:45	SGASLE	Initiated	No	88	M7, H14	1300 West 300 North	A	EXTERIOR GAS LINE, HIT BY DIGGING
CF22-14600	04/27/2022 10:59:53	MISCF	Initiated	No	88	M7	1150 West 700 South	A	APPROX ADDRESS COMING FROM UNDER A BRIDGE....HOMELESS CAMP...CALLER PASSERBY
CF22-14609	04/27/2022 12:33:44	PUBLIC	Initiated	No	88	M7	1294 West 1200 North	A	CARE TAKER WAS SUPPOSED TO ARRIVE TODAY...HAS NOW BEEN TOLD SHE WAS NOT ON THE SCHEDULE TODAY...NEEDS ASST GETTING TO THE BATHROOM
Count: 11									
CAD Officer in Charge: Henthorne, David									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
Count: 1									
CAD Officer in Charge: Jepperson, Chad									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
CF22-15479	05/04/2022 11:44:40	PDASST	Initiated	No	87	GC587, M6	320 East SURPRISE Avenue	A	... SEE RELATED CP#: SL22-81533
Count: 2									
CAD Officer in Charge: Kartson, Constantine									
CF22-15318	05/03/2022 08:17:26	HOUSE	Initiated	No	88	M3, E4, E10, UT10, E13, BC1, FD151, FD155, FD157, LT5	2118 South 2000 East	C	ATTIC IS HOTDOESNT SEE SMOKE OR FLAMES
CF22-15382	05/03/2022 15:43:47	WASH	Initiated	No	88	E13	925 East 1700 South	A	REQ FIRE FOR WASHDOWN FROM AUTO PED
CF22-14706	04/28/2022 07:49:05	TRUCK	Initiated	No	88	E13, H10	1700 East 180E WB Freeway	A	PER UHP... PS SEMI FIRE... HEAVY SMOKE, NO FLAMES... PARTIALLY BLOCKING OUTSIDE LANES...
Count: 3									
CAD Officer in Charge: Kochevar, Kevin									
CF22-15414	05/03/2022 21:23:19	ALARMF	Initiated	No	88	M1	325 South 300 East	A	FIRE ALARM ZONE 9.. R/P MCKARTHY SHELTER .. NORA SCHOLLE 801-537-8625
CF22-15438	05/04/2022 05:40:24	ALARMF	Initiated	No	88	M1	426 South 500 East	A	SMOKE DETECTOR - 4TH FLOOR HALLWAY SMOKE - RP JEFF WEBB 801-207-1341
CF22-15464	05/04/2022 09:39:53	ALARMF	Initiated	No	87	M1	95 South STATE Street	A	ZONE 2 GENERAL...CUSHMAN AND WAKEFIELD...801 716 0596
CF22-15513	05/04/2022 16:04:39	ALARMF	Initiated	No	87	M1	529 East SOUTH TEMPLE Street	A	FIRE ALARM ZONE 1 GROUP ONE WOMENS FIRE SMOKE DETECTOR.. AMERICAN INVESTMENT PROPERTIES # 801-521-5400
Count: 4									
CAD Officer in Charge: Krohn, William									
CF22-15303	05/03/2022 06:24:23	ALARMF	Initiated	No	88	EQ14	1810 West FORTUNE Road	C	FRIE ALARM.. SE RISER FLOW.. RKB INVESTMENT, R/P KIM OLSEN 801-455-8632
Count: 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: Maddux, John									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
CF22-15048	04/30/2022 21:21:49	PUBLIC	Initiated	No	88	LT5	1320 East 500 South	B	73YOM... IS UNABLE TO GET OUT OF RECLINER... IS A LARGER M... COMP WILL MEET AT FRONT DOOR
Count: 3									
CAD Officer in Charge: Mortensen, Daniel									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
Count: 3									
CAD Officer in Charge: Myers, Eric									
CF22-11196	03/31/2022 16:22:17	ALARMW	Initiated	No	87	EQ9	6050 West 700 South	B	WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM
Count: 1									
CAD Officer in Charge: Ortega, Joseph									
CF22-15493	05/04/2022 13:44:37	FUEL	Initiated	No	88	RD2, RD3, RD4	60 East PERIMETER	A	N557G IS LEAKING. APROX 2 GALLONS. NOTHING IN THE DRAIN ... SEE RELATED CP#: AP22-14154
Count: 1									
CAD Officer in Charge: Parks, Paul									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
1									
CAD Officer in Charge: Reilly, Daniel									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM. HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East 180E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
Count: 4									
CAD Officer in Charge: Rock, Nathan									
CF22-15309	05/03/2022 06:50:34	ALARMF	Initiated	No	88	M1	175 South MAIN Street	C	FIRE ALARM.....ZONE 992 GENERAL FIRE.....801-609-1036 OR RP BRITNEY DEVILIN 801-674-0588
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
Count: 2									
CAD Officer in Charge: Shumway, Brandon									
CF22-12805	04/13/2022 07:55:52	MISCF	Initiated	No	88	M7	916 West NORTH TEMPLE Street	B	CALLBK=(385)310-5091 SHOPPING CART ON FIRE
CF22-13479	04/19/2022 05:24:12	APT	Initiated	No	99	M2, LT2, E4, M7, BC1, FD158, LT5, M1	189 East 1ST Avenue	B	HILCREST APTS APPEARS TO BE ON FIRE.. COMP WAS PASSING BY.. THERE WAS A MALE OUT ON THE DECK AND SOMETHING WAS ON FIRE
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
Count: 5									
CAD Officer in Charge: Staheli, Brian									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Taylor, Matthew									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD	A	GOING TO STATION 61

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Road									
Count: 1									
CAD Officer in Charge: Valdez, Christopher									
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
Count: 5									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Winkler, Scott									
CF22-15509	05/04/2022 15:39:01	ALARMF	Initiated	No	88	E4	1250 East CHANDLER Drive	A	FIRE ALARM.. ZONE 1 SMOKE DETECTOR... LUIS STRIKE # 801-641-2722
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
Count: 97									

Report Criteria

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).