

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

05/08/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-14905	04/29/2022 15:21:52	REFUEL	Initiated	No	99	RD2, RD3, RD4	60 East PERIMETER	B	TACAIR , US MARSHALLS NEED REFUEL STANDBY 640CS
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East 180E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16068	05/08/2022 16:44:56	MISCF	Initiated	No	87	M7, EW6061, EW6062, M6	601 North 1500 West	C	BACKMAN ELEM AND THE JORDAN RIVER...SOMETHING BURNING IN THE MIDDLE OF THE FIELD
<b>Count: 14</b>									
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF22-15866	05/07/2022 11:24:58	FUEL	Initiated	No	88	M11	25 North REDWOOD Road	C	EAST OF... SOUTH TEMPLE/REDWOOD... NEG BLOCKING... NEG INJURIES... WHI 2016 DODGE CHARGER @438740.WY.22.PC/ VS WHI CHEVY SUBURBAN @Y163K/ ... SEE RELATED CP#: SL22-83815
<b>Count: 1</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-15867	05/07/2022 11:28:13	APT	Initiated	No	88	BC1, LT8, LT5, M1, E4, M5, M8	841 South 500 East	C	PARK MANNOR ... CAN HEAR ALARM .. CAN SMELL SMOKE ... NO ONE ANSWERING THE DOOR.. COMP CANNOT SEE SMOKE ..
CF22-15932	05/07/2022 19:51:05	ALARMF	Initiated	No	88	M8	1585 West 2100 South	C	POINT 30 FIRE ALARM.... 801-973-3800...
CF22-	05/07/2022	ALARMF	Initiated	No	87	M8	29 East 900	C	MILK BAR...RP BRENT 801-598-0422 RP JEFF 206-

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
15965	22:22:37						South		499-7739...GEN FIRE ALARM ZONE 9
CF22-15993	05/08/2022 02:28:41	DUMP	Initiated	No	87	M8, LT8	1700 South MAIN Street	C	APPROX ADDR...WEST SIDE OF STREET BEHIND A CHURCH...DUMPSTER ON FIRE... SMOKE AND FLAMES VISIBLE ... 10 FT AWAY FROM BLDG
CF22-16057	05/08/2022 15:01:25	ALARMF	Initiated	No	100	M8	500 South MAIN Street	C	GENERAL FIRE...ZONE 1...RP 801 258 6986...REF # AE101447-2
<b>Count:</b> 5									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-16010	05/08/2022 07:02:36	ALARMF	Initiated	No	87	EQ9	61 North TOMMY THOMPSON Road	C	GENERAL FIRE ALARM ..ZONE 10... MICROTEL INN..801-236-2800
CF22-13637	04/20/2022 08:56:14	ALARMF	Initiated	No	87	EQ9	223 North JIMMY DOOLITTLE Road	C	ZONE 1 GENERAL...SUPER 8...801 533 8878
CF22-13689	04/20/2022 16:02:43	ALARMF	Initiated	No	87	EQ9	256 South 5500 West	C	BUSN RC WILLEY #57 // ZONE 215 RISER 5-1 DOCK DOOR // 801-596-6950 // REF#AE100901 //
<b>Count:</b> 3									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-15137	05/01/2022 16:17:45	ALARMF	Initiated	No	99	M6, EQ9	556 West 700 South	C	
CF22-15977	05/07/2022 23:28:36	MISCF	Initiated	No	88	M6	1500 South EMPIRE Road	C	BEHIND GOODWILL .... SOMETHING ON FIRE... UNK WHAT IT IS.. SIZE OF A SMALL CAR.. FLAMES AND SMOKE VISIBLE
CF22-15984	05/08/2022 01:21:35	PDASST	Initiated	No	88	M6	866 South 900 West	C	REQ WELF CHECK ON MOM MICKY PRICE.. POSS DOMESTIC W/ EX BOYFRIEND.. MOM CALLED COMP TO CALL POLICE UNK FURTHER ... SEE RELATED CP#: SL22-84273 - FD
CF22-15912	05/07/2022 18:13:33	MISCF	Initiated	No	88	FD154, FD158, M6	850 South JORDAN RIVER PKWY Trail	C	TENT ON FIRE UNDER BRIDGE... BRIDGE IS ON FIRE ... SMALLER THAN TENNIS COURT
CF22-15921	05/07/2022 19:20:12	MISCF	Initiated	No	88	M6	1060 South 900 West	C	UNDER THE FREEMONT BRIDGE THERE IS SOME KIND OF FURNITURE ON FIRE...
CF22-15926	05/07/2022 19:41:21	GRASS	Initiated	No	88	FD154, FD158, M6	1976 South JORDAN RIVER PKWY Trail	C	TENT AND SUITCASES ON FIRE... CLOSE TO SOME BRUSH... NEAR MILE MARKER 35F
CF22-15844	05/07/2022 08:28:49	PIPE	Initiated	No	88	LT2, M6	264 South FOSS Street	C	LANG BARRIER SPEAKS KINYARWANDAN... VIA INTERPRETER .. WATER LEAKING FROM CEILING ... COMING INTO LIVING ROOM
CF22-16054	05/08/2022 14:38:16	WATER	Initiated	No	88	M6	937 West 1400 South	C	WATER BUBBLING OUT OF THE ROAD
<b>Count:</b> 8									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-15276	05/02/2022 22:59:00	ALARMF	Initiated	No	88	E10	2185 East RED BUTTE CANYON Road	C	FIRE ALARM.....SINGLE RM ON 3RD FLOOR.....UUPD ON SCENE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Cunningham, Jeffrey</b>									
CF22-16027	05/08/2022 10:53:32	ALARMF	Initiated	No	88	EQ14	3540 West 1987 South	C	SMOKE DETECTOR POINT 3 WARE HOUSE 8 BY NORTH EAST RISER..... 801-975-8567
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-15975	05/07/2022 23:21:19	LGASLE	Initiated	No	88	M3, M5, H10, E13, BC1, LT8, H14	1712 South WINDSOR Street	C	4PLEX.....SMELLS LIKE NATRUAL GAS INSIDE THE APT.... COMP AND HUSBAND HAVE BEEN GETTING NASEUA/HEADACHE HUSBAND HAS BEEN GETTING NOSE BLEED,,,,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davis, Jayde</b>									
CF22-15915	05/07/2022 18:40:58	ALARMF	Initiated	No	87	M2	20 South 400 West	C	BUSN GATEWAY BLOCK B STEAKHOUSE...D/T 1832...ZONE 1 NO DESC...RP ANDY CURTIS 801-380-2183
CF22-15916	05/07/2022 18:42:07	ALARMF	Initiated	No	87	M2	424 West 100 South	C	FIRE ALARM... GATEWAY BLOCK B... BRAYDEN MIDICI ADVISED FALSE ALARM .. UNK IF HE'S ON SITE...
CF22-15862	05/07/2022 10:57:07	FUEL	Initiated	No	86	H10, LT2, M2	200 South 400 West	C	HIT CURB AND GAS LEAKING FROM GAS TANK... HYUNDAI ELANTRA ... 2 GALLONS SPILLED AND STILL LEAKING... W SIDE OF INTERSECTION
CF22-15906	05/07/2022 16:42:40	ALARMF	Initiated	No	87	M2	20 South 400 West	C	FIRE ALARM // BUSN GATEWAY BLOCK B// ZONE 1// 801-456-0040 // REF FP500728 // VM ON CB TO SEC
CF22-15910	05/07/2022 17:53:56	ALARMF	Initiated	No	87	M2	20 South 400 West	C	FIRE ALARM // BUSN GATEWAY BLOCK B// ZONE 1// 801-456-0040 // REF FP500728// PER SEC.. SAME EXACT LOC.. PS STILL JUVENILES.. REQ CXL
<b>Count: 5</b>									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	87	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680....HOUSE ON FIRE
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
<b>Count: 3</b>									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-15888	05/07/2022 14:25:02	ARESCU	Initiated	No	87	M5	1314 East 300 South	C	DOG LOCKED IN SILV TRUCK... APPEARS TO BE IN DISTRESS... APPROX 45 MINS ... SEE RELATED CP#: SL22-83916
<b>Count: 1</b>									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count:</b> 1									
<b>CAD Officer in Charge: Goodwin, Les</b>									
CF22-15123	05/01/2022 14:55:56	VEH	Initiated	No	86	M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5	637 South HARMONY Court	C	SIDE OF HOUSE ...PILE OF STUFF ( MATTRESS, CAR ON FIRE )
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
<b>Count:</b> 4									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hill, John</b>									
CF22-15913	05/07/2022 18:16:33	MISCF	Initiated	No	88	E13	1843 East BLAINE Avenue	C	HUSBAND WAS BURNING WEEDS IN BACKYARD...WOODEN BOARDS BETWEEN THE YARDS, BOARD WAS SMOLDERING, TRIED TO PUT IT OUT....UNSURE IF THEY GOT IT ALL, WANT IT CHECKED OUT TO MAKE SURE NO EXTENSION
CF22-15933	05/07/2022 19:51:08	ODOR	Initiated	No	88	E13	2675 East PARLEYS Way	C	LRGE OFC BLDG ON MAYWOOD DR/PARLEYS - SMELLS LIKE NATURAL GAS.. OUTSIDE... NEG SICK OR INJURED
<b>Count:</b> 2									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kartson, Constantine</b>									
CF22-15318	05/03/2022 08:17:26	HOUSE	Initiated	No	88	M3, E4, E10, UT10, E13, BC1, FD151,	2118 South 2000 East	C	ATTIC IS HOT ....DOESNT SEE SMOKE OR FLAMES

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
						FD155, FD157, LT5			
<b>Count:</b> 1									
<b>CAD Officer in Charge: Knowlton, John</b>									
CF22-16031	05/08/2022 11:13:56	ALARMF	Initiated	No	87	M1	169 East 200 South	C	GENERAL FIRE PULL STATION ALARM...ZONE 84...LARAIN RUIZ 801 301 6888
CF22-16064	05/08/2022 15:48:29	ALARMF	Initiated	No	87	M1	660 South 300 East	C	GENERAL FIRE ... RP 801 359 4689
CF22-16021	05/08/2022 09:30:21	ALARMF	Initiated	No	87	M1	75 South WEST TEMPLE Street	C	GENERAL FIRE ..ZONE 1... SLC MARRIOT DOWNTOWN..801-531-0800 SEC OFFICE...801-537-6080
<b>Count:</b> 3									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-15560	05/05/2022 00:57:53	DUMP	Initiated	No	88	M1	230 East 300 South	A	DUMPSTER FIRE - AT ENTRANCE ... PKING GARAGE FILLING WITH SMOKE
CF22-15513	05/04/2022 16:04:39	ALARMF	Initiated	No	87	M1	529 East SOUTH TEMPLE Street	A	FIRE ALARM ZONE 1 GROUP ONE WOMENS FIRE SMOKE DETECTOR.. AMERICAN INVESTMENT PROPERTIES # 801-521-5400
CF22-15414	05/03/2022 21:23:19	ALARMF	Initiated	No	88	M1	325 South 300 East	A	FIRE ALARM ZONE 9.. R/P MCKARTHY SHELTER .. NORA SCHOLLE 801-537-8625
CF22-15438	05/04/2022 05:40:24	ALARMF	Initiated	No	88	M1	426 South 500 East	A	SMOKE DETECTOR - 4TH FLOOR HALLWAY SMOKE - RP JEFF WEBB 801-207-1341
CF22-15464	05/04/2022 09:39:53	ALARMF	Initiated	No	87	M1	95 South STATE Street	A	ZONE 2 GENERAL...CUSHMAN AND WAKEFIELD...801 716 0596
<b>Count:</b> 5									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-15303	05/03/2022 06:24:23	ALARMF	Initiated	No	88	EQ14	1810 West FORTUNE Road	C	FRIE ALARM.. SE RISER FLOW.. RKB INVESTMENT, R/P KIM OLSEN 801-455-8632
<b>Count:</b> 1									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count:</b> 2									
<b>CAD Officer in Charge: Mellor, Ryan</b>									
CF22-15877	05/07/2022 13:08:58	TRUCK	Initiated	No	93	BC2, FD154, FD158, M6, H14	2896 West 2100 South	C	COMPS TRUCK IS ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-	02/04/2022	COMM	Initiated	No	87	BC1, M8,	44 West 300	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
4411	16:46:39					M7, M5, E4, LT2, M2, LT8, LT5	South		UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
<b>Count:</b> 3									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-11196	03/31/2022 16:22:17	ALARMW	Initiated	No	87	EQ9	6050 West 700 South	B	WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM
<b>Count:</b> 1									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
<b>Count:</b> 4									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-15309	05/03/2022 06:50:34	ALARMF	Initiated	No	88	M1	175 South MAIN Street	C	FIRE ALARM.....ZONE 992 GENERAL FIRE.....801-609-1036 OR RP BRITNEY DEVILIN 801-674-0588
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
<b>Count:</b> 2									
<b>CAD Officer in Charge: Shafer, Curtis</b>									
CF22-15930	05/07/2022 19:48:50	MISCF	Initiated	No	88	M7	1142 North 1300 West	C	BURNING IN BACKYARD SINCE YESTERDAY .. THREATENING WOODEN FENCES AND SHEDS
CF22-15925	05/07/2022 19:34:11	MISCF	Initiated	No	87	M7, M6	850 South JORDAN	C	BRIDGE WOOD PANELING ON FIRE...REQ CREW BACK OUT TO CHECK ON BRIDGE... SE CORNER....

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							RIVER PKWY Trail		2ND TIME OUT
<b>Count:</b> 2									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-15780	05/06/2022 19:24:03	ALARMF	Initiated	No	88	E13	2255 East GARFIELD Avenue	B	CO ALARM... ZONE 16 MAIN CO.. BOTTOM OF THE STAIRS .. JANUARY DAY 801-414-6901
CF22-12805	04/13/2022 07:55:52	MISCF	Initiated	No	88	M7	916 West NORTH TEMPLE Street	B	CALLBK=(385)310-5091 SHOPPING CART ON FIRE .....
CF22-13479	04/19/2022 05:24:12	APT	Initiated	No	99	M2, LT2, E4, M7, BC1, FD158, LT5, M1	189 East 1ST Avenue	B	HILCREST APTS APPEARS TO BE ON FIRE.. COMP WAS PASSING BY.. THERE WAS A MALE OUT ON THE DECK AND SOMETHING WAS ON FIRE
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
<b>Count:</b> 6									
<b>CAD Officer in Charge: Silverthorne, Robert</b>									
CF22-15533	05/04/2022 19:37:47	ALARMF	Initiated	No	88	M3	1988 South 1100 East	A	URBANA ON 11TH ...GEN FIRE ALARM ZONES 1 AND 0..RP IS 801-347-5231 CHARLIE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stafford, Robert</b>									
CF22-15961	05/07/2022 22:05:35	PUBLIC	Initiated	No	88	LT2	940 West NORTH TEMPLE Street	C	CHECK ADDRESS FOR BORREGO, HECTOR 8/14/1967.. IF LOCATED GO 1082 FOR VIOL OF PO.. UPD WILL RESPOND AND TAKE 1082... VERBAL ONLY.. NEG WEAPONS OR UNK IF CARRIES... DRIVES UT/U890FR MAROON KIA SEDONA ... SEE RELATED CP#: SL22-84205 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PDASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>1</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERLY F IN WHEELCHAIR AND A TEENAGER
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAYER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-15834	05/07/2022 04:04:05	DUMP	Initiated	No	100	M2	500 West 200 South	B	TRASH CAN ON FIRE .. NW CORNER ... NEG THREATENING
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
<b>Count: 10</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-15509	05/04/2022 15:39:01	ALARMF	Initiated	No	88	E4	1250 East CHANDLER Drive	A	FIRE ALARM.. ZONE 1 SMOKE DETECTOR.. LUIS STRIKE # 801-641-2722
<b>Count: 1</b>									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count: 1</b>									
<b>Count: 113</b>									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF



Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)