

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

05/09/2022



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|------------------------|--------|---------------|---------|-------|--------------------------|-----------------------------------|---------|---|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 95 | M3 | 1237 East BRICKYARD Road | B | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF21-37094 | 11/07/2021 21:52:52 | PASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE |
| CF22-8910 | 03/12/2022 22:10:44 | FUEL | Initiated | No | 86 | RD2, RD4 | 505 TAXIWAY K | | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431 |
| CF22-12397 | 04/10/2022 00:57:11 | ABITE | Initiated | No | 83 | E43, ME101 | 3663 South 300 West | | ... SEE RELATED CP#: LK22-11750 - FM |
| CF22-11714 | 04/04/2022 19:05:16 | PUBLIC | Initiated | No | 87 | BC1 | 211 South 500 East | A | TEST TEST TEST |
| CF22-14905 | 04/29/2022 15:21:52 | REFUEL | Initiated | No | 99 | RD2, RD3, RD4 | 60 East PERIMETER | B | TACAIR , US MARSHALLS NEED REFUEL STANDBY 640CS |
| CF22-15162 | 05/01/2022 20:46:15 | ELEC | Initiated | No | 86 | BC41, E41 | 700 East 180E EB Freeway | | APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA |
| CF22-16149 | 05/09/2022 10:15:59 | ALARMF | Initiated | No | 87 | E4 | 843 South LINCOLN Street | A | ROWLAND HALL LINCOLN...ANN BURNETTE 801 558 8076...ZONE 5 GENERAL FIRE |
| Count: 14 | | | | | | | | | |
| CAD Officer in Charge: Archuleta, Adam | | | | | | | | | |
| CF22-16135 | 05/09/2022 07:57:05 | BBQ | Initiated | No | 87 | M8 | 740 South 300 West | C | BEHIND THE OLD RED LOTUS BDG...FIRE IN A CHARCOAL GRILL NO ONE IS AROUND IT |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Bills, Jared | | | | | | | | | |
| CF22-15844 | 05/07/2022 08:28:49 | PIPE | Initiated | No | 88 | LT2, M6 | 264 South FOSS Street | C | LANG BARRIER SPEAKS KINYARWANDAN... VIA INTERPRETER .. WATER LEAKING FROM CEILING ... COMING INTO LIVING ROOM |
| CF22-15912 | 05/07/2022 18:13:33 | MISCF | Initiated | No | 88 | FD154, FD158, M6 | 850 South JORDAN RIVER PKWY Trail | C | TENT ON FIRE UNDER BRIDGE... BRIDGE IS ON FIRE ... SMALLER THAN TENNIS COURT |
| CF22-15921 | 05/07/2022 19:20:12 | MISCF | Initiated | No | 88 | M6 | 1060 South 900 West | C | UNDER THE FREEMONT BRIDGE THERE IS SOME KIND OF FURNITURE ON FIRE... |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--|------------------------------------|---------|---|
| CF22-15926 | 05/07/2022 19:41:21 | GRASS | Initiated | No | 88 | FD154, FD158, M6 | 1976 South JORDAN RIVER PKWY Trail | C | TENT AND SUITCASES ON FIRE... CLOSE TO SOME BRUSH... NEAR MILE MARKER 35F |
| CF22-15977 | 05/07/2022 23:28:36 | MISCF | Initiated | No | 88 | M6 | 1500 South EMPIRE Road | C | BEHIND GOODWILL SOMETHING ON FIRE... UNK WHAT IT IS.. SIZE OF A SMALL CAR.. FLAMES AND SMOKE VISIBLE |
| CF22-15984 | 05/08/2022 01:21:35 | PDASST | Initiated | No | 88 | M6 | 866 South 900 West | C | REQ WELF CHECK ON MOM MICKY PRICE.. POSS DOMESTIC W/ EX BOYFRIEND.. MOM CALLED COMP TO CALL POLICE UNK FURTHER ... SEE RELATED CP#: SL22-84273 - FD |
| CF22-16054 | 05/08/2022 14:38:16 | WATER | Initiated | No | 88 | M6 | 937 West 1400 South | C | WATER BUBBLING OUT OF THE ROAD |
| CF22-15137 | 05/01/2022 16:17:45 | ALARMF | Initiated | No | 99 | M6, EQ9 | 556 West 700 South | C | |
| Count: 8 | | | | | | | | | |
| CAD Officer in Charge: Bush, Joseph | | | | | | | | | |
| CF22-16120 | 05/09/2022 03:55:47 | ALARMF | Initiated | No | 88 | E10 | 265 South 1850 East | C | 3RD FLR AUDIO AND VISUAL ..NO SMOKE OR FLAMES SEEN...U OF U PD ENR |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20-29532 | 09/12/2020 10:22:19 | 65A03 | Initiated | No | 88 | EW6091, EW6092 | 10914 West I80W EB Freeway | | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDASST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Crandall, Steve | | | | | | | | | |
| CF22-16144 | 05/09/2022 09:43:44 | ELEC | Initiated | No | 88 | M5 | 1173 East 200 South | A | DIRECTLY ACROSS THE STREET, POWER POLE ON FIRE..COMP ALREADY CONTACTED RMP |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Davy, Matthew | | | | | | | | | |
| CF22-11835 | 04/05/2022 18:43:50 | HOUSE | Initiated | No | 87 | M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6 | 1000 West EUCLID Avenue | B | CALLBK=(801)350-1680....HOUSE ON FIRE |
| CF22-8920 | 03/12/2022 23:11:24 | ALARMF | Initiated | No | 87 | M6 | 360 South 200 West | | FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909 |
| CF22-8840 | 03/12/2022 09:56:09 | WATER | Initiated | No | 87 | M6 | 1599 West 300 South | | WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Endemano, Edward | | | | | | | | | |
| CF22-3459 | 01/28/2022 15:59:33 | FIRE | Initiated | No | 88 | M12 | 500 EMPLOYEE LOT[STOP 4 | A | GARBAGE CAN ON FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21- | 06/17/2021 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 | | CALLER IS CAREGIVER, CANNOT GET PATIENT |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|---------------|---------|-------|--|--|---------|--|
| 18617 | 16:52:56 | | | | | | South | | OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: George, Brady | | | | | | | | | |
| CF22-12763 | 04/12/2022 19:46:48 | HOUSE | Initiated | Yes | 98 | M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5 | 2228 South LAKE Street | B | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Goodwin, Les | | | | | | | | | |
| CF22-15123 | 05/01/2022 14:55:56 | VEH | Initiated | No | 86 | M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5 | 637 South HARMONY Court | C | SIDE OF HOUSE ...PILE OF STUFF (MATTRESS, CAR ON FIRE) |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF22-16178 | 05/09/2022 15:26:32 | GRASS | Initiated | No | 86 | M7, BC2, FD151, FD155, FD157, EW6061, EW6091 | North CORNELL ST / W NORTH TEMPLE Street | A | |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS |
| Count: 5 | | | | | | | | | |
| CAD Officer in Charge: Henthorne, David | | | | | | | | | |
| CF22-9449 | 03/17/2022 13:06:09 | ACC | Initiated | No | 86 | FD191 | 1300 South 700 East | | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Jepperson, Chad | | | | | | | | | |
| CF22-8867 | 03/12/2022 15:08:31 | LOCKP | Initiated | No | 87 | M6 | 1171 South 1300 West | | 20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kartsone, Constantine | | | | | | | | | |
| CF22-15318 | 05/03/2022 08:17:26 | HOUSE | Initiated | No | 88 | M3, E4, E10, UT10, E13, BC1, FD151, FD155, FD157, LT5 | 2118 South 2000 East | C | ATTIC IS HOTDOESNT SEE SMOKE OR FLAMES |
| Count: | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|---------------|---------|-------|--|------------------------------|---------|--|
| 1 | | | | | | | | | |
| CAD Officer in Charge: Kochevar, Kevin | | | | | | | | | |
| CF22-15414 | 05/03/2022 21:23:19 | ALARMF | Initiated | No | 88 | M1 | 325 South 300 East | A | FIRE ALARM ZONE 9.. R/P MCKARTHY SHELTER .. NORA SCHOLLE 801-537-8625 |
| CF22-15438 | 05/04/2022 05:40:24 | ALARMF | Initiated | No | 88 | M1 | 426 South 500 East | A | SMOKE DETECTOR - 4TH FLOOR HALLWAY SMOKE - RP JEFF WEBB 801-207-1341 |
| CF22-15464 | 05/04/2022 09:39:53 | ALARMF | Initiated | No | 87 | M1 | 95 South STATE Street | A | ZONE 2 GENERAL...CUSHMAN AND WAKEFIELD...801 716 0596 |
| CF22-15513 | 05/04/2022 16:04:39 | ALARMF | Initiated | No | 87 | M1 | 529 East SOUTH TEMPLE Street | A | FIRE ALARM ZONE 1 GROUP ONE WOMENS FIRE SMOKE DETECTOR.. AMERICAN INVESTMENT PROPERTIES # 801-521-5400 |
| CF22-15560 | 05/05/2022 00:57:53 | DUMP | Initiated | No | 88 | M1 | 230 East 300 South | A | DUMPSTER FIRE - AT ENTRANCE ... PKING GARAGE FILLING WITH SMOKE |
| CF22-16141 | 05/09/2022 09:04:21 | ALARMF | Initiated | No | 88 | M1 | 660 South 300 East | A | GENERAL NOTIF...PHILLIPS PLAZA...RP 801 414 3695 . |
| CF22-16185 | 05/09/2022 15:59:29 | ALARMF | Initiated | No | 87 | M1 | 134 South 400 East | A | FIRE ALARM REF S95151BUSN CITY SCAPE APTS.....RP HILLARY EVANS 972-215-6313ZONE 47 / HALL LQ SMOKE DETECTOR |
| Count: 7 | | | | | | | | | |
| CAD Officer in Charge: Krohn, William | | | | | | | | | |
| CF22-15303 | 05/03/2022 06:24:23 | ALARMF | Initiated | No | 88 | EQ14 | 1810 West FORTUNE Road | C | FRIE ALARM.. SE RISER FLOW.. RKB INVESTMENT, R/P KIM OLSEN 801-455-8632 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Maddux, John | | | | | | | | | |
| CF22-8865 | 03/12/2022 14:53:33 | LOCKP | Initiated | No | 86 | M5, LT5 | 600 East 900 South | | NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646 |
| CF22-8935 | 03/13/2022 04:27:39 | PUBLIC | Initiated | No | 87 | LT5 | 1086 South 800 East | | |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Menlove, Gary | | | | | | | | | |
| CF22-16204 | 05/09/2022 20:21:23 | HIGH | Initiated | No | 88 | LT5, BC1, LT8, E13, M8, M5, M3 | 974 East 2100 South | A | SMOKE ON SECOND FLOOR |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Meyer, Bryon | | | | | | | | | |
| CF22-16180 | 05/09/2022 15:44:12 | ARESCU | Initiated | No | 87 | M2, LT2 | 90 South 400 West | A | DOG HAS BEEN IN A VEH 4 HOURS / WINDOWS ROLLED UP ... INSIDE A GRAY VW VAN ... SEE RELATED CP#: SL22-85400 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Moser, Shane | | | | | | | | | |
| CF22-4411 | 02/04/2022 16:46:39 | COMM | Initiated | No | 87 | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South | B | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR... |
| CF22- | 03/18/2022 | MISCF | Initiated | No | 100 | FD153, | 176 West | B | MALE AT THE MOTEL WHO LIT THINGS IN HIS |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|--------------------------|---------|-------|-----------------------------|-------------------------------|---------|--|
| 9661 | 21:55:39 | | | | | LT8 | 600 South | | ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL |
| CF22-5910 | 02/17/2022 01:18:24 | HOUSE | Ready for Officer review | No | 100 | BC1, FD153, M8, M5, LT8, M6 | 1535 South WEST TEMPLE Street | B | ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE.. |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Myers, Eric | | | | | | | | | |
| CF22-11196 | 03/31/2022 16:22:17 | ALARMW | Initiated | No | 87 | EQ9 | 6050 West 700 South | B | WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Parks, Paul | | | | | | | | | |
| CF22-12711 | 04/12/2022 12:09:11 | ACC | Initiated | No | 86 | SQ6 | 223 West FAYETTE Avenue | | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF21-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF21-10548 | 04/11/2021 09:48:49 | PDASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PDASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950 | 07/29/2020 14:30:19 | 65A03 | Initiated | No | 88 | E13 | 6650 East 180E WB Freeway | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Rock, Nathan | | | | | | | | | |
| CF22-15309 | 05/03/2022 06:50:34 | ALARMF | Initiated | No | 88 | M1 | 175 South MAIN Street | C | FIRE ALARM.....ZONE 992 GENERAL FIRE.....801-609-1036 OR RP BRITNEY DEVILIN 801-674-0588 |
| CF22-12186 | 04/08/2022 16:10:57 | PUBLIC | Initiated | Yes | 100 | M1 | 1035 East 300 South | C | MALE FELL |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Rushton, Joel | | | | | | | | | |
| CF22-16194 | 05/09/2022 17:46:34 | VEH | Initiated | No | 88 | M8 | 1612 South STATE Street | A | FR AUTOMOTIVE....IN ALLEY WAY BETWEEN MAIN AND STATE.....RUG ON FIRE INSIDE A VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Shumway, Brandon | | | | | | | | | |
| CF22-11285 | 04/01/2022 08:23:12 | ALARMF | Initiated | No | 87 | E10 | 1912 East YALECREST Avenue | B | ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--------------------------------------|------------------------------|---------|--|
| CF22-15780 | 05/06/2022 19:24:03 | ALARMF | Initiated | No | 88 | E13 | 2255 East GARFIELD Avenue | B | CO ALARM... ZONE 16 MAIN CO.. BOTTOM OF THE STAIRS .. JANUARY DAY 801-414-6901 |
| CF22-12805 | 04/13/2022 07:55:52 | MISCF | Initiated | No | 88 | M7 | 916 West NORTH TEMPLE Street | B | CALLBK=(385)310-5091 SHOPPING CART ON FIRE |
| CF22-13479 | 04/19/2022 05:24:12 | APT | Initiated | No | 99 | M2, LT2, E4, M7, BC1, FD158, LT5, M1 | 189 East 1ST Avenue | B | HILCREST APTS APPEARS TO BE ON FIRE.. COMP WAS PASSING BY.. THERE WAS A MALE OUT ON THE DECK AND SOMETHING WAS ON FIRE |
| CF22-10793 | 03/28/2022 05:57:25 | ODOR | Initiated | No | 88 | E4 | 860 East 3RD Avenue | C | CALLER PASSED BY - ODOR OF GASOLINE |
| CF22-5893 | 02/16/2022 21:39:08 | APT | Initiated | No | 88 | M2, LT2, E4, M7, BC1, LT5, M1 | 228 East 1ST Avenue | B | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR |
| Count: 6 | | | | | | | | | |
| CAD Officer in Charge: Silverthorne, Robert | | | | | | | | | |
| CF22-15533 | 05/04/2022 19:37:47 | ALARMF | Initiated | No | 88 | M3 | 1988 South 1100 East | A | URBANA ON 11TH ...GEN FIRE ALARM ZONES 1 AND 0..RP IS 801-347-5231 CHARLIE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Staheli, Brian | | | | | | | | | |
| CF21-38166 | 11/17/2021 14:15:10 | PDASST | Initiated | No | 87 | H14 | 1500 West 1700 South | | UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Stringam, Reed | | | | | | | | | |
| CF22-3584 | 01/29/2022 17:26:29 | MISCF | Initiated | No | 87 | ET1 | 575 North JOHN GLENN Road | | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,, |
| CF22-16158 | 05/09/2022 12:00:40 | FUEL | Initiated | No | 88 | RD2, RD3 | 60 East PERIMETER | A | 1 GALLON/NOT LEAKING/NOTHING IN DRAINS/CLEAN UP IN PROCESS ... SEE RELATED CP#: AP22-14631 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Taylor, Matthew | | | | | | | | | |
| CF22-8895 | 03/12/2022 18:48:19 | PUBLIC | Initiated | No | 87 | E13 | 2695 South 900 East | | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/ |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Valdez, Christopher | | | | | | | | | |
| CF22-11273 | 04/01/2022 06:52:06 | COMM | Initiated | No | 84 | BC1, M8, M7, LT2, M2, LT8, M1 | 224 West 600 South | B | STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D |
| CF22-14079 | 04/23/2022 13:23:13 | PUBLIC | Initiated | No | 88 | LT2 | 45 West SOUTH TEMPLE Street | B | STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY |
| CF22-14085 | 04/23/2022 13:51:32 | PUBLIC | Initiated | No | 87 | LT2 | 50 South MAIN Street | B | CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE |
| CF22- | 04/23/2022 | PUBLIC | Initiated | No | 88 | LT2 | 411 East | B | PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--|------------------------------|---------|---|
| 14138 | 22:06:31 | | | | | | SOUTH TEMPLE Street | | ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED |
| CF22-8886 | 03/12/2022 17:43:58 | PUBLIC | Initiated | No | 87 | LT2 | 250 West 600 South | | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERLY F IN WHEELCHAIR AND A TEENAGER |
| CF22-15710 | 05/06/2022 08:56:51 | SMOKE | Initiated | No | 88 | M2 | 750 North VICTORY Road | B | CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID |
| CF22-15730 | 05/06/2022 11:38:31 | COMM | Initiated | No | 86 | M2, M3, E4, M5, M8, E10, BC1, LT8, LT5 | 220 South 200 East | B | FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM |
| CF22-15772 | 05/06/2022 18:06:47 | ALARMF | Initiated | No | 88 | M2 | 524 North MAIN Street | B | FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING. |
| CF22-15773 | 05/06/2022 18:34:03 | ARESCU | Initiated | No | 87 | M2, LT2 | 48 West MARKET Street | B | 4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259 |
| Count: 9 | | | | | | | | | |
| CAD Officer in Charge: Valente, Gianni | | | | | | | | | |
| CF22-16207 | 05/09/2022 20:37:37 | ALARMF | Initiated | No | 87 | M6 | 876 West 700 South | A | COMM ALARM...REF AE101528...ZONE 1 GENERAL....RP PENDING...DAUNTE 801-200-8594 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Winkler, Scott | | | | | | | | | |
| CF22-15509 | 05/04/2022 15:39:01 | ALARMF | Initiated | No | 88 | E4 | 1250 East CHANDLER Drive | A | FIRE ALARM.. ZONE 1 SMOKE DETECTOR.. LUIS STRIKE # 801-641-2722 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Worthington, Jared | | | | | | | | | |
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Yamane, Chad | | | | | | | | | |
| CF22-16147 | 05/09/2022 10:05:57 | ALARMF | Initiated | No | 87 | E4 | 777 East SOUTH TEMPLE Street | A | SMOKE ALARM... BONNIVELLE TOWERS... PREMISE 801-309-6087 |
| Count: 1 | | | | | | | | | |
| Count: 97 | | | | | | | | | |

Report Criteria

| | |
|---------------------|----------------------------------|
| Record Status: | Is Not Equal To Officer reviewed |
| Locked?: | Is Not Equal To Yes |
| Incident Date Time: | Is On or After 1/16/2018 |
| Incident Number: | Begins With CF |
| Code: | Is Not Equal To ARSINV |
| Code: | Is Not Equal To APSN |
| Apparatus: | Is Not Equal To E41 |

Apparatus: Is Not Equal To E73

Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)