

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

05/10/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-14905	04/29/2022 15:21:52	REFUEL	Initiated	No	99	RD2, RD3, RD4	60 East PERIMETER	B	TACAIR , US MARSHALLS NEED REFUEL STANDBY 640CS
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East 180E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16149	05/09/2022 10:15:59	ALARMF	Initiated	No	87	E4	843 South LINCOLN Street	A	ROWLAND HALL LINCOLN...ANN BURNETTE 801 558 8076...ZONE 5 GENERAL FIRE
<b>Count: 14</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-16135	05/09/2022 07:57:05	BBQ	Initiated	No	87	M8	740 South 300 West	C	BEHIND THE OLD RED LOTUS BDG...FIRE IN A CHARCOAL GRILL NO ONE IS AROUND IT
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-15844	05/07/2022 08:28:49	PIPE	Initiated	No	88	LT2, M6	264 South FOSS Street	C	LANG BARRIER SPEAKS KINYARWANDAN... VIA INTERPRETER .. WATER LEAKING FROM CEILING ... COMING INTO LIVING ROOM
CF22-15912	05/07/2022 18:13:33	MISCF	Initiated	No	88	FD154, FD158, M6	850 South JORDAN RIVER PKWY Trail	C	TENT ON FIRE UNDER BRIDGE... BRIDGE IS ON FIRE ... SMALLER THAN TENNIS COURT
CF22-15921	05/07/2022 19:20:12	MISCF	Initiated	No	88	M6	1060 South 900 West	C	UNDER THE FREEMONT BRIDGE THERE IS SOME KIND OF FURNITURE ON FIRE...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-15926	05/07/2022 19:41:21	GRASS	Initiated	No	88	FD154, FD158, M6	1976 South JORDAN RIVER PKWY Trail	C	TENT AND SUITCASES ON FIRE... CLOSE TO SOME BRUSH... NEAR MILE MARKER 35F
CF22-15977	05/07/2022 23:28:36	MISCF	Initiated	No	88	M6	1500 South EMPIRE Road	C	BEHIND GOODWILL .... SOMETHING ON FIRE... UNK WHAT IT IS.. SIZE OF A SMALL CAR.. FLAMES AND SMOKE VISIBLE
CF22-15984	05/08/2022 01:21:35	PDASST	Initiated	No	88	M6	866 South 900 West	C	REQ WELF CHECK ON MOM MICKY PRICE.. POSS DOMESTIC W/ EX BOYFRIEND.. MOM CALLED COMP TO CALL POLICE UNK FURTHER ... SEE RELATED CP#: SL22-84273 - FD
CF22-16054	05/08/2022 14:38:16	WATER	Initiated	No	88	M6	937 West 1400 South	C	WATER BUBBLING OUT OF THE ROAD
CF22-15137	05/01/2022 16:17:45	ALARMF	Initiated	No	99	M6, EQ9	556 West 700 South	C	
<b>Count:</b> 8									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-16120	05/09/2022 03:55:47	ALARMF	Initiated	No	88	E10	265 South 1850 East	C	3RD FLR AUDIO AND VISUAL ..NO SMOKE OR FLAMES SEEN...U OF U PD ENR
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Christiansen, Calvin</b>									
CF22-16257	05/10/2022 07:02:30	MISCF	Initiated	No	88	M2	300 South MAIN Street	A	CALLBK=(801)656-5497 .... #HOMELESS PERSON HAS LIT HER SHOES ON FIRE ...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Crandall, Steve</b>									
CF22-16144	05/09/2022 09:43:44	ELEC	Initiated	No	88	M5	1173 East 200 South	A	DIRECTLY ACROSS THE STREET, POWER POLE ON FIRE..COMP ALREADY CONTACTED RMP
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	87	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680....HOUSE ON FIRE
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
<b>Count:</b> 3									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP	A	GARBAGE CAN ON FIRE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
4									
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b>									
1									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Goodwin, Les</b>									
CF22-15123	05/01/2022 14:55:56	VEH	Initiated	No	86	M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5	637 South HARMONY Court	C	SIDE OF HOUSE ...PILE OF STUFF ( MATTRESS, CAR ON FIRE )
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-16178	05/09/2022 15:26:32	GRASS	Initiated	No	86	M7, BC2, FD151, FD155, FD157, EW6061, EW6091	North CORNELL ST / W NORTH TEMPLE Street	A	
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF22-16235	05/10/2022 00:26:12	MISCF	Initiated	No	88	M7	750 West SOUTH TEMPLE Street	A	WARMING FIRE EAST OF THIS ADDRESS UNDER THE VIADUCT.. NOT THREATENING A STRUCTURE. ... SEE RELATED CP#: SL22-85667
<b>Count:</b>									
6									
<b>CAD Officer in Charge: Harwood, Blake</b>									
CF22-16239	05/10/2022 01:26:00	LGASLE	Initiated	No	87	LT2, H10, M11, BC2, EQ9, M6, H14	6338 West 700 North	A	AMAZON BLDG.....ROTTEN EGG SMELL INSIDE AND OUTSIDE BLDG.....BELIEVES THEY HAVE A GAS LEAK.....NO FEELING SICK OR INJURED
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>1</b>									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kartsones, Constantine</b>									
CF22-15318	05/03/2022 08:17:26	HOUSE	Initiated	No	88	M3, E4, E10, UT10, E13, BC1, FD151, FD155, FD157, LT5	2118 South 2000 East	C	ATTIC IS HOT ....DOESNT SEE SMOKE OR FLAMES
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-15414	05/03/2022 21:23:19	ALARMF	Initiated	No	88	M1	325 South 300 East	A	FIRE ALARM ZONE 9.. R/P MCKARTHY SHELTER .. NORA SCHOLLE 801-537-8625
CF22-15438	05/04/2022 05:40:24	ALARMF	Initiated	No	88	M1	426 South 500 East	A	SMOKE DETECTOR - 4TH FLOOR HALLWAY SMOKE - RP JEFF WEBB 801-207-1341
CF22-15464	05/04/2022 09:39:53	ALARMF	Initiated	No	87	M1	95 South STATE Street	A	ZONE 2 GENERAL...CUSHMAN AND WAKEFIELD...801 716 0596
CF22-15513	05/04/2022 16:04:39	ALARMF	Initiated	No	87	M1	529 East SOUTH TEMPLE Street	A	FIRE ALARM ZONE 1 GROUP ONE WOMENS FIRE SMOKE DETECTOR.. AMERICAN INVESTMENT PROPERTIES # 801-521-5400
CF22-15560	05/05/2022 00:57:53	DUMP	Initiated	No	88	M1	230 East 300 South	A	DUMPSTER FIRE - AT ENTRANCE ... PKING GARAGE FILLING WITH SMOKE
CF22-16248	05/10/2022 04:00:46	APT	Initiated	No	88	LT2, M3, M5, M8, BC1, LT8, M1	751 South 300 East	A	SMELLS SMOKE, DOESN'T SEE ANYTHING, SMELLS INSIDE BLDG D
CF22-16185	05/09/2022 15:59:29	ALARMF	Initiated	No	87	M1	134 South 400 East	A	FIRE ALARM REF S95151 .....BUSN CITY SCAPE APTS.....RP HILLARY EVANS 972-215-6313 .....ZONE 47 / HALL LQ SMOKE DETECTOR
CF22-16141	05/09/2022 09:04:21	ALARMF	Initiated	No	88	M1	660 South 300 East	A	GENERAL NOTIF...PHILLIPS PLAZA...RP 801 414 3695 .
<b>Count: 8</b>									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-15303	05/03/2022 06:24:23	ALARMF	Initiated	No	88	EQ14	1810 West FORTUNE Road	C	FRIE ALARM.. SE RISER FLOW.. RKB INVESTMENT, R/P KIM OLSEN 801-455-8632
<b>Count: 1</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count: 2</b>									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-16204	05/09/2022 20:21:23	HIGH	Initiated	No	88	LT5, BC1, LT8, E13, M8, M5, M3	974 East 2100 South	A	SMOKE ON SECOND FLOOR
<b>Count: 1</b>									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-16180	05/09/2022 15:44:12	ARESCU	Initiated	No	87	M2, LT2	90 South 400 West	A	DOG HAS BEEN IN A VEH 4 HOURS / WINDOWS ROLLED UP ... INSIDE A GRAY VW VAN ... SEE RELATED CP#: SL22-85400

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 B South		CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
<b>Count:</b> 3									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-11196	03/31/2022 16:22:17	ALARMW	Initiated	No	87	EQ9	6050 West 700 South	B	WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM
<b>Count:</b> 1									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ...PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-	07/29/2020	65A03	Initiated	No	88	E13	6650 East	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
23950	14:30:19						180E WB Freeway		
<b>Count:</b> 4									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-15309	05/03/2022 06:50:34	ALARMF	Initiated	No	88	M1	175 South MAIN Street	C	FIRE ALARM.....ZONE 992 GENERAL FIRE.....801-609-1036 OR RP BRITNEY DEVILIN 801-674-0588
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
<b>Count:</b> 2									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-16194	05/09/2022 17:46:34	VEH	Initiated	No	88	M8	1612 South STATE Street	A	FR AUTOMOTIVE.....IN ALLEY WAY BETWEEN MAIN AND STATE.....RUG ON FIRE INSIDE A VEH
CF22-16256	05/10/2022 06:40:05	MISCF	Initiated	No	88	M8	150 West 1400 South	A	6 TENTS, MULTIPLE PPL, THEY ARE STARTING FIRES, COMP WORRIED THEY HAVE DRUMS OF CHEMICALS AND TAR IN THE YARD ... SEE RELATED CP#: SL22-85740 - ,REQ FIRE DEPT FOR FIRES AND PD FOR HOMELESS
<b>Count:</b> 2									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-15780	05/06/2022 19:24:03	ALARMF	Initiated	No	88	E13	2255 East GARFIELD Avenue	B	CO ALARM... ZONE 16 MAIN CO.. BOTTOM OF THE STAIRS .. JANUARY DAY 801-414-6901
CF22-12805	04/13/2022 07:55:52	MISCF	Initiated	No	88	M7	916 West NORTH TEMPLE Street	B	CALLBK=(385)310-5091 SHOPPING CART ON FIRE .....
CF22-13479	04/19/2022 05:24:12	APT	Initiated	No	99	M2, LT2, E4, M7, BC1, FD158, LT5, M1	189 East 1ST Avenue	B	HILCREST APTS APPEARS TO BE ON FIRE.. COMP WAS PASSING BY.. THERE WAS A MALE OUT ON THE DECK AND SOMETHING WAS ON FIRE
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
<b>Count:</b> 6									
<b>CAD Officer in Charge: Silverthorne, Robert</b>									
CF22-15533	05/04/2022 19:37:47	ALARMF	Initiated	No	88	M3	1988 South 1100 East	A	URBANA ON 11TH ...GEN FIRE ALARM ZONES 1 AND 0..RP IS 801-347-5231 CHARLIE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF21-38166	11/17/2021 14:15:10	PASST	Initiated	No	87	H14	1500 West 1700 South		UPD DETECTIVE HAS DIVERS IN CANAL... REQ HAZMAT RESP TO WASH OFF PS HAZMAT MATERIALS FROM DIVERS... EAST SIDE OF CANAL, GATE FROM 1700 S WILL BE UNLOCKED... DIVERS LOCATED APPROX 1500 S.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
CF22-16158	05/09/2022 12:00:40	FUEL	Initiated	No	88	RD2, RD3	60 East PERIMETER	A	1 GALLON/NOT LEAKING/NOTHING IN DRAINS/CLEAN UP IN PROCESS ... SEE RELATED CP#: AP22-14631

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 2									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
<b>Count:</b> 9									
<b>CAD Officer in Charge: Valente, Gianni</b>									
CF22-16207	05/09/2022 20:37:37	ALARMF	Initiated	No	87	M6	876 West 700 South	A	COMM ALARM...REF AE101528...ZONE 1 GENERAL....RP PENDING...DAUNTE 801-200-8594
<b>Count:</b> 1									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-15509	05/04/2022 15:39:01	ALARMF	Initiated	No	88	E4	1250 East CHANDLER Drive	A	FIRE ALARM.. ZONE 1 SMOKE DETECTOR.. LUIS STRIKE # 801-641-2722
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-16147	05/09/2022 10:05:57	ALARMF	Initiated	No	87	E4	777 East SOUTH TEMPLE Street	A	SMOKE ALARM... BONNIVELLE TOWERS... PREMISE 801-309-6087
<b>Count:</b> 1									
<b>Count:</b> 102									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).