

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

05/14/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-16681	05/13/2022 15:08:56	HIKER	Initiated	No	86	M1	442 South HOLD Avenue	C	
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East 180E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-16448	05/11/2022 19:36:58	PUBLIC	Initiated	No	88	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-16637	05/13/2022 08:53:56	ALARMF	Initiated	No	87	M1	95 South STATE Street	C	COMM FIRE ALARM / BUSN TUSHMAN AND WAKEFIELD... ZONE 2, GENERAL FIRE.... NO PREMISE.... RP JEFF 801-716-0596 // REF 44-4346 // FALSE PER ALARM...DUE TO CONSTRUCTION
CF22-16669	05/13/2022 14:11:05	FUEL	Initiated	No	87	RD2, RD4	505 East PERIMETER	C	1/2 GALLON AND STILL LEAKING ... SEE RELATED CP#: AP22-15063
CF22-16871	05/14/2022 20:27:30	ALARMW	Initiated	No	88	LT2, E4	390 North C Street	C	FIRE ALARMS GENERAL AND WATER FLOW, ON 1ST AND 2ND FLOOR. R/P 801-507-2020
<b>Count: 18</b>									
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF22-16723	05/13/2022 20:17:12	MISCF	Initiated	No	88	M11	1239 North MORTON	C	ONE HOUSE NORTH OF DISPATCHED ADDRESS... BURNING GREEN WASTE IN HIS YARD CAUSING A

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							Drive		LOT OF SMOKE IN THE AREA... COMP WANTING A CB WHEN M11 CLEARS .. COMP IS A RETIRED DEPT CHEIF AND SPOKE W/ CPT HALVERSON
<b>Count:</b> 1									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-16791	05/14/2022 09:36:50	SMOKE	Initiated	No	88	M8, LT8	1159 South 400 East	C	3RD PARTY INFO... HEARD NEIGHBORS YELLING FIRE... CAN SEE SMOKE IN BACKYARD... THINKS IT'S NOT A BIG DEAL... BUT POSS A HOUSE FIRE
CF22-16821	05/14/2022 12:43:25	ARESCU	Initiated	No	88	M8	878 South 200 East	C	IN THE MAVEN DIST PLOT... WHI SUBARU FORESTER... DOG LOCKED IN THE VEH... SEE RELATED CP#: SL22-88787
<b>Count:</b> 2									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-16827	05/14/2022 13:18:41	ALARMF	Initiated	No	87	EQ9, EQ14	1851 South 5350 West	C	BUSN: LANDMARK 3...COMMERICAL FIRE ALARM
CF22-16755	05/14/2022 01:39:53	ALARMF	Initiated	No	88	EQ9	6010 West AMELIA EARHART Drive	C	COMMERCIAL FIRE ALARM... GENERAL FIRE ALARM.. RENELL 8016611618.. VM ON CB .. BUSN NAME QUAILITY DISTRIBUTION
<b>Count:</b> 2									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-16784	05/14/2022 08:55:43	ALARMF	Initiated	No	87	M6	1585 West 2100 South	C	GENERAL FIRE..ZONE 30...COMMERCIAL GEO GROUP NORTH BLDG...801-973-3800 RP REX MASEY 801-230-3613 LESLIE FLOWER S 801-201-0165...BECKY GRIFFITH 385-214-9373.. KIMBLERY WENTAL 385--228-2246 REF # B11292
CF22-16705	05/13/2022 17:51:35	ALARMF	Initiated	No	87	M6	876 West 700 South	C	FIRE ALARM // ZONE 1 // RP DUANTE 801-200-8594 // REF AE101528 // NO ANSWER ON CB
CF22-16721	05/13/2022 19:58:28	NATGAS	Initiated	No	88	M7, H10, M11, BC2, LT8, M6, H14	1239 South GLENDALE Drive	C	CALLBK=(801)913-3991.. COMP IS MAINTANANCE, NOT ON SCENE..GLENDALE SENIOR HOUSING... SEVERAL PEOPLE OUTSIDE THE APTS, SMELLING NATURAL GAS...
CF22-16674	05/13/2022 14:39:00	FUEL	Initiated	No	87	M6, H14	1235 West ANDREW Avenue	C	BLK ACCURA MDX VS GRY DODGE DAKOTA ... NEG INJ .. NEG BLOCKING ... COMPS VEH IS LEAKING FLUID .. LOC ON THE SOUTH SIDE OF THE ROAD ... SEE RELATED CP#: SL22-88082
CF22-16668	05/13/2022 14:08:30	ALARMF	Initiated	No	88	M6	556 West 700 South	C	COMMERCIAL FIRE
CF22-16825	05/14/2022 13:04:01	ELEC	Initiated	No	88	M6	1477 West CALIFORNIA Avenue	C	TRANSFORMER SPARKING I N BACKYARD... MAKING ELECTRIAL NOISE
CF22-16797	05/14/2022 10:27:52	ALARMF	Initiated	No	88	M6	1855 South FREMONT Drive	C	CAPTIAL FREIGHT ...RP TYLER 801 661 6429...GENERAL
CF22-16842	05/14/2022 15:09:52	VEH	Initiated	No	88	M6	1455 West 400 South	C	SUSP VEH STILL ON SCENE ...NO DRIVER ON SCENE ...TRUCK HIT COMPS' TOYT PICKUP ...SLIGHT LANG BARRIER ..TX TO FIRE FOR PS EXPLOSION NOISES COMING FROM SUSP VEH ... SEE RELATED CP#: SL22-88885
CF22-15844	05/07/2022 08:28:49	PIPE	Initiated	No	88	LT2, M6	264 South FOSS Street	C	LANG BARRIER SPEAKS KINYARWANDAN... VIA INTERPRETER .. WATER LEAKING FROM CEILING ... COMING INTO LIVING ROOM
CF22-15912	05/07/2022 18:13:33	MISCF	Initiated	No	88	FD154, FD158, M6	850 South JORDAN RIVER PKWY Trail	C	TENT ON FIRE UNDER BRIDGE... BRIDGE IS ON FIRE ... SMALLER THAN TENNIS COURT
CF22-15921	05/07/2022 19:20:12	MISCF	Initiated	No	88	M6	1060 South 900 West	C	UNDER THE FREEMONT BRIDGE THERE IS SOME KIND OF FURNITURE ON FIRE...
CF22-15926	05/07/2022 19:41:21	GRASS	Initiated	No	88	FD154, FD158, M6	1976 South JORDAN RIVER PKWY Trail	C	TENT AND SUITCASES ON FIRE... CLOSE TO SOME BRUSH... NEAR MILE MARKER 35F
CF22-15977	05/07/2022 23:28:36	MISCF	Initiated	No	88	M6	1500 South EMPIRE Road	C	BEHIND GOODWILL .... SOMETHING ON FIRE... UNK WHAT IT IS.. SIZE OF A SMALL CAR.. FLAMES AND SMOKE VISIBLE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-15984	05/08/2022 01:21:35	PDASST	Initiated	No	88	M6	866 South 900 West	C	REQ WELF CHECK ON MOM MICKY PRICE.. POSS DOMESTIC W/ EX BOYFRIEND.. MOM CALLED COMP TO CALL POLICE UNK FURTHER ... SEE RELATED CP#: SL22-84273 - FD
CF22-16054	05/08/2022 14:38:16	WATER	Initiated	No	88	M6	937 West 1400 South	C	WATER BUBBLING OUT OF THE ROAD
CF22-15137	05/01/2022 16:17:45	ALARMF	Initiated	No	99	M6, EQ9	556 West 700 South	C	
<b>Count: 16</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 1</b>									
<b>CAD Officer in Charge: Christiansen, Calvin</b>									
CF22-16363	05/11/2022 08:05:43	MISCF	Initiated	No	88	M2	840 North BECK Street	A	UP THE HILL/IN THE TREES...PARTIALLY IN PARK...MID WAY DOWN FIELD/EAST SIDE...TRANSIENT HAS FIRE GOING...A LOT OF SMOKE/UNK HOW BIG FLAMES ARE...PS THREATENING TREES
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Crandall, Steve</b>									
CF22-16305	05/10/2022 17:39:47	APT	Initiated	No	88	E4, M5, M8, BC1, LT8, M6, LT5	343 South 500 East	A	COMP IS ASSISTANT PROPERTY MANAGER...RES CAN SMELL SMOKE...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	87	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680....HOUSE ON FIRE
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
<b>Count: 3</b>									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-16865	05/14/2022 19:36:40	ALARMF	Initiated	No	88	M5	713 East HARRISON Avenue	C	FIRE ALARM IS GOING OFF.....NO FLAMES OR SMOKE VISIBLE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF22-16289	05/10/2022 14:52:09	VEH	Initiated	No	100	FD155, FD157, M11	652 South REDWOOD Road	A	VEH FIRE IN PLOT TEAR APART
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count:</b> 1									
<b>CAD Officer in Charge: Goodwin, Les</b>									
CF22-15123	05/01/2022 14:55:56	VEH	Initiated	No	86	M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5	637 South HARMONY Court	C	SIDE OF HOUSE ...PILE OF STUFF ( MATTRESS, CAR ON FIRE )
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-16178	05/09/2022 15:26:32	GRASS	Initiated	No	98	M7, BC2, FD151, FD155, FD157, EW6061, EW6091	North CORNELL ST / W NORTH TEMPLE Street	A	
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
<b>Count:</b> 5									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-16332	05/10/2022 22:50:46	ALARMF	Initiated	No	88	M1	660 South 300 East	A	RESID FIRE ALARM.....RP JOHN LARRY 385-528-3110
CF22-16343	05/11/2022 01:34:15	LGASLE	Initiated	No	87	E4, M5, H10, BC1, H14, LT5, M1	639 East 500 South	A	ODOR OF NATURAL GAS INSIDE THE APT COMPLEX ( HAS ABOUT 6 UNITS)
<b>Count:</b> 2									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-15303	05/03/2022 06:24:23	ALARMF	Initiated	No	88	EQ14	1810 West FORTUNE Road	C	FRIE ALARM.. SE RISER FLOW.. RKB INVESTMENT, R/P KIM OLSEN 801-455-8632
<b>Count:</b> 1									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
CF22-16412	05/11/2022 15:34:02	SGASLE	Initiated	No	86	M3, HM109, LT5	316 East 900 South	B	PUTTING IN PIPES AND HIT A GAS LINE. RESIDENTIAL LINE BROKEN AND BLOWING
<b>Count:</b> 3									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
<b>Count:</b> 3									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-11196	03/31/2022 16:22:17	ALARMW	Initiated	No	87	EQ9	6050 West 700 South	B	WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-16869	05/14/2022 20:03:28	ALARMF	Initiated	No	87	E4	50 North MEDICAL Drive	C	WEST PAVALION FIRE ALARM, UUPD ENROUTE..
<b>Count:</b> 2									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
<b>Count:</b> 4									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-15309	05/03/2022 06:50:34	ALARMF	Initiated	No	88	M1	175 South MAIN Street	C	FIRE ALARM.....ZONE 992 GENERAL FIRE.....801-609-1036 OR RP BRITNEY DEVILIN 801-674-0588
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
CF22-16799	05/14/2022 10:42:07	ALARMF	Initiated	No	88	M1	560 East SOUTH TEMPLE Street	C	T/L 20-30 MINUTES...HEARS ALARM GOING OFF...THINKS IS FIRE...SOUTH OF DISP ADDR BUT NOT EXACTLY SURE WHERE
CF22-16822	05/14/2022 12:47:24	ALARMF	Initiated	No	88	M1	28 South STATE Street	C	CCRI CENTER FOOD COURT....801 238 5325
CF22-16644	05/13/2022 10:25:14	ALARMF	Initiated	No	88	M1	1855 South FREMONT Drive	C	GENERAL FIRE ALARM, ZONE 1... BUSN NAME CAPITAL FREIGHT... NO PHONE... REF#251041
CF22-16661	05/13/2022 13:24:09	SGASLE	Initiated	No	87	M8, H10, M1	339 East 600 South	C	SMELL OF NATURAL GAS INSIDE THE CLUBHOUSE..WILL BE IN CENTER OF THE COMPLEX
CF22-16692	05/13/2022 16:14:51	ALARMF	Initiated	No	88	M1	28 South STATE Street	C	CO2 TANK KNOCKED OVER, AND LEAKING EVERYWHERE...HOW CAN THEY TURN OFF THE CO2 ALARM // IN THE MCDONALDS... / NEED HELP WITH THE CO2 TANK AND THE ALARM
CF22-16698	05/13/2022 16:48:42	PUBLIC	Initiated	No	88	M1	134 South 400 East	C	CITY SCAPE APTS... COMP STUCK IN THE ELEVATORS... UNK FLOOR WAS GOING UP FROM P2 BEFORE ELEVATOR STOPPED
CF22-16704	05/13/2022 17:47:17	ALARMF	Initiated	No	88	M1	480 East SOUTH TEMPLE Street	C	FIRE ALARM // BUSN HARDISON APARTMENTS // ZONE 532, LEVEL 5 ADA UNIT....ZONE 513, LEVEL 6 SE ADA ROOM, ZONE 514, SW ADA // PREMISE 385-831-0105 // REF B71623 // NO ANSWER ON CB
CF22-16730	05/13/2022 21:00:35	ALARMW	Initiated	No	87	LT2, M1	60 East SOUTH TEMPLE Street	C	WATERFLOW ZONE 22.... 801-573-3231
CF22-16756	05/14/2022 01:55:57	ALARMW	Initiated	No	88	LT2, M1	50 East SOUTH TEMPLE	C	COMMERICAL FIRE ALARM.. WATERFLOW FIRE ALARMS... BUSN NAME CCRI TOWER4.. RP ENROUTE NO ETA GIVEN.. NO NUMBER GIVEN

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							Street		
CF22-16766	05/14/2022 05:12:43	ALARMF	Initiated	No	88	M1	35 East 100 South	C	REGENT AT CITY CREEK...ZONE 4 WATERFLOW/ZONE 3 PULL ALARM...RP BLAKE 801-618-5550
CF22-16769	05/14/2022 06:40:27	ODOR	Initiated	No	88	H10, M1	475 South 300 East	C	SULFUR SMELL ON P1 ... MAY ALSO NEED FACILITIES TO CHECK THE AREA.
CF22-16773	05/14/2022 07:35:21	APT	Initiated	No	88	M2, LT2, E4, M5, BC1, LT5, M1	1162 East 400 South	C	ALARM IS GOING OFF...CAN SEE SMOKE...NO FLAMES...8 UNITS IN THE BLDG...OWNER IS LOCKED OUT OF APT..WAS COOKING
<b>Count: 14</b>									
<b>CAD Officer in Charge: Shepherd, Tyler</b>									
CF22-16643	05/13/2022 10:04:25	APFA	Initiated	No	87	RD1, M12	108 LZ[4051 WEST TERMINAL DRIVE ]	C	HEAT DETECTOR ALARM FOR HOLDER BIG D JOINT VENTURE IN ZONE 254
<b>Count: 1</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
CF22-12805	04/13/2022 07:55:52	MISCF	Initiated	No	88	M7	916 West NORTH TEMPLE Street	B	CALLBK=(385)310-5091 SHOPPING CART ON FIRE .....
CF22-13479	04/19/2022 05:24:12	APT	Initiated	No	99	M2, LT2, E4, M7, BC1, FD158, LT5, M1	189 East 1ST Avenue	B	HILCREST APTS APPEARS TO BE ON FIRE.. COMP WAS PASSING BY.. THERE WAS A MALE OUT ON THE DECK AND SOMETHING WAS ON FIRE
<b>Count: 5</b>									
<b>CAD Officer in Charge: Silverthorne, Robert</b>									
CF22-15533	05/04/2022 19:37:47	ALARMF	Initiated	No	88	M3	1988 South 1100 East	A	URBANA ON 11TH ...GEN FIRE ALARM ZONES 1 AND 0..RP IS 801-347-5231 CHARLIE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Stafford, Robert</b>									
CF22-16787	05/14/2022 09:24:18	PIPE	Initiated	No	88	LT2	305 North 1000 West	C	WATER PIPE FLOODING BASEMENT
CF22-16836	05/14/2022 14:25:53	PDASST	Initiated	No	88	LT2	200 West PIERPONT Avenue	C	IN THE PARKING GARAGE ACROSS FROM SKY BAR... DOG LOCKED IN A BLK VW JETTA.. @G486NG/... SEE RELATED CP#: SL22-88861
<b>Count: 2</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count: 1</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERLY F IN WHEELCHAIR AND A TEENAGER
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
<b>Count:</b> 10									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF22-16670	05/13/2022 14:15:10	ALARMF	Initiated	No	88	M2	165 South 300 East	C	COMM FIRE ALARM, GENERAL ZONE 1... MAGNOLIA...
CF22-16757	05/14/2022 02:00:58	ALARMW	Initiated	No	87	M2	51 South MAIN Street	C	COMMERCIAL WATERFLOW ALARM... BLOCK 75 PARKING
<b>Count:</b> 2									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-15509	05/04/2022 15:39:01	ALARMF	Initiated	No	88	E4	1250 East CHANDLER Drive	A	FIRE ALARM.. ZONE 1 SMOKE DETECTOR.. LUIS STRIKE # 801-641-2722
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
-----------------	--------------------	------	---------------	---------	-------	-----------	---------	---------	---------------

Count:  
1

Count:  
121

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)