

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

05/16/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-16448	05/11/2022 19:36:58	PUBLIC	Initiated	No	88	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-16669	05/13/2022 14:11:05	FUEL	Initiated	No	87	RD2, RD4	505 East PERIMETER	C	1/2 GALLON AND STILL LEAKING ... SEE RELATED CP#: AP22-15063
CF22-16983	05/15/2022 14:38:50	REFUEL	Initiated	No	87	RD1, RD3, RD4	24 East PERIMETER	A	BREEZE AIRWAYS FUEL STAND BY // SPOT 24 // 203BZ
Count: 16									
CAD Officer in Charge: Ainge, Arnold									
CF22-16999	05/15/2022 16:17:36	LGASLE	Initiated	No	88	LT8, M6, H14, M1, M5, H10, BC1	1000 South MAIN Street	A	IDEAL LUNCHES...SMELLS NATURAL GAS IN THE BLDG... COMM BLDG...
Count: 1									
CAD Officer in Charge: Archuleta, Adam									
CF22-16791	05/14/2022 09:36:50	SMOKE	Initiated	No	88	M8, LT8	1159 South 400 East	C	3RD PARTY INFO... HEARD NEIGHBORS YELLING FIRE... CAN SEE SMOKE IN BACKYARD... THINKS IT'S NOT A BIG DEAL... BUT POSS A HOUSE FIRE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-16821	05/14/2022 12:43:25	ARESCU	Initiated	No	88	M8	878 South 200 East	C	IN THE MAVEN DIST PLOT... WHI SUBARU FORESTER... DOG LOCKED IN THE VEH... SEE RELATED CP#: SL22-88787
CF22-16913	05/15/2022 03:02:31	WASH	Initiated	No	88	M8, GC521	1650 South STATE Street	C	WASHDOWN...PER BC1 SEND M8
CF22-16922	05/15/2022 05:51:19	ALARMF	Initiated	No	88	M8	1450 South WEST TEMPLE Street	C	A BUILDING...AUDIBLE SMOKE ALARM COMING FROM ACROSS ST...PS ENCLAVE APTS...ONGOING FOR OVER 20 MINS..NOTHING SEEN
CF22-16946	05/15/2022 08:53:22	MISCF	Initiated	No	87	M8	400 South I15 NB 400 S OFF Ramp	A	FLAMES SEEN NEAR THE 180 400 S OFF RAMP INTERCHANGE
Count: 5									
CAD Officer in Charge: Baum, Darren									
CF22-16827	05/14/2022 13:18:41	ALARMF	Initiated	No	99	EQ9, EQ14	1851 South 5350 West	C	BUSN: LANDMARK 3...COMMERICAL FIRE ALARM
Count: 1									
CAD Officer in Charge: Bills, Jared									
CF22-16842	05/14/2022 15:09:52	VEH	Initiated	No	88	M6	1455 West 400 South	C	SUSP VEH STILL ON SCENE ...NO DRIVER ON SCENE ...TRUCK HIT COMP'S TOYT PICKUP ...SLIGHT LANG BARRIER ..TX TO FIRE FOR PS EXPLOSION NOISES COMING FROM SUSP VEH ... SEE RELATED CP#: SL22-88885
CF22-16825	05/14/2022 13:04:01	ELEC	Initiated	No	88	M6	1477 West CALIFORNIA Avenue	C	TRANSFORMER SPARKING I N BACKYARD... MAKING ELECTRIAL NOISE
CF22-16797	05/14/2022 10:27:52	ALARMF	Initiated	No	88	M6	1855 South FREMONT Drive	C	CAPTIAL FREIGHT ...RP TYLER 801 661 6429...GENERAL
CF22-16668	05/13/2022 14:08:30	ALARMF	Initiated	No	88	M6	556 West 700 South	C	COMMERCIAL FIRE
CF22-16674	05/13/2022 14:39:00	FUEL	Initiated	No	87	M6, H14	1235 West ANDREW Avenue	C	BLK ACCURA MDX VS GRY DODGE DAKOTA ... NEG INJ .. NEG BLOCKING ... COMPS VEH IS LEAKING FLUID .. LOC ON THE SOUTH SIDE OF THE ROAD ... SEE RELATED CP#: SL22-88082
CF22-16784	05/14/2022 08:55:43	ALARMF	Initiated	No	87	M6	1585 West 2100 South	C	GENERAL FIRE..ZONE 30...COMMERCIAL GEO GROUP NORTH BLDG...801-973-3800 RP REX MASEY 801-230-3613 LESLIE FLOWER S 801-201-0165...BECKY GRIFFITH 385-214-9373.. KIMBLERY WENTAL 385--228-2246 REF # B11292
CF22-15984	05/08/2022 01:21:35	PDASST	Initiated	Yes	100	M6	866 South 900 West	C	REQ WELF CHECK ON MOM MICKY PRICE.. POSS DOMESTIC W/ EX BOYFRIEND.. MOM CALLED COMP TO CALL POLICE UNK FURTHER ... SEE RELATED CP#: SL22-84273 - FD
CF22-15137	05/01/2022 16:17:45	ALARMF	Initiated	No	99	M6, EQ9	556 West 700 South	C	
Count: 8									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Christiansen, Calvin									
CF22-17076	05/16/2022 05:17:27	ALARMF	Initiated	No	87	LT2	20 South 400 West	A	GATEWAY BLOCK B - NO ASSISTANCE NEEDED PER SEC
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Davy, Matthew									
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	87	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680....HOUSE ON FIRE
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
Count: 3									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Forbes, Kevin									
CF22-16289	05/10/2022 14:52:09	VEH	Initiated	No	100	FD155, FD157, M11	652 South REDWOOD Road	A	VEH FIRE IN PLOT TEAR APART
CF22-17082	05/16/2022 07:34:36	HOUSE	Initiated	No	91	BC2, EQ14, M11, M7, LT2, M2	933 North DOROTHEA Way	A	DRYER IS ON FIRE
Count: 2									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YO OF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: George, Brady									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
Count: 1									
CAD Officer in Charge: Goodwin, Les									
CF22-15123	05/01/2022 14:55:56	VEH	Initiated	No	88	M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5	637 South HARMONY Court	C	SIDE OF HOUSE ...PILE OF STUFF (MATTRESS, CAR ON FIRE)
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									
CF22-16178	05/09/2022 15:26:32	GRASS	Initiated	No	98	M7, BC2, FD151, FD155, FD157,	North CORNELL ST / W NORTH TEMPLE Street	A	

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
						EW6061, EW6091			
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF22-17045	05/15/2022 22:02:57	SMOKE	Initiated	No	88	M7	900 West 400 North	A	ACROSS THE STREET, LOTS OF SMOKE, UNKN WHATS BURNING...SE FROM THIS LOCATION
Count: 6									
CAD Officer in Charge: Henthorne, David									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
Count: 1									
CAD Officer in Charge: Jepperson, Chad									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
CF22-17026	05/15/2022 19:34:13	PUBLIC	Initiated	No	88	M6	550 West 700 South	A	1 FEM STUCK IN ELEVATOR, MAIN BUILDING...NEG SICK/INJ
CF22-17030	05/15/2022 20:09:29	APT	Initiated	No	88	LT2, M7, M11, BC2, LT8, EQ14, M6	233 South FOSS Street	A	SMOKE COMING FROM WATER HEATER.....BURNING SMELL
CF22-16947	05/15/2022 08:54:48	GRASS	Initiated	No	88	EW6061, EW6062, EW6091, EW6092, M7	840 West 200 South	A	FIELD ON FIRE SOUTH OF... SPREADING SB... SIZE OF A TENNIS COURT... NEXT TO FREEWAY I-80 OFF OF 200 S
Count: 4									
CAD Officer in Charge: Kochevar, Kevin									
CF22-16981	05/15/2022 14:14:43	ALARMF	Initiated	No	88	M1	777 East SOUTH TEMPLE Street	A	COMMERCIAL FIRE ALARM...385 242 0080 BDG MAINT
CF22-17074	05/16/2022 05:10:15	ALARMF	Initiated	No	88	M1	35 East 100 South	A	REGEANT AT CITY CREEK - NIGHT MANAGER 385-270-2311
CF22-16332	05/10/2022 22:50:46	ALARMF	Initiated	No	88	M1	660 South 300 East	A	RESID FIRE ALARM.....RP JOHN LARRY 385-528-3110
CF22-16343	05/11/2022 01:34:15	LGASLE	Initiated	No	87	E4, M5, H10, BC1, H14, LT5, M1	639 East 500 South	A	ODOR OF NATURAL GAS INSIDE THE APT COMPLEX (HAS ABOUT 6 UNITS)
Count: 4									
CAD Officer in Charge: Krohn, William									
CF22-15303	05/03/2022 06:24:23	ALARMF	Initiated	No	88	EQ14	1810 West FORTUNE Road	C	FRIE ALARM.. SE RISER FLOW.. RKB INVESTMENT, R/P KIM OLSEN 801-455-8632
Count: 1									
CAD Officer in Charge: Maddux, John									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-	03/13/2022	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
8935	04:27:39								
CF22-16412	05/11/2022 15:34:02	SGASLE	Initiated	No	86	M3, HM109, LT5	316 East 900 South	B	PUTTING IN PIPES AND HIT A GAS LINE. RESIDENTIAL LINE BROKEN AND BLOWING
Count: 3									
CAD Officer in Charge: Menlove, Gary									
CF22-17050	05/15/2022 22:24:19	ALARMF	Initiated	No	87	M8	468 East CLEVELAND Avenue	A	RES ALARM, SMOKE ALARM, RECIEVED DISARMING SIGNAL BUT UNABLE TO CONTACT RP...#NONE...BECKA 801-455-4427
CF22-17069	05/16/2022 04:06:35	VEH	Initiated	No	88	M8	1090 South 300 West	A	NEXT TO WALMART, AT WENDY'S, PS A TREE
Count: 2									
CAD Officer in Charge: Mortensen, Daniel									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
Count: 3									
CAD Officer in Charge: Myers, Eric									
CF22-11196	03/31/2022 16:22:17	ALARMW	Initiated	No	87	EQ9	6050 West 700 South	B	WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM
Count: 1									
CAD Officer in Charge: Parks, Paul									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
1									
CAD Officer in Charge: Reilly, Daniel									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN...YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
Count: 4									
CAD Officer in Charge: Rock, Nathan									
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
Count: 1									
CAD Officer in Charge: Shumway, Brandon									
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-12805	04/13/2022 07:55:52	MISCF	Initiated	No	88	M7	916 West NORTH TEMPLE Street	B	CALLBK=(385)310-5091 SHOPPING CART ON FIRE
CF22-13479	04/19/2022 05:24:12	APT	Initiated	No	99	M2, LT2, E4, M7, BC1, FD158, LT5, M1	189 East 1ST Avenue	B	HILCREST APTS APPEARS TO BE ON FIRE.. COMP WAS PASSING BY.. THERE WAS A MALE OUT ON THE DECK AND SOMETHING WAS ON FIRE
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
Count: 5									
CAD Officer in Charge: Silverthorne, Robert									
CF22-15533	05/04/2022 19:37:47	ALARMF	Initiated	No	88	M3	1988 South 1100 East	A	URBANA ON 11TH ...GEN FIRE ALARM ZONES 1 AND 0..RP IS 801-347-5231 CHARLIE
CF22-17071	05/16/2022 04:12:45	MISCF	Initiated	No	88	M3	863 East 2700 South	A	FIRE IN THE DRIVEWAY OF THIS HOME WHICH IS AN AIR BNB
CF22-17061	05/16/2022 00:37:45	MISCF	Initiated	No	88	M3	2166 South 900 East	A	PALLETS ON FIRE...SOUTH SIDE...NEXT TO BRICK BLDG
CF22-17049	05/15/2022 22:22:22	MISCF	Initiated	No	88	M3	829 East STRATFORD Avenue	A	NEIGHBOR WITH A FIRE...CALLER HAS ASTHMA AND SMOKE IS BOTHERING HIM...APT COMPLEX TO THE SOUTH, IN BACKYARD
CF22-17014	05/15/2022 17:57:26	DUMP	Initiated	No	88	M3	2120 South HIGHLAND Drive	A	OUTSIDE THE BLDG...DUMPSTER ON FIRE BEHIND THE BLDG....
Count: 5									
CAD Officer in Charge: Staheli, Brian									
CF22-16966	05/15/2022 12:20:37	ALARMF	Initiated	No	87	E10	2016 East LAIRD Drive	A	RESIDENTIAL..D/T 1219...ZONE 14 GENERAL FIRE ALARM...RP BRETT BLUTHE 801-879-3542
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-	05/15/2022	FUEL	Initiated	No	88	RD2, RD3,	60 East	A	28 29 IN THE DRAIN. 10 GAL JET A ... SEE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
16980	14:00:37					RD4	PERIMETER[BETWEEN SPOT 28 29		RELATED CP#: AP22-15271
CF22-16998	05/15/2022 16:18:10	REFUEL	Initiated	No	88	RD2, RD3	25 East PERIMETER	A	JETBLUE A321 2043J
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 3									
CAD Officer in Charge: Taylor, Matthew									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 1									
CAD Officer in Charge: Valdez, Christopher									
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
Count: 10									
CAD Officer in Charge: Vaughn, Jeffrey									
CF22-16757	05/14/2022 02:00:58	ALARMW	Initiated	No	87	M2	51 South MAIN Street	C	COMMERCIAL WATERFLOW ALARM... BLOCK 75 PARKING

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-16670	05/13/2022 14:15:10	ALARMF	Initiated	No	88	M2	165 South 300 East	C	COMM FIRE ALARM, GENERAL ZONE 1... MAGNOLIA...
Count: 2									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Winkler, Scott									
CF22-15509	05/04/2022 15:39:01	ALARMF	Initiated	No	88	E4	1250 East CHANDLER Drive	A	FIRE ALARM.. ZONE 1 SMOKE DETECTOR.. LUIS STRIKE # 801-641-2722
CF22-16990	05/15/2022 15:07:01	ALARMF	Initiated	No	88	E4	1600 East ARLINGTON Drive	A	PULLSTATION..ZONE 0...RES RICK KAY...801-573-4258
CF22-17053	05/15/2022 22:46:04	ALARMF	Initiated	No	87	E4	100 North MARIO CAPECCHI Drive	A	ZONE 1 FIRE ALARM...RP HARRY PARKINS #435-640-2114...#801-662-4444
Count: 3									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
CAD Officer in Charge: Yamane, Chad									
CF22-17035	05/15/2022 20:36:58	ALARMW	Initiated	No	87	M2, LT2	424 West 100 South	A	ZONE 0 WATERFLOW ALARM.....801-456-0040
CF22-17028	05/15/2022 19:59:35	ALARMF	Initiated	No	88	M2	20 South 400 West	A	ZONE 1, #801-456-0000, GATEWAY BLOCK B
CF22-17072	05/16/2022 04:45:51	WATER	Initiated	No	88	M2	100 South 500 West	A	BEHIND GATEWAY...WATER COMING UP FROM MIDDLE OF STREET
Count: 3									
Count: 115									

Report Criteria

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.