

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

05/16/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487- 8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21- 205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16448	05/11/2022 19:36:58	PUBLIC	Initiated	No	88	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-16669	05/13/2022 14:11:05	FUEL	Initiated	No	87	RD2, RD4	505 East PERIMETER	C	1/2 GALLON AND STILL LEAKING ... SEE RELATED CP#: AP22-15063
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-17153	05/16/2022 17:29:12	FUEL	Initiated	No	87	RD1, RD6	131 CONCOURSE A GL	A	MENZIES OUT OF A 737, CLEAN UP STARTED ON 5-10 GALLONS
CF22-17167	05/16/2022 19:14:53	ALARMW	Initiated	No	87	M2, LT2	204 West 200 North	A	ZONE 161 WATER FLOW ALARM..REFERNCE NUMBER A16554..RP DON 801-509-6281
<b>Count: 17</b>									
<b>CAD Officer in Charge: Ainge, Arnold</b>									
CF22-16999	05/15/2022 16:17:36	LGASLE	Initiated	No	88	LT8, M6, H14, M1, M5, H10, BC1	1000 South MAIN Street	A	IDEAL LUNCHES...SMELLS NATURAL GAS IN THE BLDG... COMM BLDG...
<b>Count:</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>1</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-16821	05/14/2022 12:43:25	ARESCU	Initiated	No	88	M8	878 South 200 East	C	IN THE MAVEN DIST PLOT... WHI SUBARU FORESTER... DOG LOCKED IN THE VEH... SEE RELATED CP#: SL22-88787
CF22-16791	05/14/2022 09:36:50	SMOKE	Initiated	No	88	M8, LT8	1159 South 400 East	C	3RD PARTY INFO... HEARD NEIGHBORS YELLING FIRE... CAN SEE SMOKE IN BACKYARD... THINKS IT'S NOT A BIG DEAL... BUT POSS A HOUSE FIRE
CF22-16913	05/15/2022 03:02:31	WASH	Initiated	No	88	M8, GC521	1650 South STATE Street	C	WASHDOWN...PER BC1 SEND M8
CF22-16922	05/15/2022 05:51:19	ALARMF	Initiated	No	88	M8	1450 South WEST TEMPLE Street	C	A BUILDING...AUDIBLE SMOKE ALARM COMING FROM ACROSS ST...PS ENCLAVE APTS...ONGOING FOR OVER 20 MINS..NOTHING SEEN
<b>Count: 4</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-16827	05/14/2022 13:18:41	ALARMF	Initiated	No	99	EQ9, EQ14	1851 South 5350 West	C	BUSN: LANDMARK 3...COMMERICAL FIRE ALARM
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-16842	05/14/2022 15:09:52	VEH	Initiated	No	88	M6	1455 West 400 South	C	SUSP VEH STILL ON SCENE ...NO DRIVER ON SCENE ...TRUCK HIT COMP'S TOYT PICKUP ...SLIGHT LANG BARRIER ..TX TO FIRE FOR PS EXPLOSION NOISES COMING FROM SUSP VEH ... SEE RELATED CP#: SL22-88885
CF22-16825	05/14/2022 13:04:01	ELEC	Initiated	No	88	M6	1477 West CALIFORNIA Avenue	C	TRANSFORMER SPARKING I N BACKYARD... MAKING ELECTRICAL NOISE
CF22-16797	05/14/2022 10:27:52	ALARMF	Initiated	No	88	M6	1855 South FREMONT Drive	C	CAPTIAL FREIGHT ...RP TYLER 801 661 6429...GENERAL
CF22-16784	05/14/2022 08:55:43	ALARMF	Initiated	No	87	M6	1585 West 2100 South	C	GENERAL FIRE..ZONE 30...COMMERCIAL GEO GROUP NORTH BLDG...801-973-3800 RP REX MASEY 801-230-3613 LESLIE FLOWER S 801-201-0165...BECKY GRIFFITH 385-214-9373.. KIMBLERY WENTAL 385--228-2246 REF # B11292
CF22-16674	05/13/2022 14:39:00	FUEL	Initiated	No	87	M6, H14	1235 West ANDREW Avenue	C	BLK ACCURA MDX VS GRY DODGE DAKOTA ... NEG INJ .. NEG BLOCKING ... COMPS VEH IS LEAKING FLUID .. LOC ON THE SOUTH SIDE OF THE ROAD ... SEE RELATED CP#: SL22-88082
CF22-16668	05/13/2022 14:08:30	ALARMF	Initiated	No	88	M6	556 West 700 South	C	COMMERCIAL FIRE
CF22-15984	05/08/2022 01:21:35	PDASST	Initiated	Yes	100	M6	866 South 900 West	C	REQ WELF CHECK ON MOM MICKY PRICE.. POSS DOMESTIC W/ EX BOYFRIEND.. MOM CALLED COMP TO CALL POLICE UNK FURTHER ... SEE RELATED CP#: SL22-84273 - FD
CF22-15137	05/01/2022 16:17:45	ALARMF	Initiated	No	99	M6, EQ9	556 West 700 South	C	
<b>Count: 8</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 1</b>									
<b>CAD Officer in Charge: Christiansen, Calvin</b>									
CF22-17076	05/16/2022 05:17:27	ALARMF	Initiated	No	87	LT2	20 South 400 West	A	GATEWAY BLOCK B - NO ASSISTANCE NEEDED PER SEC
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	87	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680....HOUSE ON FIRE
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
<b>Count:</b> 3									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF22-16289	05/10/2022 14:52:09	VEH	Initiated	No	100	FD155, FD157, M11	652 South REDWOOD Road	A	VEH FIRE IN PLOT TEAR APART
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count:</b> 1									
<b>CAD Officer in Charge: Goodwin, Les</b>									
CF22-15123	05/01/2022 14:55:56	VEH	Initiated	No	88	M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5	637 South HARMONY Court	C	SIDE OF HOUSE ...PILE OF STUFF ( MATTRESS, CAR ON FIRE )
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF22-17045	05/15/2022 22:02:57	SMOKE	Initiated	No	88	M7	900 West 400 North	A	ACROSS THE STREET, LOTS OF SMOKE, UNKN WHATS BURNING...SE FROM THIS LOCATION
<b>Count:</b> 5									
<b>CAD Officer in Charge: Harwood, Blake</b>									
CF22-17175	05/16/2022 20:40:46	ARESCU	Initiated	No	87	EQ9	777 North 5600 West	A	AT AMAZON, GAVE ADDR AS 808 N 5665 W... DOG LOCKED IN A CAR FOR SEVERAL HOURS... VEH IS DARK BLU 4D ON E SIDE OF BLDG... @V98STD/... COMP DROVE BY. THINKS THE PERSON PROBABLY WORKS THERE... DOG IS AUSTRALIAN SHEPHERD...ONE WINDOW WAS CRACKED... CONCERNED DOG IS DEHYDRATED. NO SHADE NEARBY. CONTACT IF NEEDED. ... SEE RELATED CP#: SL22-90751
<b>Count:</b> 1									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
CF22-17158	05/16/2022 18:10:48	ALARMF	Initiated	No	88	M6	1585 West 2100 South	A	ZONE 18 FIRE.... GEO GROUP NORTH BLDG... REX 801-230-3613.... REF B11292
<b>Count:</b> 2									
<b>CAD Officer in Charge: Kartsone, Constantine</b>									
CF22-17148	05/16/2022 16:40:52	ALARMF	Initiated	No	88	E13	1870 East PARLEYS CANYON Boulevard	A	PARLEYS STAKE CENTER...RP JASON NEWSOM 801-837-8034
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-17172	05/16/2022 20:07:04	ALARMF	Initiated	No	87	M1, M2	175 South 300 East	A	BUSINESS MAGNOLIA...POINT 46 GENERAL FIRE ALARM....RP DON 801-509-6235...REFERNCE NUMBER A16552
CF22-16981	05/15/2022 14:14:43	ALARMF	Initiated	No	88	M1	777 East SOUTH TEMPLE Street	A	COMMERCIAL FIRE ALARM...385 242 0080 BDG MAINT
CF22-17074	05/16/2022 05:10:15	ALARMF	Initiated	No	88	M1	35 East 100 South	A	REGEANT AT CITY CREEK - NIGHT MANAGER 385-270-2311
CF22-17144	05/16/2022 16:05:58	ARESCU	Initiated	No	88	M1	455 South 500 East	A	3 CATS IN A BLU TOYOTA COROLLA .. NO PLATE .. LOC IN THE UNDERGROUND .. 1ST ROW FACING SOUTH ... SEE RELATED CP#: SL22-90512
CF22-16332	05/10/2022 22:50:46	ALARMF	Initiated	No	88	M1	660 South 300 East	A	RESID FIRE ALARM....RP JOHN LARRY 385-528-3110
CF22-16343	05/11/2022 01:34:15	LGASLE	Initiated	No	87	E4, M5, H10, BC1, H14, LT5, M1	639 East 500 South	A	ODOR OF NATURAL GAS INSIDE THE APT COMPLEX ( HAS ABOUT 6 UNITS)
<b>Count:</b> 6									
<b>CAD Officer in Charge: Krohn, William</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-15303	05/03/2022 06:24:23	ALARMF	Initiated	No	88	EQ14	1810 West FORTUNE Road	C	FRIE ALARM.. SE RISER FLOW.. RKB INVESTMENT, R/P KIM OLSEN 801-455-8632
<b>Count:</b> 1									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
CF22-16412	05/11/2022 15:34:02	SGASLE	Initiated	No	86	M3, HM109, LT5	316 East 900 South	B	PUTTING IN PIPES AND HIT A GAS LINE. RESIDENTIAL LINE BROKEN AND BLOWING
<b>Count:</b> 3									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-17113	05/16/2022 12:02:11	LOCKP	Initiated	No	88	LT8	1480 South 300 West	A	MR CAR WASH ....LOCKED KEYS IN CAR....2 YO CHILD LOCKED IN CAR, NOT IN DISTRESS...IN A 2016 GRY HONDA ODYSSEY ... SEE RELATED CP#: SL22-90287
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
<b>Count:</b> 3									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-11196	03/31/2022 16:22:17	ALARMW	Initiated	No	87	EQ9	6050 West 700 South	B	WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM
<b>Count:</b> 1									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East 180E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
<b>Count: 4</b>									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
<b>Count: 1</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE #,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-12805	04/13/2022 07:55:52	MISCF	Initiated	No	88	M7	916 West NORTH TEMPLE Street	B	CALLBK=(385)310-5091 SHOPPING CART ON FIRE .....
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
<b>Count: 4</b>									
<b>CAD Officer in Charge: Silverthorne, Robert</b>									
CF22-15533	05/04/2022 19:37:47	ALARMF	Initiated	No	88	M3	1988 South 1100 East	A	URBANA ON 11TH ...GEN FIRE ALARM ZONES 1 AND 0..RP IS 801-347-5231 CHARLIE
CF22-17145	05/16/2022 16:05:04	ALARMF	Initiated	No	88	M3	720 East ASHTON Avenue	A	SMOKE ALARM... RECOVERY ASHTON HOUSE.. 248-934-7722
CF22-17090	05/16/2022 09:03:45	VEH	Initiated	No	88	M3	700 East ASHTON Avenue	A	COMP REPORTING THAT HIS CAR IS SMOKING BADLY AND POSS ON THE VERGE OF STARTING ON FIRE..
CF22-17049	05/15/2022 22:22:22	MISCF	Initiated	No	88	M3	829 East STRATFORD Avenue	A	NEIGHBOR WITH A FIRE...CALLER HAS ASTHMA AND SMOKE IS BOTHERING HIM...APT COMPLEX TO THE SOUTH, IN BACKYARD
CF22-17061	05/16/2022 00:37:45	MISCF	Initiated	No	88	M3	2166 South 900 East	A	PALLETS ON FIRE...SOUTH SIDE...NEXT TO BRICK BLDG
CF22-17071	05/16/2022 04:12:45	MISCF	Initiated	No	88	M3	863 East 2700 South	A	FIRE IN THE DRIVEWAY OF THIS HOME WHICH IS AN AIR BNB
CF22-17014	05/15/2022 17:57:26	DUMP	Initiated	No	88	M3	2120 South HIGHLAND Drive	A	OUTSIDE THE BLDG...DUMPSTER ON FIRE BEHIND THE BLDG....
CF22-17134	05/16/2022 14:20:14	PUBLIC	Initiated	No	88	M3	1328 East ZENITH Avenue	A	THEY HAD LEFT THE GAS ON IN THEIR GAS STOVE... OPENED SOME WINDOWS AND LEFT THE BUILDING... REQUESTING FIRE COME OUT TO CLEAR HOUSE... OCCUPANTS HAVE COVID, SO UNK IF ANY SYMPTOMS ARE FROM THAT OR FROM GAS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 8									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF22-16966	05/15/2022 12:20:37	ALARMF	Initiated	No	87	E10	2016 East LAIRD Drive	A	RESIDENTIAL..D/T 1219...ZONE 14 GENERAL FIRE ALARM...RP BRETT BLUTHE 801-879-3542
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE... STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE... WAYER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
<b>Count:</b> 10									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF22-	05/14/2022	ALARMW	Initiated	No	87	M2	51 South	C	COMMERCIAL WATERFLOW ALARM... BLOCK 75

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
16757	02:00:58						MAIN Street		PARKING
CF22-16670	05/13/2022 14:15:10	ALARMF	Initiated	No	88	M2	165 South 300 East	C	COMM FIRE ALARM, GENERAL ZONE 1... MAGNOLIA...
<b>Count:</b> 2									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-17028	05/15/2022 19:59:35	ALARMF	Initiated	No	88	M2	20 South 400 West	A	ZONE 1, #801-456-0000, GATEWAY BLOCK B
CF22-17035	05/15/2022 20:36:58	ALARMW	Initiated	No	87	M2, LT2	424 West 100 South	A	ZONE 0 WATERFLOW ALARM.....801-456-0040
CF22-17072	05/16/2022 04:45:51	WATER	Initiated	No	88	M2	100 South 500 West	A	BEHIND GATEWAY...WATER COMING UP FROM MIDDLE OF STREET
CF22-17093	05/16/2022 09:51:48	ALARMF	Initiated	No	88	M2	185 North WEST TEMPLE Street	A	FIRE PANNEL ALARM.... WEST TEMP APT.... SG 801-573-3231.... ON CB
CF22-17120	05/16/2022 12:29:55	ALARMF	Initiated	No	88	M2	20 South 400 West	A	GATEWAY BLOCK B ..801-456-0040 GENERAL FIRE
CF22-17125	05/16/2022 13:44:49	ALARMF	Initiated	No	87	M2	327 West 200 South	A	BUSN: WAREHOUSE DISTRICT CONDOS...ZONE 1 COMMERICAL FIRE ALARM, PS FROM THE PANEL....INSIDE PH #801-897-6000
CF22-17130	05/16/2022 13:58:54	ALARMF	Initiated	No	88	M2	641 West NORTH TEMPLE Street	A	FIRE ALARM GOING OFF IN BLDG, NO APPARANT REASON, NEG SMOKE OR FLAMES
CF22-17174	05/16/2022 20:17:27	ALARMF	Initiated	No	87	M2	204 West 200 North	A	ALARM FLASHING IN APT...TRIGGERING SEIZURES....NOT CURRENTLY SEIZING
<b>Count:</b> 8									
<b>Count:</b> 116									

#### Report Criteria

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.