

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

05/26/2022



| Incident Number                              | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                | Address                      | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|--------------------------|------------------------------|---------|---|
| <b>CAD Officer in Charge: (None)</b>         |                     |        |                  |         |       |                          |                              |         |   |
| CF20-40282                                   | 12/13/2020 05:39:26 | STRUCT | Initiated        | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South          | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING   |
| CF20-27024                                   | 08/24/2020 16:37:58 | 65A01  | Initiated        | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle    |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5  |
| CF20-27832                                   | 08/31/2020 17:37:40 | 65B02  | Initiated        | No      | 85    | FD152                    | 8037 South ROYAL Lane        |         | FD152   |
| CF21-19313                                   | 06/23/2021 00:06:10 | ALARMF | Initiated        | No      | 95    | M3                       | 1237 East BRICKYARD Road     | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..  |
| CF21-17870                                   | 06/12/2021 10:11:05 | PUBLIC | Initiated        | No      | 87    | SQ2                      | 307 East 600 South           |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...  |
| CF21-24823                                   | 08/03/2021 21:52:00 | ALARMF | Initiated        | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street  | B       | FALSE ALARM PER CHURCH SECURITY   |
| CF21-37094                                   | 11/07/2021 21:52:52 | PDASST | Initiated        | No      | 88    | M2                       | 50 South 500 West            | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750               |
| CF21-39960                                   | 12/02/2021 10:13:37 | ACC    | Initiated        | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road   |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE  |
| CF22-8910                                    | 03/12/2022 22:10:44 | FUEL   | Initiated        | No      | 86    | RD2, RD4                 | 505 TAXIWAY K                |         | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431                                       |
| CF22-12397                                   | 04/10/2022 00:57:11 | ABITE  | Initiated        | No      | 83    | E43, ME101               | 3663 South 300 West          |         | ... SEE RELATED CP#: LK22-11750 - FM  |
| CF22-15162                                   | 05/01/2022 20:46:15 | ELEC   | Initiated        | No      | 86    | BC41, E41                | 700 East I80E EB Freeway     |         | APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA  |
| CF22-11714                                   | 04/04/2022 19:05:16 | PUBLIC | Initiated        | No      | 87    | BC1                      | 211 South 500 East           | A       | TEST TEST TEST  |
| CF22-16448                                   | 05/11/2022 19:36:58 | PUBLIC | Officer reviewed | No      | 100   | M2                       | 400 South WEST TEMPLE Street | B       | MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST   |
| CF22-16669                                   | 05/13/2022 14:11:05 | FUEL   | Initiated        | No      | 87    | RD2, RD4                 | 505 East PERIMETER           | C       | 1/2 GALLON AND STILL LEAKING ... SEE RELATED CP#: AP22-15063  |
| CF22-16353                                   | 05/11/2022 05:23:27 | AUTO   | Initiated        | No      | 84    | MA73                     | 2175 South REDWOOD Road      |         | IN FRONT OF THE MAVERIK   |
| CF22-17626                                   | 05/20/2022 06:39:25 | STROK  | Initiated        | No      | 84    | GC523                    | 1516 East HOLLYWOOD Avenue   |         | C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE   |
| CF22-18025                                   | 05/23/2022 09:24:39 | FUEL   | Initiated        | No      | 87    | BLU28                    | 765 North 2200 West          |         | FUEL SPILL ON BASE  |
| <b>Count: 17</b>                             |                     |        |                  |         |       |                          |                              |         |   |
| <b>CAD Officer in Charge: Allen, Aaron</b>   |                     |        |                  |         |       |                          |                              |         |   |
| CF22-18304                                   | 05/25/2022 13:22:09 | ALARMF | Initiated        | No      | 88    | M11                      | 558 North REDWOOD Road       | C       | RIVERSIDE COVE APT COMPLEX...FIRE ALARM KEEPS GOING OFF...UNK WHRE IT IS COMING FROM...NO SMOKE/FLAMES  |
| CF22-18461                                   | 05/26/2022 15:07:33 | ELEC   | Initiated        | No      | 87    | M7, M11                  | 1812 West ARIES Circle       | C       | WAS MOVING THINGS AROUND AND THE ELECTRICAL OUTLET STARTED TO SMOKE AND IS NOW SPARKING..ADV CALLER TO EVAC HOUSE AND WAIT OUTSIDE FOR RESPONDERS |
| <b>Count: 2</b>                              |                     |        |                  |         |       |                          |                              |         |   |
| <b>CAD Officer in Charge: Arnesen, Aaron</b> |                     |        |                  |         |       |                          |                              |         |   |

| Incident Number                              | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus  | Address                    | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|--|----------------------------|---------|--|
| CF22-18494                                   | 05/26/2022 19:34:46 | COMM   | Initiated     | No      | 88    | BC1, M7, E4, LT2, M2, LT8, M1                          | 350 North STATE Street     | C       | EAST BLDG....TWO UHP ON SITE...SMELLS SMOKE...NO FLAMES FIRE ALARM GOING OFF                                   |
| <b>Count: 1</b>                              |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Baum, Darren</b>   |                     |        |               |         |       |  |                            |         |  |
| CF22-16827                                   | 05/14/2022 13:18:41 | ALARMF | Initiated     | No      | 99    | EQ9, EQ14  | 1851 South 5350 West       | C       | BUSN: LANDMARK 3...COMMERICAL FIRE ALARM   |
| <b>Count: 1</b>                              |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Buhler, Jason</b>  |                     |        |               |         |       |  |                            |         |  |
| CF22-18270                                   | 05/25/2022 08:12:39 | SMOKE  | Initiated     | No      | 88    | M5   | 1006 East YALE Avenue      | B       | E OF.....4PLEX...CHIMNEY ON W SIDE BLDG....SMOKE COMING OUT OF CHIMNEY.....WORRIED IT IS EFFECTING AIR QUALITY |
| <b>Count: 1</b>                              |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Carter, Gary</b>   |                     |        |               |         |       |  |                            |         |  |
| CF20-14622                                   | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156  | 475 South 300 East         |         |  |
| <b>Count: 1</b>                              |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Clark, Jeffrey</b> |                     |        |               |         |       |  |                            |         |  |
| CF22-18118                                   | 05/23/2022 21:56:33 | REFUEL | Initiated     | No      | 87    | RD2, RD3, RD4  | 60 East PERIMETER          | B       | B6 A320  |
| <b>Count: 1</b>                              |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>    |                     |        |               |         |       |  |                            |         |  |
| CF20-29532                                   | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092   | 10914 West I80W EB Freeway |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |
| <b>Count: 1</b>                              |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Comer, Peter</b>   |                     |        |               |         |       |  |                            |         |  |
| CF21-22812                                   | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12  | 1174 West 600 North        | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ..... SEE RELATED CP#: SL21-127090 - FD       |
| <b>Count: 1</b>                              |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Davies, Adam</b>   |                     |        |               |         |       |  |                            |         |  |
| CF22-18023                                   | 05/23/2022 09:06:16 | APT    | Initiated     | No      | 88    | M5, E10, BC1, LT5, M1, LT2, E4                         | 750 South ARAPEEN Drive    | B       | U OF U PD RESIDENT REPORTING STRONG SMOKE ODOR   |
| <b>Count: 1</b>                              |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Davis, Jayde</b>   |                     |        |               |         |       |  |                            |         |  |
| CF22-18498                                   | 05/26/2022 20:11:23 | MISCF  | Initiated     | No      | 88    | M6   | 230 South 500 West         | C       | AT THE HOMELESS CAMP   |
| CF22-18487                                   | 05/26/2022 18:25:22 | ODOR   | Initiated     | No      | 88    | M6   | 602 South 800 West         | C       | PREVIOUS CONSTRUCTION ON THE SIDEWALK // ODOR OF GAS// UNK LOC   |
| CF22-18464                                   | 05/26/2022 15:43:06 | PDASST | Initiated     | No      | 100   | GC591, M6  | 948 West 800 South         | C       | NEED M6 AND GX TO STAGE AT STATION 6 FOR SWAT OP   |
| CF22-18474                                   | 05/26/2022 16:27:26 | ALARMF | Initiated     | No      | 100   | M6   | 928 South MAIN Street      | C       | BUSN HUSTLERS VINTAGE POP AND CULTURE // ZONE 995 NO DESCRIPTION // NO PREMISE NUMBER                          |
| <b>Count: 4</b>                              |                     |        |               |         |       |  |                            |         |  |
| <b>CAD Officer in Charge: Davy, Matthew</b>  |                     |        |               |         |       |  |                            |         |  |
| CF22-11835                                   | 04/05/2022 18:43:50 | HOUSE  | Initiated     | No      | 87    | M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6 | 1000 West EUCLID Avenue    | B       | CALLBK=(801)350-1680....HOUSE ON FIRE  |
| CF22-  | 03/12/2022          | ALARMF | Initiated     | No      | 87    | M6   | 360 South 200              |         | FIRE ALARM ZONE 1... PALADIO APTS... MASA  |

| Incident Number                                | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus  | Address                       | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|--|-------------------------------|---------|---|
| 8920   | 23:11:24            |        |                  |         |       |  | West                          |         | ROJAS 801-330-4909  |
| CF22-8840                                      | 03/12/2022 09:56:09 | WATER  | Initiated        | No      | 87    | M6   | 1599 West 300 South           |         | WATER POOLING IN COMP BACKYARD. UP TO HIS PORCH,,POSS WATER MAIN BREAK  |
| <b>Count:</b><br>3                             |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Doyle, Chad</b>      |                     |        |                  |         |       |  |                               |         |   |
| CF22-18191                                     | 05/24/2022 14:30:17 | ALARMF | Initiated        | No      | 88    | EQ14   | 1935 South FREMONT Drive      | B       | BUSN: WESTERN FENCE...ZONE 6 GENERAL...ONSITE # 801-615-0897..808-769-2092...FALSE ALARM DUE TO A WELDER FUME                     |
| CF22-18267                                     | 05/25/2022 07:32:47 | ALARMF | Initiated        | No      | 88    | EQ14   | 1935 South FREMONT Drive      | B       | WESTERN FENCE....FIRE ALARM....ZONE 6.....801-615-0897  |
| <b>Count:</b><br>2                             |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Elton, Richard</b>   |                     |        |                  |         |       |  |                               |         |   |
| CF22-17559                                     | 05/19/2022 16:08:09 | ALARMW | Officer reviewed | No      | 98    | LT2, M5, LT5   | 410 South CAMPUS CENTER Drive | C       | FROM UNIVPD... WATERFLOW ALARM... UNIVPD ENR...   |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Endemano, Edward</b> |                     |        |                  |         |       |  |                               |         |   |
| CF22-3459                                      | 01/28/2022 15:59:33 | FIRE   | Initiated        | No      | 88    | M12  | 500 EMPLOYEE LOT[STOP 4       | A       | GARBAGE CAN ON FIRE   |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Forbes, Kevin</b>    |                     |        |                  |         |       |  |                               |         |   |
| CF22-16289                                     | 05/10/2022 14:52:09 | VEH    | Initiated        | No      | 100   | FD155, FD157, M11  | 652 South REDWOOD Road        | A       | VEH FIRE IN PLOT TEAR APART   |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |                  |         |       |  |                               |         |   |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated        | No      | 88    | SQ2  | 48 West 300 South             |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU                        |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: George, Brady</b>    |                     |        |                  |         |       |  |                               |         |   |
| CF22-12763                                     | 04/12/2022 19:46:48 | HOUSE  | Initiated        | Yes     | 98    | M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5                          | 2228 South LAKE Street        | B       |   |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Goodwin, Les</b>     |                     |        |                  |         |       |  |                               |         |   |
| CF22-15123                                     | 05/01/2022 14:55:56 | VEH    | Initiated        | No      | 88    | M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5 | 637 South HARMONY Court       | C       | SIDE OF HOUSE ...PILE OF STUFF ( MATTRESS, CAR ON FIRE )  |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |                  |         |       |  |                               |         |   |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated        | No      | 87    | H14  | 2125 North REDWOOD Road       |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS          |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated        | No      | 86    | M7   | 300 North 700 West            | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |

| Incident Number                                    | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                      | Address                            | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|--------------------------------|------------------------------------|---------|--|
| CF21-19904   | 06/27/2021 17:57:23 | ALARMF | Initiated     | No      | 88    | M7                             | 836 West FIG TREE Place            | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE  |
| CF21-19914   | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155                      | 625 North AMERICAN BEAUTY Drive    | B       | VEH IS ON FIRE.. HONDA   |
| <b>Count:</b><br>4                                 |                     |        |               |         |       |                                |                                    |         |  |
| <b>CAD Officer in Charge: Harp, Michael</b>        |                     |        |               |         |       |                                |                                    |         |  |
| CF22-17550   | 05/19/2022 15:01:31 | REFUEL | Initiated     | No      | 88    | RD2, RD4                       | 60 East PERIMETER                  | C       | US MARSHALL 737  |
| CF22-17592   | 05/19/2022 20:16:41 | REFUEL | Initiated     | No      | 88    | RD2, RD4                       | 25 East PERIMETER                  | C       | B6 A320.   |
| <b>Count:</b><br>2                                 |                     |        |               |         |       |                                |                                    |         |  |
| <b>CAD Officer in Charge: Henthorne, David</b>     |                     |        |               |         |       |                                |                                    |         |  |
| CF22-9449  | 03/17/2022 13:06:09 | ACC    | Initiated     | No      | 86    | FD191                          | 1300 South 700 East                |         | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD  |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                                |                                    |         |  |
| <b>CAD Officer in Charge: Jepperson, Chad</b>      |                     |        |               |         |       |                                |                                    |         |  |
| CF22-8867  | 03/12/2022 15:08:31 | LOCKP  | Initiated     | No      | 87    | M6                             | 1171 South 1300 West               |         | 20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658 |
| CF22-18011   | 05/23/2022 05:39:43 | MISCF  | Initiated     | No      | 99    | EQ14, M6                       | 1880 South 1045 West               | A       | HOMELESS CAMP TENTS ON FIRE, UNDER NEATH A TREE  |
| <b>Count:</b><br>2                                 |                     |        |               |         |       |                                |                                    |         |  |
| <b>CAD Officer in Charge: Jeppson, Zachary</b>     |                     |        |               |         |       |                                |                                    |         |  |
| CF22-18259   | 05/25/2022 05:49:59 | ALARMF | Initiated     | No      | 87    | M7                             | 866 West SOUTH TEMPLE Street       | B       | FIRE ALARM.....ZONE 1.....FRONT DESK 801-300-4205 OR RP MIKE SMITH 801-702-9660....REF#AE101883  |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                                |                                    |         |  |
| <b>CAD Officer in Charge: Kartson, Constantine</b> |                     |        |               |         |       |                                |                                    |         |  |
| CF22-17148   | 05/16/2022 16:40:52 | ALARMF | Initiated     | No      | 100   | E13                            | 1870 East PARLEYS CANYON Boulevard | A       | PARLEYS STAKE CENTER...RP JASON NEWSOM 801-837-8034  |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                                |                                    |         |  |
| <b>CAD Officer in Charge: Knowlton, John</b>       |                     |        |               |         |       |                                |                                    |         |  |
| CF22-18414   | 05/26/2022 08:47:57 | ALARMF | Initiated     | No      | 87    | EQ9                            | 5151 West WILEY POST Way           | C       | FIRE ALARM // ZONE 992, GENERAL FIRE ALARM // 801-539-1515 // REF # V87001   |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                                |                                    |         |  |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>      |                     |        |               |         |       |                                |                                    |         |  |
| CF22-18001   | 05/23/2022 02:45:26 | ALARMF | Initiated     | No      | 88    | M1                             | 130 South 500 East                 | A       | ZONE 1 FIRE ALARM.....PREMISE 801-364-7441   |
| CF22-17172   | 05/16/2022 20:07:04 | ALARMF | Initiated     | No      | 99    | M1, M2                         | 175 South 300 East                 | A       | BUSINESS MAGNOLIA...POINT 46 GENERAL FIRE ALARM....RP DON 801-509-6235...REFERNCE NUMBER A16552  |
| CF22-16332   | 05/10/2022 22:50:46 | ALARMF | Initiated     | No      | 88    | M1                             | 660 South 300 East                 | A       | RESID FIRE ALARM.....RP JOHN LARRY 385-528-3110  |
| CF22-16343   | 05/11/2022 01:34:15 | LGASLE | Initiated     | No      | 87    | E4, M5, H10, BC1, H14, LT5, M1 | 639 East 500 South                 | A       | ODOR OF NATURAL GAS INSIDE THE APT COMPLEX ( HAS ABOUT 6 UNITS)  |
| <b>Count:</b><br>4                                 |                     |        |               |         |       |                                |                                    |         |  |
| <b>CAD Officer in Charge: Koetitz, Paul</b>        |                     |        |               |         |       |                                |                                    |         |  |
| CF22-18237   | 05/24/2022 22:43:50 | ALARMF | Initiated     | No      | 88    | EQ9                            | 5725 West AMELIA EARHART Drive     | B       | COMM ALARM...BUSN/ APOLLO BLDG...ZONE 201 PULLSTATION ALARM....R/P SHAWN CONNOLLY 262-337-2731..NEG INSIDE PH.....                                   |

| Incident Number                                 | Incident Date Time  | Code   | Record Status            | Locked? | Score | Apparatus                              | Address                        | Platoon | CAD Narrative   |
|---|---------------------|--------|--------------------------|---------|-------|--|--------------------------------|---------|---|
| CF22-18241                                      | 05/24/2022 23:24:48 | ALARMF | Initiated                | No      | 87    | EQ9                                    | 5725 West AMELIA EARHART Drive | B       | APOLLO BUILDING ZONE 210  |
| <b>Count:</b><br>2                              |                     |        |                          |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Maddux, John</b>      |                     |        |                          |         |       |  |                                |         |   |
| CF22-8865                                       | 03/12/2022 14:53:33 | LOCKP  | Initiated                | No      | 86    | M5, LT5                                | 600 East 900 South             |         | NEAR PLAYGROUND .. SON LOCKED IN VEH ..<br>... SEE RELATED CP#: SL22-44646  |
| CF22-8935                                       | 03/13/2022 04:27:39 | PUBLIC | Initiated                | No      | 87    | LT5                                    | 1086 South 800 East            |         |   |
| <b>Count:</b><br>2                              |                     |        |                          |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Menlove, Gary</b>     |                     |        |                          |         |       |  |                                |         |   |
| CF22-18018                                      | 05/23/2022 08:12:17 | ALARMF | Initiated                | No      | 88    | E10                                    | 1775 East HERBERT Avenue       | A       | CARBON MONOXIDE ALARM...JANE SWANSEN<br>801 510 9766  |
| <b>Count:</b><br>1                              |                     |        |                          |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Meyer, Bryon</b>      |                     |        |                          |         |       |  |                                |         |   |
| CF22-18019                                      | 05/23/2022 08:28:20 | ALARMF | Initiated                | No      | 87    | M2                                     | 345 West NORTH TEMPLE Street   | B       | FIRE SMOKE ON 2ND FLR..NORTH HALL<br>WEST....801 240 9058   |
| <b>Count:</b><br>1                              |                     |        |                          |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |                          |         |       |  |                                |         |   |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated                | No      | 85    | FD154                                  | 120 South STATE Street         |         |   |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated                | No      | 88    | FD154                                  | 1246 East BONNER Way           |         | FD154 ... SEE RELATED CP#: SL20-161113 -<br>FD  |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated                | No      | 83    | FD154                                  | 1330 East IRA HODGES           |         | FD154 RESPONDING 1330 E IRA HODGES<br>EAGLE MOUNTAIN  |
| <b>Count:</b><br>3                              |                     |        |                          |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Moser, Shane</b>      |                     |        |                          |         |       |  |                                |         |   |
| CF22-5910                                       | 02/17/2022 01:18:24 | HOUSE  | Ready for Officer review | No      | 100   | BC1, FD153, M8, M5, LT8, M6            | 1535 South WEST TEMPLE Street  | B       | ACROSS THE STREET FROM DISP<br>ADDRESS... POSS HOUSE FIRE... ALSO<br>SAYING TREE ON FIRE..  |
| CF22-4411                                       | 02/04/2022 16:46:39 | COMM   | Initiated                | No      | 87    | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South              | B       | CAN SEE PS FLAMES AND SMOKE FROM<br>BLDG UNDER CONSTRUCTION TO SW OF<br>DISP ADDR... PS CLOSER TO 500 S... COMP<br>SEEING FROM WINDOW OF DISP ADDR...   |
| CF22-9661                                       | 03/18/2022 21:55:39 | MISCF  | Initiated                | No      | 100   | FD153, LT8                             | 176 West 600 South             | B       | MALE AT THE MOTEL WHO LIT THINGS IN HIS<br>ROOM ON FIRE, BURNED THINGS IN THE<br>MICROWAVE... COMP KICKED HIM OUT, HE IS<br>STILL ON PROPERTY CAUSING PROBLEMS<br>AND SCREAMING, REFUSING TO LEAVE...<br>TRYING TO ASSAULT A SECURITY GUARD<br>RIGHT NOW... CONFIRMED PHYSICAL ... SEE<br>RELATED CP#: SL22-48879 - ,69YO M C/B/A<br>TROUBLE BREATHIGN... C4 CLEAR FOR<br>MEDICAL |
| <b>Count:</b><br>3                              |                     |        |                          |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Myers, Eric</b>       |                     |        |                          |         |       |  |                                |         |   |
| CF22-11196                                      | 03/31/2022 16:22:17 | ALARMW | Initiated                | No      | 87    | EQ9                                    | 6050 West 700 South            | B       | WATERFLOW ALARM/ ZONE 203... BUSN IS<br>WESTPORT C "BUZZ OATS"... NO PREMISE #<br>RP SHANNON GODFRY 801 201 1635 ... ON<br>CB TO SHANNON THEY ARE WORKING ON<br>THE SYSTEM BUT SHE IS NOT ON SITE.. PER<br>JASON ON SITE 801 386 0184 // DELTA FIRE<br>SYSTEM DOING TESTING/ FALSE ALARM  |
| <b>Count:</b><br>1                              |                     |        |                          |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Parks, Paul</b>       |                     |        |                          |         |       |  |                                |         |   |
| CF22-12711                                      | 04/12/2022 12:09:11 | ACC    | Initiated                | No      | 86    | SQ6                                    | 223 West FAYETTE Avenue        |         | SQ6 MINOR ACC - RAVE NOTI SENT - BC2<br>NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE<br>PAGE SENT ..DISP SUPER NOTI  |

| Incident Number                               | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus   | Address                             | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|---|-------------------------------------|---------|--|
| <b>Count:</b><br>1                            |                     |        |                  |         |       |   |                                     |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>   |                     |        |                  |         |       |   |                                     |         |  |
| CF21-13024                                    | 05/03/2021 12:24:54 | PUBLIC | Initiated        | No      | 86    | SQ1   | 131 East 700 South                  |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count:</b><br>1                            |                     |        |                  |         |       |   |                                     |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b>  |                     |        |                  |         |       |   |                                     |         |  |
| CF21-10548                                    | 04/11/2021 09:48:49 | PDASST | Initiated        | No      | 88    | LT8   | 1460 South STATE Street             | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF                               |
| CF21-11158                                    | 04/16/2021 12:43:25 | PDASST | Initiated        | No      | 84    | GC589   | 1364 West GLENROSE Drive            |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-30271                                    | 09/18/2020 17:47:16 | 65A03  | Initiated        | No      | 86    | EW6141, EW6142, M14                                   | 1560 West 3900 South                | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF20-23950                                    | 07/29/2020 14:30:19 | 65A03  | Initiated        | No      | 88    | E13   | 6650 East I80E WB Freeway           | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| <b>Count:</b><br>4                            |                     |        |                  |         |       |   |                                     |         |  |
| <b>CAD Officer in Charge: Rock, Nathan</b>    |                     |        |                  |         |       |   |                                     |         |  |
| CF22-12186                                    | 04/08/2022 16:10:57 | PUBLIC | Initiated        | Yes     | 100   | M1  | 1035 East 300 South                 | C       | MALE FELL  |
| CF22-17741                                    | 05/21/2022 08:21:50 | ALARMF | Initiated        | No      | 88    | M1  | 358 South 700 East                  | C       | CARBON MONOXIDE ALARM.. ZONE 31 BACK FRONT KITCHEN.. NOODLE AND CO. INSIDE # 801-359-8315  |
| CF22-18424                                    | 05/26/2022 10:20:54 | ALARMF | Initiated        | No      | 87    | M1  | 95 South STATE Street               | C       | COMM GENERAL FIRE ALARM... CHRISTIAN AND WAKEFIELD... JEFF HUEFNER 801-716-0596...   |
| CF22-18358                                    | 05/25/2022 20:10:25 | ALARMW | Initiated        | No      | 88    | LT5, M1   | 447 South BLAIR Street              | C       | WATERFLOW ZONE 207. MAIN SPRINKLER RISER.... DARREL 801-598-1343   |
| CF22-18367                                    | 05/25/2022 21:59:08 | DUMP   | Initiated        | No      | 88    | M1  | 556 East 300 South                  | C       | DUMPSTER FIRE IN THE ALLY WAY BEHIND THIS LOC  |
| <b>Count:</b><br>5                            |                     |        |                  |         |       |   |                                     |         |  |
| <b>CAD Officer in Charge: Shafer, Curtis</b>  |                     |        |                  |         |       |   |                                     |         |  |
| CF22-18364                                    | 05/25/2022 21:09:29 | MISCF  | Initiated        | No      | 88    | M7  | 543 North MACLAND Lane              | C       | BONFIRE ON THE TRAIL, ITS CLOSED FOR CONSTRUCTION....BETWEEN 500 N AND 700 N....UNKN IF ITS THREATENING SOUTH WEST OF ADDR                             |
| CF22-18433                                    | 05/26/2022 11:56:33 | ALARMF | Initiated        | No      | 87    | M7  | 880 North CORNELL Street            | C       | RESD FIRE ALARM... ZONE 0...SITE # 801 243 0200... SARAHI DEHESA 801 259 4960... FALSEM ALARM PER HECTOR   |
| CF22-18288                                    | 05/25/2022 11:12:23 | WATER  | Initiated        | No      | 88    | M7  | 965 North BECK Street               | C       | CITIZEN POINTED OUT WATER COMING OUT OF STREET ON BECK ST/NFD  |
| CF22-18331                                    | 05/25/2022 16:36:48 | ODOR   | Initiated        | No      | 88    | M7  | 87 West 300 North                   | C       | GAS SMELL COMING THROUGH BATHROOM VENT.POSS FROM THE NEIGHBORS APT ... ..NEG SICK OR INJURED .. ADVISED TO EVAC  |
| CF22-17645                                    | 05/20/2022 11:07:48 | APT    | Officer reviewed | No      | 88    | M2, LT2, M3, E4, M7, M8, BC2, FD154, FD158, LT8, EQ14 | 504 West 300 South                  | C       | MACARONI AND ART SPACE BLDG ON FIRE... LARGE PORTION OF THE BLDG ON FIRE...  |
| <b>Count:</b><br>5                            |                     |        |                  |         |       |   |                                     |         |  |
| <b>CAD Officer in Charge: Shepherd, Tyler</b> |                     |        |                  |         |       |   |                                     |         |  |
| CF22-18444                                    | 05/26/2022 12:44:29 | ALERT  | Initiated        | No      | 88    | RD1, RD5, RD6, M12                                    | 502 RUNWAY 16R34L[ALERT SIMULATION] | C       | ALERT 3 SIMULATION FOR ST12 ONLY. AIRCRAFT INCIDENT ON RW 16R AT TW A6. RW 16R/34L IS CLOSED.  |
| CF22-18488                                    | 05/26/2022 18:26:29 | ALERT  | Initiated        | No      | 88    | BC2, RD1, RD2, RD3,                                   | 506 TAXIWAY G                       | C       | SMOKE IN THE COCKPIT   |

| Incident Number                                   | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                       | Address                          | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|---------------------------------|----------------------------------|---------|--|
|   |                     |        |               |         |       | RD4, RD5,<br>RD6, M12,<br>BLU21 |                                  |         |  |
| <b>Count:</b><br>2                                |                     |        |               |         |       |                                 |                                  |         |  |
| <b>CAD Officer in Charge: Shumway, Brandon</b>    |                     |        |               |         |       |                                 |                                  |         |  |
| CF22-12805  | 04/13/2022 07:55:52 | MISCF  | Initiated     | No      | 88    | M7                              | 916 West NORTH TEMPLE Street     | B       | CALLBK=(385)310-5091 SHOPPING CART ON FIRE .....   |
| CF22-11285  | 04/01/2022 08:23:12 | ALARMF | Initiated     | No      | 87    | E10                             | 1912 East YALECREST Avenue       | B       | ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE #,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S   |
| CF22-10793  | 03/28/2022 05:57:25 | ODOR   | Initiated     | No      | 88    | E4                              | 860 East 3RD Avenue              | C       | CALLER PASSED BY - ODOR OF GASOLINE  |
| CF22-5893   | 02/16/2022 21:39:08 | APT    | Initiated     | No      | 88    | M2, LT2, E4, M7, BC1, LT5, M1   | 228 East 1ST Avenue              | B       | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR   |
| <b>Count:</b><br>4                                |                     |        |               |         |       |                                 |                                  |         |  |
| <b>CAD Officer in Charge: Stevens, Michael</b>    |                     |        |               |         |       |                                 |                                  |         |  |
| CF22-18437  | 05/26/2022 12:12:58 | ALERT  | Initiated     | No      | 87    | M11, RD2, RD3, RD4              | 560 RUNWAY 1735[SIMULATION TEST] | C       | SIMULATION - FOR ST11 ONLY AIRCRAFT INCIDENT RW 17 / 35 AT TW K7.  |
| <b>Count:</b><br>1                                |                     |        |               |         |       |                                 |                                  |         |  |
| <b>CAD Officer in Charge: Stringam, Reed</b>      |                     |        |               |         |       |                                 |                                  |         |  |
| CF22-17982  | 05/22/2022 20:52:52 | REFUEL | Initiated     | No      | 87    | RD2, RD3, RD4                   | 60 East PERIMETER                | A       | B6 TAC AIR RAM ON A320   |
| CF22-3584   | 01/29/2022 17:26:29 | MISCF  | Initiated     | No      | 87    | ET1                             | 575 North JOHN GLENN Road        |         | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,   |
| <b>Count:</b><br>2                                |                     |        |               |         |       |                                 |                                  |         |  |
| <b>CAD Officer in Charge: Taylor, Matthew</b>     |                     |        |               |         |       |                                 |                                  |         |  |
| CF22-8895   | 03/12/2022 18:48:19 | PUBLIC | Initiated     | No      | 87    | E13                             | 2695 South 900 East              |         | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/   |
| <b>Count:</b><br>1                                |                     |        |               |         |       |                                 |                                  |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |               |         |       |                                 |                                  |         |  |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated     | No      | 87    | M5, M8                          | 10758 South REDWOOD Road         | A       | GOING TO STATION 61  |
| <b>Count:</b><br>1                                |                     |        |               |         |       |                                 |                                  |         |  |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |               |         |       |                                 |                                  |         |  |
| CF22-11273  | 04/01/2022 06:52:06 | COMM   | Initiated     | No      | 84    | BC1, M8, M7, LT2, M2, LT8, M1   | 224 West 600 South               | B       | STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D   |
| CF22-14079  | 04/23/2022 13:23:13 | PUBLIC | Initiated     | No      | 88    | LT2                             | 45 West SOUTH TEMPLE Street      | B       | STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY |
| CF22-14085  | 04/23/2022 13:51:32 | PUBLIC | Initiated     | No      | 87    | LT2                             | 50 South MAIN Street             | B       | CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE  |
| CF22-14138  | 04/23/2022 22:06:31 | PUBLIC | Initiated     | No      | 88    | LT2                             | 411 East SOUTH TEMPLE Street     | B       | PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED   |
| CF22-8886   | 03/12/2022 17:43:58 | PUBLIC | Initiated     | No      | 87    | LT2                             | 250 West 600 South               |         | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER   |
| CF22-15710  | 05/06/2022 08:56:51 | SMOKE  | Initiated     | No      | 88    | M2                              | 750 North VICTORY Road           | B       | CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID   |
| CF22-15730  | 05/06/2022 11:38:31 | COMM   | Initiated     | No      | 86    | M2, M3, E4, M5,                 | 220 South 200 East               | B       | FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                | Address                      | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|--------------------------|------------------------------|---------|---|
|  |                     |        |                  |         |       | M8, E10, BC1, LT8, LT5   |                              |         | ELEVATOR ROOM   |
| CF22-15772                                       | 05/06/2022 18:06:47 | ALARMF | Initiated        | No      | 88    | M2                       | 524 North MAIN Street        | B       | FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.  |
| CF22-15773                                       | 05/06/2022 18:34:03 | ARESCU | Initiated        | No      | 87    | M2, LT2                  | 48 West MARKET Street        | B       | 4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259 |
| CF22-17243                                       | 05/17/2022 10:20:47 | ALARMF | Officer reviewed | No      | 100   | M2                       | 320 South 200 West           | B       | PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO   |
| CF22-17292                                       | 05/17/2022 16:27:16 | PUBLIC | Officer reviewed | No      | 100   | M2                       | 350 North MAIN Street        | B       | M2  |
| CF22-16377                                       | 05/11/2022 10:14:36 | COMM   | Initiated        | No      | 88    | LT5, M1, M2, LT2, M3, M5 | 964 South 3800 West          | B       | RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER  |
| CF22-18161                                       | 05/24/2022 10:16:17 | ALARMF | Initiated        | No      | 87    | M2                       | 353 West 200 South           | B       | COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076  |
| CF22-18165                                       | 05/24/2022 10:50:47 | ALARMF | Initiated        | No      | 99    | M2, M5                   | 350 South 200 East           | B       | GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080   |
| CF22-18034                                       | 05/23/2022 10:28:29 | ALARMF | Initiated        | No      | 87    | M2                       | 169 East 200 South           | B       | GENERAL FIRE ZONE 89...801 301 6888 LORAINE RUIZ  |
| CF22-18036                                       | 05/23/2022 10:54:55 | FUEL   | Initiated        | No      | 88    | M2, LT2, H10             | 241 North 300 West           | B       | BEHIND THE STADIUM ON 4TH WEST ....2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR  |
| CF22-18046                                       | 05/23/2022 11:49:36 | ALARMF | Officer reviewed | No      | 100   | M2                       | 185 North WEST TEMPLE Street | B       | FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231   |
| CF22-18106                                       | 05/23/2022 20:19:15 | ALARMF | Initiated        | No      | 87    | M2                       | 230 West 500 South           | B       | GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466   |
| <b>Count: 18</b>                                 |                     |        |                  |         |       |                          |                              |         |   |
| <b>CAD Officer in Charge: Visser, Otto</b>       |                     |        |                  |         |       |                          |                              |         |   |
| CF20-25507                                       | 08/11/2020 18:49:47 | ACC    | Initiated        | No      | 85    | FD164                    | 475 South 300 East           |         | OTTO VISSOR VS LANDSCAPE VEH  |
| <b>Count: 1</b>                                  |                     |        |                  |         |       |                          |                              |         |   |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |                  |         |       |                          |                              |         |   |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated        | No      | 85    | FD159                    | 7673 South HIGHLAND Drive    |         | STRUCTURE FIRE UFA  |
| <b>Count: 1</b>                                  |                     |        |                  |         |       |                          |                              |         |   |
| <b>Count: 118</b>                                |                     |        |                  |         |       |                          |                              |         |   |

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117



Need help? Call Nicole at 801-799-4103, or [email us](#).