

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

05/27/2022



| Incident Number                              | Incident Date Time     | Code   | Record Status    | Locked? | Score | Apparatus                         | Address                          | Platoon | CAD Narrative   |
|--|------------------------|--------|------------------|---------|-------|-----------------------------------|----------------------------------|---------|---|
| <b>CAD Officer in Charge: (None)</b>         |                        |        |                  |         |       |                                   |                                  |         |   |
| CF20-40282                                   | 12/13/2020<br>05:39:26 | STRUCT | Initiated        | No      | 87    | BC2,<br>EQ14,<br>EQ9, LT2,<br>M11 | 4201 West 700<br>South           | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING   |
| CF20-27024                                   | 08/24/2020<br>16:37:58 | 65A01  | Initiated        | No      | 86    | FD155,<br>FD159                   | 7345 South<br>WINESAP Circle     |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE...<br>VECC 5   |
| CF20-27832                                   | 08/31/2020<br>17:37:40 | 65B02  | Initiated        | No      | 85    | FD152                             | 8037 South<br>ROYAL Lane         |         | FD152   |
| CF21-19313                                   | 06/23/2021<br>00:06:10 | ALARMF | Initiated        | No      | 95    | M3                                | 1237 East<br>BRICKYARD Road      | B       | RESID..2ND FLOR..RP JANE DANS 801-487-<br>8648...PREMIS 801-910-2099..  |
| CF21-17870                                   | 06/12/2021<br>10:11:05 | PUBLIC | Initiated        | No      | 87    | SQ2                               | 307 East 600<br>South            |         | OUTSIDE - F REQ LIFT ASSIST... KNELT<br>DOWN AND CANT GET BACK UP.. NEG<br>INJURIES.. NEG FLU...  |
| CF21-24823                                   | 08/03/2021<br>21:52:00 | ALARMF | Initiated        | No      | 95    | LT2, M2                           | 50 West NORTH<br>TEMPLE Street   | B       | FALSE ALARM PER CHURCH SECURITY   |
| CF21-37094                                   | 11/07/2021<br>21:52:52 | PDASST | Initiated        | No      | 88    | M2                                | 50 South 500<br>West             | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ<br>RAPE KIT .. ALL INFO FROM SANE NURSE<br>WHO NEEDS A CASE NUMBER ... SEE<br>RELATED CP#: SL21-205750                  |
| CF21-39960                                   | 12/02/2021<br>10:13:37 | ACC    | Initiated        | No      | 83    | FD120                             | 1600 South<br>INDUSTRIAL Road    |         | CHIEF LAVENDAR ADMIN VEH HIT..NO<br>INJUR...BC1 AWARE...SAFTEY OFFICER ON<br>SCENE  |
| CF22-8910                                    | 03/12/2022<br>22:10:44 | FUEL   | Initiated        | No      | 86    | RD2, RD4                          | 505 TAXIWAY K                    |         | ACTIVE LEAK ON A COMMANDER BETWEEN<br>K7 AND K8 SPILL IS CONTAINED OPS ON<br>SCENE ... SEE RELATED CP#: AP22-8431   |
| CF22-12397                                   | 04/10/2022<br>00:57:11 | ABITE  | Initiated        | No      | 83    | E43,<br>ME101                     | 3663 South 300<br>West           |         | ... SEE RELATED CP#: LK22-11750 - FM  |
| CF22-15162                                   | 05/01/2022<br>20:46:15 | ELEC   | Initiated        | No      | 86    | BC41, E41                         | 700 East I80E EB<br>Freeway      |         | APPX ADDR...POWER POLE ON FIRE...UNK IF<br>ANYTHING THREATENED...COMP NO LONGER<br>IN THE AREA  |
| CF22-11714                                   | 04/04/2022<br>19:05:16 | PUBLIC | Initiated        | No      | 87    | BC1                               | 211 South 500<br>East            | A       | TEST TEST TEST  |
| CF22-16448                                   | 05/11/2022<br>19:36:58 | PUBLIC | Officer reviewed | No      | 100   | M2                                | 400 South WEST<br>TEMPLE Street  | B       | MOTORCYCLE VS VEH ... SEE RELATED CP#:<br>SL22-86752 - ,WASHDOWN REQUEST  |
| CF22-16669                                   | 05/13/2022<br>14:11:05 | FUEL   | Initiated        | No      | 87    | RD2, RD4                          | 505 East<br>PERIMETER            | C       | 1/2 GALLON AND STILL LEAKING ... SEE<br>RELATED CP#: AP22-15063   |
| CF22-16353                                   | 05/11/2022<br>05:23:27 | AUTO   | Initiated        | No      | 84    | MA73                              | 2175 South<br>REDWOOD Road       |         | IN FRONT OF THE MAVERIK   |
| CF22-17626                                   | 05/20/2022<br>06:39:25 | STROK  | Initiated        | No      | 84    | GC523                             | 1516 East<br>HOLLYWOOD<br>Avenue |         | C RECEIVED CALL FROM DAD- DISORIENTED<br>AND WANTING TO PASS OUT- REQ MEDIC TO<br>LOC- HAS HX OF STROKE   |
| CF22-18025                                   | 05/23/2022<br>09:24:39 | FUEL   | Initiated        | No      | 87    | BLU28                             | 765 North 2200<br>West           |         | FUEL SPILL ON BASE  |
| <b>Count:<br/>17</b>                         |                        |        |                  |         |       |                                   |                                  |         |   |
| <b>CAD Officer in Charge: Allen, Aaron</b>   |                        |        |                  |         |       |                                   |                                  |         |   |
| CF22-18304                                   | 05/25/2022<br>13:22:09 | ALARMF | Initiated        | No      | 88    | M11                               | 558 North<br>REDWOOD Road        | C       | RIVERSIDE COVE APT COMPLEX...FIRE<br>ALARM KEEPS GOING OFF...UNK WHRE IT IS<br>COMING FROM...NO SMOKE/FLAMES  |
| CF22-18461                                   | 05/26/2022<br>15:07:33 | ELEC   | Initiated        | No      | 87    | M7, M11                           | 1812 West ARIES<br>Circle        | C       | WAS MOVING THINGS AROUND AND THE<br>ELECTRICAL OUTLET STARTED TO SMOKE<br>AND IS NOW SPARKING..ADV CALLER TO<br>EVAC HOUSE AND WAIT OUTSIDE FOR<br>RESPONDERS |
| <b>Count:<br/>2</b>                          |                        |        |                  |         |       |                                   |                                  |         |   |
| <b>CAD Officer in Charge: Arnesen, Aaron</b> |                        |        |                  |         |       |                                   |                                  |         |   |

| Incident Number                              | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus  | Address                    | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--|----------------------------|---------|---|
| CF22-18494                                   | 05/26/2022 19:34:46 | COMM   | Initiated     | No      | 88    | BC1, M7, E4, LT2, M2, LT8, M1                          | 350 North STATE Street     | C       | EAST BLDG....TWO UHP ON SITE...SMELLS SMOKE..NO FLAMES FIRE ALARM GOING OFF   |
| CF22-18533                                   | 05/26/2022 23:29:11 | MISCF  | Initiated     | No      | 88    | M2   | 204 West 200 North         | C       | FIRE OUTSIDE ....LOOKS LIKE BRUSH   |
| <b>Count:</b><br>2                           |                     |        |               |         |       |  |                            |         |   |
| <b>CAD Officer in Charge: Baum, Darren</b>   |                     |        |               |         |       |  |                            |         |   |
| CF22-16827                                   | 05/14/2022 13:18:41 | ALARMF | Initiated     | No      | 99    | EQ9, EQ14  | 1851 South 5350 West       | C       | BUS: LANDMARK 3...COMMERICAL FIRE ALARM   |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                            |         |   |
| <b>CAD Officer in Charge: Buhler, Jason</b>  |                     |        |               |         |       |  |                            |         |   |
| CF22-18270                                   | 05/25/2022 08:12:39 | SMOKE  | Initiated     | No      | 88    | M5   | 1006 East YALE Avenue      | B       | E OF.....4PLEX...CHIMNEY ON W SIDE BLDG....SMOKE COMING OUT OF CHIMNEY....WORRIED IT IS EFFECTING AIR QUALITY   |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                            |         |   |
| <b>CAD Officer in Charge: Bush, Joseph</b>   |                     |        |               |         |       |  |                            |         |   |
| CF22-18521                                   | 05/26/2022 21:32:03 | PDASST | Initiated     | No      | 86    | E10  | 1345 South FOOTHILL Drive  | C       | ACROSS FROM PARKING STRUCTURE AGAINST A WALL BAG FULL OF LIGHTER FLUID... WIRES... AND BLEACH WAS LEFT IN PLOT..... SEE RELATED CP#: SL22-99097 - ,33 REQ MEDICAL TO STAGE IN QUARTERS FOR A CONFIRMED SUSPICIOUS PACKAGE |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                            |         |   |
| <b>CAD Officer in Charge: Carter, Gary</b>   |                     |        |               |         |       |  |                            |         |   |
| CF20-14622                                   | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156  | 475 South 300 East         |         |   |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                            |         |   |
| <b>CAD Officer in Charge: Clark, Jeffrey</b> |                     |        |               |         |       |  |                            |         |   |
| CF22-18118                                   | 05/23/2022 21:56:33 | REFUEL | Initiated     | No      | 87    | RD2, RD3, RD4  | 60 East PERIMETER          | B       | B6 A320   |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                            |         |   |
| <b>CAD Officer in Charge: Coles, Clay</b>    |                     |        |               |         |       |  |                            |         |   |
| CF20-29532                                   | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092   | 10914 West I80W EB Freeway |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE   |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                            |         |   |
| <b>CAD Officer in Charge: Comer, Peter</b>   |                     |        |               |         |       |  |                            |         |   |
| CF21-22812                                   | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12  | 1174 West 600 North        | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD  |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                            |         |   |
| <b>CAD Officer in Charge: Davies, Adam</b>   |                     |        |               |         |       |  |                            |         |   |
| CF22-18023                                   | 05/23/2022 09:06:16 | APT    | Initiated     | No      | 88    | M5, E10, BC1, LT5, M1, LT2, E4                         | 750 South ARAPEEN Drive    | B       | U OF U PD RESIDENT REPORTING STRONG SMOKE ODOR  |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                            |         |   |
| <b>CAD Officer in Charge: Davy, Matthew</b>  |                     |        |               |         |       |  |                            |         |   |
| CF22-11835                                   | 04/05/2022 18:43:50 | HOUSE  | Initiated     | No      | 87    | M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6 | 1000 West EUCLID Avenue    | B       | CALLBK=(801)350-1680....HOUSE ON FIRE   |
| CF22-8920                                    | 03/12/2022 23:11:24 | ALARMF | Initiated     | No      | 87    | M6   | 360 South 200 West         |         | FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909  |

| Incident Number                                | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus  | Address                       | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|--|-------------------------------|---------|---|
| CF22-8840                                      | 03/12/2022 09:56:09 | WATER  | Initiated        | No      | 87    | M6   | 1599 West 300 South           |         | WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK  |
| <b>Count: 3</b>                                |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Doyle, Chad</b>      |                     |        |                  |         |       |  |                               |         |   |
| CF22-18191                                     | 05/24/2022 14:30:17 | ALARMF | Initiated        | No      | 88    | EQ14   | 1935 South FREMONT Drive      | B       | BUSN: WESTERN FENCE...ZONE 6 GENERAL...ONSITE # 801-615-0897..808-769-2092...FALSE ALARM DUE TO A WELDER FUME                     |
| CF22-18267                                     | 05/25/2022 07:32:47 | ALARMF | Initiated        | No      | 88    | EQ14   | 1935 South FREMONT Drive      | B       | WESTERN FENCE....FIRE ALARM....ZONE 6.....801-615-0897  |
| <b>Count: 2</b>                                |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Elton, Richard</b>   |                     |        |                  |         |       |  |                               |         |   |
| CF22-17559                                     | 05/19/2022 16:08:09 | ALARMW | Officer reviewed | No      | 98    | LT2, M5, LT5   | 410 South CAMPUS CENTER Drive | C       | FROM UNIVPD... WATERFLOW ALARM... UNIVPD ENR...   |
| <b>Count: 1</b>                                |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Endemano, Edward</b> |                     |        |                  |         |       |  |                               |         |   |
| CF22-3459                                      | 01/28/2022 15:59:33 | FIRE   | Initiated        | No      | 88    | M12  | 500 EMPLOYEE LOT[STOP 4       | A       | GARBAGE CAN ON FIRE   |
| <b>Count: 1</b>                                |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Forbes, Kevin</b>    |                     |        |                  |         |       |  |                               |         |   |
| CF22-16289                                     | 05/10/2022 14:52:09 | VEH    | Initiated        | No      | 100   | FD155, FD157, M11  | 652 South REDWOOD Road        | A       | VEH FIRE IN PLOT TEAR APART   |
| <b>Count: 1</b>                                |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |                  |         |       |  |                               |         |   |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated        | No      | 88    | SQ2  | 48 West 300 South             |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU                        |
| <b>Count: 1</b>                                |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: George, Brady</b>    |                     |        |                  |         |       |  |                               |         |   |
| CF22-12763                                     | 04/12/2022 19:46:48 | HOUSE  | Initiated        | Yes     | 98    | M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5                          | 2228 South LAKE Street        | B       |   |
| <b>Count: 1</b>                                |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Goodwin, Les</b>     |                     |        |                  |         |       |  |                               |         |   |
| CF22-15123                                     | 05/01/2022 14:55:56 | VEH    | Initiated        | No      | 88    | M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5 | 637 South HARMONY Court       | C       | SIDE OF HOUSE ...PILE OF STUFF ( MATTRESS, CAR ON FIRE )  |
| <b>Count: 1</b>                                |                     |        |                  |         |       |  |                               |         |   |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |                  |         |       |  |                               |         |   |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated        | No      | 87    | H14  | 2125 North REDWOOD Road       |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS          |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated        | No      | 86    | M7   | 300 North 700 West            | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-  | 06/27/2021          | ALARMF | Initiated        | No      | 88    | M7   | 836 West FIG                  | B       | CO ALARM SOUNDING TWICE, COMP HAD   |

| Incident Number                                    | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                               | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-----------|---------------------------------------|---------|--|
| 19904  | 17:57:23            |        |               |         |       |           | TREE Place                            |         | SLIGHT HEADACHE  |
| CF21-19914   | 06/27/2021 19:28:56 | VEH    | Initiated     | No      | 86    | M7, FD155 | 625 North AMERICAN BEAUTY Drive       | B       | VEH IS ON FIRE.. HONDA   |
| <b>Count: 4</b>                                    |                     |        |               |         |       |           |                                       |         |  |
| <b>CAD Officer in Charge: Harp, Michael</b>        |                     |        |               |         |       |           |                                       |         |  |
| CF22-17550   | 05/19/2022 15:01:31 | REFUEL | Initiated     | No      | 88    | RD2, RD4  | 60 East PERIMETER                     | C       | US MARSHALL 737  |
| CF22-17592   | 05/19/2022 20:16:41 | REFUEL | Initiated     | No      | 88    | RD2, RD4  | 25 East PERIMETER                     | C       | B6 A320.   |
| <b>Count: 2</b>                                    |                     |        |               |         |       |           |                                       |         |  |
| <b>CAD Officer in Charge: Healey, Bruce</b>        |                     |        |               |         |       |           |                                       |         |  |
| CF22-18569   | 05/27/2022 06:53:34 | MISCF  | Initiated     | No      | 87    | M3        | East CRANDALL AVE / S RICHMOND Street | C       | APPROX ADDR PER UTA....MALE SET HIS YARD ON FIRE USING 5 GALLONS OF GAS  |
| <b>Count: 1</b>                                    |                     |        |               |         |       |           |                                       |         |  |
| <b>CAD Officer in Charge: Henthorne, David</b>     |                     |        |               |         |       |           |                                       |         |  |
| CF22-9449  | 03/17/2022 13:06:09 | ACC    | Initiated     | No      | 86    | FD191     | 1300 South 700 East                   |         | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD  |
| <b>Count: 1</b>                                    |                     |        |               |         |       |           |                                       |         |  |
| <b>CAD Officer in Charge: Hill, John</b>           |                     |        |               |         |       |           |                                       |         |  |
| CF22-18513   | 05/26/2022 21:13:28 | SMOKE  | Initiated     | No      | 88    | E13       | 1815 South ELIZABETH Street           | C       | CAN SEE AND SMELL SMOKE IN THE NEIGHBORHOOD..UNKNOWN WHERE IT IS COMING FROM ..POS COMING FROM THE CREEK AREA  |
| <b>Count: 1</b>                                    |                     |        |               |         |       |           |                                       |         |  |
| <b>CAD Officer in Charge: Jepperson, Chad</b>      |                     |        |               |         |       |           |                                       |         |  |
| CF22-18011   | 05/23/2022 05:39:43 | MISCF  | Initiated     | No      | 99    | EQ14, M6  | 1880 South 1045 West                  | A       | HOMELESS CAMP TENTS ON FIRE, UNDER NEATH A TREE  |
| CF22-8867  | 03/12/2022 15:08:31 | LOCKP  | Initiated     | No      | 87    | M6        | 1171 South 1300 West                  |         | 20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658 |
| <b>Count: 2</b>                                    |                     |        |               |         |       |           |                                       |         |  |
| <b>CAD Officer in Charge: Jeppson, Zachary</b>     |                     |        |               |         |       |           |                                       |         |  |
| CF22-18259   | 05/25/2022 05:49:59 | ALARMF | Initiated     | No      | 87    | M7        | 866 West SOUTH TEMPLE Street          | B       | FIRE ALARM.....ZONE 1.....FRONT DESK 801-300-4205 OR RP MIKE SMITH 801-702-9660.....REF#AE101883   |
| <b>Count: 1</b>                                    |                     |        |               |         |       |           |                                       |         |  |
| <b>CAD Officer in Charge: Kartson, Constantine</b> |                     |        |               |         |       |           |                                       |         |  |
| CF22-17148   | 05/16/2022 16:40:52 | ALARMF | Initiated     | No      | 100   | E13       | 1870 East PARLEYS CANYON Boulevard    | A       | PARLEYS STAKE CENTER...RP JASON NEWSOM 801-837-8034  |
| <b>Count: 1</b>                                    |                     |        |               |         |       |           |                                       |         |  |
| <b>CAD Officer in Charge: Knowlton, John</b>       |                     |        |               |         |       |           |                                       |         |  |
| CF22-18414   | 05/26/2022 08:47:57 | ALARMF | Initiated     | No      | 87    | EQ9       | 5151 West WILEY POST Way              | C       | FIRE ALARM // ZONE 992, GENERAL FIRE ALARM // 801-539-1515 // REF # V87001   |
| CF22-18562   | 05/27/2022 03:31:51 | ALARMF | Initiated     | No      | 91    | EQ9       | 1045 South 5500 West                  | C       | ZONE 1 GENERAL FIRE ALARM... PER GOOGLE MAPS UNION PACIFIC RR... SECURITY OUT OF CITY WILL CB WITH DISPO   |
| <b>Count: 2</b>                                    |                     |        |               |         |       |           |                                       |         |  |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>      |                     |        |               |         |       |           |                                       |         |  |
| CF22-18001   | 05/23/2022 02:45:26 | ALARMF | Initiated     | No      | 88    | M1        | 130 South 500 East                    | A       | ZONE 1 FIRE ALARM....PREMISE 801-364-7441  |

| Incident Number                                 | Incident Date Time  | Code   | Record Status            | Locked? | Score | Apparatus                              | Address                        | Platoon | CAD Narrative  |
|---|---------------------|--------|--------------------------|---------|-------|--|--------------------------------|---------|--|
| CF22-17172                                      | 05/16/2022 20:07:04 | ALARMF | Initiated                | No      | 99    | M1, M2                                 | 175 South 300 East             | A       | BUSINESS MAGNOLIA...POINT 46 GENERAL FIRE ALARM....RP DON 801-509-6235...REFERNCE NUMBER A16552  |
| CF22-16332                                      | 05/10/2022 22:50:46 | ALARMF | Initiated                | No      | 88    | M1                                     | 660 South 300 East             | A       | RESID FIRE ALARM.....RP JOHN LARRY 385-528-3110  |
| CF22-16343                                      | 05/11/2022 01:34:15 | LGASLE | Initiated                | No      | 87    | E4, M5, H10, BC1, H14, LT5, M1         | 639 East 500 South             | A       | ODOR OF NATURAL GAS INSIDE THE APT COMPLEX ( HAS ABOUT 6 UNITS)  |
| <b>Count:</b><br>4                              |                     |        |                          |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Koetitz, Paul</b>     |                     |        |                          |         |       |  |                                |         |  |
| CF22-18237                                      | 05/24/2022 22:43:50 | ALARMF | Initiated                | No      | 88    | EQ9                                    | 5725 West AMELIA EARHART Drive | B       | COMM ALARM...BUSN/ APOLLO BLDG....ZONE 201 PULLSTATION ALARM....R/P SHAWN CONNOLLY 262-337-2731..NEG INSIDE PH....   |
| CF22-18241                                      | 05/24/2022 23:24:48 | ALARMF | Initiated                | No      | 87    | EQ9                                    | 5725 West AMELIA EARHART Drive | B       | APOLLO BUILDING ZONE 210   |
| <b>Count:</b><br>2                              |                     |        |                          |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Maddux, John</b>      |                     |        |                          |         |       |  |                                |         |  |
| CF22-8865                                       | 03/12/2022 14:53:33 | LOCKP  | Initiated                | No      | 86    | M5, LT5                                | 600 East 900 South             |         | NEAR PLAYGROUND .. SON LOCKED IN VEH ..<br>... SEE RELATED CP#: SL22-44646   |
| CF22-8935                                       | 03/13/2022 04:27:39 | PUBLIC | Initiated                | No      | 87    | LT5                                    | 1086 South 800 East            |         |  |
| <b>Count:</b><br>2                              |                     |        |                          |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Menlove, Gary</b>     |                     |        |                          |         |       |  |                                |         |  |
| CF22-18018                                      | 05/23/2022 08:12:17 | ALARMF | Initiated                | No      | 88    | E10                                    | 1775 East HERBERT Avenue       | A       | CARBON MONOXIDE ALARM...JANE SWANSEN 801 510 9766  |
| <b>Count:</b><br>1                              |                     |        |                          |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Meyer, Bryon</b>      |                     |        |                          |         |       |  |                                |         |  |
| CF22-18019                                      | 05/23/2022 08:28:20 | ALARMF | Initiated                | No      | 87    | M2                                     | 345 West NORTH TEMPLE Street   | B       | FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058   |
| <b>Count:</b><br>1                              |                     |        |                          |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |                          |         |       |  |                                |         |  |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated                | No      | 85    | FD154                                  | 120 South STATE Street         |         |  |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated                | No      | 88    | FD154                                  | 1246 East BONNER Way           |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated                | No      | 83    | FD154                                  | 1330 East IRA HODGES           |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| <b>Count:</b><br>3                              |                     |        |                          |         |       |  |                                |         |  |
| <b>CAD Officer in Charge: Moser, Shane</b>      |                     |        |                          |         |       |  |                                |         |  |
| CF22-5910                                       | 02/17/2022 01:18:24 | HOUSE  | Ready for Officer review | No      | 100   | BC1, FD153, M8, M5, LT8, M6            | 1535 South WEST TEMPLE Street  | B       | ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..   |
| CF22-4411                                       | 02/04/2022 16:46:39 | COMM   | Initiated                | No      | 87    | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South              | B       | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...   |
| CF22-9661                                       | 03/18/2022 21:55:39 | MISCF  | Initiated                | No      | 100   | FD153, LT8                             | 176 West 600 South             | B       | MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL |

| Incident Number                              | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus           | Address                   | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|---------------------|---------------------------|---------|--|
| <b>Count:</b><br>3                           |                     |        |               |         |       |                     |                           |         |  |
| <b>CAD Officer in Charge: Myers, Eric</b>    |                     |        |               |         |       |                     |                           |         |  |
| CF22-11196                                   | 03/31/2022 16:22:17 | ALARMW | Initiated     | No      | 87    | EQ9                 | 6050 West 700 South       | B       | WATERFLOW ALARM/ ZONE 203... BUSN IS WESTPORT C "BUZZ OATS"... NO PREMISE # RP SHANNON GODFRY 801 201 1635 ... ON CB TO SHANNON THEY ARE WORKING ON THE SYSTEM BUT SHE IS NOT ON SITE.. PER JASON ON SITE 801 386 0184 // DELTA FIRE SYSTEM DOING TESTING/ FALSE ALARM |
| <b>Count:</b><br>1                           |                     |        |               |         |       |                     |                           |         |  |
| <b>CAD Officer in Charge: Parks, Paul</b>    |                     |        |               |         |       |                     |                           |         |  |
| CF22-12711                                   | 04/12/2022 12:09:11 | ACC    | Initiated     | No      | 86    | SQ6                 | 223 West FAYETTE Avenue   |         | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI   |
| <b>Count:</b><br>1                           |                     |        |               |         |       |                     |                           |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>  |                     |        |               |         |       |                     |                           |         |  |
| CF21-13024                                   | 05/03/2021 12:24:54 | PUBLIC | Initiated     | No      | 86    | SQ1                 | 131 East 700 South        |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count:</b><br>1                           |                     |        |               |         |       |                     |                           |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b> |                     |        |               |         |       |                     |                           |         |  |
| CF21-10548                                   | 04/11/2021 09:48:49 | PDASST | Initiated     | No      | 88    | LT8                 | 1460 South STATE Street   | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF   |
| CF21-11158                                   | 04/16/2021 12:43:25 | PDASST | Initiated     | No      | 84    | GC589               | 1364 West GLENROSE Drive  |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824   |
| CF20-30271                                   | 09/18/2020 17:47:16 | 65A03  | Initiated     | No      | 86    | EW6141, EW6142, M14 | 1560 West 3900 South      | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF20-23950                                   | 07/29/2020 14:30:19 | 65A03  | Initiated     | No      | 88    | E13                 | 6650 East I80E WB Freeway | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| <b>Count:</b><br>4                           |                     |        |               |         |       |                     |                           |         |  |
| <b>CAD Officer in Charge: Rock, Nathan</b>   |                     |        |               |         |       |                     |                           |         |  |
| CF22-12186                                   | 04/08/2022 16:10:57 | PUBLIC | Initiated     | Yes     | 100   | M1                  | 1035 East 300 South       | C       | MALE FELL  |
| CF22-17741                                   | 05/21/2022 08:21:50 | ALARMF | Initiated     | No      | 88    | M1                  | 358 South 700 East        | C       | CARBON MONOXIDE ALARM.. ZONE 31 BACK FRONT KITCHEN.. NOODLE AND CO. INSIDE # 801-359-8315  |
| CF22-18424                                   | 05/26/2022 10:20:54 | ALARMF | Initiated     | No      | 87    | M1                  | 95 South STATE Street     | C       | COMM GENERAL FIRE ALARM... CHRISTIAN AND WAKEFIELD... JEFF HUEFNER 801-716-0596...   |
| CF22-18358                                   | 05/25/2022 20:10:25 | ALARMW | Initiated     | No      | 88    | LT5, M1             | 447 South BLAIR Street    | C       | WATERFLOW ZONE 207. MAIN SPRINKLER RISER.... DARREL 801-598-1343   |
| CF22-18367                                   | 05/25/2022 21:59:08 | DUMP   | Initiated     | No      | 88    | M1                  | 556 East 300 South        | C       | DUMPSTER FIRE IN THE ALLY WAY BEHIND THIS LOC  |
| <b>Count:</b><br>5                           |                     |        |               |         |       |                     |                           |         |  |
| <b>CAD Officer in Charge: Shafer, Curtis</b> |                     |        |               |         |       |                     |                           |         |  |
| CF22-18364                                   | 05/25/2022 21:09:29 | MISCF  | Initiated     | No      | 88    | M7                  | 543 North MACLAND Lane    | C       | BONFIRE ON THE TRAIL, ITS CLOSED FOR CONSTRUCTION....BETWEEN 500 N AND 700 N....UNKN IF ITS THREATENING SOUTH WEST OF ADDR   |
| CF22-18433                                   | 05/26/2022 11:56:33 | ALARMF | Initiated     | No      | 87    | M7                  | 880 North CORNELL Street  | C       | RESD FIRE ALARM... ZONE 0...SITE # 801 243 0200... SARAH DEHESA 801 259 4960... FALSEM ALARM PER HECTOR  |
| CF22-18288                                   | 05/25/2022 11:12:23 | WATER  | Initiated     | No      | 88    | M7                  | 965 North BECK Street     | C       | CITIZEN POINTED OUT WATER COMING OUT OF STREET ON BECK ST/NFD  |
| CF22-18331                                   | 05/25/2022 16:36:48 | ODOR   | Initiated     | No      | 88    | M7                  | 87 West 300 North         | C       | GAS SMELL COMING THROUGH BATHROOM VENT.POSS FROM THE NEIGHBORS APT ..  |

| Incident Number                                   | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus   | Address                          | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|---|----------------------------------|---------|--|
| ..NEG SICK OR INJURED .. ADVISED TO EVAC          |                     |        |                  |         |       |   |                                  |         |  |
| CF22-17645  | 05/20/2022 11:07:48 | APT    | Officer reviewed | No      | 88    | M2, LT2, M3, E4, M7, M8, BC2, FD154, FD158, LT8, EQ14 | 504 West 300 South               | C       | MACARONI AND ART SPACE BLDG ON FIRE... LARGE PORTION OF THE BLDG ON FIRE...  |
| <b>Count:</b><br>5                                |                     |        |                  |         |       |   |                                  |         |  |
| <b>CAD Officer in Charge: Shumway, Brandon</b>    |                     |        |                  |         |       |   |                                  |         |  |
| CF22-12805  | 04/13/2022 07:55:52 | MISCF  | Initiated        | No      | 88    | M7  | 916 West NORTH TEMPLE Street     | B       | CALLBK=(385)310-5091 SHOPPING CART ON FIRE .....   |
| CF22-11285  | 04/01/2022 08:23:12 | ALARMF | Initiated        | No      | 87    | E10   | 1912 East YALECREST Avenue       | B       | ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE #,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S   |
| CF22-10793  | 03/28/2022 05:57:25 | ODOR   | Initiated        | No      | 88    | E4  | 860 East 3RD Avenue              | C       | CALLER PASSED BY - ODOR OF GASOLINE  |
| CF22-5893   | 02/16/2022 21:39:08 | APT    | Initiated        | No      | 88    | M2, LT2, E4, M7, BC1, LT5, M1                         | 228 East 1ST Avenue              | B       | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR   |
| <b>Count:</b><br>4                                |                     |        |                  |         |       |   |                                  |         |  |
| <b>CAD Officer in Charge: Stevens, Michael</b>    |                     |        |                  |         |       |   |                                  |         |  |
| CF22-18437  | 05/26/2022 12:12:58 | ALERT  | Initiated        | No      | 87    | M11, RD2, RD3, RD4                                    | 560 RUNWAY 1735[SIMULATION TEST] | C       | SIMULATION - FOR ST11 ONLY AIRCRAFT INCIDENT RW 17 / 35 AT TW K7.  |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |   |                                  |         |  |
| <b>CAD Officer in Charge: Stringam, Reed</b>      |                     |        |                  |         |       |   |                                  |         |  |
| CF22-17982  | 05/22/2022 20:52:52 | REFUEL | Initiated        | No      | 87    | RD2, RD3, RD4   | 60 East PERIMETER                | A       | B6 TAC AIR RAM ON A320   |
| CF22-3584   | 01/29/2022 17:26:29 | MISCF  | Initiated        | No      | 87    | ET1   | 575 North JOHN GLENN Road        |         | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,   |
| <b>Count:</b><br>2                                |                     |        |                  |         |       |   |                                  |         |  |
| <b>CAD Officer in Charge: Taylor, Matthew</b>     |                     |        |                  |         |       |   |                                  |         |  |
| CF22-8895   | 03/12/2022 18:48:19 | PUBLIC | Initiated        | No      | 87    | E13   | 2695 South 900 East              |         | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/   |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |   |                                  |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |                  |         |       |   |                                  |         |  |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated        | No      | 87    | M5, M8  | 10758 South REDWOOD Road         | A       | GOING TO STATION 61  |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |   |                                  |         |  |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |                  |         |       |   |                                  |         |  |
| CF22-11273  | 04/01/2022 06:52:06 | COMM   | Initiated        | No      | 84    | BC1, M8, M7, LT2, M2, LT8, M1                         | 224 West 600 South               | B       | STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D   |
| CF22-14079  | 04/23/2022 13:23:13 | PUBLIC | Initiated        | No      | 88    | LT2   | 45 West SOUTH TEMPLE Street      | B       | STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY |
| CF22-14085  | 04/23/2022 13:51:32 | PUBLIC | Initiated        | No      | 87    | LT2   | 50 South MAIN Street             | B       | CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE  |
| CF22-14138  | 04/23/2022 22:06:31 | PUBLIC | Initiated        | No      | 88    | LT2   | 411 East SOUTH TEMPLE Street     | B       | PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED   |
| CF22-8886   | 03/12/2022 17:43:58 | PUBLIC | Initiated        | No      | 87    | LT2   | 250 West 600 South               |         | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                              | Address                      | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|--|------------------------------|---------|---|
| CF22-15710                                       | 05/06/2022 08:56:51 | SMOKE  | Initiated        | No      | 88    | M2                                     | 750 North VICTORY Road       | B       | CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID  |
| CF22-15730                                       | 05/06/2022 11:38:31 | COMM   | Initiated        | No      | 86    | M2, M3, E4, M5, M8, E10, BC1, LT8, LT5 | 220 South 200 East           | B       | FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM  |
| CF22-15772                                       | 05/06/2022 18:06:47 | ALARMF | Initiated        | No      | 88    | M2                                     | 524 North MAIN Street        | B       | FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.  |
| CF22-15773                                       | 05/06/2022 18:34:03 | ARESCU | Initiated        | No      | 87    | M2, LT2                                | 48 West MARKET Street        | B       | 4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259 |
| CF22-17243                                       | 05/17/2022 10:20:47 | ALARMF | Officer reviewed | No      | 100   | M2                                     | 320 South 200 West           | B       | PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO   |
| CF22-17292                                       | 05/17/2022 16:27:16 | PUBLIC | Officer reviewed | No      | 100   | M2                                     | 350 North MAIN Street        | B       | M2  |
| CF22-16377                                       | 05/11/2022 10:14:36 | COMM   | Initiated        | No      | 88    | LT5, M1, M2, LT2, M3, M5               | 964 South 3800 West          | B       | RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER  |
| CF22-18161                                       | 05/24/2022 10:16:17 | ALARMF | Initiated        | No      | 87    | M2                                     | 353 West 200 South           | B       | COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076  |
| CF22-18165                                       | 05/24/2022 10:50:47 | ALARMF | Initiated        | No      | 99    | M2, M5                                 | 350 South 200 East           | B       | GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080   |
| CF22-18034                                       | 05/23/2022 10:28:29 | ALARMF | Initiated        | No      | 87    | M2                                     | 169 East 200 South           | B       | GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ   |
| CF22-18036                                       | 05/23/2022 10:54:55 | FUEL   | Initiated        | No      | 88    | M2, LT2, H10                           | 241 North 300 West           | B       | BEHIND THE STADIUM ON 4TH WEST ...2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR   |
| CF22-18046                                       | 05/23/2022 11:49:36 | ALARMF | Officer reviewed | No      | 100   | M2                                     | 185 North WEST TEMPLE Street | B       | FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231   |
| CF22-18106                                       | 05/23/2022 20:19:15 | ALARMF | Initiated        | No      | 87    | M2                                     | 230 West 500 South           | B       | GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466   |
| <b>Count: 18</b>                                 |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Visser, Otto</b>       |                     |        |                  |         |       |  |                              |         |   |
| CF20-25507                                       | 08/11/2020 18:49:47 | ACC    | Initiated        | No      | 85    | FD164                                  | 475 South 300 East           |         | OTTO VISSOR VS LANDSCAPE VEH  |
| <b>Count: 1</b>                                  |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |                  |         |       |  |                              |         |   |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated        | No      | 85    | FD159                                  | 7673 South HIGHLAND Drive    |         | STRUCTURE FIRE UFA  |
| <b>Count: 1</b>                                  |                     |        |                  |         |       |  |                              |         |   |
| <b>Count: 117</b>                                |                     |        |                  |         |       |  |                              |         |   |

#### Report Criteria

|                     |                                  |
|---------------------|----------------------------------|
| Record Status:      | Is Not Equal To Officer reviewed |
| Locked?:            | Is Not Equal To Yes              |
| Incident Date Time: | Is On or After 1/16/2018         |
| Incident Number:    | Begins With CF                   |
| Code:               | Is Not Equal To ARSINV           |
| Code:               | Is Not Equal To APSN             |
| Apparatus:          | Is Not Equal To E41              |



Apparatus: Is Not Equal To E73

Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)