

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

06/01/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-16669	05/13/2022 14:11:05	FUEL	Initiated	No	87	RD2, RD4	505 East PERIMETER	C	1/2 GALLON AND STILL LEAKING ... SEE RELATED CP#: AP22-15063
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-18601	05/27/2022 14:27:54	REFUEL	Initiated	No	88	RD2, RD3	60 East PERIMETER	A	TAC AIR REQUESTING REFUEL STANDBY FOR THE DEPARTMENT OF JUSTICE, 737 LANDING NOW
CF22-19058	05/31/2022 16:00:53	PASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-19107	06/01/2022 03:24:08	ALARMF	Initiated	No	87	E4	1381 East PENROSE Drive	C	SMOKE ZONE 99...RP PENDING, 801-532-5232.
<b>Count: 20</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF22-19078	05/31/2022 20:04:50	ALARMF	Initiated	No	87	M6	1585 West 2100 South	C	FIRE ALARM, BUSN NAME GEO GROUP NORTH BUILDING. ZONE 30 GENERAL. R/P REX 801-230-3613..
CF22-19097	05/31/2022 23:08:46	WATER	Initiated	No	87	M6	1300 South 700 West	C	WATER BREAK IN EB SIDE OF INTERSECTION
CF22-19066	05/31/2022 17:17:01	WATER	Initiated	No	87	M6	700 West 1300 South	C	WATERLINE BROKEN. IN THE INTERSECTION. ... SEE RELATED CP#: SL22-102414
CF22-18494	05/26/2022 19:34:46	COMM	Initiated	No	89	BC1, M7, E4, LT2, M2, LT8, M1	350 North STATE Street	C	EAST BLDG....TWO UHP ON SITE...SMELLS SMOKE..NO FLAMES FIRE ALARM GOING OFF
<b>Count: 4</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-16827	05/14/2022 13:18:41	ALARMF	Initiated	No	99	EQ9, EQ14	1851 South 5350 West	C	BUSN: LANDMARK 3...COMMERICAL FIRE ALARM
<b>Count: 1</b>									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-18270	05/25/2022 08:12:39	SMOKE	Initiated	No	88	M5	1006 East YALE Avenue	B	E OF.....4PLEX...CHIMNEY ON W SIDE BLDG....SMOKE COMING OUT OF CHIMNEY....WORRIED IT IS EFFECTING AIR QUALITY
<b>Count: 1</b>									
<b>CAD Officer in Charge: Burk, Christopher</b>									
CF22-18872	05/29/2022 20:47:48	MISCF	Initiated	No	88	M2	235 South RIO GRANDE Street	B	SMALL TRANSIENT FIRE OUT FRONT OF WEIGAND CENTER
CF22-18914	05/30/2022 05:32:31	ALARMF	Initiated	No	87	M2	230 West 500 South	B	CRYSTAL INN - GEN FIRE ALARM
CF22-18917	05/30/2022 05:47:46	ALARMF	Initiated	No	87	M2	230 West 500 South	B	ZONE 3 GEN - INSIDE #801-328-4466
<b>Count: 3</b>									
<b>CAD Officer in Charge: Burton, Anthony</b>									
CF22-18805	05/29/2022 05:29:30	HYD	Initiated	No	88	M5	443 South 900 East	A	OFC SAW HYDRANT LEAKING
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-19062	05/31/2022 16:40:44	ARESCU	Initiated	No	88	E10	1400 South FOOTHILL Drive	C	NEAR JERSEY MIKES - BLK AUDI Q5 WITH A DOG INSIDE FOR LAST HOUR AT LEAST... SMALLER DOG POSS A BEAGLE. WINDOWS ROLLED ALL THE WAY UP... DOG DOES APPEAR TO BE IN DISTRESS... ... SEE RELATED CP#: SL22-102386
CF22-19022	05/31/2022 09:15:55	ALARMF	Initiated	No	88	E10	1096 South CRESTVIEW Circle	C	UPSTAIRS SMOKE DET...RESIDENTAL...CHRISTAN 801 529 2959
CF22-18521	05/26/2022 21:32:03	PDASST	Initiated	No	86	E10	1345 South FOOTHILL Drive	C	ACROSS FROM PARKING STRUCTURE AGAINST A WALL BAG FULL OF LIGHTER FLUID... WIRES... AND BLEACH WAS LEFT IN PLOT..... SEE RELATED CP#: SL22-99097 - ,33 REQ MEDICAL TO STAGE IN QUARTERS FOR A CONFIRMED SUSPICIOUS PACKAGE
<b>Count: 3</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-	09/12/2020	65A03	Initiated	No	88	EW6091,	10914 West I80W		EW6091 // FIELD FIRE // VECC CH 3 //

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
29532	10:22:19					EW6092	EB Freeway		VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-18023	05/23/2022 09:06:16	APT	Initiated	No	88	M5, E10, BC1, LT5, M1, LT2, E4	750 South ARAPEEN Drive	B	U OF U PD RESIDENT REPORTING STRONG SMOKE ODOR
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	87	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680....HOUSE ON FIRE
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
<b>Count:</b> 3									
<b>CAD Officer in Charge: DeLeeuw, Brian</b>									
CF22-18574	05/27/2022 07:53:28	ALARMF	Initiated	No	87	M8	375 West 2100 South	C	COMMERCIAL FIRE ALARM. DT 0735, AREA - ZONE 93 / SO CENTER WAREHOUSE SMOKE DETECTOR...REF # M402633. WILL BE CONTACTING RP.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Doyle, Chad</b>									
CF22-18191	05/24/2022 14:30:17	ALARMF	Initiated	No	88	EQ14	1935 South FREMONT Drive	B	BUSN: WESTERN FENCE...ZONE 6 GENERAL...ONSITE # 801-615-0897..808-769-2092...FALSE ALARM DUE TO A WELDER FUME
CF22-18267	05/25/2022 07:32:47	ALARMF	Initiated	No	88	EQ14	1935 South FREMONT Drive	B	WESTERN FENCE....FIRE ALARM....ZONE 6.....801-615-0897
<b>Count:</b> 2									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF22-16289	05/10/2022 14:52:09	VEH	Initiated	No	100	FD155, FD157, M11	652 South REDWOOD Road	A	VEH FIRE IN PLOT TEAR APART
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count:</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>1</b>									
<b>CAD Officer in Charge: Goodwin, Les</b>									
CF22-15123	05/01/2022 14:55:56	VEH	Initiated	No	88	M8, E10, UT10, BC1, BC2, FD154, FD158, LT8, M6, LT5, M2, LT2, E4, M5	637 South HARMONY Court	C	SIDE OF HOUSE ...PILE OF STUFF ( MATTRESS, CAR ON FIRE )
<b>Count: 1</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
<b>Count: 4</b>									
<b>CAD Officer in Charge: Harp, Michael</b>									
CF22-17550	05/19/2022 15:01:31	REFUEL	Initiated	No	88	RD2, RD4	60 East PERIMETER	C	US MARSHALL 737
CF22-17592	05/19/2022 20:16:41	REFUEL	Initiated	No	88	RD2, RD4	25 East PERIMETER	C	B6 A320.
<b>Count: 2</b>									
<b>CAD Officer in Charge: Harwood, Blake</b>									
CF22-18693	05/28/2022 10:14:35	STRUCT	Initiated	No	88	M2, LT2, E4, BC1, M1	309 East 100 South	A	CALLBK=(916)384-6211 ... IN THE PARKING GARAGE ..... SMOKE AND PIPES ARE LEAKING ....
<b>Count: 1</b>									
<b>CAD Officer in Charge: Harwood, Todd</b>									
CF22-18746	05/28/2022 18:24:27	LINE	Initiated	No	88	M1	200 East 300 South	A	BETWEEN 200-300 S ON 200 E ON THE RT HANDSIDE IF YOUR HEADED EAST ...POWER POLE SNAPPED IN HALF STILL CONNECTED ALMOST TOUCHING THE GRASS ...
CF22-18769	05/28/2022 22:07:21	WATER	Initiated	No	88	M1	North E ST / E 1ST Avenue	A	LOTS OF WATER SHOOTING INTO THE AIR...IN FRONT OF SAFRON VALLEY RESTRARUANT...RUNNING INTO ROAD
CF22-18614	05/27/2022 16:24:56	ALARMF	Initiated	No	87	M1	331 East SOUTH TEMPLE Street	A	GENERAL FIRE ALARM // ZONE 1 FIRE PANEL // 801-328-8941 // REF 1246436650
CF22-18656	05/27/2022 21:15:23	ALARMF	Initiated	No	99	M5, M1	330 East 400 South	A	RESD GENERAL FIRE ALARM - EXCHANGE A APTS - ZONE 0 - NO SITE NUMBER... RP DERELL FELIX 801.598.1343.. UNK WHATS GOING ON... MAINTENANCE TECH LIVES ON SITE... IS UNAWARE BUT EN ROUTE TO FIRE PANEL
<b>Count: 4</b>									
<b>CAD Officer in Charge: Healey, Bruce</b>									
CF22-19144	06/01/2022 12:04:43	WATER	Initiated	No	87	M3	1700 South 900 East	C	RIGHT ABOVE 900 E .... 1100 E TO 900 E ON THE NS OF ROAD...WATER GOING DOWN THE GUTTER
CF22-19135	06/01/2022 09:54:10	WATER	Initiated	No	88	M3	1700 South 1100 East	C	NORTH SIDE OF STREET...A LOT OF WATER COMING UP FROM THE ROAD
<b>Count: 2</b>									
<b>CAD Officer in Charge: Henthorne, David</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Higgins, Jimmie</b>									
CF22-18899	05/30/2022 01:58:20	APT	Initiated	Yes	99	M5, M7, M8, E10, UT10, M11, E13, BC1, BC2, FD153, FD180, LT8, M6, LT5, M1, M2, LT2, M3, E4	243 South 300 East	B	
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hill, Cary</b>									
CF22-19136	06/01/2022 09:59:12	GRASS	Initiated	No	88	E10, BC1, EW6132, EW6131	South PARLEYS WAY / S FOOTHILL Drive	C	TRANSIENT STARTED A FIRE AT LOC TO KEEP WARM/ FIRE IS NOW SPREADING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hoover, Todd</b>									
CF22-19145	06/01/2022 12:04:44	SGASLE	Initiated	No	88	H10, M5	1620 South 1400 East	C	GAS LINE BREAK..RESD LINE..WAS DIGGING IN THE YARD AT THE LOCATION AND HIT LINE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hovermale, Matthew</b>									
CF22-19007	05/31/2022 07:51:04	ALARMF	Initiated	No	88	E4	1381 East PENROSE Drive	B	FIRE ALARM RESD...SHANE WILLIAMS 801 532 5232...ZONE 99
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-18011	05/23/2022 05:39:43	MISCF	Initiated	No	99	EQ14, M6	1880 South 1045 West	A	HOMELESS CAMP TENTS ON FIRE, UNDER NEATH A TREE
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658
<b>Count:</b> 2									
<b>CAD Officer in Charge: Jeppson, Zachary</b>									
CF22-18259	05/25/2022 05:49:59	ALARMF	Initiated	No	87	M7	866 West SOUTH TEMPLE Street	B	FIRE ALARM.....ZONE 1.....FRONT DESK 801-300-4205 OR RP MIKE SMITH 801-702-9660....REF#AE101883
<b>Count:</b> 1									
<b>CAD Officer in Charge: Knowlton, John</b>									
CF22-19024	05/31/2022 09:34:37	ALARMF	Initiated	No	87	M2, M7	241 North 300 West	C	UNK ALARM AT WEST HIGH
CF22-19137	06/01/2022 10:06:43	ALARMW	Initiated	No	87	M2	57 South 500 West	C	ZONE 0 GENERAL WATERFLOW...GATEWAY BLOCK C2...801 456 0040
CF22-19036	05/31/2022 12:25:55	ALARMF	Initiated	No	88	M2	250 West 600 South	C	ALARM CO CALLED BACK REQUESTING RESPONSE...SPOKE TO HOTEL DESK..THINKS THEY SMELL BURNING PAPER FROM ONE OF THEIR MEETING ROOMS
CF22-19119	06/01/2022 05:53:02	MISCF	Initiated	No	88	M2, LT2	750 North WARM SPRINGS Road	C	HOMELESS ENCAMPMENT ON HILLSIDE...LOTS OF BLACK SMOKE AND HAS A FIRE GOING..
CF22-19110	06/01/2022 03:46:02	MISCF	Initiated	No	88	M2	400 South MAIN Street	C	UTA NOT'ID THAT THERE WAS A FIRE
<b>Count:</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>5</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-18001	05/23/2022 02:45:26	ALARMF	Initiated	No	88	M1	130 South 500 East	A	ZONE 1 FIRE ALARM....PREMISE 801-364-7441
CF22-17172	05/16/2022 20:07:04	ALARMF	Initiated	No	99	M1, M2	175 South 300 East	A	BUSINESS MAGNOLIA...POINT 46 GENERAL FIRE ALARM....RP DON 801-509-6235...REFERNCE NUMBER A16552
CF22-16332	05/10/2022 22:50:46	ALARMF	Initiated	No	88	M1	660 South 300 East	A	RESID FIRE ALARM.....RP JOHN LARRY 385-528-3110
CF22-16343	05/11/2022 01:34:15	LGASLE	Initiated	No	87	E4, M5, H10, BC1, H14, LT5, M1	639 East 500 South	A	ODOR OF NATURAL GAS INSIDE THE APT COMPLEX ( HAS ABOUT 6 UNITS)
<b>Count: 4</b>									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-19011	05/31/2022 08:14:17	ALARMF	Initiated	No	88	EQ14	1935 South FREMONT Drive	B	COMMERCIAL FA...WESTERN FENCE...801 615 0897 PREMISE....REBECCA 801 615 0897....FALSE ALARM PER REBECCA
<b>Count: 1</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count: 2</b>									
<b>CAD Officer in Charge: McNeill, John</b>									
CF22-18864	05/29/2022 18:21:53	ALERT	Initiated	No	98	BC2, RD1, RD2, RD3, RD4, RD5, RD6, M12, BLU24	120 RUNWAY 16R34L	B	A330 5 MILE FINAL ETA 5MIN
<b>Count: 1</b>									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-18019	05/23/2022 08:28:20	ALARMF	Initiated	No	87	M2	345 West NORTH TEMPLE Street	B	FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mickelson, Derek</b>									
CF22-18609	05/27/2022 15:16:56	DIAB	Initiated	No	79	M2, GC590, SQ6, EQ14, M1	730 West 2100 S[JERRY SEINER]	A	COMP IS EMPLOYEE/ COMPS BLOOD SUGAR IS VERY LOW
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count: 3</b>									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
<b>Count: 3</b>									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-19076	05/31/2022 19:26:09	ALARMF	Initiated	No	88	E4	254 East 7TH Avenue	C	FIRE ALARM, ZONE 3 KITCHEN SMOKE. MARISA AND DAN 801-205-6263
CF22-19093	05/31/2022 22:03:14	ALARMF	Initiated	No	88	E4	1395 East 100 South	C	FIRE ALARM.....SMOKE DETECTOR....RP HARRISON PANE 801-865-2926
<b>Count: 2</b>									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI..... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count: 1</b>									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
<b>Count: 4</b>									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
CF22-19132	06/01/2022 09:38:01	ALARMF	Initiated	No	87	M1	66 East EXCHANGE Place	C	ZONE 11 UPSTAIRS SOUTH SMOKE DETECTOR... NO BUSN NAME/ NO SITE PH#... RP # MICHELL WATTS 801 520 0543
CF22-19016	05/31/2022 08:46:07	ALARMF	Initiated	No	88	M1	183 North CANYON Road	C	RESD FIRE ALARM GENERAL...RESD NAME IS DALE BAGELY 801-573-8227...
CF22-19032	05/31/2022 11:45:02	PUBLIC	Initiated	No	88	GC592, M1	615 East ALOHA Road	C	GC592 IS RESPONDING ..NEED ADDITIONAL MANPOWER FOR LIFT ASSIST ...
CF22-18597	05/27/2022 13:25:16	PUBLIC	Initiated	No	100	M1	243 South 300 East	A	ASSIST PT UP STEPS
<b>Count: 5</b>									
<b>CAD Officer in Charge: Shafer, Curtis</b>									
CF22-17645	05/20/2022 11:07:48	APT	Officer reviewed	No	88	M2, LT2, M3, E4, M7, M8, BC2, FD154, FD158, LT8, EQ14	504 West 300 South	C	MACARONI AND ART SPACE BLDG ON FIRE... LARGE PORTION OF THE BLDG ON FIRE...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-19151	06/01/2022 13:58:37	SMOKE	Initiated	No	88	M7	400 West 600 North	C	TROOPER DRIVING BY STATED SEEN SMOKE IN THE AREA.....PS COMING FROM A BUISNESS ROOF..
CF22-19124	06/01/2022 07:57:08	MISCF	Initiated	No	88	M7	200 South 200 West	C	WARMING FIRE WITH UNKN PERSON NEARBY...NW CORNER...CONCERNED ABOUT PROXIMITY TO GRASS
<b>Count: 3</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-12805	04/13/2022 07:55:52	MISCF	Initiated	No	88	M7	916 West NORTH TEMPLE Street	B	CALLBK=(385)310-5091 SHOPPING CART ON FIRE .....
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE #,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
<b>Count: 4</b>									
<b>CAD Officer in Charge: Stevens, Michael</b>									
CF22-18437	05/26/2022 12:12:58	ALERT	Initiated	No	87	M11, RD2, RD3, RD4	560 RUNWAY 1735[SIMULATION TEST]	C	SIMULATION - FOR ST11 ONLY AIRCRAFT INCIDENT RW 17 / 35 AT TW K7.
<b>Count: 1</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count: 1</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count: 1</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST ....2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	87	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466
CF22-18161	05/24/2022 10:16:17	ALARMF	Initiated	No	87	M2	353 West 200 South	B	COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	No	99	M2, M5	350 South 200 East	B	GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
<b>Count: 18</b>									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF22-19034	05/31/2022 12:11:52	ALARMF	Initiated	No	88	LT2	250 West 600 South	C	GENERAL FIRE ..POINT 80..COMM HILTON GARDEN INN...801-364-5200 REF# S45071
CF22-19118	06/01/2022 05:38:11	PUBLIC	Initiated	No	88	LT2	150 South WEST TEMPLE Street	C	MALE IN WHEELCHAIR THAT HAS BROKEN DOWN....EAST SIDE...CLOSER TO THE STEAK HOUSE
<b>Count: 2</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count: 1</b>									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-19114	06/01/2022 04:36:59	APT	Initiated	No	88	M5, M8, BC1, LT8, M6, LT5, M1	535 South 200 East	C	CAN SMELL SMOKE IN THE HALLWAY ON THE 1ST FLOOR... THERE ARE 11 FLOORS ....
CF22-19154	06/01/2022 14:08:56	ALARMF	Initiated	No	87	M5	265 South 1850 East	C	BLDG 0114 RM 1401 UNIV OF UTAH BLDG 0114: KAHLERT VILLAGE..FIRE ALARM IS GOING OFF..NO SMOKE OR

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
-----------------	--------------------	------	---------------	---------	-------	-----------	---------	---------	---------------

FLAMES...1ST FLR KITCHEN HALL

Count:  
2

Count:  
138

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)