

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

06/01/2022



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------|---------------------|--------|------------------|---------|-------|--------------------------|------------------------------|---------|--|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 95 | M3 | 1237 East BRICKYARD Road | B | RESID. 2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-37094 | 11/07/2021 21:52:52 | PDASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF22-8910 | 03/12/2022 22:10:44 | FUEL | Initiated | No | 86 | RD2, RD4 | 505 TAXIWAY K | | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431 |
| CF22-11714 | 04/04/2022 19:05:16 | PUBLIC | Initiated | No | 87 | BC1 | 211 South 500 East | A | TEST TEST TEST |
| CF22-12397 | 04/10/2022 00:57:11 | ABITE | Initiated | No | 83 | E43, ME101 | 3663 South 300 West | | ... SEE RELATED CP#: LK22-11750 - FM |
| CF22-15162 | 05/01/2022 20:46:15 | ELEC | Initiated | No | 86 | BC41, E41 | 700 East I80E EB Freeway | | APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA |
| CF22-16353 | 05/11/2022 05:23:27 | AUTO | Initiated | No | 84 | MA73 | 2175 South REDWOOD Road | | IN FRONT OF THE MAVERIK |
| CF22-16448 | 05/11/2022 19:36:58 | PUBLIC | Officer reviewed | No | 100 | M2 | 400 South WEST TEMPLE Street | B | MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST |
| CF22-16669 | 05/13/2022 14:11:05 | FUEL | Initiated | No | 87 | RD2, RD4 | 505 East PERIMETER | C | 1/2 GALLON AND STILL LEAKING ... SEE RELATED CP#: AP22-15063 |
| CF22-17626 | 05/20/2022 06:39:25 | STROK | Initiated | No | 84 | GC523 | 1516 East HOLLYWOOD Avenue | | C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE |
| CF22-18025 | 05/23/2022 09:24:39 | FUEL | Initiated | No | 87 | BLU28 | 765 North 2200 West | | FUEL SPILL ON BASE |
| CF22-18601 | 05/27/2022 14:27:54 | REFUEL | Initiated | No | 88 | RD2, RD3 | 60 East PERIMETER | A | TAC AIR REQUESTING REFUEL STANDBY FOR THE DEPARTMENT OF JUSTICE, 737 LANDING NOW |
| CF22-19058 | 05/31/2022 16:00:53 | PDASST | Initiated | No | 86 | FD157 | 210 West 500 South | | EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD |
| CF22-19107 | 06/01/2022 03:24:08 | ALARMF | Initiated | No | 87 | E4 | 1381 East PENROSE Drive | C | SMOKE ZONE 99...RP PENDING, 801-532-5232. |
| Count: 20 | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|---------|---------------|---------|-------|--|-----------------------------|---------|--|
| CAD Officer in Charge: Arnesen, Aaron | | | | | | | | | |
| CF22-18494 | 05/26/2022 19:34:46 | COMM | Initiated | No | 89 | BC1, M7, E4, LT2, M2, LT8, M1 | 350 North STATE Street | C | EAST BLDG....TWO UHP ON SITE...SMELLS SMOKE...NO FLAMES FIRE ALARM GOING OFF |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Baum, Darren | | | | | | | | | |
| CF22-19184 | 06/01/2022 18:49:49 | ALARMF | Initiated | No | 88 | EQ9 | 5205 West WILEY POST Way | C | COMMERICAL FIRE ALARM |
| CF22-16827 | 05/14/2022 13:18:41 | ALARMF | Initiated | No | 99 | EQ9, EQ14 | 1851 South 5350 West | C | BUSN: LANDMARK 3...COMMERICAL FIRE ALARM |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Buhler, Jason | | | | | | | | | |
| CF22-18270 | 05/25/2022 08:12:39 | SMOKE | Initiated | No | 88 | M5 | 1006 East YALE Avenue | B | E OF....4PLEX...CHIMNEY ON W SIDE BLDG....SMOKE COMING OUT OF CHIMNEY....WORRIED IT IS EFFECTING AIR QUALITY |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Burk, Christopher | | | | | | | | | |
| CF22-18872 | 05/29/2022 20:47:48 | MISCF | Initiated | No | 88 | M2 | 235 South RIO GRANDE Street | B | SMALL TRANSIENT FIRE OUT FRONT OF WEIGAND CENTER |
| CF22-18914 | 05/30/2022 05:32:31 | ALARMF | Initiated | No | 87 | M2 | 230 West 500 South | B | CRYSTAL INN - GEN FIRE ALARM |
| CF22-18917 | 05/30/2022 05:47:46 | ALARMF | Initiated | No | 87 | M2 | 230 West 500 South | B | ZONE 3 GEN - INSIDE #801-328-4466 |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Burton, Anthony | | | | | | | | | |
| CF22-18805 | 05/29/2022 05:29:30 | HYD | Initiated | No | 88 | M5 | 443 South 900 East | A | OFC SAW HYDRANT LEAKING |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20-29532 | 09/12/2020 10:22:19 | 65A03 | Initiated | No | 88 | EW6091, EW6092 | 10914 West I80W EB Freeway | | EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDA SST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Davies, Adam | | | | | | | | | |
| CF22-18023 | 05/23/2022 09:06:16 | APT | Initiated | No | 88 | M5, E10, BC1, LT5, M1, LT2, E4 | 750 South ARAPEEN Drive | B | U OF U PD RESIDENT REPORTING STRONG SMOKE ODOR |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Davy, Matthew | | | | | | | | | |
| CF22-11835 | 04/05/2022 18:43:50 | HOUSE | Initiated | No | 87 | M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6 | 1000 West EUCLID Avenue | B | CALLBK=(801)350-1680....HOUSE ON FIRE |
| CF22-8920 | 03/12/2022 23:11:24 | ALARMF | Initiated | No | 87 | M6 | 360 South 200 West | | FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909 |
| CF22- | 03/12/2022 | WATER | Initiated | No | 87 | M6 | 1599 West 300 | | WATER POOLING IN COMP BACKYARD..UP |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|---|---------------------------------|---------|---|
| 8840 | 09:56:09 | | | | | | South | | TO HIS PORCH,,POSS WATER MAIN BREAK |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Doyle, Chad | | | | | | | | | |
| CF22-18267 | 05/25/2022 07:32:47 | ALARMF | Initiated | No | 88 | EQ14 | 1935 South FREMONT Drive | B | WESTERN FENCE....FIRE ALARM....ZONE 6.....801-615-0897 |
| CF22-18191 | 05/24/2022 14:30:17 | ALARMF | Initiated | No | 88 | EQ14 | 1935 South FREMONT Drive | B | BUSN: WESTERN FENCE...ZONE 6 GENERAL...ONSITE # 801-615-0897..808-769-2092...FALSE ALARM DUE TO A WELDER FUME |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Endemano, Edward | | | | | | | | | |
| CF22-3459 | 01/28/2022 15:59:33 | FIRE | Initiated | No | 88 | M12 | 500 EMPLOYEE LOT[STOP 4 | A | GARBAGE CAN ON FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Forbes, Kevin | | | | | | | | | |
| CF22-16289 | 05/10/2022 14:52:09 | VEH | Initiated | No | 100 | FD155, FD157, M11 | 652 South REDWOOD Road | A | VEH FIRE IN PLOT TEAR APART |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21-18617 | 06/17/2021 16:52:56 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 South | | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: George, Brady | | | | | | | | | |
| CF22-12763 | 04/12/2022 19:46:48 | HOUSE | Initiated | Yes | 98 | M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5 | 2228 South LAKE Street | B | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Harp, Michael | | | | | | | | | |
| CF22-17550 | 05/19/2022 15:01:31 | REFUEL | Initiated | No | 88 | RD2, RD4 | 60 East PERIMETER | C | US MARSHALL 737 |
| CF22-17592 | 05/19/2022 20:16:41 | REFUEL | Initiated | No | 88 | RD2, RD4 | 25 East PERIMETER | C | B6 A320. |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Harwood, Blake | | | | | | | | | |
| CF22-18693 | 05/28/2022 10:14:35 | STRUCT | Initiated | No | 88 | M2, LT2, E4, BC1, M1 | 309 East 100 South | A | CALLBK=(916)384-6211 ... IN THE PARKING GARAGE SMOKE AND PIPES ARE LEAKING |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Harwood, Todd | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|--|--------------------------------------|---------|---|
| CF22-18746 | 05/28/2022 18:24:27 | LINE | Initiated | No | 88 | M1 | 200 East 300 South | A | BETWEEN 200-300 S ON 200 E ON THE RT HANDSIDE IF YOUR HEADED EAST ...POWER POLE SNAPPED IN HALF STILL CONNECTED ALMOST TOUCHING THE GRASS ... |
| CF22-18769 | 05/28/2022 22:07:21 | WATER | Initiated | No | 88 | M1 | North E ST / E 1ST Avenue | A | LOTS OF WATER SHOOTING INTO THE AIR...IN FRONT OF SAFRON VALLEY RESTRARUANT...RUNNING INTO ROAD |
| CF22-18614 | 05/27/2022 16:24:56 | ALARMF | Initiated | No | 87 | M1 | 331 East SOUTH TEMPLE Street | A | GENERAL FIRE ALARM // ZONE 1 FIRE PANEL // 801-328-8941 // REF 1246436650 |
| CF22-18656 | 05/27/2022 21:15:23 | ALARMF | Initiated | No | 99 | M5, M1 | 330 East 400 South | A | RESD GENERAL FIRE ALARM - EXCHANGE A APTS - ZONE 0 - NO SITE NUMBER... RP DERELL FELIX 801.598.1343.. UNK WHATS GOING ON... MAINTENANCE TECH LIVES ON SITE... IS UNAWARE BUT EN ROUTE TO FIRE PANEL |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Healey, Bruce | | | | | | | | | |
| CF22-19196 | 06/01/2022 20:29:33 | DUMP | Initiated | No | 88 | M3 | 2160 South 700 East | C | COMP CAN SEE A BUNCH OF DARK SMOKE, SMELLS LIKE A DUMPSTER FIRE, THINKS SOMEONE LIT A DUMPSTER ON FIRE BEHIND THE PEP BOYS... SMELLS NASTY LIKE PLASTIC, NOT LIKE WOOD... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Henthorne, David | | | | | | | | | |
| CF22-9449 | 03/17/2022 13:06:09 | ACC | Initiated | No | 86 | FD191 | 1300 South 700 East | | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Higgins, Jimmie | | | | | | | | | |
| CF22-18899 | 05/30/2022 01:58:20 | APT | Initiated | Yes | 99 | M5, M7, M8, E10, UT10, M11, E13, BC1, BC2, FD153, FD180, LT8, M6, LT5, M1, M2, LT2, M3, E4 | 243 South 300 East | B | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Hill, Cary | | | | | | | | | |
| CF22-19136 | 06/01/2022 09:59:12 | GRASS | Initiated | No | 88 | E10, BC1, EW6132, EW6131 | South PARLEYS WAY / S FOOTHILL Drive | C | TRANSIENT STARTED A FIRE AT LOC TO KEEP WARM/ FIRE IS NOW SPREADING |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Hovermale, Matthew | | | | | | | | | |
| CF22-19007 | 05/31/2022 07:51:04 | ALARMF | Initiated | No | 88 | E4 | 1381 East PENROSE Drive | B | FIRE ALARM RESD...SHANE WILLIAMS 801 532 5232...ZONE 99 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Jepperson, Chad | | | | | | | | | |
| CF22-18011 | 05/23/2022 05:39:43 | MISCF | Initiated | No | 99 | EQ14, M6 | 1880 South 1045 West | A | HOMELESS CAMP TENTS ON FIRE, UNDER NEATH A TREE |
| CF22-8867 | 03/12/2022 15:08:31 | LOCKP | Initiated | No | 87 | M6 | 1171 South 1300 West | | 20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-44658 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Jeppson, Zachary | | | | | | | | | |
| CF22-18259 | 05/25/2022 05:49:59 | ALARMF | Initiated | No | 87 | M7 | 866 West SOUTH TEMPLE Street | B | FIRE ALARM.....ZONE 1.....FRONT DESK 801-300-4205 OR RP MIKE SMITH 801-702- |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|---------------|---------|-------|---|-------------------------------|---------|--|
| 9660....REF#AE101883 | | | | | | | | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Knowlton, John | | | | | | | | | |
| CF22-19024 | 05/31/2022 09:34:37 | ALARMF | Initiated | No | 99 | M2, M7 | 241 North 300 West | C | UNK ALARM AT WEST HIGH |
| CF22-19188 | 06/01/2022 19:51:43 | MISCF | Initiated | No | 88 | M2 | 353 West 200 South | C | #HOMELESS MALE LIGHTING SMALL FIRES ALL OVER, LITTLE PILES OF GARBAGE, LITTER, LEAVES... PARKING LOT OF ART SPACE BUILDING... FIRES ARE NOT THREATENING ANYTHING... BEEN TOLD TO STOP... HE SAID HE WAS WATCHING THE FIRES |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Kochevar, Kevin | | | | | | | | | |
| CF22-18001 | 05/23/2022 02:45:26 | ALARMF | Initiated | No | 88 | M1 | 130 South 500 East | A | ZONE 1 FIRE ALARM....PREMISE 801-364-7441 |
| CF22-17172 | 05/16/2022 20:07:04 | ALARMF | Initiated | No | 99 | M1, M2 | 175 South 300 East | A | BUSINESS MAGNOLIA...POINT 46 GENERAL FIRE ALARM....RP DON 801-509-6235...REFERNCE NUMBER A16552 |
| CF22-16332 | 05/10/2022 22:50:46 | ALARMF | Initiated | No | 88 | M1 | 660 South 300 East | A | RESID FIRE ALARM.....RP JOHN LARRY 385-528-3110 |
| CF22-16343 | 05/11/2022 01:34:15 | LGASLE | Initiated | No | 87 | E4, M5, H10, BC1, H14, LT5, M1 | 639 East 500 South | A | ODOR OF NATURAL GAS INSIDE THE APT COMPLEX (HAS ABOUT 6 UNITS) |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Koetitz, Paul | | | | | | | | | |
| CF22-19011 | 05/31/2022 08:14:17 | ALARMF | Initiated | No | 88 | EQ14 | 1935 South FREMONT Drive | B | COMMERCIAL FA...WESTERN FENCE...801 615 0897 PREMISE....REBECCA 801 615 0897....FALSE ALARM PER REBECCA |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Maddux, John | | | | | | | | | |
| CF22-8865 | 03/12/2022 14:53:33 | LOCKP | Initiated | No | 86 | M5, LT5 | 600 East 900 South | | NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646 |
| CF22-8935 | 03/13/2022 04:27:39 | PUBLIC | Initiated | No | 87 | LT5 | 1086 South 800 East | | |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: McNeill, John | | | | | | | | | |
| CF22-18864 | 05/29/2022 18:21:53 | ALERT | Initiated | No | 98 | BC2, RD1, RD2, RD3, RD4, RD5, RD6, M12, BLU24 | 120 RUNWAY 16R34L | B | A330 5 MILE FINAL ETA 5MIN |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Meyer, Bryon | | | | | | | | | |
| CF22-18019 | 05/23/2022 08:28:20 | ALARMF | Initiated | No | 87 | M2 | 345 West NORTH TEMPLE Street | B | FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Mickelson, Derek | | | | | | | | | |
| CF22-18609 | 05/27/2022 15:16:56 | DIAB | Initiated | No | 79 | M2, GC590, SQ6, EQ14, M1 | 730 West 2100 S[JERRY SEINER] | A | COMP IS EMPLOYEE/ COMPS BLOOD SUGAR IS VERY LOW |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|--------------------------|---------|-------|--|-------------------------------|---------|--|
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Moser, Shane | | | | | | | | | |
| CF22-4411 | 02/04/2022 16:46:39 | COMM | Initiated | No | 87 | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South | B | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR... |
| CF22-9661 | 03/18/2022 21:55:39 | MISCF | Initiated | No | 100 | FD153, LT8 | 176 West 600 South | B | MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL |
| CF22-5910 | 02/17/2022 01:18:24 | HOUSE | Ready for Officer review | No | 100 | BC1, FD153, M8, M5, LT8, M6 | 1535 South WEST TEMPLE Street | B | ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE.. |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Myers, Eric | | | | | | | | | |
| CF22-19076 | 05/31/2022 19:26:09 | ALARMF | Initiated | No | 88 | E4 | 254 East 7TH Avenue | C | FIRE ALARM, ZONE 3 KITCHEN SMOKE. MARISA AND DAN 801-205-6263 |
| CF22-19093 | 05/31/2022 22:03:14 | ALARMF | Initiated | No | 88 | E4 | 1395 East 100 South | C | FIRE ALARM.....SMOKE DETECTOR....RP HARRISON PANE 801-865-2926 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Parks, Paul | | | | | | | | | |
| CF22-12711 | 04/12/2022 12:09:11 | ACC | Initiated | No | 86 | SQ6 | 223 West FAYETTE Avenue | | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF21-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF21-10548 | 04/11/2021 09:48:49 | PASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950 | 07/29/2020 14:30:19 | 65A03 | Initiated | No | 88 | E13 | 6650 East I80E WB Freeway | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Rock, Nathan | | | | | | | | | |
| CF22-12186 | 04/08/2022 16:10:57 | PUBLIC | Initiated | Yes | 100 | M1 | 1035 East 300 South | C | MALE FELL |
| CF22-19032 | 05/31/2022 11:45:02 | PUBLIC | Initiated | No | 88 | GC592, M1 | 615 East ALOHA Road | C | GC592 IS RESPONDING ..NEED ADDITIONAL MANPOWER FOR LIFT ASSIST ... |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|------------------|---------|-------|---|----------------------------------|---------|--|
| CF22-19016 | 05/31/2022 08:46:07 | ALARMF | Initiated | No | 88 | M1 | 183 North CANYON Road | C | RESD FIRE ALARM GENERAL...RESD NAME IS DALE BAGELY 801-573-8227... |
| CF22-18597 | 05/27/2022 13:25:16 | PUBLIC | Initiated | No | 100 | M1 | 243 South 300 East | A | ASSIST PT UP STEPS |
| CF22-19132 | 06/01/2022 09:38:01 | ALARMF | Initiated | No | 87 | M1 | 66 East EXCHANGE Place | C | ZONE 11 UPSTAIRS SOUTH SMOKE DETECTOR... NO BUSN NAME/ NO SITE PH#... RP # MICHELL WATTS 801 520 0543 |
| Count: 5 | | | | | | | | | |
| CAD Officer in Charge: Shafer, Curtis | | | | | | | | | |
| CF22-19124 | 06/01/2022 07:57:08 | MISCF | Initiated | No | 88 | M7 | 200 South 200 West | C | WARMING FIRE WITH UNKN PERSON NEARBY...NW CORNER...CONCERNED ABOUT PROXIMITY TO GRASS |
| CF22-19151 | 06/01/2022 13:58:37 | SMOKE | Initiated | No | 88 | M7 | 400 West 600 North | C | TROOPER DRIVING BY STATED SEEN SMOKE IN THE AREA.....PS COMING FROM A BUISNESS ROOF.. |
| CF22-17645 | 05/20/2022 11:07:48 | APT | Officer reviewed | No | 88 | M2, LT2, M3, E4, M7, M8, BC2, FD154, FD158, LT8, EQ14 | 504 West 300 South | C | MACARONI AND ART SPACE BLDG ON FIRE... LARGE PORTION OF THE BLDG ON FIRE... |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Shumway, Brandon | | | | | | | | | |
| CF22-12805 | 04/13/2022 07:55:52 | MISCF | Initiated | No | 88 | M7 | 916 West NORTH TEMPLE Street | B | CALLBK=(385)310-5091 SHOPPING CART ON FIRE |
| CF22-10793 | 03/28/2022 05:57:25 | ODOR | Initiated | No | 88 | E4 | 860 East 3RD Avenue | C | CALLER PASSED BY - ODOR OF GASOLINE |
| CF22-5893 | 02/16/2022 21:39:08 | APT | Initiated | No | 88 | M2, LT2, E4, M7, BC1, LT5, M1 | 228 East 1ST Avenue | B | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR |
| CF22-11285 | 04/01/2022 08:23:12 | ALARMF | Initiated | No | 87 | E10 | 1912 East YALECTREST Avenue | B | ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE #,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Stevens, Michael | | | | | | | | | |
| CF22-18437 | 05/26/2022 12:12:58 | ALERT | Initiated | No | 87 | M11, RD2, RD3, RD4 | 560 RUNWAY 1735[SIMULATION TEST] | C | SIMULATION - FOR ST11 ONLY AIRCRAFT INCIDENT RW 17 / 35 AT TW K7. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Stringam, Reed | | | | | | | | | |
| CF22-3584 | 01/29/2022 17:26:29 | MISCF | Initiated | No | 87 | ET1 | 575 North JOHN GLENN Road | | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Taylor, Matthew | | | | | | | | | |
| CF22-8895 | 03/12/2022 18:48:19 | PUBLIC | Initiated | No | 87 | E13 | 2695 South 900 East | | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/ |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Valdez, Christopher | | | | | | | | | |
| CF22-14079 | 04/23/2022 13:23:13 | PUBLIC | Initiated | No | 88 | LT2 | 45 West SOUTH TEMPLE Street | B | STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|------------------|---------|-------|--|------------------------------|---------|---|
| CF22-14085 | 04/23/2022 13:51:32 | PUBLIC | Initiated | No | 87 | LT2 | 50 South MAIN Street | B | CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE |
| CF22-14138 | 04/23/2022 22:06:31 | PUBLIC | Initiated | No | 88 | LT2 | 411 East SOUTH TEMPLE Street | B | PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED |
| CF22-11273 | 04/01/2022 06:52:06 | COMM | Initiated | No | 84 | BC1, M8, M7, LT2, M2, LT8, M1 | 224 West 600 South | B | STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D |
| CF22-8886 | 03/12/2022 17:43:58 | PUBLIC | Initiated | No | 87 | LT2 | 250 West 600 South | | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER |
| CF22-17243 | 05/17/2022 10:20:47 | ALARMF | Officer reviewed | No | 100 | M2 | 320 South 200 West | B | PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO |
| CF22-17292 | 05/17/2022 16:27:16 | PUBLIC | Officer reviewed | No | 100 | M2 | 350 North MAIN Street | B | M2 |
| CF22-16377 | 05/11/2022 10:14:36 | COMM | Initiated | No | 88 | LT5, M1, M2, LT2, M3, M5 | 964 South 3800 West | B | RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER |
| CF22-15710 | 05/06/2022 08:56:51 | SMOKE | Initiated | No | 88 | M2 | 750 North VICTORY Road | B | CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID |
| CF22-15730 | 05/06/2022 11:38:31 | COMM | Initiated | No | 86 | M2, M3, E4, M5, M8, E10, BC1, LT8, LT5 | 220 South 200 East | B | FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM |
| CF22-15772 | 05/06/2022 18:06:47 | ALARMF | Initiated | No | 88 | M2 | 524 North MAIN Street | B | FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING. |
| CF22-15773 | 05/06/2022 18:34:03 | ARESCU | Initiated | No | 87 | M2, LT2 | 48 West MARKET Street | B | 4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259 |
| CF22-18034 | 05/23/2022 10:28:29 | ALARMF | Initiated | No | 87 | M2 | 169 East 200 South | B | GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ |
| CF22-18036 | 05/23/2022 10:54:55 | FUEL | Initiated | No | 88 | M2, LT2, H10 | 241 North 300 West | B | BEHIND THE STADIUM ON 4TH WEST2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR |
| CF22-18046 | 05/23/2022 11:49:36 | ALARMF | Officer reviewed | No | 100 | M2 | 185 North WEST TEMPLE Street | B | FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231 |
| CF22-18106 | 05/23/2022 20:19:15 | ALARMF | Initiated | No | 87 | M2 | 230 West 500 South | B | GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466 |
| CF22-18161 | 05/24/2022 10:16:17 | ALARMF | Initiated | No | 87 | M2 | 353 West 200 South | B | COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076 |
| CF22-18165 | 05/24/2022 10:50:47 | ALARMF | Initiated | No | 99 | M2, M5 | 350 South 200 East | B | GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080 |
| Count: 18 | | | | | | | | | |
| CAD Officer in Charge: Vaughn, Jeffrey | | | | | | | | | |
| CF22-19034 | 05/31/2022 12:11:52 | ALARMF | Initiated | No | 88 | LT2 | 250 West 600 South | C | GENERAL FIRE ..POINT 80..COMM HILTON GARDEN INN...801-364-5200 REF# S45071 |
| CF22-19118 | 06/01/2022 05:38:11 | PUBLIC | Initiated | No | 88 | LT2 | 150 South WEST TEMPLE Street | C | MALE IN WHEELCHAIR THAT HAS BROKEN DOWN....EAST SIDE...CLOSER TO THE STEAK HOUSE |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|-----------------|--------------------|------|---------------|---------|-------|-----------|---------|---------|---------------|
|-----------------|--------------------|------|---------------|---------|-------|-----------|---------|---------|---------------|

Count:
1

CAD Officer in Charge: Worthington, Jared

| | | | | | | | | | |
|------------|---------------------|--------|-----------|----|----|-------|---------------------------|--|--------------------|
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
|------------|---------------------|--------|-----------|----|----|-------|---------------------------|--|--------------------|

Count:
1

Count:
124

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018
 Incident Number: Begins With CF
 Code: Is Not Equal To ARSINV
 Code: Is Not Equal To APSN
 Apparatus: Is Not Equal To E41
 Apparatus: Is Not Equal To E73
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).