

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

06/02/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-16669	05/13/2022 14:11:05	FUEL	Initiated	No	87	RD2, RD4	505 East PERIMETER	C	1/2 GALLON AND STILL LEAKING ... SEE RELATED CP#: AP22-15063
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-18601	05/27/2022 14:27:54	REFUEL	Initiated	No	88	RD2, RD3	60 East PERIMETER	A	TAC AIR REQUESTING REFUEL STANDBY FOR THE DEPARTMENT OF JUSTICE, 737 LANDING NOW
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
Count: 19									
CAD Officer in Charge: Ainge, Arnold									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-19307	06/02/2022 16:11:19	ODOR	Initiated	No	86	M2, LT2, M8	1011 South WEST TEMPLE Street	A	FISHY SMELL INSIDE APT
Count: 1									
CAD Officer in Charge: Arnesen, Aaron									
CF22-18494	05/26/2022 19:34:46	COMM	Initiated	No	89	BC1, M7, E4, LT2, M2, LT8, M1	350 North STATE Street	C	EAST BLDG....TWO UHP ON SITE...SMELLS SMOKE..NO FLAMES FIRE ALARM GOING OFF
Count: 1									
CAD Officer in Charge: Baum, Darren									
CF22-16827	05/14/2022 13:18:41	ALARMF	Initiated	No	99	EQ9, EQ14	1851 South 5350 West	C	BUSN: LANDMARK 3...COMMERICAL FIRE ALARM
CF22-19237	06/02/2022 08:00:41	ALARMF	Initiated	No	87	EQ9	431 North NEIL ARMSTRONG Road	C	
Count: 2									
CAD Officer in Charge: Buhler, Jason									
CF22-18270	05/25/2022 08:12:39	SMOKE	Initiated	No	88	M5	1006 East YALE Avenue	B	E OF.....4PLEX...CHIMNEY ON W SIDE BLDG....SMOKE COMING OUT OF CHIMNEY....WORRIED IT IS EFFECTING AIR QUALITY
Count: 1									
CAD Officer in Charge: Burk, Christopher									
CF22-18872	05/29/2022 20:47:48	MISCF	Initiated	No	88	M2	235 South RIO GRANDE Street	B	SMALL TRANSIENT FIRE OUT FRONT OF WEIGAND CENTER
CF22-18914	05/30/2022 05:32:31	ALARMF	Initiated	No	87	M2	230 West 500 South	B	CRYSTAL INN - GEN FIRE ALARM
CF22-18917	05/30/2022 05:47:46	ALARMF	Initiated	No	87	M2	230 West 500 South	B	ZONE 3 GEN - INSIDE #801-328-4466
Count: 3									
CAD Officer in Charge: Burton, Anthony									
CF22-18805	05/29/2022 05:29:30	HYD	Initiated	No	88	M5	443 South 900 East	A	OFC SAW HYDRANT LEAKING
Count: 1									
CAD Officer in Charge: Bush, Joseph									
CF22-19204	06/01/2022 21:36:18	PUBLIC	Initiated	No	88	E10	265 South FORT DOUGLAS Boulevard	C	1 PERSON STUCK IN ELEVATOR 2.... LANGUAGE BARRIER UNK IF MEDICAL NEEDED.... RA ENROUTE TO UNLOCK DOORS FOR RESPONDERS....
Count: 1									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Davies, Adam									
CF22-18023	05/23/2022 09:06:16	APT	Initiated	No	88	M5, E10, BC1, LT5, M1, LT2,	750 South ARAPEEN Drive	B	U OF U PD RESIDENT REPORTING STRONG SMOKE ODOR

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
E4									
Count:									
1									
CAD Officer in Charge: Davy, Matthew									
CF22-8840	03/12/2022 09:56:09	WATER	Initiated	No	87	M6	1599 West 300 South		WATER POOLING IN COMP BACKYARD..UP TO HIS PORCH,,POSS WATER MAIN BREAK
CF22-8920	03/12/2022 23:11:24	ALARMF	Initiated	No	87	M6	360 South 200 West		FIRE ALARM ZONE 1... PALADIO APTS... MASA ROJAS 801-330-4909
CF22-11835	04/05/2022 18:43:50	HOUSE	Initiated	No	87	M2, LT2, M7, M8, UT10, M11, BC1, BC2, FD152, FD153, M6	1000 West EUCLID Avenue	B	CALLBK=(801)350-1680....HOUSE ON FIRE
Count:									
3									
CAD Officer in Charge: Doyle, Chad									
CF22-18191	05/24/2022 14:30:17	ALARMF	Initiated	No	88	EQ14	1935 South FREMONT Drive	B	BUSN: WESTERN FENCE...ZONE 6 GENERAL...ONSITE # 801-615-0897..808-769-2092...FALSE ALARM DUE TO A WELDER FUME
CF22-18267	05/25/2022 07:32:47	ALARMF	Initiated	No	88	EQ14	1935 South FREMONT Drive	B	WESTERN FENCE....FIRE ALARM....ZONE 6.....801-615-0897
Count:									
2									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count:									
1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count:									
1									
CAD Officer in Charge: George, Brady									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
Count:									
1									
CAD Officer in Charge: Halvorsen, Davin									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE... HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
Count:									
4									
CAD Officer in Charge: Harp, Michael									
CF22-17550	05/19/2022 15:01:31	REFUEL	Initiated	No	88	RD2, RD4	60 East PERIMETER	C	US MARSHALL 737
CF22-17592	05/19/2022 20:16:41	REFUEL	Initiated	No	88	RD2, RD4	25 East PERIMETER	C	B6 A320.
Count:									
2									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: Harwood, Blake									
CF22-18693	05/28/2022 10:14:35	STRUCT	Initiated	No	88	M2, LT2, E4, BC1, M1	309 East 100 South	A	CALLBK=(916)384-6211 ... IN THE PARKING GARAGE SMOKE AND PIPES ARE LEAKING
Count: 1									
CAD Officer in Charge: Harwood, Todd									
CF22-18746	05/28/2022 18:24:27	LINE	Initiated	No	88	M1	200 East 300 South	A	BETWEEN 200-300 S ON 200 E ON THE RT HANDSIDE IF YOUR HEADED EAST ...POWER POLE SNAPPED IN HALF STILL CONNECTED ALMOST TOUCHING THE GRASS ...
CF22-18769	05/28/2022 22:07:21	WATER	Initiated	No	88	M1	North E ST / E 1ST Avenue	A	LOTS OF WATER SHOOTING INTO THE AIR...IN FRONT OF SAFRON VALLEY RESTRARUANT...RUNNING INTO ROAD
CF22-18614	05/27/2022 16:24:56	ALARMF	Initiated	No	87	M1	331 East SOUTH TEMPLE Street	A	GENERAL FIRE ALARM // ZONE 1 FIRE PANEL // 801-328-8941 // REF 1246436650
CF22-18656	05/27/2022 21:15:23	ALARMF	Initiated	No	99	M5, M1	330 East 400 South	A	RESD GENERAL FIRE ALARM - EXCHANGE A APTS - ZONE 0 - NO SITE NUMBER... RP DERELL FELIX 801.598.1343.. UNK WHATS GOING ON... MAINTENANCE TECH LIVES ON SITE... IS UNAWARE BUT EN ROUTE TO FIRE PANEL
Count: 4									
CAD Officer in Charge: Henthorne, David									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
Count: 1									
CAD Officer in Charge: Higgins, Jimmie									
CF22-18899	05/30/2022 01:58:20	APT	Initiated	Yes	99	M5, M7, M8, E10, UT10, M11, E13, BC1, BC2, FD153, FD180, LT8, M6, LT5, M1, M2, LT2, M3, E4	243 South 300 East	B	
Count: 1									
CAD Officer in Charge: Hill, Cary									
CF22-19136	06/01/2022 09:59:12	GRASS	Initiated	No	88	E10, BC1, EW6132, EW6131	South PARLEYS WAY / S FOOTHILL Drive	C	TRANSIENT STARTED A FIRE AT LOC TO KEEP WARM/ FIRE IS NOW SPREADING
Count: 1									
CAD Officer in Charge: Hill, John									
CF22-19336	06/02/2022 19:23:30	MISCF	Initiated	No	88	E13	1829 East REDONDO Avenue	A	NEIGHBOR HAS A FIRE GOING IN BACK YARD BIGGER THAN REGULATION PER COMP.. ASHES GOING ALL OVER WANTS IT CHECKED OUT
Count: 1									
CAD Officer in Charge: Hovermale, Matthew									
CF22-19007	05/31/2022 07:51:04	ALARMF	Initiated	No	88	E4	1381 East PENROSE Drive	B	FIRE ALARM RESD...SHANE WILLIAMS 801 532 5232...ZONE 99
Count: 1									
CAD Officer in Charge: Jepperson, Chad									
CF22-18011	05/23/2022 05:39:43	MISCF	Initiated	No	99	EQ14, M6	1880 South 1045 West	A	HOMELESS CAMP TENTS ON FIRE, UNDER NEATH A TREE
CF22-8867	03/12/2022 15:08:31	LOCKP	Initiated	No	87	M6	1171 South 1300 West		20 MONTH OLD CHILD LOCKED INSIDE A SILVER CHEVY SILVERADO TRUCK...KEY IS IN THE IGNITION, BUT THE VEH IS NOT RUNNING ... SEE RELATED CP#: SL22-

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
44658									
Count: 2									
CAD Officer in Charge: Jeppson, Zachary									
CF22-18259	05/25/2022 05:49:59	ALARMF	Initiated	No	87	M7	866 West SOUTH TEMPLE Street	B	FIRE ALARM.....ZONE 1.....FRONT DESK 801-300-4205 OR RP MIKE SMITH 801-702-9660.....REF#AE101883
Count: 1									
CAD Officer in Charge: Kochevar, Kevin									
CF22-18001	05/23/2022 02:45:26	ALARMF	Initiated	No	88	M1	130 South 500 East	A	ZONE 1 FIRE ALARM....PREMISE 801-364-7441
CF22-19317	06/02/2022 17:22:15	ALARMF	Initiated	No	87	M1	866 East SOUTH TEMPLE Street	A	COMM GENERAL- HAVEN BOND HOUSE - ZONE 1 - NO PREMISE # - RP TROY 801.580.1062... RP NOT ON SCENE... WILL CB W/ UPDATE... NO SITE #
CF22-17172	05/16/2022 20:07:04	ALARMF	Initiated	No	99	M1, M2	175 South 300 East	A	BUSINESS MAGNOLIA...POINT 46 GENERAL FIRE ALARM....RP DON 801-509-6235...REFERNCE NUMBER A16552
CF22-16332	05/10/2022 22:50:46	ALARMF	Initiated	No	88	M1	660 South 300 East	A	RESID FIRE ALARM.....RP JOHN LARRY 385-528-3110
CF22-16343	05/11/2022 01:34:15	LGASLE	Initiated	No	87	E4, M5, H10, BC1, H14, LT5, M1	639 East 500 South	A	ODOR OF NATURAL GAS INSIDE THE APT COMPLEX (HAS ABOUT 6 UNITS)
Count: 5									
CAD Officer in Charge: Koetitz, Paul									
CF22-19011	05/31/2022 08:14:17	ALARMF	Initiated	No	88	EQ14	1935 South FREMONT Drive	B	COMMERCIAL FA...WESTERN FENCE...801 615 0897 PREMISE.....REBECCA 801 615 0897....FALSE ALARM PER REBECCA
Count: 1									
CAD Officer in Charge: Maddux, John									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
Count: 2									
CAD Officer in Charge: McNeill, John									
CF22-18864	05/29/2022 18:21:53	ALERT	Initiated	No	98	BC2, RD1, RD2, RD3, RD4, RD5, RD6, M12, BLU24	120 RUNWAY 16R34L	B	A330 5 MILE FINAL ETA 5MIN
Count: 1									
CAD Officer in Charge: Menlove, Gary									
CF22-19314	06/02/2022 16:45:58	ARESCU	Initiated	No	88	M7	1500 West 600 North	A	15 INCH LINE .. DUCKS CAUGHT IN THE STORM DRAIN .. COMP WORKS FOR CITY PUBLIC STORM
CF22-19257	06/02/2022 11:00:26	PUBLIC	Initiated	No	88	M7	105 North 700 Street West	A	1ST CONSTRUCTION: ON THE EAST SIDE OF THE BLDG. ENCLOSED WHT UTILITY TRAILER W/GRN AND BLK DESIGN...PS FEMALE AND DOG LIVING OUT OF IT..MALE CAME INTO THE AREA APRX 0638-0640 HRS THIS MORNING AND LOCKED THE TRAILER W/FEMALE AND DOG STILL PS INSIDE OF IT..COMP CONCERNED DUE TO NO VENTILATION ... SEE RELATED CP#: SL22-103535 - FD
CF22-19276	06/02/2022 12:31:10	ALARMF	Initiated	No	88	M7	1569 West NORTH TEMPLE Street	A	ZONE 201 GENERAL WATERFLOW...RMP SERVICE CENTER...NO INSIDE PHONE #
CF22-19283	06/02/2022 13:16:22	ALARMW	Initiated	No	87	LT2, M7	1569 West NORTH TEMPLE Street	A	ZONE 203 GENERAL/WATERFLOW...RMP SERVICE CENTER...NO INSIDE PHONE #

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 4									
CAD Officer in Charge: Meyer, Bryon									
CF22-19241	06/02/2022 08:56:01	PUBLIC	Initiated	No	88	LT2	48 West MARKET Street	A	M CALLED NON EMERG AND SAID 1 PERSON STUCK IN ELEVATOR/ DISC AND SAID ELEVATOR TECH ON SCENE/ NO ASST NEEDED
CF22-18019	05/23/2022 08:28:20	ALARMF	Initiated	No	87	M2	345 West NORTH TEMPLE Street	B	FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058
Count: 2									
CAD Officer in Charge: Mickelson, Derek									
CF22-18609	05/27/2022 15:16:56	DIAB	Initiated	No	79	M2, GC590, SQ6, EQ14, M1	730 West 2100 S[JERRY SEINER]	A	COMP IS EMPLOYEE/ COMPS BLOOD SUGAR IS VERY LOW
Count: 1									
CAD Officer in Charge: Mortensen, Daniel									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
Count: 3									
CAD Officer in Charge: Parks, Paul									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
Count: 4									
CAD Officer in Charge: Rock, Nathan									
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
CF22-18597	05/27/2022 13:25:16	PUBLIC	Initiated	No	100	M1	243 South 300 East	A	ASSIST PT UP STEPS
Count: 2									
CAD Officer in Charge: Rockwood, Wade									
CF22-19271	06/02/2022 12:16:53	ALARMF	Initiated	No	87	EQ14	1935 South FREMONT Drive	A	ZONE 5 AND ZONE 6 BOTH GENERAL FIRE...WESTERN CENTS...801 615 0897
Count: 1									
CAD Officer in Charge: Shafer, Curtis									
CF22-17645	05/20/2022 11:07:48	APT	Officer reviewed	No	88	M2, LT2, M3, E4, M7, M8, BC2, FD154, FD158, LT8, EQ14	504 West 300 South	C	MACARONI AND ART SPACE BLDG ON FIRE... LARGE PORTION OF THE BLDG ON FIRE...
Count: 1									
CAD Officer in Charge: Shumway, Brandon									
CF22-12805	04/13/2022 07:55:52	MISCF	Initiated	No	88	M7	916 West NORTH TEMPLE Street	B	CALLBK=(385)310-5091 SHOPPING CART ON FIRE
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE #,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
Count: 4									
CAD Officer in Charge: Silverthorne, Robert									
CF22-19302	06/02/2022 15:50:15	ARESCU	Initiated	No	88	M3	1716 South 900 East	A	NEAR APT BLDGS... WHI 4DR VEH @G989RC/ LEFT A SMALL DOG INSIDE THE VEH THE WINDOW IS CRAKED A LITTLE BIT.. SOUNDED LIKE THE DOG WAS IN DISTRESS WAS WHINNING ... SEE RELATED CP#: SL22-103710
CF22-19337	06/02/2022 19:34:02	ALARMF	Initiated	No	88	M3	1132 East WILMINGTON Avenue	A	COMMERCIAL FIRE.. BLDG F .. SUGARHOUSE SHOPPING CENTER.. FIRST FLOOR ELEVATOR SMOKE ZONE 12 .. RP BRANCE GEENHLAGH.. 801-870-3185
Count: 2									
CAD Officer in Charge: Snow, Ryan									
CF22-19286	06/02/2022 13:31:43	ALARMF	Initiated	No	87	EQ9	5995 West 300 South	A	COSTCO DEPOT.....PUMPHOUSE WATERFLOW....INSIDE NUMBER 801-333-3561.....
Count: 1									
CAD Officer in Charge: Staheli, Brian									
CF22-19289	06/02/2022 13:46:25	LOCKP	Initiated	No	88	E10	1778 East HARVARD Avenue	A	BABY LOCKED IN VEH/VEH ON...BLK SUBARU CROSSTREK...AC ON ... SEE RELATED CP#: SL22-103635

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 1									
CAD Officer in Charge: Stevens, Michael									
CF22-18437	05/26/2022 12:12:58	ALERT	Initiated	No	87	M11, RD2, RD3, RD4	560 RUNWAY 1735[SIMULATION TEST]	C	SIMULATION - FOR ST11 ONLY AIRCRAFT INCIDENT RW 17 / 35 AT TW K7.
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Initiated	No	87	ET1	575 North JOHN GLENN Road		CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Taylor, Matthew									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF22-19278	06/02/2022 12:51:56	PIPE	Initiated	No	88	LT8	2100 South STATE Street	A	STARBUCKS...SPRINKLER SYSTEM LEAKING A LOT...ON NORTH SIDE OF BLDG ALONG DRIVE THRU
Count: 2									
CAD Officer in Charge: Valdez, Christopher									
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST ...2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	87	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466
CF22-18161	05/24/2022 10:16:17	ALARMF	Initiated	No	87	M2	353 West 200 South	B	COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	No	99	M2, M5	350 South 200 East	B	GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS..WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
Count: 18									
CAD Officer in Charge: Valente, Gianni									
CF22-19244	06/02/2022 09:21:24	ALARMF	Initiated	No	87	M2	185 North WEST TEMPLE Street	A	GENERAL FIRE ALARM / WEST TEMPLE APTS/ ZONE 2... SEC # 801 573 3231
CF22-19301	06/02/2022 15:47:47	ALARMF	Initiated	No	87	M2	185 North WEST TEMPLE Street	A	WEST TEMPLE APTS/ FIRE PANEL ALARM ZONE 2... SEC # 801 573 3231
CF22-19335	06/02/2022 19:16:11	ODOR	Initiated	No	88	M2	377 East 200 South	A	ODOR OUTSIDE.. COMING INSIDE AS WELL UNK WHERE ITS COMING FROM.. BURNING EMPLOYEES THROATS AND NOSES.. SMELLS LIKE A SOLVENT .. ADVISED TO EVAC
Count: 3									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
Count: 128									

Report Criteria

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.