

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

06/07/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-16669	05/13/2022 14:11:05	FUEL	Initiated	No	87	RD2, RD4	505 East PERIMETER	C	1/2 GALLON AND STILL LEAKING ... SEE RELATED CP#: AP22-15063
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT... LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-19855	06/07/2022 00:42:31	TRUCK	Initiated	Yes	94	M2, LT2, M11, BC1, BC2, FD154, FD158, M6, H14, M7	47 North 800 Street West	C	BETWEEN NORTH AND SOUTH TEMPLE.....MOBILE HOME ON FIRE.....UNKN IF ANYONE IS INSIDE
<b>Count: 19</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF22-19902	06/07/2022 11:10:40	HOUSE	Initiated	No	87	EQ14, LT8, M2, LT2, M11, BC2	1821 West 1700 North	C	DRYER ON FIRE ..HOUSE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF22-18494	05/26/2022 19:34:46	COMM	Initiated	No	89	BC1, M7, E4, LT2, M2, LT8, M1	350 North STATE Street	C	EAST BLDG....TWO UHP ON SITE...SMELLS SMOKE..NO FLAMES FIRE ALARM GOING OFF
<b>Count: 1</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-19237	06/02/2022 08:00:41	ALARMF	Initiated	No	87	EQ9	431 North NEIL ARMSTRONG Road	C	
<b>Count: 1</b>									
<b>CAD Officer in Charge: Burk, Christopher</b>									
CF22-18872	05/29/2022 20:47:48	MISCF	Officer reviewed	No	100	M2	235 South RIO GRANDE Street	B	SMALL TRANSIENT FIRE OUT FRONT OF WEIGAND CENTER
CF22-18914	05/30/2022 05:32:31	ALARMF	Officer reviewed	No	100	M2	230 West 500 South	B	CRYSTAL INN - GEN FIRE ALARM
CF22-18917	05/30/2022 05:47:46	ALARMF	Officer reviewed	No	100	M2	230 West 500 South	B	ZONE 3 GEN - INSIDE #801-328-4466
<b>Count: 3</b>									
<b>CAD Officer in Charge: Burton, Anthony</b>									
CF22-18805	05/29/2022 05:29:30	HYD	Initiated	No	88	M5	443 South 900 East	A	OFC SAW HYDRANT LEAKING
<b>Count: 1</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-19609	06/04/2022 21:36:45	HIKER	Officer reviewed	No	100	E10, BC1, GC589, HV5, M5	300 South WAKARA Way	B	USING COORDS 40.76666 -111.818504 - MALE ON INITIAL - PH2/6M - RAPIDSOS ADDR 5M - MALE SAID DINNER TABLE TRAIL - MALE NOT FROM HERE AND JUST GOT HERE YESTERDAY - LINE WENT MUTE AND MALE DISCO ... SEE RELATED CP#: SL22-105339
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davis, Brandon</b>									
CF22-19935	06/07/2022 15:52:12	PUBLIC	Initiated	No	87	M2, LT2	55 South WEST TEMPLE Street	C	NORDSTROM AT CITY CREEK, CUSTOMERS TRAPPED IN THE ELEVATOR, UNKN INJ
<b>Count: 1</b>									
<b>CAD Officer in Charge: Davis, Jayde</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-19775	06/06/2022 11:00:34	ALARMF	Initiated	No	88	M2	355 North 500 West	C	SMOKE DECTECTOR ..ZONE 28.. BUISNESS..PROJECT OPEN..801-916-5148..RP ANDY 385-250-8175..REF #S95302
CF22-19791	06/06/2022 14:23:06	ODOR	Initiated	No	88	M2	623 North WALL Street	C	WEST OF DISP ADDR....SMELLS LIKE SOMETHING TOXIC IS BURNING
<b>Count: 2</b>									
<b>CAD Officer in Charge: Doyle, Chad</b>									
CF22-18191	05/24/2022 14:30:17	ALARMF	Initiated	No	88	EQ14	1935 South FREMONT Drive	B	BUSN: WESTERN FENCE...ZONE 6 GENERAL...ONSITE # 801-615-0897..808-769-2092...FALSE ALARM DUE TO A WELDER FUME
CF22-18267	05/25/2022 07:32:47	ALARMF	Initiated	No	88	EQ14	1935 South FREMONT Drive	B	WESTERN FENCE....FIRE ALARM....ZONE 6.....801-615-0897
<b>Count: 2</b>									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Initiated	No	88	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count: 1</b>									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count: 1</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE... HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
<b>Count: 4</b>									
<b>CAD Officer in Charge: Harp, Michael</b>									
CF22-17550	05/19/2022 15:01:31	REFUEL	Initiated	No	88	RD2, RD4	60 East PERIMETER	C	US MARSHALL 737
CF22-17592	05/19/2022 20:16:41	REFUEL	Initiated	No	88	RD2, RD4	25 East PERIMETER	C	B6 A320.
<b>Count: 2</b>									
<b>CAD Officer in Charge: Harwood, Blake</b>									
CF22-19539	06/04/2022 08:19:31	ALARMF	Initiated	No	87	EQ9	5575 West AMELIA EARHART Drive	A	FIRE ALARM // ZONE 1 AND ZONE 4 GENERAL FIRE // 801-537-7020 // REF AE04I0611
<b>Count: 1</b>									
<b>CAD Officer in Charge: Henthorne, David</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Higgins, Jimmie</b>									
CF22-18899	05/30/2022 01:58:20	APT	Initiated	Yes	99	M5, M7, M8, E10, UT10, M11, E13, BC1, BC2, FD153, FD180, LT8, M6, LT5, M1, M2, LT2, M3, E4	243 South 300 East	B	
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jeppson, Zachary</b>									
CF22-19916	06/07/2022 13:19:52	ARESCU	Initiated	No	100	M7, M6	577 South 900 West	C	DOG LOCKED IN VEH FOR AT LEAST 5 MINS, UNK IF IN DISTRESS...SOUTH OF LIBRARY ACROSS THE STREET....NEWER GRY CADILLAC UT/F315DA ... SEE RELATED CP#: SL22-107120
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jorgensen, Brandon</b>									
CF22-19762	06/06/2022 08:17:32	PUBLIC	Initiated	No	88	M11	224 North SUN ARBOR Terrace	B	VEH WAS LEAKING GAS...AAA REQUESTING THE FIRE DEPT TO CONFIRM ITS SAFE PRIOR TO TOW...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kajma, Eric</b>									
CF22-19880	06/07/2022 07:21:24	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	GEN FIRE ALARM...KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-19494	06/03/2022 21:30:21	PUBLIC	Initiated	No	88	M1	210 East 400 South	A	WATER LEAK...NEAR THE NORTHSIDE OF THE PROPERTY..IN THE EDIBLE GARDEN....
<b>Count:</b> 1									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-19895	06/07/2022 10:01:18	ALARMF	Initiated	No	88	EQ9	5650 West 610 South	C	GENERAL FIRE...ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335
CF22-19948	06/07/2022 17:54:29	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	COMMERCIAL ALARM..KEYPAD 13 ...SIERRIA FORREST PRODUCTS...801 972 3377
<b>Count:</b> 2									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-19582	06/04/2022 17:30:21	PUBLIC	Initiated	No	87	LT5, M1	660 South 300 East	B	SOMONE IS STUCK IN THE ELEVATORS ON THE FIRST FLOOR.. SAID THEY CAN HEAR SOMONE STUCK INSIDE
CF22-19742	06/06/2022 03:03:38	PIPE	Initiated	No	88	LT5	760 South 900 East	B	ACDIA APTS.....APT IS FLOODING.....PIPE THROUGH WASHER BROKE.....MAINT IS ENROUTE
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
<b>Count:</b> 4									
<b>CAD Officer in Charge: McNeill, John</b>									
CF22-18864	05/29/2022 18:21:53	ALERT	Officer reviewed	No	98	BC2, RD1, RD2, RD3,	120 RUNWAY 16R34L	B	A330 5 MILE FINAL ETA 5MIN

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
						RD4, RD5, RD6, M12, BLU24			
<b>Count:</b> 1									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-18019	05/23/2022 08:28:20	ALARMF	Initiated	No	87	M2	345 West NORTH TEMPLE Street	B	FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mickelson, Derek</b>									
CF22-18609	05/27/2022 15:16:56	DIAB	Initiated	No	79	M2, GC590, SQ6, EQ14, M1	730 West 2100 S[JERRY SEINER]	A	COMP IS EMPLOYEE/ COMPS BLOOD SUGAR IS VERY LOW
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
<b>Count:</b> 3									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-	04/16/2021	PDASST	Initiated	No	84	GC589	1364 West		COMPS DAUG VS BF ....PHYSICAL... BF ON

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
11158	12:43:25						GLENROSE Drive		THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-19754	06/06/2022 07:25:00	PIPE	Initiated	No	87	LT2	215 South 300 East	B	THE RAINIER APTS...WATER COMING FROM UNDERNEATH THE SINK....CONTACTED MAINT..NO ANSWER....
<b>Count:</b> 5									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-19870	06/07/2022 06:21:47	ALARMF	Initiated	No	88	M1	419 East 200 South	C	WEST CLIFF APARTMENTS - NO FLAMES OR SMOKE
CF22-19857	06/07/2022 01:17:46	COMM	Initiated	No	88	E4, M5, M8, BC1, LT8, LT5, M1	508 East 300 South	C	CAN SMELL SOMETHING BURNING INSIDE THE BLDG.....NO FLAMES OR SMOKE VISIBLE
CF22-19842	06/06/2022 21:33:09	APT	Initiated	No	88	E4, M5, M8, BC1, LT8, LT5, M1	454 South 500 East	C	FIRE ALARM GOING OFF....CLOTH LEFT ON A BURNER, SMOKE...NO FLAMES...FIRE IS OUT
CF22-19816	06/06/2022 18:14:21	ALARMF	Initiated	No	88	M1	230 East BROADWAY Street	C	GENERAL FIRE..ZONE 1..BUSINESS..BROADWAY TOWER..801-560-2435 ...RP LANCE JACKSON 801-560-2435
CF22-19925	06/07/2022 14:15:21	ALARMF	Initiated	No	87	M1	349 South 200 East	C	GENERAL FIRE..ZONE 4...BUISNESS...SLC CORP PLAZA 349...801-535-6653 RP 801-301-0901 SUPERVISOR..JIM CLEVELAND..801-514-0357..RILEY BURG..801-509-1108 RF AN3114
CF22-19915	06/07/2022 12:54:03	ALARMF	Initiated	No	88	M1	699 East SOUTH TEMPLE Street	C	POTOMAC BLDG ....ALARMS GOING OFF IN THE BLDG SINCE LAST NIGHT ...OWNER OF THE BDG DAN LOOSE...801-243-0705 COMP HAS TRIED CALLING BLDG OWNER ONLY VM
CF22-19884	06/07/2022 07:37:29	ALARMF	Initiated	No	87	M1	28 South STATE Street	C	BUSN: CITY CREEK FOOD COURT...FIRE ALARM SUPERVISORY, PS A TROUBLE ALARM, ALARM CO WAS UNSURE
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
<b>Count:</b> 8									
<b>CAD Officer in Charge: Rockwood, Wade</b>									
CF22-19519	06/04/2022 02:36:17	ALARMF	Initiated	No	87	EQ14	2445 West 1500 South	A	SUITE F.....DTS....ZONE 992...801 661 6429...SPEAKING WITH TYLER...SAID THEY ARE HAVING ISSUES WITH ZONE 992 AND IT SHOULD BE IN TEST MODE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Shafer, Curtis</b>									
CF22-19877	06/07/2022 06:52:39	HOUSE	Initiated	No	87	M2, LT2, M7, BC2, LT8, M6	815 West EMERIL Avenue	C	CAME INTO WORK TO A SMOLDERING OFFICE BLDG
CF22-19881	06/07/2022 07:30:45	MISCF	Initiated	No	88	M7	1660 West 500 North	C	SEVERAL M'S UNDER THE BRIDGE AT 500 N, BURNING THINGS AND DANCING AROUND IT...THIS IS THE BRIDGE THAT GOES OVER THE CANAL...PS DRUG USE AS WELL
CF22-19866	06/07/2022 04:50:14	STRUCT	Initiated	No	88	M2, LT2, M7, M11, BC2	800 West NORTH TEMPLE Street	C	TRAILER OFC BEHIND A CONSTRUCTION SITE...BEHIND THE GATWAY INN.....SAW FLAMES AND SMOKES ON THE TOP OF THE TRAILER
CF22-19939	06/07/2022 16:15:00	APT	Initiated	No	87	BC1, LT8, M6, LT5, LT2, E4, M7, M8	274 West 200 South	C	HOUSE FIRE ALARM GOING OFF...SOUNDING THROUGH THE ENTIRE BUILDING..CANNOT SEE FLAMES OR SMOKE
<b>Count:</b> 4									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-	04/01/2022	ALARMF	Initiated	No	87	E10	1912 East	B	ZONE 27 GARAGE SMOKE ALARM... RESD



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
11285	08:23:12						YALECREST Avenue		OF MARK RUIN... NO PREMISE # ... CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
<b>Count:</b> 3									
<b>CAD Officer in Charge: Stevens, Michael</b>									
CF22-18437	05/26/2022 12:12:58	ALERT	Initiated	No	87	M11, RD2, RD3, RD4	560 RUNWAY 1735[SIMULATION TEST]	C	SIMULATION - FOR ST11 ONLY AIRCRAFT INCIDENT RW 17 / 35 AT TW K7.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAYER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST ...2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	87	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-18161	05/24/2022 10:16:17	ALARMF	Initiated	No	87	M2	353 West 200 South	B	COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	No	99	M2, M5	350 South 200 East	B	GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
<b>Count: 18</b>									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF22-19883	06/07/2022 07:35:46	PUBLIC	Initiated	No	88	LT2	538 North 200 West	C	NEEDS HELP MOVING HUSBAND FROM BED TO COUCH
CF22-19790	06/06/2022 14:16:14	ARESCU	Initiated	No	87	M2, LT2	254 South 200 West	C	RED ROCKS ..... BLACK SUV .... DOG IN DISTRESS IN VEH .....COMP IS NO LONGER AT RESTAURANT ..... COMP SAYS DRIVER WAS ALSO DRUNK ... SEE RELATED CP#: SL22-106477
CF22-19841	06/06/2022 21:12:15	PUBLIC	Initiated	No	88	LT2	44 West 300 South	C	STUCK IN AN ELEVADOR AT AMERICAN TOWERS
CF22-19930	06/07/2022 15:18:05	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	C	ELEVATOR BACK CORRIDOR NORTH SIDE ..OFF OF 50S MAIN.. WILL HAVE OFFICER TO DIRECT.. 2 PEOPLE STUCK IN ELEVATOR BETWEEN FIRST AND SECOND FLOOR
<b>Count: 4</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Werner, Jake</b>									
CF22-19812	06/06/2022 17:21:29	ALARMW	Initiated	No	87	LT2, LT8, M6	1317 South 700 West	C	WATERFLOW RISER ZONE3 OFFICE..BUSINESS..NAPPA ..801-556-3000 RP COLBY PETERSON 435-262-0743
CF22-19860	06/07/2022 02:13:45	ALARMF	Initiated	No	88	M6	736 South 1000 West	C	CO ALARM IS GOING OFF.....NO ONE SICK OR INJURED
<b>Count: 2</b>									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
<b>Count: 1</b>									
<b>CAD Officer in Charge: Worthington, Jared</b>									



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-19784	06/06/2022 13:23:14	ALARMF	Initiated	No	87	M5	618 East SEGO Avenue	C	RESD FIRE ALARM, WENDY MENDENHALL RESD...BASEMENT SMOKE DETECTOR...UNKN TYPE OF BUILDING...801-403-5426
<b>Count:</b> 1									
<b>Count:</b> 121									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).