

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

06/11/2022



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------|---------------------|--------|------------------|---------|-------|-------------------------------------------|--------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF22-20358 | 06/10/2022 20:02:21 | MISCF | Initiated | No | 86 | EQ9 | 5600 West AMELIA EARHART Drive | B | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 95 | M3 | 1237 East BRICKYARD Road | B | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF21-37094 | 11/07/2021 21:52:52 | PASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE |
| CF22-8910 | 03/12/2022 22:10:44 | FUEL | Initiated | No | 86 | RD2, RD4 | 505 TAXIWAY K | | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431 |
| CF22-12397 | 04/10/2022 00:57:11 | ABITE | Initiated | No | 83 | E43, ME101 | 3663 South 300 West | | ... SEE RELATED CP#: LK22-11750 - FM |
| CF22-15162 | 05/01/2022 20:46:15 | ELEC | Initiated | No | 86 | BC41, E41 | 700 East I80E EB Freeway | | APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA |
| CF22-11714 | 04/04/2022 19:05:16 | PUBLIC | Initiated | No | 87 | BC1 | 211 South 500 East | A | TEST TEST TEST |
| CF22-16353 | 05/11/2022 05:23:27 | AUTO | Initiated | No | 84 | MA73 | 2175 South REDWOOD Road | | IN FRONT OF THE MAVERIK |
| CF22-16448 | 05/11/2022 19:36:58 | PUBLIC | Officer reviewed | No | 100 | M2 | 400 South WEST TEMPLE Street | B | MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST |
| CF22-16669 | 05/13/2022 14:11:05 | FUEL | Initiated | No | 87 | RD2, RD4 | 505 East PERIMETER | C | 1/2 GALLON AND STILL LEAKING ... SEE RELATED CP#: AP22-15063 |
| CF22-17626 | 05/20/2022 06:39:25 | STROK | Initiated | No | 84 | GC523 | 1516 East HOLLYWOOD Avenue | | C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE |
| CF22-18025 | 05/23/2022 09:24:39 | FUEL | Initiated | No | 87 | BLU28 | 765 North 2200 West | | FUEL SPILL ON BASE |
| CF22-19058 | 05/31/2022 16:00:53 | PASST | Initiated | No | 86 | FD157 | 210 West 500 South | | EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT... LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD |
| CF22-19855 | 06/07/2022 00:42:31 | TRUCK | Initiated | Yes | 94 | M2, LT2, M11, BC1, BC2, FD154, FD158, M6, | 47 North 800 Street West | C | BETWEEN NORTH AND SOUTH TEMPLE.....MOBILE HOME ON FIRE.....UNKN IF ANYONE IS INSIDE |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|-------------------------------------------------|---------------------|--------|------------------|---------|-------|----------------|-------------------------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| H14, M7 | | | | | | | | | |
| Count: 20 | | | | | | | | | |
| CAD Officer in Charge: Archuleta, Adam | | | | | | | | | |
| CF22-19971 | 06/07/2022 22:21:15 | ARESCU | Officer reviewed | No | 100 | LT8 | 900 South LAKE Street | C | DUCKS STUCK IN STORM DRAIN ON NE SIDE OF INTERSECTION... NFD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Baum, Darren | | | | | | | | | |
| CF22-19237 | 06/02/2022 08:00:41 | ALARMF | Initiated | No | 87 | EQ9 | 431 North NEIL ARMSTRONG Road | C | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Bills, Jared | | | | | | | | | |
| CF22-20332 | 06/10/2022 17:52:18 | ARESCU | Initiated | No | 88 | LT8 | 455 South 500 East | B | MID SIZE WHI DOG PANTING HEAVILY...WHI HYUN SMALL SUV @V260MB...WEST PARKING LOT ... SEE RELATED CP#: SL22-109331 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Burk, Christopher | | | | | | | | | |
| CF22-18872 | 05/29/2022 20:47:48 | MISCF | Officer reviewed | No | 100 | M2 | 235 South RIO GRANDE Street | B | SMALL TRANSIENT FIRE OUT FRONT OF WEIGAND CENTER |
| CF22-18914 | 05/30/2022 05:32:31 | ALARMF | Officer reviewed | No | 100 | M2 | 230 West 500 South | B | CRYSTAL INN - GEN FIRE ALARM |
| CF22-18917 | 05/30/2022 05:47:46 | ALARMF | Officer reviewed | No | 100 | M2 | 230 West 500 South | B | ZONE 3 GEN - INSIDE #801-328-4466 |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20-29532 | 09/12/2020 10:22:19 | 65A03 | Initiated | No | 88 | EW6091, EW6092 | 10914 West I80W EB Freeway | | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDASST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Crandall, Steve | | | | | | | | | |
| CF22-20081 | 06/08/2022 18:27:16 | PUBLIC | Initiated | No | 99 | HV5, LT5 | 1040 East SUGARMONT Drive | A | PLAYGROUND BY THE SKATEPARK...FRIEND STUCK IN THE TODDLER SWING...13 YOF |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Dahle, Chad | | | | | | | | | |
| CF22-20268 | 06/10/2022 09:36:43 | ALARMF | Initiated | No | 88 | M1 | 115 South 300 East | B | COMM SMOKE DETECTOR, ZONE 2... 801-590-4430... NO ANSWER ON CB |
| CF22-20302 | 06/10/2022 14:28:15 | ALARMF | Initiated | No | 88 | H14, M1 | 243 South 300 East | B | HAVE E1 GO AND DO A CO CHECK.....COMP TALKED TO BC ALLRED....CO ALARM GOING OFF...// CREW CALLED COMP TO REPORT IT... CREW OUTSIDE WAITING FOR FD TO DIRECT... // NEG SICK OR INJ |
| CF22-20348 | 06/10/2022 19:05:18 | ALARMF | Initiated | No | 88 | M1 | 151 South STATE Street | B | COMM GENERAL ALARM, ZONE 0... LIBERTY SKY APTS... 385-831-0100... REF#M404530 |
| CF22- | 06/10/2022 | ALARMF | Initiated | No | 88 | M2, LT2, E4, | 136 South 300 | B | COMMERCIAL GENERAL FIRE ALARM - |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|------------------------------------------------|---------------------|--------|------------------|---------|-------|---------------------------------------------|--------------------------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 20368 | 21:09:08 | | | | | M5, M7, UT10, BC1, BC2, FD152, LT8, M1 | East | | DOWNING APARTMENTS - ZONE 1 - 530-718-8199 |
| CF22-20377 | 06/10/2022 22:17:46 | ALARMF | Initiated | No | 88 | M1 | 136 South 300 East | B | COMMERCIAL GENERAL FIRE ALARM - DOWNING APARTMENTS - ZONE 1 - 530-718-8199 |
| Count: 5 | | | | | | | | | |
| CAD Officer in Charge: Davies, Adam | | | | | | | | | |
| CF22-20301 | 06/10/2022 14:26:10 | ALARMF | Initiated | No | 88 | E10 | 2397 East 1300 South | B | ZONE 35 GAME ROOM CO ALARM ... FERGUSON RESIDENCE.. NO PREMISE #// KEYHOLDER CHANDRA FERGUSON # 801 599 4008 |
| CF22-19609 | 06/04/2022 21:36:45 | HIKER | Officer reviewed | No | 100 | E10, BC1, GC589, HV5, M5 | 300 South WAKARA Way | B | USING COORDS 40.76666 -111.818504 - MALE ON INITIAL - PH2/6M - RAPIDSOS ADDR 5M - MALE SAID DINNER TABLE TRAIL - MALE NOT FROM HERE AND JUST GOT HERE YESTERDAY - LINE WENT MUTE AND MALE DISCO ... SEE RELATED CP#: SL22-105339 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Davy, Matthew | | | | | | | | | |
| CF22-20327 | 06/10/2022 17:26:09 | ALARMF | Initiated | No | 87 | M6 | 660 South 300 East | B | GENERAL ALARM APT 406... 801 531 0202 VM ON CB... 801 487 2161.. VM AS WELL |
| CF22-20263 | 06/10/2022 08:39:47 | PUBLIC | Initiated | No | 88 | M6 | 1533 South 1300 West | B | |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Doyle, Chad | | | | | | | | | |
| CF22-18191 | 05/24/2022 14:30:17 | ALARMF | Initiated | No | 88 | EQ14 | 1935 South FREMONT Drive | B | BUSN: WESTERN FENCE...ZONE 6 GENERAL...ONSITE # 801-615-0897..808-769-2092...FALSE ALARM DUE TO A WELDER FUME |
| CF22-18267 | 05/25/2022 07:32:47 | ALARMF | Initiated | No | 88 | EQ14 | 1935 South FREMONT Drive | B | WESTERN FENCE...FIRE ALARM...ZONE 6.....801-615-0897 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Endemano, Edward | | | | | | | | | |
| CF22-3459 | 01/28/2022 15:59:33 | FIRE | Initiated | No | 88 | M12 | 500 EMPLOYEE LOT[STOP 4 | A | GARBAGE CAN ON FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21-18617 | 06/17/2021 16:52:56 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 South | | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: George, Brady | | | | | | | | | |
| CF22-12763 | 04/12/2022 19:46:48 | HOUSE | Initiated | Yes | 98 | M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5 | 2228 South LAKE Street | B | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---------------------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------------------------------------------------------------------------|---------------------------------|---------|-----------------------------------------------------------------------------------------|
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Harp, Michael | | | | | | | | | |
| CF22-17550 | 05/19/2022 15:01:31 | REFUEL | Initiated | No | 88 | RD2, RD4 | 60 East PERIMETER | C | US MARSHALL 737 |
| CF22-17592 | 05/19/2022 20:16:41 | REFUEL | Initiated | No | 88 | RD2, RD4 | 25 East PERIMETER | C | B6 A320. |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Henthorne, David | | | | | | | | | |
| CF22-9449 | 03/17/2022 13:06:09 | ACC | Initiated | No | 86 | FD191 | 1300 South 700 East | | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Higgins, Jimmie | | | | | | | | | |
| CF22-18899 | 05/30/2022 01:58:20 | APT | Initiated | Yes | 99 | M5, M7, M8, E10, UT10, M11, E13, BC1, BC2, FD153, FD180, LT8, M6, LT5, M1, M2, LT2, M3, E4 | 243 South 300 East | B | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kajma, Eric | | | | | | | | | |
| CF22-19880 | 06/07/2022 07:21:24 | ALARMF | Initiated | No | 88 | EQ9 | 5825 West HAROLD GATTY Drive | C | GEN FIRE ALARM....KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kochevar, Kevin | | | | | | | | | |
| CF22-20233 | 06/09/2022 23:36:32 | MISCF | Initiated | No | 88 | M1 | 300 South MAIN Street | A | GARBAGE CAN ON FIRE IN MIDDLE OF INTERSECTION |
| CF22-20254 | 06/10/2022 06:20:46 | MISCF | Initiated | No | 88 | M1 | 324 South STATE Street | A | GARBAGE CAN FIRE.. IN FRONT OF GINGTER ST BUILDING.. BLK SMOKE AND FLAMES SEEN... |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Koetitz, Paul | | | | | | | | | |
| CF22-19895 | 06/07/2022 10:01:18 | ALARMF | Initiated | No | 88 | EQ9 | 5650 West 610 South | C | GENERAL FIRE...ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335 |
| CF22-19948 | 06/07/2022 17:54:29 | ALARMF | Initiated | No | 88 | EQ9 | 5825 West HAROLD GATTY Drive | C | COMMERCIAL ALARM..KEYPAD 13SIERRIA FORREST PRODUCTS...801 972 3377 |
| CF22-20310 | 06/10/2022 15:19:41 | PUBLIC | Initiated | No | 88 | EQ9 | 202 North JIMMY DOOLITTLE Road | B | BEAR MACE DEPLOYED ON 2ND FLR, // NEG SICK OR INJ... |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Lightfoot, Aaron | | | | | | | | | |
| CF22-20334 | 06/10/2022 17:58:06 | ALARMF | Initiated | No | 88 | M8 | 865 South MAIN Street | B | FIRE ALARM.. PROPER BURGER ZONE 15 PREP ROOM SMOKE INSIDE # 801-953-1707 |
| CF22-20362 | 06/10/2022 20:25:22 | ALRMCO | Initiated | No | 88 | M8, H10 | 131 East WESTMINSTER Avenue | B | CARBON MONOXIDE ALARM GOING OFF AT LOC |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Mackintosh, William | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|-------------------------------------------------|---------------------|--------|--------------------------|---------|-------|-----------------------------------------------|-------------------------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CF22-20342 | 06/10/2022 18:42:15 | ELEC | Initiated | No | 85 | E13 | 2321 East 2100 South | B | ELECTRIC POLE AND FENCE ON FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Maddux, John | | | | | | | | | |
| CF22-20271 | 06/10/2022 10:05:16 | HYD | Initiated | No | 88 | M5 | 1300 South 900 East | B | FIRE HYDRANT IS FLOODING THE SOUTH SIDE OF INTERSECTION NEAR THE GAS STATION |
| CF22-19742 | 06/06/2022 03:03:38 | PIPE | Initiated | No | 88 | LT5 | 760 South 900 East | B | ACDIA APTS.....APT IS FLOODING.....PIPE THROUGH WASHER BROKE.....MAINT IS ENROUTE |
| CF22-19582 | 06/04/2022 17:30:21 | PUBLIC | Initiated | No | 87 | LT5, M1 | 660 South 300 East | B | SOMONE IS STUCK IN THE ELEVATORS ON THE FIRST FLOOR.. SAID THEY CAN HEAR SOMONE STUCK INSIDE |
| CF22-8935 | 03/13/2022 04:27:39 | PUBLIC | Initiated | No | 87 | LT5 | 1086 South 800 East | | |
| CF22-8865 | 03/12/2022 14:53:33 | LOCKP | Initiated | No | 86 | M5, LT5 | 600 East 900 South | | NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646 |
| Count: 5 | | | | | | | | | |
| CAD Officer in Charge: McNeill, John | | | | | | | | | |
| CF22-18864 | 05/29/2022 18:21:53 | ALERT | Officer reviewed | No | 98 | BC2, RD1, RD2, RD3, RD4, RD5, RD6, M12, BLU24 | 120 RUNWAY 16R34L | B | A330 5 MILE FINAL ETA 5MIN |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Meyer, Bryon | | | | | | | | | |
| CF22-20234 | 06/10/2022 00:08:26 | ALARMF | Initiated | No | 87 | M2 | 610 North 300 West | A | GENERAL FIRE ALARM... ZONE 0....801 539 7751.... |
| CF22-18019 | 05/23/2022 08:28:20 | ALARMF | Initiated | No | 87 | M2 | 345 West NORTH Temple Street | B | FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Moser, Shane | | | | | | | | | |
| CF22-9661 | 03/18/2022 21:55:39 | MISCF | Initiated | No | 100 | FD153, LT8 | 176 West 600 South | B | MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL |
| CF22-5910 | 02/17/2022 01:18:24 | HOUSE | Ready for Officer review | No | 100 | BC1, FD153, M8, M5, LT8, M6 | 1535 South WEST TEMPLE Street | B | ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE.. |
| CF22-4411 | 02/04/2022 16:46:39 | COMM | Initiated | No | 87 | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South | B | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR... |
| CF22-20399 | 06/11/2022 01:52:52 | ALARMF | Initiated | No | 88 | M5, LT8, BC1, E10, M8, LT2, M2 | 218 South 200 East | B | FIRE ALARM GOING OFF... SMELLS OF BURNED FOOD.... |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|------------------------------------------------|---------------------|--------|---------------|---------|-------|-------------------------------|-------------------------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Parks, Paul | | | | | | | | | |
| CF22-12711 | 04/12/2022 12:09:11 | ACC | Initiated | No | 86 | SQ6 | 223 West FAYETTE Avenue | | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF21-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF21-10548 | 04/11/2021 09:48:49 | PDASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PDASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950 | 07/29/2020 14:30:19 | 65A03 | Initiated | No | 88 | E13 | 6650 East I80E WB Freeway | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF22-20158 | 06/09/2022 10:57:47 | WATER | Initiated | No | 87 | M3 | 717 East DOWNINGTON Avenue | A | COMP IS PASSERBY .. WATER FLOWING OUT OF A CONCRETE BLOCK INTO THE STREET.....LOTS OF WATER COMING OUT... COMP NO LONGER ONSCENE |
| CF22-19754 | 06/06/2022 07:25:00 | PIPE | Initiated | No | 87 | LT2 | 215 South 300 East | B | THE RAINER APTS...WATER COMING FROM UNDERNEATH THE SINK....CONTACTED MAINT..NO ANSWER.... |
| Count: 6 | | | | | | | | | |
| CAD Officer in Charge: Rock, Nathan | | | | | | | | | |
| CF22-12186 | 04/08/2022 16:10:57 | PUBLIC | Initiated | Yes | 100 | M1 | 1035 East 300 South | C | MALE FELL |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Rushton, Joel | | | | | | | | | |
| CF22-20143 | 06/09/2022 09:04:44 | ALARMF | Initiated | No | 88 | M7 | 2177 West NORTH TEMPLE Street | A | RADISSON HOTEL FIRE GENERAL FIRE ZONE 8 SMOKE.. INSIDE # 801-364-5800.. REF # AC22340 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Sharp, Dallas | | | | | | | | | |
| CF22-20265 | 06/10/2022 09:05:32 | ALARMF | Initiated | No | 88 | EQ14 | 4752 West CALIFORNIA Avenue | B | BLDG A SUITE 1000 .. GENERAL FIRE ALARM FOR DURHAM BRANDS... PREMISE # 801 908 8111 ... VM ON CB |
| CF22-20315 | 06/10/2022 15:49:31 | ALARMF | Initiated | No | 87 | EQ14 | 2175 West 1700 South | B | COMM SMOKE DETECTOR, 2ND FLOOR KITCHEN... ABC4 801-975-4474 OR 801-975-4476... |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Shumway, Brandon | | | | | | | | | |
| CF22-11285 | 04/01/2022 08:23:12 | ALARMF | Initiated | No | 87 | E10 | 1912 East YALECREST Avenue | B | ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S |
| CF22-5893 | 02/16/2022 21:39:08 | APT | Initiated | No | 88 | M2, LT2, E4, M7, BC1, LT5, M1 | 228 East 1ST Avenue | B | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR |
| CF22- | 03/28/2022 | ODOR | Initiated | No | 88 | E4 | 860 East 3RD | C | CALLER PASSED BY - ODOR OF |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---------------------------------------------------|---------------------|--------|------------------|---------|-------|----------------------------------------|----------------------------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10793 | 05:57:25 | | | | | | Avenue | | GASOLINE |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Stevens, Michael | | | | | | | | | |
| CF22-18437 | 05/26/2022 12:12:58 | ALERT | Initiated | No | 87 | M11, RD2, RD3, RD4 | 560 RUNWAY 1735[SIMULATION TEST] | C | SIMULATION - FOR ST11 ONLY AIRCRAFT INCIDENT RW 17 / 35 AT TW K7. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Stringam, Reed | | | | | | | | | |
| CF22-20121 | 06/09/2022 03:02:21 | REFUEL | Initiated | No | 88 | RD2, RD3 | 60 East PERIMETER | A | JETBLUE A320 N3023J |
| CF22-3584 | 01/29/2022 17:26:29 | MISCF | Officer reviewed | No | 100 | ET1 | 575 North JOHN GLENN Road | A | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,, |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Taylor, Matthew | | | | | | | | | |
| CF22-8895 | 03/12/2022 18:48:19 | PUBLIC | Initiated | No | 87 | E13 | 2695 South 900 East | | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/ |
| CF22-20326 | 06/10/2022 17:27:46 | ARESCU | Initiated | No | 88 | E13 | 1133 East WILMINGTON Avenue | B | BLK CHEVY TRAVERSE @MFQ276.CO.2022.PC/ DOG IN THE VEH WONT STOP BARKING AND DOG IS PANTING ... SEE RELATED CP#: SL22-109307 |
| CF22-20341 | 06/10/2022 18:41:00 | MISCF | Initiated | No | 88 | E13 | 2031 East 2100 South | B | NEEDS FD..AUTOMATED SYSTEM... |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Valdez, Christopher | | | | | | | | | |
| CF22-8886 | 03/12/2022 17:43:58 | PUBLIC | Initiated | No | 87 | LT2 | 250 West 600 South | | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER |
| CF22-14079 | 04/23/2022 13:23:13 | PUBLIC | Initiated | No | 88 | LT2 | 45 West SOUTH TEMPLE Street | B | STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY |
| CF22-14085 | 04/23/2022 13:51:32 | PUBLIC | Initiated | No | 87 | LT2 | 50 South MAIN Street | B | CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE |
| CF22-14138 | 04/23/2022 22:06:31 | PUBLIC | Initiated | No | 88 | LT2 | 411 East SOUTH TEMPLE Street | B | PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP ... APPROX 6-8 PEOPLE NEG SICK OR INJURED |
| CF22-11273 | 04/01/2022 06:52:06 | COMM | Initiated | No | 84 | BC1, M8, M7, LT2, M2, LT8, M1 | 224 West 600 South | B | STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D |
| CF22-16377 | 05/11/2022 10:14:36 | COMM | Initiated | No | 88 | LT5, M1, M2, LT2, M3, M5 | 964 South 3800 West | B | RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER |
| CF22-15710 | 05/06/2022 08:56:51 | SMOKE | Initiated | No | 88 | M2 | 750 North VICTORY Road | B | CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID |
| CF22-15730 | 05/06/2022 11:38:31 | COMM | Initiated | No | 86 | M2, M3, E4, M5, M8, E10, BC1, LT8, LT5 | 220 South 200 East | B | FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM |
| CF22-15772 | 05/06/2022 18:06:47 | ALARMF | Initiated | No | 88 | M2 | 524 North MAIN Street | B | FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------------------|---------------------|--------|------------------|---------|-------|--------------|------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MONOXIDE WARNING. | | | | | | | | | |
| CF22-15773 | 05/06/2022 18:34:03 | ARESCU | Initiated | No | 87 | M2, LT2 | 48 West MARKET Street | B | 4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259 |
| CF22-17243 | 05/17/2022 10:20:47 | ALARMF | Officer reviewed | No | 100 | M2 | 320 South 200 West | B | PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO |
| CF22-17292 | 05/17/2022 16:27:16 | PUBLIC | Officer reviewed | No | 100 | M2 | 350 North MAIN Street | B | M2 |
| CF22-18034 | 05/23/2022 10:28:29 | ALARMF | Initiated | No | 87 | M2 | 169 East 200 South | B | GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ |
| CF22-18036 | 05/23/2022 10:54:55 | FUEL | Initiated | No | 88 | M2, LT2, H10 | 241 North 300 West | B | BEHIND THE STADIUM ON 4TH WEST2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR |
| CF22-18046 | 05/23/2022 11:49:36 | ALARMF | Officer reviewed | No | 100 | M2 | 185 North WEST TEMPLE Street | B | FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231 |
| CF22-18106 | 05/23/2022 20:19:15 | ALARMF | Initiated | No | 87 | M2 | 230 West 500 South | B | GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466 |
| CF22-18161 | 05/24/2022 10:16:17 | ALARMF | Initiated | No | 87 | M2 | 353 West 200 South | B | COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076 |
| CF22-18165 | 05/24/2022 10:50:47 | ALARMF | Initiated | No | 99 | M2, M5 | 350 South 200 East | B | GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080 |
| Count: 18 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Werner, Jake | | | | | | | | | |
| CF22-19812 | 06/06/2022 17:21:29 | ALARMW | Initiated | No | 87 | LT2, LT8, M6 | 1317 South 700 West | C | WATERFLOW RISER ZONE3 OFFICE..BUSINESS..NAPPA ..801-556-3000 RP COLBY PETERSON 435-262-0743 |
| CF22-19860 | 06/07/2022 02:13:45 | ALARMF | Initiated | No | 88 | M6 | 736 South 1000 West | C | CO ALARM IS GOING OFF.....NO ONE SICK OR INJURED |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Winkler, Scott | | | | | | | | | |
| CF22-19507 | 06/03/2022 23:04:34 | PDASST | Initiated | No | 87 | EW6041 | 64 East 300 North | | JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Worthington, Jared | | | | | | | | | |
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Zwahlen, Jon | | | | | | | | | |
| CF22-19784 | 06/06/2022 13:23:14 | ALARMF | Initiated | No | 87 | M5 | 618 East SEGO Avenue | C | RESD FIRE ALARM, WENDY MENDENHALL RESD...BASEMENT SMOKE DETECTOR...UNKN TYPE OF BUILDING...801-403-5426 |
| Count: 1 | | | | | | | | | |
| Count: 122 | | | | | | | | | |

Report Criteria

Record Status: Is Not Equal To Officer reviewed
Locked?: Is Not Equal To Yes
Incident Date Time: Is On or After 1/16/2018
Incident Number: Begins With CF
Code: Is Not Equal To ARSINV
Code: Is Not Equal To APSN
Apparatus: Is Not Equal To E41
Apparatus: Is Not Equal To E73
Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)