

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

06/16/2022



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------|---------------------|--------|------------------|---------|-------|---|------------------------------|---------|--|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 95 | M3 | 1237 East BRICKYARD Road | B | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-37094 | 11/07/2021 21:52:52 | PASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT ... ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFETY OFFICER ON SCENE |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF22-8910 | 03/12/2022 22:10:44 | FUEL | Initiated | No | 86 | RD2, RD4 | 505 TAXIWAY K | | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431 |
| CF22-12397 | 04/10/2022 00:57:11 | ABITE | Initiated | No | 83 | E43, ME101 | 3663 South 300 West | | ... SEE RELATED CP#: LK22-11750 - FM |
| CF22-15162 | 05/01/2022 20:46:15 | ELEC | Initiated | No | 86 | BC41, E41 | 700 East 180E EB Freeway | | APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA |
| CF22-11714 | 04/04/2022 19:05:16 | PUBLIC | Initiated | No | 87 | BC1 | 211 South 500 East | A | TEST TEST TEST |
| CF22-16353 | 05/11/2022 05:23:27 | AUTO | Initiated | No | 84 | MA73 | 2175 South REDWOOD Road | | IN FRONT OF THE MAVERIK |
| CF22-16448 | 05/11/2022 19:36:58 | PUBLIC | Officer reviewed | No | 100 | M2 | 400 South WEST TEMPLE Street | B | MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST |
| CF22-17626 | 05/20/2022 06:39:25 | STROK | Initiated | No | 84 | GC523 | 1516 East HOLLYWOOD Avenue | | C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE |
| CF22-18025 | 05/23/2022 09:24:39 | FUEL | Initiated | No | 87 | BLU28 | 765 North 2200 West | | FUEL SPILL ON BASE |
| CF22-19058 | 05/31/2022 16:00:53 | PASST | Initiated | No | 86 | FD157 | 210 West 500 South | | EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD |
| CF22-19855 | 06/07/2022 00:42:31 | TRUCK | Initiated | Yes | 94 | M2, LT2, M11, BC1, BC2, FD154, FD158, M6, H14, M7 | 47 North 800 Street West | C | BETWEEN NORTH AND SOUTH TEMPLE.....MOBILE HOME ON FIRE.....UNKN IF ANYONE IS INSIDE |
| CF22- | 06/11/2022 | REFUEL | Initiated | No | 88 | RD1, RD3, | 58 East | B | ATLANTIC REQUESTING REFUEL STANDBY FOR |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|------------------------|--|---------|--|
| 20448 | 15:50:57 | | | | | RD4 | PERIMETER | | ONE OF THEIR PLANES, ALREADY ON THE RAMP. 949FF |
| CF22-20619 | 06/12/2022 19:28:38 | TRAUM | Initiated | No | 84 | M5, E10 | 940 South 2300 East | C | GAVE ADDRESS OF 2918 HUBBARD AVE WHICH DIDN'T PULL UP.. SAYS HER FRIEND LIVES AT LOC.. FRIEND THINKS SHE POSS BROKE HER ANKLE.. PT IS 59YOF... |
| CF22-20866 | 06/14/2022 19:35:45 | REFUEL | Initiated | No | 87 | RD2, RD3 | 303 North 2370 West | A | ****THIS IS A TEST***** |
| Count: 21 | | | | | | | | | |
| CAD Officer in Charge: Baum, Darren | | | | | | | | | |
| CF22-19237 | 06/02/2022 08:00:41 | ALARMF | Initiated | No | 87 | EQ9 | 431 North NEIL ARMSTRONG Road | C | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Bills, Jared | | | | | | | | | |
| CF22-20584 | 06/12/2022 15:13:28 | HOUSE | Initiated | No | 88 | BC2, LT8, EQ14, M6, M2 | 1494 South 900 West | C | ENTIRE BACKYARD ENGULFED |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Bluth, Christopher | | | | | | | | | |
| CF22-20851 | 06/14/2022 18:22:56 | ALARMF | Initiated | No | 87 | E13 | 2792 East ARCADIA HEIGHTS Circle | A | RESD FIRE ALARM - FOR A CURTIS DRAKE 801-550-1195, SET OFF MAIN FLOOR SMOKE, 10 DROPS |
| CF22-20990 | 06/15/2022 17:57:07 | ALARMF | Initiated | No | 87 | E13 | 2166 South 2100 East | A | RES FIRE ALARM // DAVIS BELL 801-369-1608 // HALLWAY SMOKE DETECTOR // REF 4186 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Buhler, Jason | | | | | | | | | |
| CF22-21072 | 06/16/2022 09:24:10 | WATER | Initiated | No | 88 | M5 | East PRINCETON AVE / S MCCLELLAND Street | B | LOTS OF WATER RUNNING DOWN PRINCETON, UNK SOURCE - POSS COMING FROM THE SEWER GRATE...INFO FROM SLCO UNIT/NFD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Bush, Joseph | | | | | | | | | |
| CF22-20742 | 06/13/2022 18:05:58 | ALARMF | Initiated | No | 87 | E4, E10 | 124 South CENTRAL CAMPUS Drive | C | GENERAL FIRE ALARM..UUPD ENROUTE |
| CF22-20607 | 06/12/2022 18:15:20 | PUBLIC | Initiated | No | 88 | E10 | 290 South CONNOR Road | C | ONE PERSON STUCK IN THE ELEVATOR...SEC ENROUTE |
| CF22-20663 | 06/13/2022 02:53:59 | ALARMF | Initiated | No | 88 | E10 | 290 South 1850 East | C | GENERAL FIRE ALARM.....UUPD ON SCENE |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20-29532 | 09/12/2020 10:22:19 | 65A03 | Initiated | No | 88 | EW6091, EW6092 | 10914 West 180W EB Freeway | | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDASST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Crandall, Steve | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|------------------|---------|-------|---|------------------------------|---------|--|
| CF22-20871 | 06/14/2022 20:11:53 | APT | Initiated | No | 88 | E4, M5, M8, BC1, LT8, M6, LT5 | 447 South BLAIR Street | A | FIRE ALARM...NEG SMOKE/FLAMES...DOES SMELL SMOKE ON 2ND FLOOR, FLOOR |
| CF22-20081 | 06/08/2022 18:27:16 | PUBLIC | Initiated | No | 99 | HV5, LT5 | 1040 East SUGARMONT Drive | A | PLAYGROUND BY THE SKATEPARK...FRIEND STUCK IN THE TODDLER SWING...13 YOF |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Dahle, Chad | | | | | | | | | |
| CF22-21095 | 06/16/2022 12:51:54 | ALARMF | Initiated | No | 87 | M1 | 777 East SOUTH TEMPLE Street | B | FIRE ALARM // 801-532-6438 // SMOKE DETECTOR ACTIVATION |
| CF22-21107 | 06/16/2022 14:19:11 | ALARMW | Initiated | No | 87 | LT5, M1 | 555 South 200 East | B | BUSN...LIBERTY METRO APTS...WATER FLOW 2, SPRINKLER RISER...801 366 5000 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Davies, Adam | | | | | | | | | |
| CF22-21093 | 06/16/2022 12:21:32 | ARESCU | Initiated | No | 88 | E10 | 590 South WAKARA Way | B | 82 DEGREES OUTSIDE..... C STATES THAT THERE IS A DOG LOCKED IN A VEH..... C STATES THAT THERE IS A SMALL CRACK IN THE WINDOW..... VEH IS NOT IN SHADED AREA ... SEE RELATED CP#: AC22-9239 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Davy, Matthew | | | | | | | | | |
| CF22-21156 | 06/16/2022 20:40:32 | LOCKP | Initiated | No | 87 | M6 | 483 South REDWOOD Road | B | KIDS LOCKED COMP OUT OF CAR...CAR IS RUNNING.....3 KIDSIN THE CAR AC RUNNING ... SEE RELATED CP#: SL22-113445 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: DeLeeuw, Brian | | | | | | | | | |
| CF22-19821 | 06/06/2022 18:36:01 | APT | Officer reviewed | No | 87 | EQ14, M6, LT5, M3, M5, M8, UT10, BC1, BC2, FD120, FD154, FD158, LT8 | 300 West ANDREW Avenue | C | BUILDING ON FIRE....APT IS ON FIRE, UNKN IF ANYONE IS INSIDE... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Doyle, Chad | | | | | | | | | |
| CF22-21111 | 06/16/2022 14:45:38 | ALARMF | Initiated | No | 87 | EQ14 | 3785 West NINIGRET Drive | B | GENERAL FIRE ALARM // THE TIRE FACTORY... PREMISE # 801 433 0650// SPOKE WITH DEBBY WHO IS NOT ON SITE/ TXED TO ED ON SITE/ FALSE ALARM SHOULD HAVE BEEN IN TEST |
| CF22-18191 | 05/24/2022 14:30:17 | ALARMF | Initiated | No | 88 | EQ14 | 1935 South FREMONT Drive | B | BUSN: WESTERN FENCE...ZONE 6 GENERAL...ONSITE # 801-615-0897..808-769-2092...FALSE ALARM DUE TO A WELDER FUME |
| CF22-18267 | 05/25/2022 07:32:47 | ALARMF | Initiated | No | 88 | EQ14 | 1935 South FREMONT Drive | B | WESTERN FENCE....FIRE ALARM....ZONE 6....801-615-0897 |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Endemano, Edward | | | | | | | | | |
| CF22-3459 | 01/28/2022 15:59:33 | FIRE | Officer reviewed | No | 100 | M12 | 500 EMPLOYEE LOT[STOP 4 | A | GARBAGE CAN ON FIRE |
| CF22-20959 | 06/15/2022 13:45:39 | ALERT | Initiated | No | 98 | BC2, RD1, RD2, RD3, RD4, RD5, RD6, BLUE, M12 | 120 RUNWAY 16R34L | A | ... SEE RELATED CP#: AP22-18628 |
| Count: 2 | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|---|---------------------------------|---------|--|
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21-18617 | 06/17/2021 16:52:56 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 South | | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: George, Brady | | | | | | | | | |
| CF22-12763 | 04/12/2022 19:46:48 | HOUSE | Initiated | Yes | 98 | M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5 | 2228 South LAKE Street | B | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF22-21057 | 06/16/2022 06:49:56 | HOUSE | Initiated | No | 88 | M2, LT2, M7, M11, BC2 | 822 North POINSETTIA Drive | A | |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS |
| CF22-20962 | 06/15/2022 14:40:36 | ALARMF | Initiated | No | 87 | M7 | 876 West 700 South | A | FIRE ALARM // ZONE 1 GENERAL FIRE // 801-200-8594 // REF AE101528 |
| Count: 6 | | | | | | | | | |
| CAD Officer in Charge: Harp, Michael | | | | | | | | | |
| CF22-20557 | 06/12/2022 11:02:33 | FUEL | Initiated | Yes | 100 | RD2, RD3 | 872 East PERIMETER | C | LARGE GUEL SPILL AT OLD ATLANTIC NORTH OF SPOT 33. ACTIVELY LEAKING OUT OF RIGHT WING FUEL VENT. NOTHING IN THE DRAINS. APPROX 2 GALLONS OF JET-A. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Henthorne, David | | | | | | | | | |
| CF22-9449 | 03/17/2022 13:06:09 | ACC | Initiated | No | 86 | FD191 | 1300 South 700 East | | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kajma, Eric | | | | | | | | | |
| CF22-19880 | 06/07/2022 07:21:24 | ALARMF | Initiated | No | 88 | EQ9 | 5825 West HAROLD GATTY Drive | C | GEN FIRE ALARM....KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kochevar, Kevin | | | | | | | | | |
| CF22-21061 | 06/16/2022 07:46:27 | ALARMW | Initiated | No | 88 | LT2, M1 | 257 East 200 South | A | BUSN 257 TOWER // WATERFLOW ALARM // ZONE 419 // 801-322-1984 // REF S340-0013 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Koetitz, Paul | | | | | | | | | |
| CF22-19895 | 06/07/2022 10:01:18 | ALARMF | Initiated | No | 88 | EQ9 | 5650 West 610 South | C | GENERAL FIRE...ZONE 2...BUSINESS...DSA FREIGHT...801-230-2335 |
| CF22-19948 | 06/07/2022 17:54:29 | ALARMF | Initiated | No | 88 | EQ9 | 5825 West HAROLD GATTY Drive | C | COMMERCIAL ALARM..KEYPAD 13SIERRA FORREST PRODUCTS...801 972 3377 |
| Count: 1 | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|------------------|---------|-------|---|------------------------------|---------|--|
| 2 | | | | | | | | | |
| CAD Officer in Charge: Krohn, William | | | | | | | | | |
| CF22-21104 | 06/16/2022 14:08:37 | PUBLIC | Initiated | No | 88 | LT2 | 471 West 500 South | B | ELEVATOR ALARM // SPOKE TO A M, STUCK IN THE ELEVATOR BASEMENT LEVEL |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Lightfoot, Aaron | | | | | | | | | |
| CF22-20334 | 06/10/2022 17:58:06 | ALARMF | Initiated | Yes | 100 | M8 | 865 South MAIN Street | B | FIRE ALARM.. PROPER BURGER ZONE 15 PREP ROOM SMOKE INSIDE # 801-953-1707 |
| CF22-20362 | 06/10/2022 20:25:22 | ALRMCO | Initiated | Yes | 100 | M8, H10 | 131 East WESTMINSTER Avenue | B | CARBON MONOXIDE ALARM GOING OFF AT LOC |
| CF22-20451 | 06/11/2022 16:38:58 | WATER | Initiated | Yes | 100 | M8 | 750 South STATE Street | B | WATER LEAK ON STATE BETWEEN 800 S -700 |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Maddux, John | | | | | | | | | |
| CF22-20472 | 06/11/2022 19:18:27 | PUBLIC | Initiated | No | 87 | HV5 | 301 South WAKARA Way | | FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH |
| CF22-20473 | 06/11/2022 19:19:29 | PUBLIC | Initiated | No | 87 | HV5 | 595 North PERRYS HOLLOW Road | | DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441 |
| CF22-21124 | 06/16/2022 17:03:43 | PDASST | Initiated | No | 88 | LT5 | 1417 East BUTLER Avenue | B | DAUGHTER IS 19 YO AND CANNOT GET OUT OF A VEHICLE. ELECTRONIC BUTTONS ARE NOT WORKING. COMP DID NOT KNOW THE VEHICLE DESCRIPTION. ... SEE RELATED CP#: SL22-113320 |
| CF22-8865 | 03/12/2022 14:53:33 | LOCKP | Initiated | No | 86 | M5, LT5 | 600 East 900 South | | NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646 |
| CF22-8935 | 03/13/2022 04:27:39 | PUBLIC | Initiated | No | 87 | LT5 | 1086 South 800 East | | |
| Count: 5 | | | | | | | | | |
| CAD Officer in Charge: McNeill, John | | | | | | | | | |
| CF22-18864 | 05/29/2022 18:21:53 | ALERT | Officer reviewed | No | 98 | BC2, RD1, RD2, RD3, RD4, RD5, RD6, M12, BLU24 | 120 RUNWAY 16R34L | B | A330 5 MILE FINAL ETA 5MIN |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Meyer, Bryon | | | | | | | | | |
| CF22-18019 | 05/23/2022 08:28:20 | ALARMF | Initiated | No | 87 | M2 | 345 West NORTH TEMPLE Street | B | FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058 |
| CF22-21134 | 06/16/2022 17:56:30 | ALARMF | Initiated | No | 87 | M2 | 90 South RIO GRANDE Street | B | FIRE ALARM ZONE 0 // 2 MORE DROPS // BRIAN 801-674-0608 |
| CF22-21120 | 06/16/2022 16:19:54 | ALARMF | Initiated | No | 88 | M2 | 204 West 200 North | B | ZONE 8 SMOKE // DON # 801 509 6281 // VM ON CB TO DON |
| CF22-21122 | 06/16/2022 16:55:47 | ALARMF | Initiated | No | 87 | M2 | 90 South RIO GRANDE Street | B | FIRE ALARM ZONE 0 // GATEWAY BLOCK C1// 801 456 0040 // ON CB TO SECURITY THEY DON'T HAVE ACCESS TO THIS BLDG ANYMORE/ IT WAS SOLD AND IS NOW AN APT BLDG/ NO CONTACT INFO FOR THAT BLDG |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Moser, Shane | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|--------------------------|---------|-------|--|-------------------------------|---------|--|
| CF22-4411 | 02/04/2022 16:46:39 | COMM | Initiated | No | 87 | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South | B | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR... |
| CF22-5910 | 02/17/2022 01:18:24 | HOUSE | Ready for Officer review | No | 100 | BC1, FD153, M8, M5, LT8, M6 | 1535 South WEST TEMPLE Street | B | ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE.. |
| CF22-9661 | 03/18/2022 21:55:39 | MISCF | Initiated | No | 100 | FD153, LT8 | 176 West 600 South | B | MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL |
| CF22-21145 | 06/16/2022 19:22:41 | MISCF | Initiated | No | 88 | M8 | 1011 South 400 East | B | FIRE BEHIND THE GARAGE..PS BRUSH ON FIRE |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Myers, Eric | | | | | | | | | |
| CF22-20459 | 06/11/2022 18:16:09 | PUBLIC | Officer reviewed | No | 100 | LT2 | 60 West CRAGS Court | B | DORCHESTER POINT FIRE DEPT RESPONDED OUT.. FIRE OVERRIDED THE GATES LOCKING THEM OPEN... #8536 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Parks, Paul | | | | | | | | | |
| CF22-12711 | 04/12/2022 12:09:11 | ACC | Initiated | No | 86 | SQ6 | 223 West FAYETTE Avenue | | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF21-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF21-10548 | 04/11/2021 09:48:49 | PDASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PDASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-23950 | 07/29/2020 14:30:19 | 65A03 | Initiated | No | 88 | E13 | 6650 East I80E WB Freeway | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Rock, Nathan | | | | | | | | | |
| CF22-12186 | 04/08/2022 16:10:57 | PUBLIC | Initiated | Yes | 100 | M1 | 1035 East 300 South | C | MALE FELL |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Rushton, Joel | | | | | | | | | |
| CF22-20143 | 06/09/2022 09:04:44 | ALARMF | Initiated | No | 88 | M7 | 2177 West NORTH TEMPLE Street | A | RADISSON HOTEL FIRE GENERAL FIRE ZONE 8 SMOKE.. INSIDE # 801-364-5800.. REF # AC22340 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Schreiner, Jared | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|------------------|---------|-------|-------------------------------|---------------------------------------|---------|--|
| CF22-20525 | 06/12/2022 02:28:30 | TRUCK | Initiated | No | 93 | EQ9, H14, FD152, FD153 | 5209 West 700 South | B | MOTORHOME ON FIRE IN ROAD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Shafer, Curtis | | | | | | | | | |
| CF22-20761 | 06/13/2022 21:18:37 | PUBLIC | Initiated | No | 87 | M7 | 750 West SOUTH TEMPLE Street | C | ELEVATOR ALARM.....UNABLE TO HEAR ANYONE INSIDE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Shumway, Brandon | | | | | | | | | |
| CF22-11285 | 04/01/2022 08:23:12 | ALARMF | Initiated | No | 87 | E10 | 1912 East YALECREST Avenue | B | ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE #,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S |
| CF22-10793 | 03/28/2022 05:57:25 | ODOR | Initiated | No | 88 | E4 | 860 East 3RD Avenue | C | CALLER PASSED BY - ODOR OF GASOLINE |
| CF22-5893 | 02/16/2022 21:39:08 | APT | Initiated | No | 88 | M2, LT2, E4, M7, BC1, LT5, M1 | 228 East 1ST Avenue | B | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Staheli, Brian | | | | | | | | | |
| CF22-21003 | 06/15/2022 19:38:43 | BBQ | Initiated | No | 88 | E10 | East SUNNYSIDE AVE / S FOOTHILL Drive | A | SB FOOTHILL...SMOKE COMING FROM YARD... UNK EXACT WHAT HOUSE.... 1 STORY HOUSE FLAT ROOM... LOTS OF SMOKE IN THE AREA AND WHEN DROVE PAST LOOKED LIKE A BBQ |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Stringam, Reed | | | | | | | | | |
| CF22-20886 | 06/14/2022 21:43:28 | REFUEL | Initiated | No | 87 | RD2, RD3, RD4 | 25 East PERIMETER | A | B6 A320 524JB |
| CF22-20121 | 06/09/2022 03:02:21 | REFUEL | Initiated | No | 88 | RD2, RD3 | 60 East PERIMETER | A | JETBLUE A320 N3023J |
| CF22-3584 | 01/29/2022 17:26:29 | MISCF | Officer reviewed | No | 100 | ET1 | 575 North JOHN GLENN Road | A | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,, |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Taylor, Matthew | | | | | | | | | |
| CF22-8895 | 03/12/2022 18:48:19 | PUBLIC | Initiated | No | 87 | E13 | 2695 South 900 East | | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/ |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Valdez, Christopher | | | | | | | | | |
| CF22-8886 | 03/12/2022 17:43:58 | PUBLIC | Initiated | No | 87 | LT2 | 250 West 600 South | | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER |
| CF22-11273 | 04/01/2022 06:52:06 | COMM | Initiated | No | 84 | BC1, M8, M7, LT2, M2, LT8, M1 | 224 West 600 South | B | STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D |
| CF22-14079 | 04/23/2022 13:23:13 | PUBLIC | Initiated | No | 88 | LT2 | 45 West SOUTH TEMPLE Street | B | STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAYER IN LOBBY |
| CF22- | 04/23/2022 | PUBLIC | Initiated | No | 87 | LT2 | 50 South MAIN | B | CAFE RIO...3 YOM...ESCALATOR STUCK WITH |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|------------------|---------|-------|--|------------------------------|---------|---|
| 14085 | 13:51:32 | | | | | | Street | | FOOT INSIDE |
| CF22-14138 | 04/23/2022 22:06:31 | PUBLIC | Initiated | No | 88 | LT2 | 411 East SOUTH Temple Street | B | PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED |
| CF22-15710 | 05/06/2022 08:56:51 | SMOKE | Initiated | No | 88 | M2 | 750 North VICTORY Road | B | CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID |
| CF22-15730 | 05/06/2022 11:38:31 | COMM | Initiated | No | 86 | M2, M3, E4, M5, M8, E10, BC1, LT8, LT5 | 220 South 200 East | B | FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM |
| CF22-15772 | 05/06/2022 18:06:47 | ALARMF | Initiated | No | 88 | M2 | 524 North MAIN Street | B | FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING. |
| CF22-15773 | 05/06/2022 18:34:03 | ARESCU | Initiated | No | 87 | M2, LT2 | 48 West MARKET Street | B | 4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259 |
| CF22-16377 | 05/11/2022 10:14:36 | COMM | Initiated | No | 88 | LT5, M1, M2, LT2, M3, M5 | 964 South 3800 West | B | RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER |
| CF22-17243 | 05/17/2022 10:20:47 | ALARMF | Officer reviewed | No | 100 | M2 | 320 South 200 West | B | PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO |
| CF22-17292 | 05/17/2022 16:27:16 | PUBLIC | Officer reviewed | No | 100 | M2 | 350 North MAIN Street | B | M2 |
| CF22-18034 | 05/23/2022 10:28:29 | ALARMF | Initiated | No | 87 | M2 | 169 East 200 South | B | GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ |
| CF22-18036 | 05/23/2022 10:54:55 | FUEL | Initiated | No | 88 | M2, LT2, H10 | 241 North 300 West | B | BEHIND THE STADIUM ON 4TH WEST2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR |
| CF22-18046 | 05/23/2022 11:49:36 | ALARMF | Officer reviewed | No | 100 | M2 | 185 North WEST TEMPLE Street | B | FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231 |
| CF22-18106 | 05/23/2022 20:19:15 | ALARMF | Initiated | No | 90 | M2 | 230 West 500 South | B | GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466 |
| CF22-18161 | 05/24/2022 10:16:17 | ALARMF | Initiated | No | 87 | M2 | 353 West 200 South | B | COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076 |
| CF22-18165 | 05/24/2022 10:50:47 | ALARMF | Initiated | Yes | 99 | M2, M5 | 350 South 200 East | B | GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080 |
| Count: 18 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Werner, Jake | | | | | | | | | |
| CF22-19812 | 06/06/2022 17:21:29 | ALARMW | Initiated | No | 87 | LT2, LT8, M6 | 1317 South 700 West | C | WATERFLOW RISER ZONE3 OFFICE..BUSINESS..NAPPA ..801-556-3000 RP COLBY PETERSON 435-262-0743 |
| CF22-19860 | 06/07/2022 02:13:45 | ALARMF | Initiated | No | 88 | M6 | 736 South 1000 West | C | CO ALARM IS GOING OFF.....NO ONE SICK OR INJURED |
| CF22-20678 | 06/13/2022 08:17:00 | DUMP | Initiated | No | 88 | M6 | 1665 South RIVERSIDE Drive | C | COMP SEES DUMPSTER ON FIRE NEXT TO OFFICE OF APT |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Winkler, Scott | | | | | | | | | |
| CF22-20906 | 06/15/2022 06:05:04 | MISCF | Initiated | No | 87 | E4 | 10 North MARIO | A | POSS SMALL FIRE ON PLATFORM BY THE RAMP.. UUPD ENROUTE |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|---------------|---------|-------|-----------|--------------------------------|---------|---|
| | | | | | | | CAPECCHI Drive | | |
| CF22-21034 | 06/15/2022 23:44:31 | PUBLIC | Initiated | No | 87 | E4 | 100 North MARIO CAPECCHI Drive | A | STUCK IN THE STAFF ELEVATOR / OUTSIDE THE PICU SECOND FLOOR ELEVATOR 9 |
| CF22-19507 | 06/03/2022 23:04:34 | PDASST | Initiated | No | 87 | EW6041 | 64 East 300 North | | JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681 |
| Count: | | | | | | | | | |
| 3 | | | | | | | | | |
| CAD Officer in Charge: Worthington, Jared | | | | | | | | | |
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
| Count: | | | | | | | | | |
| 1 | | | | | | | | | |
| Count: | | | | | | | | | |
| 125 | | | | | | | | | |

| Report Criteria | |
|---------------------|----------------------------------|
| Record Status: | Is Not Equal To Officer reviewed |
| Locked?: | Is Not Equal To Yes |
| Incident Date Time: | Is On or After 1/16/2018 |
| Incident Number: | Begins With CF |
| Code: | Is Not Equal To ARSINV |
| Code: | Is Not Equal To APSN |
| Apparatus: | Is Not Equal To E41 |
| Apparatus: | Is Not Equal To E73 |
| Apparatus: | Is Not Equal To ME117 |

Need help? Call Nicole at 801-799-4103, or email us.